

Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

REF.No → The number referring to the part on the picture page of the parts book.

Part No. → The number assigned to this part at the time of printing the parts book.

Description → Discription of part.

Q'ty → Quantity of part used on that page.

S.No. → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

I/C → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

The part shown is not interchangeable with the other serial number.

← new for old

→ old for new

Remarks → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

Symbol	Country
A	United States of America
CA	Canada
FR	France
GR	Greece
PO	Portugal
AU	Australia

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.

ALL PRODUCT INDEX
G5200H




LABELS
ACCESSORIES


Item	Part No.	Description	Book
ENGINE	01E20	CRANKCASE	100K0078
	01E21	OIL PAN	100K0078
	01E22	CYLINDER HEAD	100K0078
	01E23	GEAR CASE	100K0078
	01E24	MAIN BEARING CASE	100K0078
	01E25	CYLINDER HEAD COVER	100K0078
	01E26	MANIFOLD	100K0078
	01E27	VALVE/ROCKER ARM	100K0078
	01E28	CAMSHAFT	100K0078
	01E29	PISTON/CRANKSHAFT	100K0078
	01E30	FLYWHEEL	100K0078
	01E31	NOZZLE HOLDER	100K0078
	01E32	INJECTION PUMP	100K0078
	01E33	IDLING APPARATUS	100K0078
	01E34	GOVERNOR	100K0078
	01E35	SPEED CONTROL PLATE	100K0078
	01E36	DYNAMO	100K0078
	01E37	WATER FLANGE	100K0078
	01E38	WATER PUMP	100K0078
	01E42	NOZZLE HOLDER (SECTION PARTS)	100K0078
	01E43	INJECTION PUMP (SECTION PARTS)	100K0078
	01E44	DYNAMO (SECTION PARTS)	100K0078
HYDRAULIC SYSTEM	01I09	HYDRAULIC OUTLET (OPTION)	100K0078
	01I10	AUX CONTROL VALVE (OPTION)	100K0078
	01I11	3-POINT LINKAGE (OPTION)	100K0078
MOWER LINK/DRIVE BELT	01I12	REAR PTO (OPTION)	100K0078
HYDRAULIC SYSTEM	01I13	HYDRAULIC LIFT (OPTION)	100K0078
TRANSMISSION	01T01	TRANSMISSION CASE	100K0078
	01T02	PROPELLER SHAFT	100K0078
	01T03	4TH SHAFT	100K0078
	01T04	5TH SHAFT	100K0078
	01T05	DIFFERENTIAL	100K0078
REAR AXLE/REAR WHEEL BRAKE	01T06	REAR AXLE	100K0078
	01T0701	BRAKE	100K0078
	01T0702	BRAKE	100K0078
TRANSMISSION	01T08	PTO SHAFT	100K0078
	01T09	TENSION PULLEY	100K0078
	01T10	PTO LEVER	100K0078
	01T11	H.S.T.	100K0078
	01T12	HYDRAULIC PIPE	100K0078
HYDRAULIC SYSTEM	01T15	STEERING	100K0078
STEERING	01T16	BRAKE PEDAL	100K0078
BRAKE	01T17	ACCEL.LEVER	100K0078
SPEED CHANGE	01T18	SPEED CHANGE LEVER	100K0078
	01T19	ENGINE STOP WIRE	100K0078
	01T2001	LIFT LEVER	100K0078
MOWER LINK/DRIVE BELT	01T21	LIFT LINK	100K0078
BONNET/HOOD/CHASSIS	01T2201	SEAT	100K0078
	01T2202	SEAT	100K0078
LABELS	01T23	LABEL	100K0078
BONNET/HOOD/CHASSIS	01T24	FRAME	100K0078
	01T25	FENDER	100K0078
	01T26	RADIATOR	100K0078
COOLING WATER SYSTEM	01T27	FUEL TANK	100K0078
FUEL SYSTEM	01T28	PANEL COVER	100K0078
BONNET/HOOD/CHASSIS	01T29	RADIATOR NET	100K0078

Item	Part No.	Description	Book
BONNET/HOOD/CHASSIS	01T30	HOOD	100K0078
ELECTRICAL SYSTEM	01T31	ELECTRICAL SYSTEM	100K0078
	01T32	BATTERY	100K0078
FRONT AXLE/FRONT WHEEL	01T33	FRONT AXLE	100K0078
ENGINE	01T34	MUFFLER	100K0078
	01T35	AIR CLEANER	100K0078
FUEL SYSTEM	01T36	FUEL PUMP	100K0078
	01T37	FUEL FILTER	100K0078
	01T38	FUEL PIPE	100K0078
ELECTRICAL SYSTEM	01T39	STARTER	100K0078
FUEL SYSTEM	01T42	FUEL FILTER (SECTION PARTS)	100K0078
ELECTRICAL SYSTEM	01T43	STARTER (SECTION PARTS)	100K0078
BONNET/HOOD/CHASSIS	01T45	SEAT SUSPENTION KIT (OPTION)	100K0078
ELECTRICAL SYSTEM	01T46	COMBI.METER KIT (OPTION)	100K0078
ENGINE	01T47	EXHUST PIPE KIT (OPTION)	100K0078
ACCESSORIES	01T48	ACCESSORIES AND SERVICE PARTS	100K0078

CRANKCASE




REF.No.130 15841-9601-0



REF.No.170 15841-3515-0

REF.No.210 02016-50100

REF.No.220 04211-50100






CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15862-01010	CRANKCASE	1	≤9789			0	0
010	15872-01013	COMP.CRANKCASE	1	≥9790	←		22	48.4
010	15862-01016	COMP.CRANKCASE	1	≥124706	←		22	48.4
020	15451-96300	CAP SEALING	3	≤124705			0.002	0.0044
020	06311-85014	CAP SEALING	3	≥124706			0.003	0.0066
020	16851-96260	CAP SEALING	3	≥132501			0.005	0.011
030	15451-96260	CAP SEALING	5	≤124705			0.007	0.0154
030	06311-85020	CAP SEALING	3	≥124706			0.002	0.0044
030	16851-96270	CAP SEALING	3	≥132501			0.005	0.011
040	15451-96270	CAP SEALING	2				0.012	0.0264
050	15261-96010	PLUG	5				0.002	0.0044
060	15521-96020	PLUG	3				0.003	0.0066
070	15521-96030	PLUG	1				0.007	0.0154
080	06311-75040	PLUG	1				0.02	0.044
090	05012-00508	PIN STRAIGHT	2				0.001	0.0022
100	05012-00814	PIN STRAIGHT	2				0.006	0.0132
110	15221-33650	PIN PIPE	1				0.004	0.0088
120	15231-33960	PIN PIPE	2				0.001	0.0022
130	15841-96010	PLUG	1	≤112012			0.015	0.033
140	15221-33700	O RING	1				0.001	0.0022
150	15841-73020	ASSY COCK DRAIN	1				0.03	0.066
160	15841-35010	ASSY PUMP OIL	1	≤121837			0	0
160	16851-35010	ASSY PUMP OIL	1	≥121838	←		0.24	0.528
170	15841-35150	GASKET OIL PUMP	1	≤121837			0	0
170	16851-35150	GASKET OIL PUMP	1	≥121838	≠		0	0
180	15841-91050	BOLT	3				0.01	0.022
190	15841-35660	GEAR OIL PUMP DRIVE	1				0.113	0.2486
200	05712-00408	KEY FEATHER	1				0.001	0.0022
210	02016-50100	NUT	1	≤150379			0.009	0.0198
210	02783-50100	NUT FLANGE	1	≥150380	↔		0.01	0.022
220	04211-50100	WASHER CLAW	1	≤155086			0.002	0.0044
230	15841-39010	SWITCH OIL	1				0.03	0.066
240	17331-59190	PIN PIPE	2				0.02	0.044

OIL PAN






OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15862-01500	COMP.OIL PAN	1				1.11	2.442
020	15861-01620	GASKET	1				0	0
030	01023-50612	BOLT	18				0.005	0.011
040	15221-33750	PLUG	1				0.032	0.0704
050	15109-33660	GASKET	1				0.001	0.0022
060	15861-32110	FILTER OIL	1	≤121837			0.14	0.308
060	16851-32110	FILTER OIL	1	≥121838	≠		0.11	0.242
070	04811-00140	RING	1	≤121837			0.001	0.0022
070	04811-00160	RING	1	≥121838	≠		0.001	0.0022
080	01123-50814	BOLT	1				0	0
090	15852-36410	GAUGE OIL	1				0.025	0.055

CYLINDER HEAD



REF.No.080 15841-0802-0
REF.No.110 19231-0351-2



REF.No.080 15841-0341-0






CYLINDER HEAD


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-01750	HOOK ENGINE	2				0	0
020	01123-50814	BOLT	2				0	0
030	15861-03040	COMP.CYLINDER HEAD	1	≤12877			0	0
030	15862-03040	COMP.CYLINDER HEAD	1	≥12878	≠		0	0
030	15862-03042	COMP.CYLINDER HEAD	1	≥121838	≠		0	0
040	15321-96260	CAP SEALING	1				0.014	0.0308
050	15261-96010	PLUG	1				0.002	0.0044
060	15841-13540	GUIDE INLET VALVE	3				0.014	0.0308
070	15841-13560	GUIDE EXHAUST VALVE	3				0.014	0.0308
080	15841-96020	PLUG	1	≤12877			0.003	0.0066
080	66021-55330	BODY SENSER	1	≥12878	≠		0.01	0.022
090	15841-03410	STUD HEAD	2	≤84632			0.03	0.066
100	14601-03450	BOLT CYLINDER HEAD	12	≤84632			0.035	0.077
100	14601-03450	BOLT CYLINDER HEAD	14	≥84633			0.035	0.077
110	19231-03512	NUT HEAD	2	≤84632			0.01	0.022
120	15861-03310	GASKET CYLINDER HEAD	1	≤12877			0	0
120	15861-03312	GASKET CYLINDER HEAD	1	≥12878	←		0	0
130	15261-03370	GAP SEALING	2				0.005	0.011

GEAR CASE



REF.No.050 15841-0413-0
 REF.No.100 15241-9102-0
 REF.No.110 04512-50080






GEAR CASE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-04020	COMP.CASE GEAR	1				0	0
020	15261-96020	PLUG	2				0	0
030	15841-56280	PIN START SPRING	1				0.005	0.011
040	04811-06130	RING	3				0.001	0.0022
050	15841-04130	GASKET GEAR CASE	1				0	0
050	15862-04130	GASKET GEAR CASE	1		↔		0	0
060	01023-50618	BOLT	1				0.006	0.0132
070	01023-50650	BOLT	10				0	0
080	15841-91010	BOLT	3				0.014	0.0308
090	01023-50670	BOLT	1				0	0
100	15241-91020	BOLT	1	≤63295			0.016	0.0352
100	01023-50675	BOLT	1	≥63296	≠		0.01	0.022
110	04512-50060	WASHER SPRING	1	≤63295			0	0
120	15841-32290	JOINT PIPE	1	≤104219			0	0
120	15241-32290	JOINT PIPE	1	≥104220	↔		0.053	0.1166
130	15841-94010	WASHER PLAIN	1				0.003	0.0066
140	15841-04140	SEAL OIL	1				0.012	0.0264
150	15841-32430	CARTRIDGE OIL FILTER	1	≤109827			0.31	0.682
150	15852-32430	CARTRIDGE OIL FILTER	1	≥109828	≠		0.45	0.99
160	15841-36950	SPRING	1				0	0
170	15841-36930	SEAT VALVE	1				0.01	0.022
180	07715-03211	BALL	1				0.003	0.0066

MAIN BEARING CASE



REF.No.020 14601-0454-0
REF.No.030 14601-0457-0
REF.No.110 14601-0454-0
REF.No.120 14601-0457-0
REF.No.140 14601-0454-0
REF.No.150 14601-0457-0
REF.No.160 15841-0456-0
REF.No.170 15841-0458-0







MAIN BEARING CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-04090	ASSY CASE MAIN BRG.	1				0.71	1.562
020	14601-04540	BOLT BEARING CASE	2	<=61080			0	0
020	15841-04540	BOLT BEARING CASE	2	>=61081	≠		0.012	0.0264
030	14601-04570	WASHER BEARING CASE	2	<=61080			0.003	0.0066
040	15841-04360	GASKET BEARING CASE	1				0	0
050	15841-04810	COVER BEARING CASE	1				0.16	0.352
060	15841-04820	GASKET	1				0	0
070	01023-50620	BOLT	8				0.006	0.0132
080	01023-50622	BOLT	8				0.005	0.011
090	19215-99160	SEAL OIL	1				0.025	0.055
100	15841-04040	ASSY CASE MAIN BRG.	1				0.054	0.1188
110	14601-04540	BOLT BEARING CASE	2	<=61080			0	0
110	15841-04540	BOLT BEARING CASE	2	>=61081	≠		0.012	0.0264
120	14601-04570	WASHER BEARING CASE	2	<=61080			0.003	0.0066
130	15861-04050	ASSY CASE MAIN BRG.	1				0.55	1.21
140	14601-04540	BOLT BEARING CASE	2	<=61080			0	0
140	15841-04540	BOLT BEARING CASE	2	>=61081	≠		0.012	0.0264
150	14601-04570	WASHER BEARING CASE	2	<=61080			0.003	0.0066
160	15841-04560	BOLT BEARING CASE	2	<=73784			0	0
160	15841-04562	BOLT BEARING CASE	2	>=73785	≠		0.02	0.044
170	15841-04580	WASHER BEARING CASE	2	<=73784			0.001	0.0022

CYLINDER HEAD COVER






CYLINDER HEAD COVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-05550	JOINT BREATHER PIPE	1				0.025	0.055
020	15841-05140	PLATE ELEMENT	1				0.005	0.011
030	15841-05150	PLATE ELEMENT	1				0.005	0.011
040	15841-05670	ELEMENT BREATHER	1				0.01	0.022
050	15841-05370	OIL SHIELD BREATHER	1				0.003	0.0066
060	03024-50510	SCREW	2				0.002	0.0044
070	15841-05510	PIPE BREATHER	1				0.04	0.088
080	15841-05590	CLAMP PIPE	1				0.005	0.011
090	02114-50080	NUT	1				0.005	0.011
100	04013-50080	WASHER PLAIN	1				0	0
110	15861-14510	COVER CYL.HEAD	1	≤121837			0.05	0.11
110	16861-14510	COVER CYL.HEAD	1	≥121838	≠		0.47	1.034
120	15861-14520	GASKET HEAD COVER	1	≤121837			0.003	0.0066
120	16861-14520	GASKET HEAD COVER	1	≥121838	≠		0	0
130	14601-14620	NUT CAP	3				0	0
130	15841-14620	NUT CAP	3		↔		0.01	0.022
140	15601-96650	GASKET	3				0.001	0.0022
150	15221-33140	PLUG OIL FILLER	1				0.038	0.0836
160	04811-50300	RING	1				0.001	0.0022

MANIFOLD



REF.No.070 15841-1235-0





MANIFOLD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15862-11760	MANIFOLD INLET	1				0.38	0.836
020	15862-11820	GASKET IN-MANIFOLD	1	≤91475			0	0
020	15861-11820	GASKET IN-MANIFOLD	1	≥91476	≠		0.001	0.0022
030	01023-50625	BOLT	2				0.007	0.0154
040	01023-50650	BOLT	2				0	0
050	15862-91010	BOLT	1				0.02	0.044
060	15862-12310	MANIFOLD EXHAUST	1				0	0
070	15841-12350	GASKET	3	≤82839			0	0
070	15861-12350	GASKET	1	≥82840	≠		0	0
080	01023-50618	BOLT	3				0.006	0.0132
090	01513-50618	STUD	3				0.005	0.011
100	02056-50060	NUT	3				0.002	0.0044
110	04512-50060	WASHER SPRING	3				0	0




VALVE/ROCKER ARM


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	14601-13110	VALVE INLET	3				0.03	0.066
020	14601-13120	VALVE EXHAUST	3				0.028	0.0616
030	14601-13240	SPRING VALVE	6				0.015	0.033
040	14601-13330	RETAINER VALVE SP.	6				0.01	0.022
050	14601-13360	COLLET VALVE SPRING	6				0.001	0.0022
060	14601-13280	CAP VALVE	6				0	0
070	15841-13150	SEAL VALVE STEM	6				0.015	0.033
080	15861-14260	SHAFT ROCKER ARM	1				0.1	0.22
090	15841-14320	SPRING THRUST	2				0	0
100	15841-94020	WASHER PLAIN	2				0.003	0.0066
110	01023-50610	BOLT	2				0.005	0.011
120	15841-14350	BRACKET ROCKER ARM	3				0.026	0.0572
130	14601-14410	STUD	3				0.015	0.033
140	02056-50060	NUT	3				0.002	0.0044
150	04012-50060	WASHER PLAIN	3				0.001	0.0022
160	04512-50060	WASHER SPRING	3				0	0
170	14601-14420	SCREW SET	1				0.006	0.0132
180	14601-14430	WASHER	6				0.004	0.0088
190	14601-14310	SPRING ROCKER ARM	2				0.005	0.011
200	15841-14030	ASSY ROCKER ARM	6	≤91475			0.04	0.088
200	15841-14032	ASSY ROCKER ARM	6	≥91476	≠		0	0
210	15841-14230	SCREW ADJUSTING	6				0.003	0.0066
220	14601-14240	NUT	6				0.007	0.0154
230	15841-14180	BUSH	6	≤91475			0.006	0.0132

CAMSHAFT



REF.No.090 15841-2401-0
 REF.No.080 15875-2401-0
 REF.No.100 15841-2498-0
 REF.No.100 15875-2428-0
 REF.No.110 14541-2436-0
 REF.No.110 15875-2436-0
 REF.No.120 14541-2437-0
 REF.No.130 15841-2432-0
 REF.No.140 15841-2425-0






CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-15550	TAPPET	6				0	0
010	16851-15550	TAPPET	6		↔		0.025	0.055
020	15841-15110	ROD PUSH	6				0	0
030	15861-16010	ASSY CAMSHAFT	1				0.9	1.98
040	03410-50608	SCREW	1				0.001	0.0022
050	15841-16510	GEAR CAMSHAFT	1				0.27	0.594
060	05712-00518	KEY FEATHER	1				0.003	0.0066
070	15841-16270	STOPPER CAMSHAFT	1				0.027	0.0594
080	01023-50612	BOLT	2				0.005	0.011
090	15841-24010	COMP.GEAR IDLE	1	≤18526			0.41	0.902
090	15875-24010	COMP.GEAR IDLE	1	≥18527	≠		0.384	0.8448
090	15875-24013	COMP.GEAR IDLE	1	≥115689	≠		0.38	0.836
100	15841-24980	BUSH IDLE GEAR	2	≤18526			0.004	0.0088
100	15875-24280	BUSH IDLE GEAR	2	≥18527	≠		0	0
100	15875-24282	BUSH IDLE GEAR	1	≤118818	≠		0.01	0.022
110	14541-24360	COLLAR IDLE GEAR	1	≤18526			0.001	0.0022
110	15875-24360	COLLAR IDLE GEAR	1	≥18527	≠		0.006	0.0132
110	15875-24360	COLLAR IDLE GEAR	1	≤118818			0.006	0.0132
120	14541-24370	COLLAR IDLE GEAR	1	≤18526			0.015	0.033
120	15875-24370	COLLAR IDLE GEAR	1	≥18527	≠		0.006	0.0132
130	15841-24320	RING SNAP	1	≤18526			0.005	0.011
130	15875-24320	RING SNAP	1	≥18527	≠		0.003	0.0066
140	15841-24250	SHAFT IDLE GEAR	1	≤18526			0.1	0.22
140	15875-24250	SHAFT IDLE GEAR	1	≥18527	≠		0.13	0.286
150	01023-50614	BOLT	3				0.005	0.011






PISTON/CRANKSHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-21110	PISTON	3			STD	0.23	0.506
010	15841-21910	PISTON	3			+0.5	0.21	0.462
020	14601-21050	ASSY PISTON RING	3			STD	0.03	0.066
020	14601-21090	ASSY PISTON RING	3			+0.5	0.025	0.055
030	15841-21310	PIN PISTON	3				0.077	0.1694
040	14601-21330	CIR-CLIP PISTON PIN	6				0.002	0.0044
050	15841-22010	ASSY CONNECTING ROD	3				0	0
060	15841-21980	BUSH PISTON PIN	3				0.01	0.022
070	15841-22140	BOLT CONNECTING ROD	6	≤99359			0	0
070	15852-22140	BOLT CONNECTING ROD	6	≥99360	↔		0.013	0.0286
080	15841-22310	METAL CRANKPIN	3			STD	0	0
080	15841-22970	METAL CRANKPIN	3			-0.2	0.021	0.0462
080	15841-22980	METAL CRANKPIN	3			-0.4	0.03	0.066
090	15861-23010	COMP.CRANKSHAFT	1				6.1	13.42
100	15131-01380	PLUG PIN	3	≤104219			0.001	0.0022
100	07715-00401	BALL	3	≥104220	≠		0.001	0.0022
100	07715-03207	BALL	3		↔		0.001	0.0022
110	19215-23280	SLEEVE CRANKSHAFT	1				0.05	0.11
120	15841-24110	GEAR CRANKSHAFT	1				0.14	0.308
130	05712-00515	KEY FEATHER	1				0.003	0.0066
140	15841-23470	METAL CRANKSHAFT	1			STD	0	0
140	15841-23910	METAL CRANKSHAFT	1			-0.2	0	0
140	15841-23920	METAL CRANKSHAFT	1			-0.4	0	0
150	15841-23480	METAL CRANKSHAFT	2			STD	0	0
150	15841-23860	METAL CRANKSHAFT	2			-0.2	0	0
150	15841-23870	METAL CRANKSHAFT	2			-0.4	0.03	0.066
160	15261-23480	METAL CRANKSHAFT	1			STD	0	0
160	15261-23930	METAL CRANKSHAFT	1			-0.2	0	0
160	15261-23940	METAL CRANKSHAFT	1			-0.4	0	0
170	15261-23530	METAL SIDE	2			STD	0.006	0.0132
170	15261-23950	METAL SIDE	2			+0.2	0.006	0.0132
170	15261-23960	METAL SIDE	2			+0.4	0.007	0.0154
180	15261-23540	METAL SIDE	2			STD	0.007	0.0154
180	15261-23970	METAL SIDE	2			+0.2	0.006	0.0132
180	15261-23980	METAL SIDE	2			+0.4	0.007	0.0154
190	15841-23250	COLLAR CRANKSHAFT	1				0.05	0.11
200	15841-23310	SLINGER OIL	1	≤48514			0	0
200	15881-23310	SLINGER OIL	1	≥48515	←		0.004	0.0088
210	04811-16220	RING	1				0.001	0.0022

FLYWHEEL



REF.No.030 15841-2516-0
REF.No.040 15531-2517-0






FLYWHEEL


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15861-25012	COMP.FLYWHEEL	1	≤82839			0	0
010	15861-25013	COMP.FLYWHEEL	1	≥82840	←		0	0
020	15841-63820	GEAR RING	1				0	0
030	15841-25160	BOLT FLYWHEEL	5	≤99359			0	0
030	15852-25160	BOLT FLYWHEEL	5	≥99360	≠		0.025	0.055
040	15531-25170	WASHER FLYWHEEL	1	≤99359			0.04	0.088
050	66021-58180	PLATE REAR END	1				2.3	5.06
060	01123-50816	BOLT	10				0.011	0.0242

NOZZLE HOLDER



REF.No.010 15841-4204-0
REF.No.020 14971-4275-0
REF.No.070 15841-5300-0






NOZZLE HOLDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-42040	ASSY PIPE OVER FLOW	2	<=91475		REFER TO L.No.0C11-R0 FOR COMPONENTS.	0.009	0.0198
010	15862-42500	ASSY PIPE OVER FLOW	1	>=91476	≠		0	0
020	14971-42750	CLIP PIPE	4	<=91475			0.001	0.0022
030	15841-42500	ASSY PIPE OVER FLOW	1				0.015	0.033
040	14971-42750	CLIP PIPE	2				0.001	0.0022
050	15841-51360	SCREW	1				0.008	0.0176
060	15601-96650	GASKET	1				0.001	0.0022
070	15841-53000	ASSY HOLDER NOZZLE	3	<=91475			0.12	0.264
070	19667-53000	ASSY HOLDER NOZZLE	3	>=91476	≠		0	0
080	15841-53620	GASKET	3				0	0
090	15852-53710	PIPE INJECTION	1	<=4387			0.1	0.22
090	15852-53712	PIPE INJECTION	1	>=4388	≠		0.1	0.22
100	15852-53720	PIPE INJECTION	1	<=4387			0.1	0.22
100	15852-53722	PIPE INJECTION	1	>=4388	≠		0.1	0.22
110	15862-53730	PIPE INJECTION	1	<=4387			0.1	0.22
110	15862-53732	PIPE INJECTION	1	>=4388	≠		0.1	0.22
120	15841-53850	CLAMP PIPE	2				0.01	0.022
130	15841-53860	CLAMP PIPE	2				0.009	0.0198
140	03024-50520	SCREW	2				0.004	0.0088
150	15951-65510	PLUG GLOW	3				0.03	0.066
160	15841-65560	CORD GLOW PLUG	2				0.004	0.0088
170	15862-53700	ASSY PIPE INJECTION	1	>=1001			0.294	0.6468

INJECTION PUMP






INJECTION PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15861-51010	ASSY PUMP INJECTION	1	≤4433			0	0
010	15862-51010	ASSY PUMP INJECTION	1	≥4434	↔	REFER TO L.No.0C13-L0 FOR COMPONENTS.	1	2.2
020	15861-52110	SHIM INJECTION PUMP	4	≤73784			0	0
020	15861-52110	SHIM INJECTION PUMP	2	≥73785			0	0
020	15861-52120	SHIM INJECTION PUMP	1	≥73785			0	0
030	01311-10620	BOLT	2				0.012	0.0264
040	15841-91500	STUD	2				0.04	0.088
050	15841-92320	NUT CAP	2				0.01	0.022
060	04512-50060	WASHER SPRING	4				0	0
070	15841-95680	JOINT	1				0.03	0.066
080	15861-16020	ASSY CAMSHAFT FUEL	1	≤17858			0	0
080	15875-16020	ASSY CAMSHAFT FUEL	1	≥17859	←		0.88	1.936
090	15861-16170	CAMSHAFT FUEL	1	≤17858			0	0
090	15875-16170	CAMSHAFT FUEL	1	≥17859	←		0.316	0.6952
100	08153-06203	BEARING BALL	1				0.08	0.176
110	15841-51150	GEAR INJECTION PUMP	1				0.315	0.693
120	05712-00515	KEY FEATHER	1				0.003	0.0066
130	15841-55450	SLEEVE GOVERNOR	1				0.05	0.11
140	15841-55690	CASE GOVERNOR BALL	1				0.02	0.044
150	07715-00801	BALL	32				0.001	0.0022
160	15261-55470	CIR-CLIP GOV. SLEEVE	1				0.002	0.0044
170	07715-03217	BALL	8				0.01	0.022
180	08103-06203	BEARING BALL	1				0.065	0.143
190	04612-00170	CIR-CLIP EXTERNAL	1				0.001	0.0022
200	15841-16320	STOPPER	1				0.015	0.033
210	01023-50612	BOLT	2				0.005	0.011

IDLING APPARATUS







IDLING APPARATUS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15852-52850	COVER	1				0.06	0.132
020	15841-52140	GASKET FUEL PUMP	1				0	0
030	01023-50616	BOLT	2				0.005	0.011
040	15841-54092	ASSY APPARATUS IDLE	1				0.02	0.044
050	15841-54100	ASSY BOLT ADJUSTING	1				0.009	0.0198
060	15261-92020	NUT	1				0.004	0.0088
070	15841-54220	NUT CAP	1				0.006	0.0132
080	15021-33660	GASKET	2				0.001	0.0022
090	15841-54270	CAP	1				0.001	0.0022
100	15841-54122	BOLT ADJUSTING	1				0.008	0.0176
110	15841-92020	NUT	1				0.004	0.0088
120	15601-96650	GASKET	2				0.001	0.0022
130	15841-92330	NUT CAP	1				0.006	0.0132
130	15852-92330	NUT CAP	1		↔		0	0
140	15841-54420	CAP	1	≤80896			0	0
140	16241-54420	CAP	1	≥80897	←		0.004	0.0088
150	15841-83350	COVER	1				0.165	0.363
150	16851-16210	COVER	1		↔		0	0
160	15841-83110	GASKET	1				0	0
170	01023-50616	BOLT	1				0.005	0.011
180	01123-50818	BOLT	2				0.012	0.0264



REF.No.130 04012-90060






GOVERNOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-56480	SPRING START	1				0.001	0.0022
020	15841-56410	SPRING GOVERNOR	1				0.005	0.011
030	15862-56050	ASSY LEVER FORK	1				0.26	0.572
040	15862-56040	COMP.LEVER FORK	1				0.12	0.264
050	15841-56060	ASSY LEVER FORK	1				0.095	0.209
060	15841-56130	LEVER FORK	1				0.06	0.132
070	15841-56150	SHAFT FORK LEVER	1				0.035	0.077
080	05411-00318	PIN SPRING	1				0.001	0.0022
090	15261-66410	BOLT	1				0.003	0.0066
100	04512-50050	WASHER SPRING	1				0	0
110	15841-56230	HOLDER FORK LEVER	1				0.035	0.077
120	01023-50635	BOLT	2				0.01	0.022
130	04012-50060	WASHER PLAIN	2	≤124705			0.001	0.0022

SPEED CONTROL PLATE






SPEED CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-57110	PLATE SPEED CONTROL	1				0.12	0.264
020	15841-57210	GASKET	1				0	0
030	01023-50618	BOLT	2				0.006	0.0132
040	01053-50618	BOLT	2				0.006	0.0132
050	15601-96650	GASKET	2				0.001	0.0022
060	15841-56110	LEVER GOVERNOR	1				0.06	0.132
070	15841-57240	COLLAR	1				0.01	0.022
080	04811-10160	RING	1				0.001	0.0022
090	15841-57152	LEVER SPEED CONTROL	1				0	0
100	15841-92010	NUT	2				0.007	0.0154
110	15841-57740	SHAFT LEVER	1				0	0
120	15852-57720	LEVER ENGINE STOP	1				0	0
130	05411-00318	PIN SPRING	1				0.001	0.0022
140	04811-10070	RING	1				0.001	0.0022
150	15841-57920	SPRING RETURN	1				0.008	0.0176






DYNAMO


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15531-64013	ASSY DYNAMO	1			REFER TO L.No.0C14-L0 FOR COMPONENTS.	0	0
020	15841-64420	STAY DYNAMO	1				0.06	0.132
030	01123-50825	BOLT	1				0.013	0.0286
040	15841-91020	BOLT	1				0.02	0.044
050	04013-50080	WASHER PLAIN	1				0	0
060	01023-50616	BOLT	1				0.005	0.011
070	15862-74110	FAN	1				0.28	0.616
080	15841-74250	PULLEY FAN	1				0.19	0.418
090	01053-50612	BOLT	4	≤88345			0.004	0.0088
090	01754-50612	BOLT	4	≥88346	≠		0.005	0.011
100	15131-74230	WASHER FAN	2	≤88345			0.005	0.011
110	15861-74280	PULLEY FAN DRIVE	1				1.12	2.464
120	15841-91030	BOLT	1	≤95475			0.075	0.165
120	15881-91030	BOLT	1	≥95476	≠		0.06	0.132
130	15841-94030	WASHER PLAIN	1	≤95475			0.01	0.022
140	15841-97010	BELT V	1				0.04	0.088
150	04015-50080	WASHER PLAIN	1				0	0


WATER FLANGE



REF.No.110 15531-7334-0



REF.No.130 15531-7336-0






WATER FLANGE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-72860	PIPE WATER	1				0.09	0.198
020	15841-72870	PIPE WATER	1				0.045	0.099
030	15841-91510	STUD	1				0.007	0.0154
040	02056-50060	NUT	1				0.002	0.0044
050	04512-50060	WASHER SPRING	1				0	0
060	15841-72970	BAND PIPE	2	≤3344			0.007	0.0154
060	66204-36280	BAND PIPE	2	≥3345	↔		0.02	0.044
060	09318-89030	BAND PIPE	2	≥132501	↔		0.02	0.044
070	15841-72700	COMP.FLANGE WATER	1				0.14	0.308
080	15841-72920	GASKET WATER FLANGE	1				0	0
090	01023-50616	BOLT	2				0.005	0.011
100	15841-91040	BOLT	1				0.01	0.022
110	15531-73340	PIPE WATER RETURN	1	≤73784			0.01	0.022
110	16241-73340	PIPE WATER RETURN	1	≥73785	≠		0.006	0.0132
120	15841-73350	PIPE WATER RETURN	1				0.02	0.044
130	15531-73360	BAND PIPE	2				0.007	0.0154
130	16241-73360	BAND PIPE	2		↔		0.003	0.0066
140	15531-73010	ASSY THERMOSTAT	1				0.07	0.154
150	15841-73260	COVER THERMOSTAT	1				0.04	0.088
160	15531-73270	GASKET	1				0	0
170	01023-50622	BOLT	2				0.005	0.011
180	04012-50060	WASHER PLAIN	1				0.001	0.0022

WATER PUMP






WATER PUMP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-73030	ASSY PUMP WATER	1	≤73784			0.58	1.276
010	15841-73033	ASSY PUMP WATER	1	≥73785	≠		0	0
010	15852-73030	ASSY PUMP WATER	1	≥112013	↔		0.6	1.32
020	15531-73520	FLANGE WATER PUMP	1	≤112012			0.13	0.286
020	15852-73520	FLANGE WATER PUMP	1	≥112013	≠		0.13	0.286
030	15841-73550	BEARING	1	≤112012			0.13	0.286
030	15852-73550	BEARING	1	≥112013	≠		0.18	0.396
040	15841-73050	ASSY SEAL MECHANICAL	1	≤112012			0.02	0.044
040	15852-73050	ASSY SEAL MECHANICAL	1	≥112013	≠		0.005	0.011
050	15841-73510	IMPELLER WATER PUMP	1	≤112012			0.12	0.264
050	15852-73510	IMPELLER WATER PUMP	1	≥112013	≠		0.1	0.22
060	15531-73340	PIPE WATER RETURN	1	≤73784			0.01	0.022
060	16241-73340	PIPE WATER RETURN	1	≥73785	≠		0.006	0.0132
060	15852-73340	PIPE WATER RETURN	1	≥112013	≠		0.02	0.044
070	15841-73430	GASKET WATER PUMP	1				0	0
080	01023-50625	BOLT	4				0.007	0.0154

NOZZLE HOLDER (SECTION PARTS)



REF.No.030 15841-9569-0






NOZZLE HOLDER (SECTION PARTS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-53000	ASSY HOLDER NOZZLE	3	≤91475			0.12	0.264
010	19667-53000	ASSY HOLDER NOZZLE	3	≥91476	≠		0	0
020	15841-92030	NUT	3				0.005	0.011
030	15841-95690	JOINT	3	≤91475			0.011	0.0242
040	15841-94040	WASHER	3				0.001	0.0022
050	15841-53170	SPRING NOZZLE	3				0.004	0.0088
060	15841-53350	PIECE DISTANCE	3				0.004	0.0088
070	15841-53160	ROD PUSH	3				0.001	0.0022
080	15841-53280	NUT NOZZLE	3				0.03	0.066
090	15841-53610	PIECE NOZZLE	3				0.02	0.044
100	15841-98100	ASSY WASHER	3				0.043	0.0946
110	15841-53230	WASHER ADJUSTING	3			0.900MM	0.001	0.0022
110	15841-98510	WASHER ADJUSTING	3			0.925MM	0.001	0.0022
110	15841-98520	WASHER ADJUSTING	3			0.950MM	0.001	0.0022
110	15841-98530	WASHER ADJUSTING	3			0.975MM	0.001	0.0022
110	15841-98540	WASHER ADJUSTING	3			1.000MM	0.001	0.0022
110	15841-98550	WASHER ADJUSTING	3			1.025MM	0.001	0.0022
110	15841-98560	WASHER ADJUSTING	3			1.050MM	0.001	0.0022
110	15841-98570	WASHER ADJUSTING	3			1.075MM	0.001	0.0022
110	15841-98580	WASHER ADJUSTING	3			1.100MM	0.001	0.0022
110	15841-98590	WASHER ADJUSTING	3			1.125MM	0.001	0.0022
110	15841-98600	WASHER ADJUSTING	3			1.150MM	0.001	0.0022
110	15841-98610	WASHER ADJUSTING	3			1.175MM	0.001	0.0022
110	15841-98620	WASHER ADJUSTING	3			1.200MM	0.001	0.0022
110	15841-98630	WASHER ADJUSTING	3			1.225MM	0.001	0.0022
110	15841-98640	WASHER ADJUSTING	3			1.250MM	0.001	0.0022
110	15841-98650	WASHER ADJUSTING	3			1.275MM	0.001	0.0022
110	15841-98660	WASHER ADJUSTING	3			1.300MM	0.001	0.0022
110	15841-98670	WASHER ADJUSTING	3			1.325MM	0.001	0.0022
110	15841-98680	WASHER ADJUSTING	3			1.350MM	0.001	0.0022
110	15841-98690	WASHER ADJUSTING	3			1.375MM	0.001	0.0022
110	15841-98700	WASHER ADJUSTING	3			1.400MM	0.001	0.0022
110	15841-98710	WASHER ADJUSTING	3			1.425MM	0.001	0.0022
110	15841-98720	WASHER ADJUSTING	3			1.450MM	0.001	0.0022
110	15841-98730	WASHER ADJUSTING	3			1.475MM	0.001	0.0022
110	15841-98740	WASHER ADJUSTING	3			1.500MM	0.001	0.0022
110	15841-98750	WASHER ADJUSTING	3			1.525MM	0.001	0.0022
110	15841-98760	WASHER ADJUSTING	3			1.550MM	0.001	0.0022
110	15841-98770	WASHER ADJUSTING	3			1.575MM	0.001	0.0022
110	15841-98780	WASHER ADJUSTING	3			1.600MM	0.002	0.0044
110	15841-98790	WASHER ADJUSTING	3			1.625MM	0.001	0.0022
110	15841-98800	WASHER ADJUSTING	3			1.650MM	0.001	0.0022
110	15841-98810	WASHER ADJUSTING	3			1.675MM	0.004	0.0088
110	15841-98820	WASHER ADJUSTING	3			1.700MM	0.001	0.0022
110	15841-98830	WASHER ADJUSTING	3			1.725MM	0.001	0.0022
110	15841-98840	WASHER ADJUSTING	3			1.750MM	0.001	0.0022
110	15841-98850	WASHER ADJUSTING	3			1.775MM	0.001	0.0022
110	15841-98860	WASHER ADJUSTING	3			1.800MM	0.001	0.0022
110	15841-98870	WASHER ADJUSTING	3			1.825MM	0.001	0.0022
110	15841-98880	WASHER ADJUSTING	3			1.850MM	0.001	0.0022
110	15841-98890	WASHER ADJUSTING	3			1.875MM	0.001	0.0022
110	15841-98900	WASHER ADJUSTING	3			1.900MM	0.001	0.0022
110	15841-98910	WASHER ADJUSTING	3			1.925MM	0.001	0.0022
110	15841-98920	WASHER ADJUSTING	3			1.950MM	0.001	0.0022

INJECTION PUMP (SECTION PARTS)






INJECTION PUMP (SECTION PARTS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15862-51010	ASSY PUMP INJECTION	1				1	2.2
020	15841-51050	PLUNGER	3				0.03	0.066
030	15841-51030	VALVE DELIVERY	3				0.015	0.033
040	15841-51230	SPRING DELIV.VALVE	3				0.004	0.0088
050	15841-51240	GASKET	3				0.001	0.0022
060	15841-51220	HOLDER DELIV.VALVE	3				0.03	0.066
070	15841-96760	O RING	3				0.001	0.0022
080	15841-51560	FLANGE SLEEVE	3				0.06	0.132
090	15841-94570	PIN JOINT	3				0.001	0.0022
100	15841-51200	O RING	6				0.001	0.0022
110	15841-91430	BOLT	6	≤32325			0.01	0.022
110	15852-91430	SCREW	6	≥32326	↔		0	0
110	15862-91430	SCREW	6		↔		0.01	0.022
120	15841-51470	WASHER TONGUED	6	≤32325			0.001	0.0022
120	15852-51470	WASHER TONGUED	6	≥32326	↔		0.002	0.0044
120	15852-51470	WASHER TONGUED	6	≤115688			0.002	0.0044
130	15841-51070	ASSY TAPPET	3				0.03	0.066
140	15841-51250	PIN TAPPET GUIDE	3				0.001	0.0022
150	15861-51430	PIN CLAMP	1				0.002	0.0044
160	15841-51280	SPRING PLUNGER	3				0.015	0.033
170	15841-51270	SEAT SPRING UPPER	3				0.005	0.011
180	15841-51290	SEAT SPRING UNDER	3				0.005	0.011
190	15841-51490	SHIM	1				0.005	0.011
200	15861-51060	RACK CONTROL	1				0.02	0.044
210	15861-51540	PLATE	1				0.02	0.044
220	15841-93110	SCREW	6	≤32325			0.001	0.0022
220	15841-93110	SCREW	4	≥32326	↔		0.001	0.0022
230	15841-51380	SLEEVE CONTROL	3				0.006	0.0132
240	15841-51320	SCREW FOLLOW	1				0.024	0.0528
250	15841-96650	GASKET	2				0.001	0.0022
260	15841-51350	SCREW	1				0.005	0.011
270	15841-96660	GASKET	1				0.001	0.0022
280	15861-91010	BOLT	1				0.013	0.0286
290	15861-96650	GASKET	1				0.001	0.0022
300	15841-96030	PLUG	6	≤32325			0.001	0.0022

DYNAMO (SECTION PARTS)






DYNAMO (SECTION PARTS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15531-64013	ASSY DYNAMO	1				0	0
020	15531-64122	COMP.ROTOR	1				0.76	1.672
030	15531-64110	PULLEY	1				0.15	0.33
040	15531-64040	ROTOR	1				0.5	1.1
050	15531-64140	COLLAR	1				0.025	0.055
060	15531-74180	BEARING BALL	2				0.04	0.088
070	15531-74140	SHAFT FAN	1				0.075	0.165
080	15531-64363	COMP STATOR	1				0.555	1.221
090	15261-93010	SCREW ROUND HEAD	2				0.003	0.0066
100	15531-64292	STATOR	1				0.29	0.638
110	15531-64072	PLATE	1				0.3	0.66
120	15531-74180	BEARING BALL	1				0.04	0.088
130	15531-93010	SCREW ROUND HEAD	1				0.002	0.0044
140	15531-64190	CLAMP CORD	1				0.005	0.011
150	15261-64150	COLLAR	1				0.02	0.044
160	15261-92030	NUT	1				0.01	0.022
170	15261-94070	WASHER SPRING	1				0.003	0.0066
180	15261-94020	WASHER PLAIN	1				0.007	0.0154

HYDRAULIC OUTLET (OPTION)






HYDRAULIC OUTLET (OPTION)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	99999-99999	BLANK	0				0	0
020	79840-11300	ASSY VALVE CONTROL	1				5.9	12.98
030	79840-11320	COVER VALVE	1				0.98	2.156
040	79840-11330	COVER RELIEF	1				0.94	2.068
050	79577-12750	SPRING	1				0.01	0.022
060	79577-12760	BOLT	1				0.04	0.088
070	79577-12770	HOLDER SPRING	2				0.005	0.011
080	79577-12780	BOLT	1				0.01	0.022
090	79840-11450	BOLT	1				0.1	0.22
100	79840-11350	POPPET	1				0.01	0.022
110	79840-11360	SEAT VALVE	1				0.005	0.011
120	79840-11390	SPRING RELIEF	1				0.005	0.011
130	79577-12860	CLIP	1				0.01	0.022
140	03410-50825	SCREW	1				0.007	0.0154
150	79577-12890	NUT CAP	1				0.005	0.011
160	02114-50080	NUT	1				0.005	0.011
170	04811-00160	O RING	1				0.001	0.0022
180	04811-00140	O RING	1				0.001	0.0022
190	04811-00110	O RING	2				0.001	0.0022
200	04811-00100	O RING	11				0.001	0.0022
210	04811-06100	O RING	1				0.001	0.0022
220	79840-11370	ELBOW	2				0.08	0.176
230	79840-11380	ELBOW	2				0.03	0.066
240	79840-11830	COVER VALVE	1				0.37	0.814
250	79840-11410	STAY VALVE	1				1.62	3.564
260	79840-11430	ASSY ROD TIE	3				0.03	0.066
270	04513-50080	WASHER SPRING	3				0.002	0.0044
280	04012-50080	WASHER PLAIN	3				0.001	0.0022
290	99999-99999	BLANK	0				0	0
300	79840-11510	LEVER	1				0.17	0.374
310	06914-00100	GRIP LEVER	1				0.02	0.044
320	05122-50520	PIN JOINT	2				0.003	0.0066
330	04012-50050	WASHER PLAIN	2				0.001	0.0022
340	05511-51208	PIN SPLIT	2				0.001	0.0022
350	79840-11420	CUSHION	2				0.005	0.011
360	79840-11760	ELBOW	1				0.09	0.198
370	79840-11770	PIPE	1				0.12	0.264
380	04811-00100	O RING	1				0.001	0.0022
390	79840-11810	ASSY HOSE HYDRAULIC	1				0.427	0.9394
400	79840-11820	ASSY HOSE HYDRAULIC	1				0.18	0.396
410	14301-69290	BAND PIPE	1				0.001	0.0022
420	01123-50822	BOLT	4				0.012	0.0264
430	66601-48160	LABEL	1				0.001	0.0022
440	79840-11910	MANUAL CONSTRUCTION	1			NOT SHOWN IN FIG.	0.001	0.0022

AUX CONTROL VALVE (OPTION)






AUX CONTROL VALVE (OPTION)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	99999-99999	BLANK	0				0	0
020	79840-41110	ASSY BODY VALVE	1				1.65	3.63
030	79577-12750	SPRING	1				0.01	0.022
040	79577-12760	BOLT	1				0.04	0.088
050	79577-12770	HOLDER SPRING	2				0.005	0.011
060	79577-12780	BOLT	1				0.01	0.022
070	04811-00140	O RING	1				0.001	0.0022
080	04811-06100	O RING	1				0.001	0.0022
090	79840-11380	ELBOW	2				0.03	0.066
100	04811-00110	O RING	2				0.001	0.0022
110	04811-00100	O RING	5				0.001	0.0022
120	79840-41200	ASSY LEVER	1				0.16	0.352
130	79840-41210	LEVER	1				0.15	0.33
140	06914-00100	GRIP LEVER	1				0.02	0.044
150	05122-50520	PIN JOINT	2				0.003	0.0066
160	04012-50050	WASHER PLAIN	2				0.001	0.0022
170	05511-51208	PIN SPLIT	2				0.001	0.0022
180	79840-11420	CUSHION	2				0.005	0.011
190	79840-41410	COVER VALVE	1				0.44	0.968
200	79840-41420	ASSY ROD TIE	3				0.04	0.088
210	66601-48160	LABEL	1				0.001	0.0022
220	79840-11910	MANUAL CONSTRUCTION	1			NOT SHOWN IN FIG.	0.001	0.0022

3-POINT LINKAGE (OPTION)






3-POINT LINKAGE (OPTION)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	99999-99999	BLANK	0				0	0
020	79840-12110	BRACKET FENDER	1				1.02	2.244
030	01123-51022	BOLT	2				0.02	0.044
040	79840-12120	BRACKET	1				6.2	13.64
050	01123-51020	BOLT	8				0.02	0.044
060	01123-51025	BOLT	4				0.02	0.044
070	01133-51022	BOLT	2				0.025	0.055
080	79840-12130	BUSH	2				0.02	0.044
090	79840-12200	ASSY LINK TOP	1				1.2	2.64
100	79840-12210	JOINT TOP LINK RH	1				0.32	0.704
110	79840-12220	JOINT TOP LINK LH	1				0.32	0.704
120	79840-12232	TURNBUCKLE	1				0.44	0.968
130	02152-50180	NUT	1				0.024	0.0528
140	05122-51650	PIN JOINT	1				0.09	0.198
150	05122-51660	PIN JOINT	1				0.098	0.2156
160	66592-35190	PIN	2				0.014	0.0308
170	79840-12310	SHAFT HYD.ARM	1				2.1	4.62
180	79840-12320	ARM HYDRAULIC	1				0.72	1.584
190	79840-12330	ARM HYDRAULIC	1				1.04	2.288
200	04015-50100	WASHER PLAIN	1				0.016	0.0352
210	01133-51018	BOLT	1				0.02	0.044
220	79840-12340	PIN	1				0.06	0.132
230	01123-50814	BOLT	1				0	0
240	79840-12350	PIN LIFT	2				0.12	0.264
250	04512-50160	WASHER SPRING	2				0	0
260	02174-50160	NUT	2				0.022	0.0484
270	79840-12410	COMP.LINK LOWER	2				2.3	5.06
280	70451-56320	PIN SNAP	2				0.025	0.055
290	79840-12500	ASSY CHAIN CHECK	2				0.6	1.32
300	79840-12510	BRACKET CHECK CHAIN	2				0.1	0.22
310	66706-65370	JOINT CHAIN	4				0.07	0.154
320	79840-12520	BOLT TURNBUCKLE RH	2				0.08	0.176
330	79840-12530	BOLT TURNBUCKLE LH	2				0.08	0.176
340	79840-12540	TURNBUCKLE	2				0.11	0.242
350	02112-50120	NUT	2				0.007	0.0154
360	66706-65380	PIN SET	4				0.021	0.0462
370	05511-50318	PIN SPLIT	4				0.001	0.0022
380	79840-12430	BRACKET LH	1				0.44	0.968
390	79840-12440	BRACKET RH	1				0.44	0.968
400	01133-51020	BOLT	4				0.02	0.044
410	79840-12610	ROD LIFT LH	1				0.55	1.21
420	79840-12620	ROD LIFT UPPER RH	1				0.16	0.352
430	79840-12630	ROD LIFT LOWER LH	1				0.126	0.2772
440	79840-12644	TURNBUCKLE	1				0.21	0.462
450	02152-50160	NUT	1				0.018	0.0396
460	66592-35190	PIN	4				0.014	0.0308
470	05122-51235	PIN JOINT	2				0.034	0.0748
480	04013-50120	WASHER PLAIN	2				0	0
490	79840-12710	CYLINDER	1				3.7	8.14
500	79840-12720	ASSY HOSE	1				0.33	0.726
510	79840-12730	ASSY HOSE	1				0.32	0.704
520	55311-41260	BAND CORD	1				0.007	0.0154
530	05122-51450	PIN JOINT	1				0.012	0.0264
540	66592-35190	PIN	1				0.014	0.0308
550	79840-12910	MANUAL CONSTRUCTION	1			NOT SHOWN IN FIG.	0.005	0.011
560	35260-29790	LABEL DRAWBAR	1				0.002	0.0044

REAR PTO (OPTION)






REAR PTO (OPTION)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	99999-99999	BLANK	0				0	0
020	79840-21110	FULCRUM SHAFT PTO	1				1.18	2.596
030	01123-51030	BOLT	4				0.025	0.055
040	79840-21180	BEARING BALL	2				0.12	0.264
050	79840-21120	COLLAR	1				0.015	0.033
060	04612-00250	CIR-CLIP EXTERNAL	1				0.002	0.0044
070	79840-21130	PULLEY	1				2.4	5.28
080	04611-00520	CIR-CLIP INTERNAL	1				0.009	0.0198
090	07715-00803	BALL	3				0.004	0.0088
100	79840-21140	COLLAR STOP	1				0.06	0.132
110	79840-21150	STOPPER	1				0.003	0.0066
120	79840-21160	STOPPER	1				0.005	0.011
130	79840-21210	HOLDER BEARING	1				0.45	0.99
140	01123-51030	BOLT	2				0.025	0.055
150	01133-51030	BOLT	1				0.025	0.055
160	79840-21250	BEARING BALL	1				0.13	0.286
170	04611-00520	CIR-CLIP INTERNAL	1				0.009	0.0198
180	79840-21220	PULLEY DRIVE	1				0.88	1.936
190	79840-21230	SHAFT DRIVE	1				1.01	2.222
200	04612-00200	CIR-CLIP EXTERNAL	1				0.001	0.0022
210	79840-21310	SUPPORT CYLINDER	1				0.78	1.716
220	79840-31120	COLLAR	3				0.01	0.022
230	01153-51085	BOLT	3				0.06	0.132
240	04512-50100	WASHER SPRING	3				0	0
250	79840-21320	UNIT ZZ	1				0.3	0.66
260	01123-50840	BOLT	2				0.018	0.0396
270	66591-56410	JOINT	1				0.252	0.5544
280	66591-56320	ASSY JOINT UNIVERSAL	1				0.185	0.407
290	04611-00200	CIR-CLIP INTERNAL	4				0.001	0.0022
300	79840-21330	PIN JOINT	1				0.009	0.0198
310	04717-00600	WASHER WITH RUBBER	1				0.001	0.0022
320	05511-51612	PIN SPLIT	1				0.001	0.0022
330	79840-21410	ARM TENSION	1				0.3	0.66
340	01123-51035	BOLT	1				0.025	0.055
350	01123-50818	BOLT	1				0.012	0.0264
360	04015-50080	WASHER PLAIN	1				0	0
370	79840-21470	BEARING BALL	2				0.06	0.132
380	79840-21420	COLLAR	1				0.01	0.022
390	04612-00170	CIR-CLIP EXTERNAL	1				0.001	0.0022
400	79840-21430	PULLEY TENSION	1				0.55	1.21
410	04611-00400	CIR-CLIP INTERNAL	1				0.005	0.011
420	79840-21460	BELT	3				0.048	0.1056
430	79840-21510	SHAFT DRIVE	1				3.05	6.71
440	79840-21610	COVER PTO	1				1.52	3.344
450	01123-50816	BOLT	3				0.011	0.0242
460	79840-21620	STAY	1				0.05	0.11
470	04512-50080	WASHER SPRING	1				0	0
480	02114-50080	NUT	1				0.005	0.011
490	79840-21630	STAY	1				0.07	0.154
500	04512-50080	WASHER SPRING	1				0	0
510	02114-50080	NUT	1				0.005	0.011
520	79840-21640	COVER JOINT REAR	1				0.35	0.77
530	01123-50816	BOLT	2				0.011	0.0242
540	79840-21650	COVER JOINT FRONT	1				0.56	1.232
550	79840-21710	HITCH EXTENSION	1				1.3	2.86
560	01123-51035	BOLT	4				0.025	0.055






HYDRAULIC LIFT (OPTION)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	99999-99999	BLANK	0				0	0
020	79840-31110	BRACKET CYLINDER	1				0.38	0.836
030	79840-31120	COLLAR	2				0.01	0.022
040	01153-51085	BOLT	2				0.06	0.132
050	04512-50100	WASHER SPRING	2				0	0
060	79840-31130	CYLINDER LIFT	1				2.4	5.28
070	05122-51455	PIN JOINT	2				0.068	0.1496
080	04011-50140	WASHER PLAIN	2				0.007	0.0154
090	05511-50425	PIN SPLIT	2				0.003	0.0066
100	79840-31140	ARM LIFT	1				0.66	1.452
110	05511-50320	PIN SPLIT	1				0.002	0.0044
120	79840-31210	ASSY HOSE	1				0.25	0.55
130	79840-31220	ASSY HOSE	1				0.24	0.528
140	79840-31910	MANUAL CONSTRUCTION	1			NOT SHOWN IN FIG.	0.005	0.011


TRANSMISSION CASE




REF.No.150 66021-1131-0
 REF.No.210 01123-51028
 REF.No.180 66021-1132-0
 REF.No.160 01123-51025
 REF.No.220 04013-60100



REF.No.020 66021-1112-0



REF.No.090 01153-51075
 REF.No.100 04512-50100



CA=CANADA




TRANSMISSION CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-11110	CASE	1	≤10661			12	26.4
010	66021-11113	CASE	1	≥10662	≠		0	0
010	66021-11115	CASE	1	≥20444	←		11.8	25.96
010	66021-11116	CASE	1	≥32925	≠		13	28.6
010	66021-11115	CASE	1	≤30252		[CA]	11.8	25.96
010	66021-11116	CASE	1	≥30253	≠	[CA]	13	28.6
020	66021-11120	GAUGE OIL	1	≤30252			0.02	0.044
020	66021-11123	GAUGE OIL	1	≥30253	←		0	0
030	06311-25030	PLUG	1				0.051	0.1122
040	04714-00300	GASKET	1				0.002	0.0044
050	06314-50040	PLUG OIL FILLER	1				0.016	0.0352
060	04713-00400	GASKET	1				0.001	0.0022
070	66021-11210	CASE DIFF.GEAR	1	≤10661			15	33
070	66021-11212	CASE DIFF.GEAR	1	≥10662	≠		12	26.4
070	66021-11250	CASE DIFF.GEAR	1	≥30001	≠		0	0
070	66021-11252	CASE DIFF.GEAR	1	≥32925	←		17.5	38.5
070	66021-11250	CASE DIFF.GEAR	1	≤30252		[CA]	0	0
070	66021-11252	CASE DIFF.GEAR	1	≥30253	←	[CA]	17.5	38.5
080	01123-51025	BOLT	2				0.02	0.044
090	01153-51075	BOLT	5	≤37247			0.045	0.099
090	01123-51075	BOLT	5	≥37248	↔		0.05	0.11
100	04512-50100	WASHER SPRING	5	≤37529			0	0
110	05012-00816	PIN STRAIGHT	2				0.007	0.0154
120	66021-11220	GASKET	1	≤30000			0.007	0.0154
120	66021-11222	GASKET	1	≥30001	≠		0.01	0.022
130	06331-35016	PLUG	1				0.04	0.088
140	04717-01600	WASHER WITH RUBBER	1				0.003	0.0066
150	66021-11310	COVER DIFF.	1	≤30000			4.4	9.68
150	66021-11340	COVER DIFF.	1	≥30001	≠		8	17.6
160	01123-51025	BOLT	7	≤30000			0.02	0.044
170	05012-00816	PIN STRAIGHT	2				0.007	0.0154
180	66021-11320	GASKET	1	≤30000			0.01	0.022
180	66021-11350	GASKET	1	≥30001	≠		0	0
190	01150-50810	BOLT	1				0.008	0.0176
200	04717-00800	WASHER WITH RUBBER	1				0.001	0.0022
210	01123-51028	BOLT	1	≤30000			0.025	0.055
210	01123-51028	BOLT	8	≥30001	≠		0.025	0.055
220	04013-50100	WASHER PLAIN	1	≤30000			0	0
230	66021-11410	TUBE	1	≥10662			0.004	0.0088
240	66021-11420	PLUG	1	≥10662			0.016	0.0352
250	04717-01000	WASHER WITH RUBBER	1	≥10662			0.001	0.0022
260	14351-42500	ASSY PIPE OVER FLOW	1	≥10662			0.03	0.066
270	14971-42750	CLIP PIPE	2	≥10662			0.001	0.0022

PROPELLER SHAFT






PROPELLER SHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-13510	PLATE COUPLING	1				0.013	0.0286
020	66041-13520	SHAFT PROPELLER	1	≤33778			0	0
020	66041-13522	SHAFT PROPELLER	1	≥33779	←		0.85	1.87
030	01123-50818	BOLT	2				0.012	0.0264
040	04013-50080	WASHER PLAIN	2				0	0
050	01123-50860	BOLT	2				0.026	0.0572
060	66021-13540	COLLAR	2				0.11	0.242
070	66021-13550	FAN HST	1				0.015	0.033
080	66021-13560	SPACER	2				0.006	0.0132
090	01123-50818	BOLT	2				0.012	0.0264
100	04013-50080	WASHER PLAIN	2				0	0
110	66021-13530	BOSS PROPELLER SHAFT	1	≤33778			0	0
110	66021-13532	BOSS PROPELLER SHAFT	1	≥33779	←		0.25	0.55
120	66494-88620	COUPLING RUBBER	1				0.18	0.396
130	01311-10825	BOLT	3				0.02	0.044
140	01311-10830	BOLT	3				0.015	0.033

4TH SHAFT



REF.No.030 06021-1405-0
REF.No.100 01023-50612






4TH SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-14610	GEAR	1			28T	0.275	0.605
020	04612-00160	CIR-CLIP EXTERNAL	1				0.001	0.0022
030	66021-14620	SHAFT	1	≤32924			0.22	0.484
030	66021-14622	SHAFT	1	≥32925	≠		0.2	0.44
030	66021-14620	SHAFT	1	≤30252		[CA]	0.22	0.484
030	66021-14622	SHAFT	1	≥30253	≠	[CA]	0.2	0.44
040	08101-06004	BEARING BALL	2				0.065	0.143
050	66021-14630	GEAR	1			23T	0.2	0.44
060	15109-14430	WASHER PLAIN	1				0.004	0.0088
070	66021-14640	COLLAR	1				0.015	0.033
080	09500-20428	SEAL OIL	1				0.012	0.0264
090	66021-14650	PLATE	1	≤33778			0.049	0.1078
090	66021-14650	PLATE	1	≤30252		[CA]	0.049	0.1078
100	01023-50612	BOLT	2	≤33778			0.005	0.011
100	01023-50612	BOLT	2	≤30252		[CA]	0.005	0.011

5TH SHAFT




**5TH SHAFT**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-14710	SHAFT	1				0.2	0.44
020	08101-06203	BEARING BALL	2				0.063	0.1386
030	66021-14720	GEAR	1			15T	0.17	0.374
040	66021-14730	GEAR	1			36T	0.43	0.946
050	66021-14740	COLLAR	1				0.044	0.0968
060	66021-14750	COLLAR	1				0.075	0.165
070	66021-14770	GEAR	1			32T	0.51	1.122
080	66021-14780	COLLAR	1				0.19	0.418
090	66021-14790	COLLAR	1				0.009	0.0198
100	66021-14810	COLLAR STOP	2				0.006	0.0132
110	08101-06305	BEARING BALL	1				0.23	0.506
120	08151-06306	BEARING BALL	1				0.36	0.792
130	66021-14820	SHIM	3			0.1MM	0.002	0.0044
140	66021-14830	SHIM	1			0.2MM	0.002	0.0044

DIFFERENTIAL



REF.No.010 66021-8149-0
 REF.No.020 66021-8147-0
 REF.No.030 67111-1662-0
 REF.No.090 67111-1672-0
 REF.No.100 67111-1674-0
 REF.No.100 67111-1675-0






DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-81490	ASSY DIFFERENTIAL	1	<=12632			0	0
010	66021-81492	ASSY PINION DIFF.	1	>=12633	←		5	11
020	66021-81470	ASSY GEAR BEVEL	1	<=12632			0	0
020	66021-81472	ASSY GEAR BEVEL	1	>=12633	←		2.4	5.28
030	67111-16620	BUSH	1	<=12632			0.035	0.077
040	67521-56620	CASE FRONT DIFF	1				0.825	1.815
050	66021-14920	SHAFT DIFF PINION	1				0.16	0.352
060	66021-14930	PINION DIFF.	2				0.17	0.374
070	67111-16670	COLLAR PINION THRUST	2				0.008	0.0176
080	67111-16680	COLLAR THRUST	1				0.13	0.286
090	67111-16720	GEAR DIFF.SIDE	2	<=12632			0.225	0.495
090	67111-16720	GEAR DIFF.SIDE	1	>=12633	≠		0.225	0.495
100	67111-16740	SHIM	2	<=12632			0.014	0.0308
100	67111-16740	SHIM	1	>=12633	≠		0.014	0.0308
100	67111-16750	SHIM	2	<=12632			0.011	0.0242
100	67111-16750	SHIM	1	>=12633	≠		0.011	0.0242
110	67111-16782	PIN STRAIGHT	2				0.01	0.022
120	67810-56680	BOLT UBS	6				0.013	0.0286
130	08101-06010	BEARING BALL	2				0.262	0.5764
140	67521-56670	SHIM	2			0.5MM	0.005	0.011
140	37650-43140	SHIM	2				0.005	0.011
140	37650-43170	SHIM	2				0.004	0.0088
150	66021-14940	GEAR DIFF.SIDE	1	>=12633			0.28	0.616
160	66021-14950	SHIM	1	>=12633			0.01	0.022
160	66021-14960	SHIM	1	>=12633			0.01	0.022
160	66021-14970	SHIM	1	>=12633			0.01	0.022

REAR AXLE






REAR AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-81710	KIT AXLE REAR	2	<=30000		WITH COLLAR (REF.No.070)	3.7	8.14
010	66021-17150	AXLE REAR	2	>=30001	≠		3.2	7.04
020	08101-06206	BEARING BALL	2				0.196	0.4312
030	09503-55511	SEAL OIL	2				0.023	0.0506
040	04612-00300	CIR-CLIP EXTERNAL	2				0.003	0.0066
050	01517-51025	STUD	10				0	0
060	66021-17120	NUT TAPER	10				0.017	0.0374
070	66021-17140	COLLAR	2	<=30000			0.25	0.55
070	66021-17170	COLLAR	2	>=30001	≠		0.33	0.726

S. No.: (G4200H; 10001~31477...EXCEPT CANADA
G4200H; 30001~30310...ONLY CANADA
G5200H; 10001~32924...EXCEPT CANADA
G5200H; 30001~30252...ONLY CANADA)






BRAKE
S.No.;<=32924

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-22110	LEVER BRAKE	1				0.66	1.452
020	05112-50825	PIN JOINT	1				0.011	0.0242
030	04012-50080	WASHER PLAIN	1				0.001	0.0022
040	05511-50218	PIN SPLIT	1				0.001	0.0022
050	66021-22120	PAD	1				0.2	0.44
060	05112-50845	PIN JOINT	1				0.02	0.044
070	04013-50080	WASHER PLAIN	1				0	0
080	05511-50218	PIN SPLIT	1				0.001	0.0022
090	66021-22130	DISK BRAKE	1				0.37	0.814
100	04612-00200	CIR-CLIP EXTERNAL	1				0.001	0.0022
110	66021-22140	PAD	1				0.45	0.99
120	66021-22160	COVER BRAKE	1	<=30000			0.27	0.594
120	66021-22190	COVER BRAKE	1	>=30001	≠		0.28	0.616
130	66021-22170	COVER BRAKE	1				0.145	0.319
140	66021-22180	STAY	1	<=30000			0.03	0.066
150	01023-50612	BOLT	1				0.005	0.011
160	01020-50610	BOLT	2				0.005	0.011
170	04013-50060	WASHER PLAIN	3				0	0






BRAKE

S.No.;>=32925

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-22270	COLLAR BRAKE	1				0.076	0.1672
020	05112-50820	PIN JOINT	1				0.009	0.0198
030	04012-50080	WASHER PLAIN	1				0.001	0.0022
040	05511-50218	PIN SPLIT	1				0.001	0.0022
050	66021-22260	HOLDER FULCRUM	1				0.1	0.22
060	01123-50816	BOLT	2				0.011	0.0242
070	66021-22250	FULCRUM BRAKE LINK	1				0.13	0.286
080	04011-50120	WASHER PLAIN	1				0.005	0.011
090	05511-50425	PIN SPLIT	1				0.003	0.0066
100	66021-22230	ASSY BRAKE	1				0	0
110	66021-22310	DRUM BRAKE	1				0.2	0.44
120	66021-22320	COVER BRAKE	1				0.24	0.528
130	66021-22330	LEVER BRAKE	1				0.048	0.1056
140	66021-22340	CAMSHAFT BRAKE	1				0.048	0.1056
150	66021-22350	SHOE BRAKE	2				0.05	0.11
160	66021-22360	SPRING SHOE RETURN	1				0.005	0.011
170	63611-22140	O RING	1				0.001	0.0022
180	02014-50100	NUT	1				0.011	0.0242
190	04512-50100	WASHER SPRING	1				0	0
200	66021-22410	WASHER S	1				0.003	0.0066
210	66021-22420	GASKET	1				0	0
220	01023-50612	BOLT	4				0.005	0.011
230	04612-00180	CIR-CLIP EXTERNAL	1				0.001	0.0022
240	66021-22240	ROD BRAKE	1				0.06	0.132
250	05122-50820	PIN JOINT	1				0.009	0.0198
260	04012-50080	WASHER PLAIN	2				0.001	0.0022
270	05511-50218	PIN SPLIT	2				0.001	0.0022
280	66021-22220	COVER BRAKE	1				0.17	0.374
290	01202-50610	BOLT	4				0.004	0.0088
300	66021-22210	GASKET	1				0	0


PTO SHAFT



REF.No.010 66021-2501-0
A=42.7, B=40.2



REF.No.010 66021-2501-2
A=35.7, B=47.2



REF.No.030 66021-2502-0



REF.No.030 66021-2502-3

REF.No.160 66021-2507-0






PTO SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-25010	SHAFT PTO	1	≤10503			0.78	1.716
010	66021-25012	SHAFT PTO	1	≥10504	≠		0.77	1.694
020	04612-00250	CIR-CLIP EXTERNAL	2				0.002	0.0044
030	66021-25020	BOSS PULLEY	1	≤10503			0.2	0.44
030	66021-25023	BOSS PULLEY	1	≥10504	≠		0.216	0.4752
040	08131-06205	BEARING BALL	1				0.13	0.286
050	08812-53220	BEARING NEEDLEROLLE	1				0.03	0.066
060	66021-25030	SEAL OIL	1				0.004	0.0088
070	66021-25040	SUPPORT FRONT AXLE	1	≤10403			0	0
070	66021-25042	SUPPORT FRONT AXLE	1	≥10404	←		0.85	1.87
080	01133-51025	BOLT	4	≤36550			0.023	0.0506
080	01133-51020	BOLT	4	≥36551	≠		0.02	0.044
090	04611-00520	CIR-CLIP INTERNAL	1				0.009	0.0198
100	66021-25050	PULLEY	2				0.25	0.55
110	01023-50614	BOLT	4				0.005	0.011
120	66021-25000	ASSY BELT	1				0.24	0.528
130	66021-25080	BELT	2				0.125	0.275
140	66021-25060	PULLEY DRIVE	1				1.98	4.356
150	01123-50822	BOLT	5				0.012	0.0264
160	66021-25070	COVER FLYWHEEL	1	≤36484			0	0
160	66021-25075	COVER FLYWHEEL	1	≥36485	↔		0	0
170	01123-50818	BOLT	1				0.012	0.0264
180	04512-50080	WASHER SPRING	1				0	0
190	02114-50080	NUT	1				0.005	0.011
200	66021-56320	SHIM	1				0.012	0.0264
210	66021-56330	SHIM	1				0.015	0.033
220	66021-56340	SHIM	1				0.02	0.044
230	66021-56350	SHIM	1				0.02	0.044
240	66021-82500	ASSY SHAFT PTO	1	≥10001			1	2.2

TENSION PULLEY






TENSION PULLEY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-25110	STAY BELT	1				0.4	0.88
020	04013-50080	WASHER PLAIN	2				0	0
030	01123-50818	BOLT	2				0.012	0.0264
040	66021-25120	ARM TENSION	1	≤34393			0	0
040	66021-25123	ARM TENSION	1	≥34394	←		0.4	0.88
050	06613-10675	NIPPLE GREASE	1				0.003	0.0066
060	04612-00170	CIR-CLIP EXTERNAL	1				0.001	0.0022
070	04011-50160	WASHER PLAIN	1				0	0
080	54201-13500	ASSY PULLEY TENSION	1	≤34605			0.35	0.77
080	66021-25190	ASSY PULLEY TENSION	1	≥34606	←		0	0
090	08141-06203	BEARING BALL	2				0.064	0.1408
100	04612-00170	CIR-CLIP EXTERNAL	2				0.001	0.0022
110	79830-17220	SPRING RETURN	1				0.01	0.022
120	66021-25130	SPRING PTO CLUTCH	1				0.045	0.099
130	66021-25140	COVER BELT	1				0.2	0.44
140	01123-50818	BOLT	3				0.012	0.0264
150	66021-25150	COVER BELT	1				0.48	1.056
160	01023-50614	BOLT	4				0.005	0.011
170	66021-25160	BOLT SET	1				0.034	0.0748
180	02116-50100	NUT	1	≤34605			0.004	0.0088
180	02116-50100	NUT	2	≥34606			0.004	0.0088
190	66021-25180	COLLAR	2				0.002	0.0044
200	66021-25170	STOPPER	1				0.01	0.022
210	04013-50080	WASHER PLAIN	2				0	0
220	01123-50818	BOLT	2				0.012	0.0264

PTO LEVER



REF.No.140 99021-2533-0






PTO LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-25210	RETAINER BELT	1				0.12	0.264
020	01123-50818	BOLT	2				0.012	0.0264
030	01153-50880	BOLT	1				0.03	0.066
040	02114-50080	NUT	1				0.005	0.011
050	66021-25220	RETAINER BELT	1				0.2	0.44
060	04013-50080	WASHER PLAIN	2				0	0
070	01123-50818	BOLT	2				0.012	0.0264
080	66021-25310	LEVER PTO	1	≤10661			0	0
080	66021-25312	LEVER PTO	1	≥10662	←		0.57	1.254
090	54911-32330	GRIP LEVER	1				0.055	0.121
100	67111-55810	ASSY SWITCH SAFETY	1	≤10503			0.09	0.198
100	66204-32240	ASSY SWITCH SAFETY	1	≥10504	≠		0	0
100	66416-55810	ASSY SWITCH SAFETY	1	≥37929	←		0.11	0.242
110	66021-25320	ARM PTO CLUTCH	1				0.12	0.264
120	04011-50120	WASHER PLAIN	2				0.005	0.011
130	05511-50425	PIN SPLIT	2				0.003	0.0066
140	66021-25330	WIRE PTO CLUTCH	1	≤31936			0	0
140	66021-25332	WIRE PTO CLUTCH	1	≥31937	←		0.23	0.506
140	66021-25330	WIRE PTO CLUTCH	1	≤30224		[CA]	0	0
140	66021-25332	WIRE PTO CLUTCH	1	≥30225	←	[CA]	0.23	0.506
150	05122-50616	PIN JOINT	1				0.004	0.0088
160	04013-50060	WASHER PLAIN	1				0	0
170	05511-51612	PIN SPLIT	1				0.001	0.0022



REF.No.020 01153-51070

REF.No.030 04512-50100







H.S.T.

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-36010	ASSY HST	1	≤30684		OBTAINED LOCALLY (EATON No. 1100-041)	0	0
010	66021-36012	ASSY HST	1	≥30685	≠	OBTAINED LOCALLY (EATON No. 1100-046)	18	39.6
010	66021-36010	ASSY HST	1	≤30140		[CA] OBTAINED LOCALLY (EATON No. 1100-04)	0	0
010	66021-36012	ASSY HST	1	≥30141	≠	[CA] OBTAINED LOCALLY (EATON No. 1100-04)	18	39.6
020	01153-51070	BOLT	4	≤37247			0.045	0.099
020	01123-51070	BOLT	4	≥37248	↔		0.05	0.11
030	04512-50100	WASHER SPRING	4	≤37247			0	0
040	66021-36020	GASKET	1				0.003	0.0066
050	66021-36030	FLANGE	1	≤12488			0	0
050	66021-36032	FLANGE	1	≥12489	←		0.29	0.638
060	66021-36040	WASHER RETAINER	1	≤30684			0.015	0.033
060	66021-36042	WASHER RETAINER	1	≥30685	≠		0.018	0.0396
060	66021-36040	WASHER RETAINER	1	≤30140		[CA]	0.015	0.033
060	66021-36042	WASHER RETAINER	1	≥30141	≠	[CA]	0.018	0.0396
070	66021-36050	BOLT	1	≤30684			0.012	0.0264
070	66021-36052	BOLT	1	≥30685	≠		0.006	0.0132
070	66021-36050	BOLT	1	≤30140		[CA]	0.012	0.0264
070	66021-36052	BOLT	1	≥30141	≠	[CA]	0.006	0.0132
080	04512-50080	WASHER SPRING	1	≤30684			0	0
080	66021-36070	WASHER SPRING	1	≥30685	≠		0.003	0.0066
080	04512-50080	WASHER SPRING	1	≤30140		[CA]	0	0
080	66021-36070	WASHER SPRING	1	≥30141	≠	[CA]	0.003	0.0066
090	66021-36060	CARTRIDGE OIL FILTER	1				0.34	0.748
100	66204-36170	JOINT FILTER	1				0.018	0.0396
110	66021-36100	ASSY PIPE	1				0.23	0.506
120	66021-36110	PIPE	1				0.16	0.352
130	66021-36120	ASSY JOINT	1				0.057	0.1254
140	04811-00100	RING	1				0.001	0.0022
150	66021-36370	O RING	1				0.001	0.0022
160	01023-50614	BOLT	2				0.005	0.011
170	66021-36130	BOLT JOINT	1				0.035	0.077
180	66021-36140	NUT JOINT	1				0.02	0.044
190	66021-36250	SLEEVE	1				0.003	0.0066
200	03650-50608	SCREW	1	≥12489			0.001	0.0022



REF.No.080 66021-3636-0
 REF.No.100 66021-3631-0
 REF.No.120 66204-3627-0
 REF.No.130 66204-3628-0






HYDRAULIC PIPE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-36200	ASSY PIPE	1				0.17	0.374
020	66021-36210	PIPE	1				0.116	0.2552
030	66021-36120	ASSY JOINT	1				0.057	0.1254
040	04811-00100	RING	1				0.001	0.0022
050	01023-50614	BOLT	2				0.005	0.011
060	66611-36120	FILTER OIL	1	≤36484			0.2	0.44
060	66021-36390	FILTER OIL	1	≥36485	≠		0.185	0.407
070	04811-10300	RING	2				0.001	0.0022
080	66021-36360	PIPE	1	≤37701			0	0
080	66021-36362	PIPE	1	≥37702	←		0.35	0.77
090	66021-36300	ASSY PIPE	1	≤37701			0.29	0.638
100	66021-36310	PIPE	1	≤37701			0.132	0.2904
110	66021-36320	ASSY JOINT	1	≥37702			0.145	0.319
120	66204-36270	HOSE	1	≤37701			0.038	0.0836
130	66204-36280	BAND PIPE	2	≤37701			0.02	0.044
140	66021-36370	O RING	1				0.001	0.0022
150	66021-36380	O RING	1				0.001	0.0022
160	66021-36130	BOLT JOINT	1				0.035	0.077
170	66021-36140	NUT JOINT	1				0.02	0.044
180	66021-36250	SLEEVE	1				0.003	0.0066
190	66021-36330	BOLT JOINT	1				0.085	0.187
200	66021-36340	NUT JOINT	1				0.058	0.1276
210	66021-36350	SLEEVE	1				0.005	0.011

STEERING



REF.No.070 66021-4104-0
 REF.No.140 66021-4113-0
 REF.No.170 66021-4115-0
 REF.No.190 01173-51014
 REF.No.200 04512-90100






STEERING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-41030	SHAFT STEERING	1	≤34393			1	2.2
010	66021-41032	SHAFT STEERING	1	≥34394	≠		0.97	2.134
010	66021-41033	SHAFT STEERING	1	≥35778	←		0	0
020	66591-41250	BUSH POST	1				0.016	0.0352
030	66021-41000	ASSY WHEEL STEERING	1				0	0
040	66021-41020	MARK	1				0	0
050	04512-50120	WASHER SPRING	1				0	0
060	02174-50120	NUT	1				0.01	0.022
070	66021-41040	WASHER	2	≤34393			0	0
070	66021-41042	WASHER	1	≥34394	≠		0.009	0.0198
080	05511-50425	PIN SPLIT	1				0.003	0.0066
090	66021-41050	COVER STEERING	1				0.05	0.11
100	99999-99999	BLANK	0				0	0
110	99999-99999	BLANK	0				0	0
120	66021-41110	GEAR SECTOR	1	≤34393			1.2	2.64
120	66021-41113	GEAR SECTOR	1	≥34394	≠		1.12	2.464
130	66021-41120	BEARING	2				0.015	0.033
140	66021-41130	BEARING	1	≤34393			0.008	0.0176
140	08141-06002	BEARING BALL	1	≥34394	≠		0.029	0.0638
150	66021-41140	WASHER	1				0.007	0.0154
160	05511-50530	PIN SPLIT	1				0.006	0.0132
170	66021-41150	PLATE	1	≤34393			1.34	2.948
170	66021-41153	PLATE	1	≥34394	≠		1.26	2.772
180	01133-51022	BOLT	3				0.025	0.055
190	01173-51014	BOLT	1	≤31936			0.015	0.033
190	01133-51016	BOLT	1	≥31937	↔		0.015	0.033
190	01173-51014	BOLT	1	≤30224		[CA]	0.015	0.033
190	01133-51016	BOLT	1	≥30225	↔	[CA]	0.015	0.033
200	04512-50100	WASHER SPRING	1	≤31936			0	0
200	04512-50100	WASHER SPRING	1	≤30224		[CA]	0	0
210	06613-20010	NIPPLE GREASE	1	≥34394			0.01	0.022
220	66021-84110	KIT STEERING	1	≤34393			3.3	7.26

BRAKE PEDAL






BRAKE PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-42812	PEDAL BRAKE	1				1.17	2.574
020	06613-10675	NIPPLE GREASE	1				0.003	0.0066
030	66021-42820	WASHER	1				0.003	0.0066
040	04612-00200	CIR-CLIP EXTERNAL	1				0.001	0.0022
050	66021-42830	COVER PEDAL	1				0.025	0.055
060	66021-42840	ROD BRAKE	1	≤32924			0.29	0.638
060	66021-42842	ROD BRAKE	1	≥32925	↔		0	0
060	66021-42843	ROD BRAKE	1	≥36485	←		0.25	0.55
060	66021-42840	ROD BRAKE	1	≤30252		[CA]	0.29	0.638
060	66021-42842	ROD BRAKE	1	≥30253	↔	[CA]	0	0
060	66021-42843	ROD BRAKE	1	≥36485	←	[CA]	0.25	0.55
070	05112-50822	PIN JOINT	1				0.01	0.022
080	04012-50080	WASHER PLAIN	1				0.001	0.0022
090	05511-50215	PIN SPLIT	1				0.001	0.0022
100	66021-42850	SPRING	1				0.03	0.066
110	04012-50080	WASHER PLAIN	1				0.001	0.0022
120	02114-50080	NUT	1				0.005	0.011
130	02112-50080	NUT	1				0.003	0.0066
140	67111-44540	SPRING	1	≤33778			0.04	0.088
140	66021-42860	SPRING	1	≥33779	≠		0.038	0.0836
150	66021-42713	LOCK BRAKE	1				0.2	0.44
160	66021-42720	SPRING	1				0.01	0.022
170	04013-50100	WASHER PLAIN	1				0	0
180	04612-00100	CIR-CLIP EXTERNAL	1				0.001	0.0022
190	66021-42730	SHAFT BRAKE LOCK	1				0.045	0.099
200	04012-50080	WASHER PLAIN	1				0.001	0.0022
210	05511-50215	PIN SPLIT	1				0.001	0.0022
220	66021-42744	ROD BRAKE LOCK	1				0.07	0.154
230	04013-50060	WASHER PLAIN	1				0	0
240	05511-51612	PIN SPLIT	1				0.001	0.0022
250	01023-50616	BOLT	2				0.005	0.011
260	04013-50060	WASHER PLAIN	2				0	0
270	66021-42752	LEVER LOCK	1				0.125	0.275




**ACCEL.LEVER**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-43240	LEVER ACCEL.	1				0.32	0.704
020	06914-00100	GRIP LEVER	1				0.02	0.044
030	66021-43250	JOINT CROSS	1				0.08	0.176
040	32210-17190	SPRING	1				0.005	0.011
050	66041-43200	ASSY ROD ACCEL.	1				0.13	0.286
060	66021-43220	STAY L	1				0.013	0.0286
070	02014-50060	NUT	2				0.003	0.0066
080	04012-50080	WASHER PLAIN	1				0.001	0.0022
090	05511-50215	PIN SPLIT	1				0.001	0.0022
100	04013-50060	WASHER PLAIN	2				0	0
110	05511-51612	PIN SPLIT	2				0.001	0.0022
120	02116-50100	NUT	1				0.004	0.0088
130	02118-50100	NUT	1				0.005	0.011
140	04015-50100	WASHER PLAIN	1				0.016	0.0352

SPEED CHANGE LEVER



REF.No.090 66021-4334-0
 REF.No.080 66021-4335-0
 REF.No.070 66021-4344-0
 REF.No.090 66021-4336-0
 REF.No.110 02114-50080
 REF.No.120 04512-50080






SPEED CHANGE LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-43310	PEDAL SPEED CHANGE	1	≤34605			0.83	1.826
010	66021-43313	PEDAL SPEED CHANGE	1	≥34606	≠		0.8	1.76
020	66021-43320	COVER PEDAL	1				0.16	0.352
030	05411-00632	PIN SPRING	2				0.004	0.0088
040	66021-43332	SHAFT PEDAL	1				0.34	0.748
050	66021-43340	LEVER SPEED CHANGE	1	≤36484			0	0
050	66021-43342	LEVER SPEED CHANGE	1	≥36485	←		0.2	0.44
060	66021-43350	ROD SPEED CHANGE	1	≤36484			0.073	0.1606
060	66021-43352	ROD SPEED CHANGE	1	≥36485	←		0.078	0.1716
070	66021-43440	NUT	1	≤36484			0.004	0.0088
070	04013-50080	WASHER PLAIN	1	≥36485	≠		0	0
080	02112-50080	NUT	1				0.003	0.0066
090	66021-43360	SCREW ROD END	1	≤36484			0.11	0.242
090	05515-50800	PIN SNAP	1	≥36485	≠		0	0
100	66021-43370	SCREW ROD END	1				0.065	0.143
110	02114-50080	NUT	2	≤36484			0.005	0.011
110	02114-50080	NUT	1	≥36485			0.005	0.011
120	04512-50080	WASHER SPRING	2	≤36484			0	0
120	04512-50080	WASHER SPRING	1	≥36485			0	0
130	66021-43380	ARM SPEED CHANGE	1				0.022	0.0484
140	04512-50140	WASHER SPRING	1				0	0
150	66021-43390	NUT	1				0.017	0.0374
160	66021-43410	HOLDER NEUTRAL ARM	1				0.75	1.65
170	01123-51022	BOLT	2				0.02	0.044
180	04013-50100	WASHER PLAIN	2				0	0
190	66021-43420	ARM NEUTRAL	1	≤36484			0.22	0.484
190	66021-43425	ARM NEUTRAL	1	≥36485	≠		0	0
200	66204-43572	BUSH	1				0.003	0.0066
210	66204-43352	SHAFT HOLDER	1				0.072	0.1584
220	01123-50828	BOLT	1				0.014	0.0308
230	08121-06000	BEARING BALL	1				0.02	0.044
240	04612-00100	CIR-CLIP EXTERNAL	1				0.001	0.0022
250	66021-43430	SPRING	1				0.023	0.0506
260	01152-50835	BOLT	1				0.015	0.033
270	02112-50080	NUT	1				0.003	0.0066
280	67111-55810	ASSY SWITCH SAFETY	1	≤10503			0.09	0.198
280	66204-32240	ASSY SWITCH SAFETY	1	≥10504	≠		0	0
280	66416-55810	ASSY SWITCH SAFETY	1	≥37929	←		0.11	0.242
290	67111-55830	NUT SAFETY SWITCH	1				0.035	0.077
300	67111-55840	CAP SAFETY SWITCH	1				0.002	0.0044

ENGINE STOP WIRE



REF.No.150 68021-4371-0
REF.No.220 68021-4373-0






ENGINE STOP WIRE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66041-43600	ASSY ROD STOP	1				0.16	0.352
020	66021-43220	STAY L	1				0.013	0.0286
030	02014-50060	NUT	2				0.003	0.0066
040	04013-50060	WASHER PLAIN	1				0	0
050	05511-51612	PIN SPLIT	1				0.001	0.0022
060	66021-43622	ROD STOP	1				0.025	0.055
070	66021-43640	TUBE	1				0.002	0.0044
080	04013-50060	WASHER PLAIN	1				0	0
090	05511-51612	PIN SPLIT	1				0.001	0.0022
100	02014-50060	NUT	2				0.003	0.0066
110	66021-43630	NUT KNOB	1				0.01	0.022
120	05112-50618	PIN JOINT	1				0.005	0.011
130	04015-50060	WASHER PLAIN	2				0	0
140	05511-51612	PIN SPLIT	1				0.001	0.0022
150	66021-43710	ARM	1	<=30000			0.11	0.242
150	66021-84530	ARM	1	>=30001	≠		0.18	0.396
160	66021-43720	ARM	1	<=36484			0.15	0.33
160	66021-43724	ARM	1	>=36485	≠		0.146	0.3212
170	05411-00425	PIN SPRING	1				0.001	0.0022
180	38240-18440	CUSHION	1				0.035	0.077
190	35260-18500	COLLAR	1				0.018	0.0396
200	04013-50100	WASHER PLAIN	1				0	0
210	05511-50220	PIN SPLIT	1				0.001	0.0022
220	66021-43730	SPRING	1	<=30000			0.07	0.154
220	66204-43323	SPRING	1	>=30001	≠		0.055	0.121
230	66021-43740	WIRE ENGINE STOP	1				0.148	0.3256
240	05122-50618	PIN JOINT	1				0	0
250	04012-50060	WASHER PLAIN	1				0.001	0.0022
260	05511-51612	PIN SPLIT	1				0.001	0.0022

LIFT LEVER






LIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-45110	SHAFT LIFT	1				1.7	3.74
020	66021-45120	ARM LIFT	1				0.34	0.748
030	66021-45130	ARM SUPPORT	1				0.34	0.748
040	66021-45140	SPRING LIFT	1				0.68	1.496
050	66021-45150	ARM LIFT	1				0.33	0.726
060	05122-51045	PIN JOINT	3				0	0
070	05511-50320	PIN SPLIT	3				0.002	0.0044
080	66021-45160	PLATE LINK	1				0.024	0.0528
090	04011-50140	WASHER PLAIN	2				0.007	0.0154
100	05511-50425	PIN SPLIT	2	≤35585			0.003	0.0066
100	05511-50420	PIN SPLIT	2	≥35586	≠		0.002	0.0044
110	66021-45170	ARM LIFT	1				0.36	0.792
120	05122-51045	PIN JOINT	1				0	0
130	05511-50320	PIN SPLIT	1				0.002	0.0044
140	66021-45180	LEVER LIFT	1	≤36693			2.08	4.576
140	66021-45182	LEVER LIFT	1	≥36694	≠		2.08	4.576
150	66021-45190	LOCK	1	≤36693			0.33	0.726
150	66021-45192	LOCK	1	≥36694	≠		0.28	0.616
160	66021-45210	SPRING	1				0.008	0.0176
170	66021-45220	SWITCH	1				0.04	0.088
180	66021-45230	GRIP LEVER	1				0.04	0.088
190	66021-45240	GUIDE LOCK	1				0.008	0.0176
200	03014-50608	SCREW PAN HEAD	2				0.002	0.0044
210	04013-50060	WASHER PLAIN	2				0	0
220	04512-50060	WASHER SPRING	2				0	0

LIFT LINK






LIFT LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	70712-51100	KIT LINK LIFT	1				4	8.8
020	70712-51120	ASSY ROD LIFT	2				0.32	0.704
030	70712-51170	ROD LIFT	2				0.13	0.286
040	70712-51190	ROD LIFT	2				0.09	0.198
050	70712-51210	TURNBUCKLE	2				0.06	0.132
060	02172-50140	NUT	2				0.01	0.022
070	05122-51028	PIN JOINT	2				0	0
080	04013-50100	WASHER PLAIN	4				0	0
090	05511-50322	PIN SPLIT	2				0.002	0.0044
100	04011-50160	WASHER PLAIN	4				0	0
110	04612-00160	CIR-CLIP EXTERNAL	4				0.001	0.0022
120	70712-51150	ROD CONNECTING	1				0.69	1.518
130	70712-51110	LINK	1	≤12189			0	0
130	70712-51113	LINK	1	≥12190	↔		1.3	2.86
140	70712-51130	LINK	1				1.35	2.97
150	04011-50120	WASHER PLAIN	2				0.005	0.011
160	05511-50425	PIN SPLIT	2				0.003	0.0066
170	70712-51160	LABEL	1				0.001	0.0022






SEAT
S.No.;<=30000


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-45910	ASSY ADJUSTER SEAT	1				0	0
020	01123-50818	BOLT	4				0.012	0.0264
030	66021-45920	ASSY SEAT	1				7.3	16.06
040	38240-18470	PIN	1				0.085	0.187
050	37150-18490	CUSHION	2				0.014	0.0308
060	05515-51000	PIN SNAP	1				0	0
070	38240-18440	CUSHION	2				0.035	0.077
080	35260-18500	COLLAR	2				0.018	0.0396
090	04013-50080	WASHER PLAIN	2				0	0
100	05511-50218	PIN SPLIT	2				0.001	0.0022
110	05112-50850	PIN JOINT	2				0.021	0.0462
120	66021-45930	SUPPORT SEAT	1				2.68	5.896
130	01123-50818	BOLT	5				0.012	0.0264
140	01123-50818	BOLT	2				0.012	0.0264
150	66021-45940	COVER RUBBER	1				0.003	0.0066
160	66021-83500	ASSY COVER SEAT	1				0.48	1.056
170	66021-83110	ASSY COVER	1				0.48	1.056
180	35110-85050	EYELET	4				0.005	0.011
190	35110-85060	PROTECTOR	5				0.01	0.022

S. No.: (G4200H; 30001~
G5200H; 30001~
G6200H; 30001~)



REF.No.110 66021-6452-0
REF.No.120 66021-6537-0
REF.No.150 66021-6594-0






SEAT
S.No.;>=30001

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-45910	ASSY ADJUSTER SEAT	1	<=33778			0	0
010	66021-45912	ASSY ADJUSTER SEAT	1	>=33779	←		1.55	3.41
020	01123-50822	BOLT	4	<=33778			0.012	0.0264
020	01123-50818	BOLT	4	>=33779	←		0.012	0.0264
030	66021-45920	ASSY SEAT	1				7.3	16.06
040	38240-18470	PIN	1				0.085	0.187
050	66021-45980	CUSHION SEAT	2				0.012	0.0264
060	05515-51000	PIN SNAP	1				0	0
070	67061-45970	SPRING SEAT	2	<=36550			0.13	0.286
070	66021-45990	SPRING SEAT	2	>=36551	≠		0.14	0.308
080	66301-52820	CAP SPRING	2				0.04	0.088
090	04015-50080	WASHER PLAIN	2				0	0
100	01123-50820	BOLT	2				0.011	0.0242
110	66021-84520	SPACER	2	<=33778			0.125	0.275
120	66021-45970	SUPPORT SEAT	1	<=36484			2.26	4.972
120	66061-45970	SUPPORT SEAT	1	>=36485	≠		3.2	7.04
130	01123-50818	BOLT	5	<=36484			0.012	0.0264
130	01123-50818	BOLT	4	>=36485	≠		0.012	0.0264
140	01123-50818	BOLT	2	<=36484			0.012	0.0264
140	01123-50814	BOLT	2	>=36485	≠		0	0
150	66021-45940	COVER RUBBER	1	<=36484			0.003	0.0066
160	66021-83500	ASSY COVER SEAT	1				0.48	1.056
170	66021-83110	ASSY COVER	1				0.48	1.056
180	35110-85050	EYELET	4				0.005	0.011
190	35110-85060	PROTECTOR	5				0.01	0.022
200	66021-45810	SPRING RETURN	1				0.01	0.022







LABEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-47110	LABEL BONNET RH	1				0.03	0.066
020	66021-47120	LABEL BONNET LH	1				0.032	0.0704
030	66027-47130	LABEL CAUTION	1	≤36973		[CA]	0	0
030	66027-47132	LABEL CAUTION	1	≥36974	←	[CA]	0.01	0.022
030	66041-47130	LABEL CAUTION	1	≤32208			0	0
030	66041-47133	LABEL CAUTION	1	≥32209	←		0	0
030	66041-47134	LABEL CAUTION	1	≥36694	←		0.009	0.0198
040	15852-87210	LABEL CAUTION	1	≤36912			0.017	0.0374
050	15852-87220	LABEL CAUTION	1	≤36912			0.01	0.022
060	66027-47140	LABEL FRONT PTO LEVE	1			[CA]	0.001	0.0022
060	66041-47140	LABEL FRONT PTO LEVE	1				0.001	0.0022
070	66021-47150	LABEL WIRE ADJUST.	1			[CA]	0.001	0.0022
070	66041-47150	LABEL WIRE ADJUST.	1				0.002	0.0044
080	66021-47163	LABEL OIL	1			[CA]	0.001	0.0022
080	66041-47162	LABEL OIL	1	≤30000			0.001	0.0022
080	66041-47163	LABEL OIL	1	≥30001	≠		0	0
080	66041-47164	LABEL OIL	1	≥33779	←		0.001	0.0022
090	66021-47170	LABEL S-CHANGE	1			[CA]	0.001	0.0022
090	66041-47170	LABEL S-CHANGE	1				0.001	0.0022
100	66021-47180	LABEL LIFT	1			[CA]	0.005	0.011
100	66041-47180	LABEL LIFT	1				0.001	0.0022
110	66027-47192	LABEL STARTER SWITCH	1			[CA]	0.01	0.022
110	66041-47190	LABEL STARTER SWITCH	1	≤32516			0	0
110	66041-47192	LABEL STARTER SWITCH	1	≥32517	←		0.002	0.0044
120	66027-47210	LABEL ENGINE STOP	1			[CA]	0.001	0.0022
120	66041-47210	LABEL ENGINE STOP	1				0.001	0.0022
130	66027-47220	LABEL PARKING	1			[CA]	0.001	0.0022
130	66041-47220	LABEL PARKING	1				0.001	0.0022
140	66706-47340	LABEL CAUTION	1			[CA]	0.001	0.0022
140	66041-47280	LABEL CAUTION	1				0.001	0.0022
150	66041-47230	LABEL 5200	2	≤20175			0	0
150	66041-47232	LABEL G5200	2	≥20176	≠		0.001	0.0022
160	66021-47240	LABEL HST	2				0.004	0.0088
170	66047-47250	NAME PLATE	1	≤34106		[CA]	0.001	0.0022
170	66041-47250	NAME PLATE	1	≥34107	≠	[CA]	0.002	0.0044
170	66041-47250	NAME PLATE	1				0.002	0.0044
180	66021-47260	LABEL INSTRUCTION	1			[CA]	0.001	0.0022
180	66041-47260	LABEL INSTRUCTION	1				0.001	0.0022
190	66027-47270	LABEL START CAUTION	1			[CA]	0.002	0.0044
190	35820-98630	LABEL START CAUTION	1	≤35338			0	0
190	35820-98632	LABEL START CAUTION	1	≥35339	←		0.003	0.0066
200	66027-47290	LABEL BRAKE	1			[CA]	0.001	0.0022
200	66041-47290	LABEL BRAKE	1				0.001	0.0022



REF.No.010 65021-5111-5



REF.No.120 37150-3446-0







FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-51113	FRAME	1	<=11352			0	0
010	66021-51115	FRAME	1	>=11353	←		38	83.6
010	66021-51116	FRAME	1	>=30001	≠		0	0
010	66021-51118	FRAME	1	>=32925	←		50	110
010	66021-51119	FRAME	1	>=34009	←		0	0
010	66021-51120	FRAME	1	>=36551	↔		49	107.8
020	01123-51225	BOLT	8				0.04	0.088
030	66021-51210	HITCH	1				0.7	1.54
040	01123-51025	BOLT	4	<=36550			0.02	0.044
040	01123-51022	BOLT	4	>=36551	≠		0.02	0.044
050	66021-52310	CUSHION	4				0.106	0.2332
060	02114-50080	NUT	8				0.005	0.011
070	04512-50080	WASHER SPRING	8				0	0
080	04013-50080	WASHER PLAIN	8				0	0
090	66041-52330	SUPPORT ENGINE RH	1	<=36484			1.27	2.794
090	66041-52333	SUPPORT ENGINE RH	1	>=36485	≠		0.8	1.76
100	66041-52340	SUPPORT ENGINE LH	1	<=36484			1.2	2.64
100	66041-52343	SUPPORT ENGINE LH	1	>=36485	≠		0.8	1.76
110	01133-51022	BOLT	8				0.025	0.055
120	37150-34460	CLAMP CORD	1	<=33778			0.03	0.066
130	01125-51020	BOLT	2	>=30001			0.005	0.011



REF.No.230 01123-50818
REF.No.240 04013-50080
REF.No.250 66021-5224-0
REF.No.260 66021-5220-0







FENDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-85210	ASSY FENDER	1			[CA]	17.4	38.28
010	66027-85210	ASSY FENDER	1				16	35.2
020	01133-51025	BOLT	2				0.023	0.0506
030	04013-50100	WASHER PLAIN	2				0	0
040	01123-50818	BOLT	4				0.012	0.0264
050	04013-50080	WASHER PLAIN	4				0	0
060	66021-52130	REFLECTOR	2				0.027	0.0594
070	66021-52140	SEAT STEP RH	1				0.27	0.594
080	66021-52150	SEAT STEP LH	1				0.27	0.594
090	04013-50060	WASHER PLAIN	2				0	0
100	66021-52190	NUT	1				0.006	0.0132
110	01811-50615	BOLT WING	1				0.015	0.033
120	66021-52160	COVER FENDER UPPER	1				0.35	0.77
130	66021-52172	SUPPORT STEP RH	1	≤36912			0.8	1.76
140	66021-52180	SUPPORT STEP LH	1	≤36912			0.83	1.826
150	01123-50818	BOLT	8	≤33778			0.012	0.0264
150	01123-50818	BOLT	6	≥33779	↔		0.012	0.0264
160	66021-52210	BRACKET FENDER	1	≤10503			0.65	1.43
160	66021-52212	BRACKET FENDER	1	≥10504	≠		0.67	1.474
170	01123-51018	BOLT	2				0.02	0.044
180	66021-52220	BRACKET FENDER	1				0.556	1.2232
190	01123-50818	BOLT	2				0.012	0.0264
200	66021-52230	COVER REAR	1	≤10503			0	0
200	66021-52232	COVER REAR	1	≥10504	≠		0.75	1.65
210	01023-50616	BOLT	2				0.005	0.011
220	04013-50060	WASHER PLAIN	2				0	0
230	01123-50818	BOLT	2	≥10504			0.012	0.0264
240	04013-50080	WASHER PLAIN	2	≥10504			0	0
250	66021-52240	PLATE RH	1	≥10504			1.05	2.31
250	66021-52240	PLATE RH	1	≤36550			1.05	2.31
260	66021-52200	PLATE LH	1	≥10504			1.06	2.332
260	66021-52200	PLATE LH	1	≤36550			1.06	2.332
270	66021-45350	BRACKET RH	1	≥10504			0.1	0.22
270	66021-45352	BRACKET RH	1	≥35132	≠		0.1	0.22
280	01155-50832	BOLT	4	≤35131			0.014	0.0308
280	01123-50832	BOLT	4	≥35132	≠		0.016	0.0352
290	02114-50080	NUT	4	≤35131			0.005	0.011
300	04512-50080	WASHER SPRING	8	≤35131			0	0
310	66021-45360	BRACKET LH	1	≤35131			0.095	0.209
310	66021-45362	BRACKET LH	1	≥35132	≠		0.08	0.176
320	66021-45370	SHIM	2			1.0MM	0.005	0.011
330	66021-45380	SHIM	4			0.5MM	0.003	0.0066







RADIATOR


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66041-52410	SUPPORT RADIATOR RH	1				0.25	0.55
020	66041-52420	SUPPORT RADIATOR LH	1				0.11	0.242
030	01123-50818	BOLT	2				0.012	0.0264
040	01133-51028	BOLT	1				0.027	0.0594
050	66021-52430	BOLT	2				0.027	0.0594
060	04013-50100	WASHER PLAIN	1				0	0
070	15111-72200	WASHER	4				0.013	0.0286
080	15111-72180	CUSHION	2				0.015	0.033
090	05515-51000	PIN SNAP	2				0	0
100	15852-72060	ASSY RADIATOR	1	≤11223			0	0
100	15852-72063	ASSY RADIATOR	1	≥11224	←		4.1	9.02
110	15852-72330	SHROUD FAN	1				0.51	1.122
120	15272-72020	ASSY CAP	1				0.071	0.1562
130	15231-73110	COCK DRAIN	1				0.006	0.0132
140	15231-96690	GASKET	1				0.001	0.0022
150	15852-72710	PIPE WATER OVER FLOW	1				0.04	0.088
160	55411-21790	WHISTLE STEEM	1	≤35131			0	0
170	01202-50612	BOLT	1	≤35935			0.005	0.011
180	04013-50060	WASHER PLAIN	1	≤35935			0	0
190	15852-72850	PIPE WATER	1				0.057	0.1254
200	15852-72940	PIPE WATER	1				0.1	0.22
210	15841-72960	BAND PIPE	4				0.025	0.055

FUEL TANK



REF.No.010 66021-5271-0
REF.No.020 66021-5272-5






FUEL TANK


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-52710	BRACKET TANK	1	≤34106			2.6	5.72
010	66021-52713	BRACKET TANK	1	≥34107	≠		2.06	4.532
010	66061-52710	BRACKET TANK	1	≥36485	≠		2.3	5.06
020	66021-52720	COVER TANK	1	≤10661			0	0
020	66021-52723	COVER TANK	1	≥10662	←		0	0
020	66021-52725	COVER TANK	1	≥33779	←		0.145	0.319
020	66021-52725	COVER TANK	1	≤35777			0.145	0.319
030	01123-51020	BOLT	4				0.02	0.044
040	66621-54802	COMP.TANK FUEL	1				0.88	1.936
050	66621-54820	COMP.CAP FUEL TANK	1				0.028	0.0616
060	13251-41060	FILTER FUEL	1				0.01	0.022
070	10211-41340	GASKET	1				0.003	0.0066
080	66621-54760	BAND FUEL TANK	2				0.22	0.484
090	01123-50830	BOLT	2				0.015	0.033
100	66641-54740	CUSHION TANK	2	≤36912			0.065	0.143
100	34150-33220	CUSHION	2	≥36913	≠		0.015	0.033

PANEL COVER



REF.No.140 67511-5415-0






PANEL COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-53120	COMP.PANEL	1				3.1	6.82
020	01123-50820	BOLT	3				0.011	0.0242
030	04013-50080	WASHER PLAIN	3				0	0
040	66021-53130	COVER PANEL SIDE	1				0.15	0.33
050	01202-50612	BOLT	1				0.005	0.011
060	04012-50060	WASHER PLAIN	1				0.001	0.0022
070	66021-53140	COVER PANEL REAR	1				0.18	0.396
100	37150-13920	CUSHION	2				0.005	0.011
110	66021-55230	SCREW PAN HEAD	2				0.005	0.011
120	66021-55260	WASHER PLAIN	2				0.001	0.0022
130	66021-55280	WASHER SPRING	2				0.001	0.0022
140	67511-54150	TAPE SOFT UPPER	1	≤12488			0.01	0.022

RADIATOR NET






RADIATOR NET

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-53510	NET RADIATOR	1				1.02	2.244
020	66021-53520	SUPPORT NET RH	1				0.27	0.594
030	66021-53530	SUPPORT NET LH	1				0.2	0.44
040	01202-50610	BOLT	4				0.004	0.0088
050	04013-50060	WASHER PLAIN	3	<=36693			0	0
050	04013-50060	WASHER PLAIN	2	>=36694	≠		0	0
060	66021-53540	TAPE	1				0.04	0.088
070	66021-53550	TAPE	1				0.032	0.0704
080	66041-53560	TAPE	1				0.026	0.0572
090	66021-53570	CUSHION	1	<=36973			0.001	0.0022
100	66021-53610	TAPE DUSTPROOF	1				0.014	0.0308
120	66021-53630	TAPE DUSTPROOF	1				0.016	0.0352
130	66021-53640	TAPE DUSTPROOF	2				0.007	0.0154
140	66021-53660	TAPE DUSTPROOF	2				0.004	0.0088
150	66021-53670	CUSHION	1				0.001	0.0022
160	66021-53680	TAPE DUSTPROOF	1				0.003	0.0066
170	66021-53710	TAPE SOFT	1				0.039	0.0858
180	66021-53720	TAPE SOFT	1				0.018	0.0396
190	66021-53730	TAPE SOFT	2				0.003	0.0066
200	66621-53260	STAY BREATHER PIPE	1	>=35778			0.04	0.088

HOOD




REF.No.170 32240-3449-0

170




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	(kgf)	Weight
010	66711-54150						8.5	
	04015-50100						0.026	
	34150-18180						0.016	
	05515-51000						0.003	
	66021-54130						0.001	
	66021-54140						0.098	
	04013-50080							
	01123-50816						0.011	
	66751-55210						0.04	
	66711-55220						0.01	
	66021-54210						0.6	
	66021-54220						0.015	
	66021-54230						0.003	
	67111-54240						0.02	
	66021-54150			>=12489			0.08	
	32240-34490			<=34605			0.003	
	66021-55290			>=33779			0.001	



REF.No.140 55022-5522-0






ELECTRICAL SYSTEM


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty				Weight	Weight
010	53581-64150						0.18	
	67211-52770			≤34106			0.002	
	66021-55510			≥34107	≠		0.005	0.011
022	66021-55280						0.007	
	66021-55340			≥12549			0.001	
	66021-55130		1				0.01	0.44
040	35260-31850						0.17	
	66021-55150						0.02	
	15521-65950						0.065	
	55311-41120						0.05	
	67401-99120						0.005	
	66021-55160						0.45	
	66021-55170						0.13	
	66021-55180						0.22	
	66021-55190			≤10503			0.06	
	66021-55192			≥10504	≠			0.132
130	66022-55220			≤12548			0.025	
	66021-55310			≥12549	≠		0.02	0.4356
150	66021-55230						0.008	
	66021-55240						0.005	
	66021-55260						0.008	
	15531-64600			≤37928			0.001	
	15531-64603			≥37929	≠		0.22	0.44
200	01023-50632						0.009	
	66021-54240						0.01	
	38240-18230						0.2	
	36200-75980						0.005	
							0.006	

BATTERY



REF.No.020 65821-5545-0






BATTERY


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-55410	BATTERY	1	≤12488			0	0
010	66704-55412	ASSY BATTERY	1	≥12489	←		7	15.4
010	66704-55430	ASSY BATTERY	1			G4200H [CA] G5200H [CA]	9.3	20.46
020	66811-55420	RETAINER BATTERY	1				0.082	0.1804
030	66021-55430	COVER BATTERY	2	≤35935			0.01	0.022
030	67211-55460	COVER BATTERY	2	≥35936	≠		0.01	0.022
040	66591-54490	BOLT HOOK	2				0.048	0.1056
050	02014-50060	NUT	2				0.003	0.0066
060	04512-50060	WASHER SPRING	2				0	0
070	04013-50060	WASHER PLAIN	2				0	0
080	34150-33220	CUSHION	2				0.015	0.033
090	66021-55450	ASSY CORD BATTERY(+)	1	≤36912			0.33	0.726
090	66021-55453	ASSY CORD BATTERY(+)	1	≥36913	↔		0	0
100	66021-55490	CORD BATTERY(+)	1	≥36913			0.41	0.902
110	99999-99999	BLANK	0				0	0
120	99999-99999	BLANK	0				0	0
130	66704-55460	CORD EARTH	1	≤12488			0.165	0.363
130	66021-55480	CORD EARTH	1	≥12489	←		0.36	0.792
140	66021-55460	CORD EARTH	1	≤12333			0	0
140	66021-55462	CORD EARTH	1	≥12334	←		0.04	0.088
150	66021-55470	SUPPORT BATTERY	1				4.2	9.24
160	06613-10675	NIPPLE GREASE	1				0.003	0.0066
170	01133-51018	BOLT	4				0.02	0.044

FRONT AXLE



REF.No.020 66021-5613-0
 REF.No.030 66021-5616-0
 REF.No.150 66021-5618-0
 REF.No.160 66021-5619-0
 REF.No.170 05411-00840
 REF.No.240 02372-50200






FRONT AXLE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-56120	COMP.AXLE FRONT	1	<=20175			0	0
010	66021-56122	COMP.AXLE FRONT	1	>=20176	←		0	0
010	66021-56123	COMP.AXLE FRONT	1	>=20409	←		5.2	11.44
010	66021-56125	COMP.AXLE FRONT	1	>=38268	≠		5.16	11.352
020	66021-56130	BEARING	4				0.017	0.0374
030	06613-10675	NIPPLE GREASE	3				0.003	0.0066
035	04013-50060	WASHER PLAIN	1	>=20176			0	0
040	66021-56140	ARM KNUCKLE	1				0.46	1.012
050	66021-56150	COMP.LINK DRAG	1				0.9	1.98
060	04512-50120	WASHER SPRING	2				0	0
070	02372-50120	NUT	2				0.008	0.0176
080	05511-50325	PIN SPLIT	2				0.002	0.0044
090	66021-56160	PIN KING LH	1	<=36550			1.55	3.41
090	66021-56162	PIN KING LH	1	>=36551	≠		1.5	3.3
100	66021-56170	WASHER	2				0.012	0.0264
110	05712-00730	KEY FEATHER	1				0.011	0.0242
120	01173-51055	BOLT	1				0.036	0.0792
130	04512-50100	WASHER SPRING	1				0	0
140	02118-50100	NUT	1				0.005	0.011
150	66021-56180	PIN KING RH	1	<=36550			1.5	3.3
150	66021-56182	PIN KING RH	1	>=36551	≠		1.4	3.08
160	66021-56190	COLLAR	1	<=36550			0.1	0.22
160	04612-00250	CIR-CLIP EXTERNAL	1	>=36551	≠		0.002	0.0044
170	05411-00840	PIN SPRING	1	<=36550			0.008	0.0176
180	66021-56210	END ROD RH	1				0.055	0.121
190	04512-50100	WASHER SPRING	2				0	0
200	02118-50100	NUT	3				0.005	0.011
210	66021-56220	END ROD LH	1				0.11	0.242
220	66021-56230	ROD TIE	1				0	0
230	55311-31550	NUT	1				0.007	0.0154
240	02372-50200	NUT	2	<=36550			0.024	0.0528
250	05511-50440	PIN SPLIT	2	<=36550			0.004	0.0088
250	05511-50545	PIN SPLIT	2	>=36551	≠		0.01	0.022
260	04011-50200	WASHER PLAIN	2	<=36550			0.015	0.033
260	66021-56240	WASHER	2	>=36551	≠		0.01	0.022
270	66021-56310	CAP FRONT WHEEL	2				0.06	0.132

MUFFLER



AIR CLEANER






AIR CLEANER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15852-11010	ASSY CLEANER AIR	1				1.5	3.3
020	15852-11150	BODY AIR CLEANER	1				0.68	1.496
030	15852-11470	VALVE	1				0.03	0.066
040	15852-11080	ASSY ELEMENT CLEANER	1				0.45	0.99
050	15227-87480	LABEL ELEMENT A/C	1				0.004	0.0088
060	15221-94430	WASHER WITH RUBBER	1				0.004	0.0088
070	15221-92620	BOLT WING	1				0.04	0.088
080	15372-87452	LABEL AIR CLEANER	1				0.001	0.0022
090	15371-11252	BAND A/C	1	≤35935			0.21	0.462
090	15381-11250	BAND A/C	1	≥35936	≠		0.21	0.462
100	15371-11870	CUSHION	1				0.025	0.055
110	01222-50830	BOLT	1				0.013	0.0286
120	02114-50080	NUT	1				0.005	0.011
130	04512-50080	WASHER SPRING	1				0	0
140	66021-58220	STAY AIR CLEANER	1				0.82	1.804
150	01123-50822	BOLT	2	≤36484			0.012	0.0264
150	01123-50820	BOLT	2	≥36485	←		0.011	0.0242
160	01123-50818	BOLT	2				0.012	0.0264
170	66021-58250	PIPE INLET	1				0.17	0.374
180	66021-58260	COMP PIPE INTAKE	1				0.66	1.452
190	15221-11720	BAND PIPE	2				0.03	0.066
200	15261-11720	BAND PIPE	1				0.03	0.066
210	66021-58240	SUPPORT INTAKE PIPE	1				0.028	0.0616

FUEL PUMP



REF.No.120 66691-5456-0
REF.No.130 66021-5640-3
REF.No.200 14612-4201-0
REF.No.210 14301-4275-0






FUEL PUMP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-58310	ASSY PIPE FUEL	1				0.093	0.2046
020	66021-58340	SPRING PIPE PROTECT.	1				0.025	0.055
030	14301-42750	CLIP PIPE	2				0.005	0.011
040	13351-43010	ASSY FILTER FUEL	1				0	0
050	66591-54550	BAND	1	≤36973			0	0
050	66021-58330	BAND	1	≥36974	↔		0.037	0.0814
060	01202-50618	BOLT	1				0.006	0.0132
070	04013-50060	WASHER PLAIN	1				0	0
080	66021-58350	SUPPORT FILTER	1	≤33778			0	0
080	66021-58352	SUPPORT FILTER	1	≥33779	≠		0.02	0.044
090	01123-50818	BOLT	1				0.012	0.0264
100	68371-51210	ASSY PUMP FUEL	1				0.5	1.1
110	66021-58540	STAY PUMP	1	≤33778			0.073	0.1606
110	66021-58543	STAY PUMP	1	≥33779	≠		0.11	0.242
120	66591-54560	CUSHION	1	≤36550			0.014	0.0308
130	01123-50818	BOLT	1				0.012	0.0264
140	01202-50618	BOLT	1				0.006	0.0132
150	01133-51018	BOLT	1				0.02	0.044
160	66021-58380	ASSY PIPE FUEL	1	≤33778			0.016	0.0352
160	66021-58382	ASSY PIPE FUEL	2	≥33779	≠		0.034	0.0748
170	14301-42750	CLIP PIPE	2	≤33778			0.005	0.011
170	14301-42750	CLIP PIPE	4	≥33779	≠		0.005	0.011
180	66021-58400	PIPE FUEL	1	≤11352			0	0
180	66021-58403	PIPE FUEL	1	≥11353	←		0.2	0.44
180	66021-58404	PIPE FUEL	1	≥33779	≠		0.2	0.44
190	01202-50618	BOLT	2				0.006	0.0132
200	66021-58360	ASSY PIPE FUEL	1	≤11807			0	0
200	14612-42010	ASSY PIPE FUEL	1	≥11808	↔		0.021	0.0462
200	14612-42010	ASSY PIPE FUEL	1	≤33778			0.021	0.0462
210	14301-42750	CLIP PIPE	2	≤33778			0.005	0.011

FUEL FILTER



REF.No.020 66021-5843-0
REF.No.080 66021-5846-0
REF.No.090 66021-5843-0






FUEL FILTER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-58410	ASSY PIPE FUEL	1				0.057	0.1254
020	66021-58430	SPRING PIPE PROTECT.	1	<=35585			0.01	0.022
030	14301-42750	CLIP PIPE	2				0.005	0.011
040	15372-43010	ASSY FILTER FUEL	1			REFER TO L.No.0E13-L0 FOR COMPONENTS.	0	0
050	01153-50865	BOLT	1				0.025	0.055
060	04512-50080	WASHER SPRING	1				0	0
070	66021-58410	ASSY PIPE FUEL	1				0.057	0.1254
080	66021-58430	SPRING PIPE PROTECT.	1	<=35585			0.01	0.022
090	14301-42750	CLIP PIPE	2				0.005	0.011

FUEL PIPE




**FUEL PIPE**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-58470	ASSY PIPE OVER FLOW	1				0.014	0.0308
020	10244-42320	CLIP PIPE	2				0.001	0.0022
030	66021-58490	PIPE FUEL RETURN	1				0.15	0.33
040	01202-50618	BOLT	2				0.006	0.0132
050	66021-58510	ASSY PIPE OVER FLOW	1	<=12488			0.02	0.044
050	67211-58300	ASSY PIPE OVER FLOW	1	>=12489	↔		0.02	0.044
060	14971-42750	CLIP PIPE	2				0.001	0.0022
070	66021-58530	CLAMP PIPE	2	<=11352			0.015	0.033
070	66021-58530	CLAMP PIPE	1	>=11353	←		0.015	0.033
080	01202-50618	BOLT	2	<=11352			0.006	0.0132
080	01202-50618	BOLT	1	>=11353	←		0.006	0.0132


STARTER



FUEL FILTER (SECTION PARTS)



REF.No.150 15000-3484-0






FUEL FILTER (SECTION PARTS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15372-43010	ASSY FILTER FUEL	1				0	0
020	15261-43110	COMP.BODY COCK	1				0.3	0.66
030	14301-43522	LEVER COCK	1				0.024	0.0528
040	14301-43820	SPRING VALVE	1				0.001	0.0022
050	14301-43830	SCREW	1				0.001	0.0022
060	14301-43840	O RING LEVER	1				0.001	0.0022
070	15231-43283	SCREW AIR BREATHER	2				0.003	0.0066
080	04810-00060	RING	2				0.001	0.0022
090	15000-34830	CUP FILTER	1	≤33778			0	0
090	15000-34832	CUP FILTER	1	≥33779	←		0.07	0.154
100	14301-43590	RING RETAINING	1				0.054	0.1188
110	14301-43650	O RING FILTER	1				0.001	0.0022
120	15231-43560	ASSY ELEMENT	1				0.03	0.066
130	04811-00100	O RING FILTER	1				0.001	0.0022
140	66706-58310	LABEL FUEL FILTER	1				0.001	0.0022
150	15000-34840	SPRING	1	≤33778			0.003	0.0066

STARTER (SECTION PARTS)






STARTER (SECTION PARTS)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15852-63010	ASSY STARTER	1				3.4	7.48
020	15852-63050	LEVER DRIVE	1				0.015	0.033
030	15852-63020	SWITCH MAGNETIC	1				0.65	1.43
040	15852-63030	FRAME DRIVE END	1				0.274	0.6028
050	15852-63240	BUSH	1				0.006	0.0132
060	15852-63150	STOPPER	1				0.006	0.0132
070	15852-63040	CLUTCH OVER RUNNING	1				0.25	0.55
080	15852-63320	BOLT	1				0.016	0.0352
090	15852-63070	ARMATURE	1				0.99	2.178
100	15852-63410	WASHER ADJUSTING	1				0.006	0.0132
110	15852-63080	YOKE	1				0.97	2.134
120	15852-63360	BRUSH	1				0.005	0.011
130	15852-63380	HOLDER BRUSH	1				0.052	0.1144
140	15852-63390	SPRING BRUSH	1				0.002	0.0044
150	15852-63370	BRUSH	1				0.006	0.0132
160	15852-63200	FRAME END	1				0.2	0.44
170	15852-63250	BUSH	1				0.006	0.0132
180	15852-93310	SCREW PAN HEAD	1				0.02	0.044

SEAT SUSPENSION KIT (OPTION)




**SEAT SUSPENSION KIT (OPTION)**

S.No.;<=30000

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-84500	KIT SUSPENSION SEAT	1				1.05	2.31
020	66301-52810	SPRING SEAT	1				0.12	0.264
030	67061-45970	SPRING SEAT	1				0.13	0.286
040	66021-84510	STAY SPRING LH	2				0.06	0.132
050	66301-52820	CAP SPRING	2				0.04	0.088
060	01123-50816	BOLT	2				0.011	0.0242
070	04013-50080	WASHER PLAIN	4				0	0
080	01153-50818	BOLT	2				0.01	0.022
090	04512-50080	WASHER SPRING	2				0	0
100	02114-50080	NUT	2				0.005	0.011
110	66021-84520	SPACER	2				0.125	0.275
120	01123-50822	BOLT	4				0.012	0.0264
130	66021-84530	ARM	1				0.18	0.396
140	05511-51612	PIN SPLIT	1				0.001	0.0022
150	66204-43323	SPRING	1				0.055	0.121
160	05411-00425	PIN SPRING	1				0.001	0.0022
170	66021-84540	MANUAL STRUCTURE	1				0.018	0.0396






IMAGE NOT AVAILABLE



ACCESSORIES AND SERVICE PARTS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15241-86610	WRENCH FILTER	1				0.133	0.2926
020	10261-95320	INHIBITOR FUR	1				0.05	0.11
030	67111-55190	RING FUSIBLE	1				0.005	0.011
040	04612-00200	CIR-CLIP EXTERNAL	1				0.001	0.0022
050	04012-50080	WASHER PLAIN	1				0.001	0.0022
060	05411-00632	PIN SPRING	1				0.004	0.0088
070	05511-50325	PIN SPLIT	1				0.002	0.0044
080	66021-62919	MANUAL INSTRUCTION	1				0	0
080	66027-62912	MANUAL INSTRUCTION	1			[CA]	0.1	0.22