

Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

REF.No → The number referring to the part on the picture page of the parts book.

Part No. → The number assigned to this part at the time of printing the parts book.

Description → Discription of part.

Q'ty → Quantity of part used on that page.

S.No. → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

I/C → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

The part shown is not interchangeable with the other serial number.

← new for old

→ old for new

Remarks → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

Symbol	Country
A	United States of America
CA	Canada
FR	France
GR	Greece
PO	Portugal
AU	Australia


If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.

ALL PRODUCT INDEX
T1400H



Item	Part No.	Description	Book
ENGINE	01G01	CRANKCASE	100K0282
	01G02	PISTON AND CRANKSHAFT	100K0282
	01G03	CAMSHAFT	100K0282
	01G04	ROCKER ARM	100K0282
	01G05	BREATHER	100K0282
	01G06	MUFFLER	100K0282
	01G07	CARBURETTOR	100K0282
	01G0801	CARBURETTOR [COMPONENT PARTS]	100K0282
	01G0802	CARBURETTOR [COMPONENT PARTS]	100K0282
	01G09	MAGNETO	100K0282
	01G10	BALANCER SHAFT	100K0282
	01G11	OIL FILTER	100K0282
	01G12	FAN COVER	100K0282
	01G13	SPEED CONTROL PLATE	100K0282
	01G14	STARTER [COMPONENT PARTS]	100K0282
FUEL SYSTEM	01G15	GOVERNOR	100K0282
	01G16	FUEL TANK	100K0282
ELECTRICAL SYSTEM	01G17	AIR CLEANER	100K0282
	01G18	BATTERY	100K0282
	01G19	LIGHT	100K0282
TRANSMISSION	01G20	DASHBOARD	100K0282
	01G21	WIRE HARNESS	100K0282
	01G22	TRANSMISSION CASE	100K0282
	01G2301	HST AND BEVEL GEAR SHAFT	100K0282
	01G2302	HST	100K0282
SPEED CHANGE	01G2401	HST [COMPONENT PARTS]	100K0282
	01G2402	HST [COMPONENT PARTS]	100K0282
	01G25	DIFFERENTIAL CASE	100K0282
	01G26	TENSION PULLEY	100K0282
	01G27	SPEED CHANGE PEDAL	100K0282
REAR AXLE AND FRONT AXLE	01G2801	SPEED CHANGE ARM	100K0282
	01G2802	SPEED CHANGE ARM	100K0282
	01G2901	REAR AXLE	100K0282
	01G2902	REAR AXLE FLANGE	100K0282
	01G30	FRONT AXLE	100K0282
BRAKE	01G31	REAR WHEEL (18X8.50-8) AND FRONT WHEEL (14.5X5.00-6)	100K0282
	01G3201	BRAKE PEDAL	100K0282
	01G3202	BRAKE PEDAL	100K0282
	01G3203	BRAKE PEDAL	100K0282
	01G3301	BRAKE ROD	100K0282
STEERING	01G3302	BRAKE ROD	100K0282
	01G3303	BRAKE ROD	100K0282
	01G34	BRAKE	100K0282
	01G35	STEERING	100K0282
	01G36	LIFT LEVER	100K0282
MOWER LINK	01G37	LIFT LINK	100K0282
	01G38	MOWER LINK	100K0282
BONNET AND HOOD AND CHASSIS	01G39	HOOD	100K0282
	01G40	PANEL	100K0282
	01G41	FENDER	100K0282
	01G42	FRAME	100K0282
	01G43	STEP SEAT	100K0282
LABELS	01G44	SEAT	100K0282
	01G45	LABEL	100K0282
ACCESSORIES	01G46	ACCESSORIES	100K0282

CRANKCASE






CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-01052	ASSY COVER,CRANKCASE	1	<=813647			1.94	4.268
010	12181-01054	ASSY COVER,CRANKCASE	1	>=813648	↔		0	0
020	12181-01180	GASKET,CRANKCASE	1				0	0
030	05012-00818	PIN,STRAIGHT	2				0.008	0.0176
040	12181-91110	BOLT	9				0.02	0.044
050	12181-02110	BLOCK,CYLINDER	1				6.4	14.08
060	12181-03040	COMP.CYLINDER HEAD	1				0	0
070	12181-13540	GUIDE,INTAKE VALVE	1	<=553712			0.02	0.044
070	12181-13950	GUIDE,INTAKE VALVE	1	>=553713	←		0.02	0.044
080	12181-13562	GUIDE,EXHAUST VALVE	1	<=553712			0.022	0.0484
080	12181-13960	GUIDE,EXHAUST VALVE	1	>=553713	←		0.1	0.22
090	12181-13110	VALVE,INTAKE	1				0	0
100	12181-13120	VALVE,EXHAUST	1	<=553712			0	0
100	12181-13122	VALVE,EXHAUST	1	>=553713	←		0.063	0.1386
110	12181-13570	RING,VALVE GUIDE	2				0.001	0.0022
120	12181-13240	SPRING,VALVE	2				0.032	0.0704
130	12181-13340	RETAINER,IN-SPRING	1				0.02	0.044
140	12181-13330	RETAINER,EX-SPRING	1				0.02	0.044
150	15221-13360	COLLET,VALVE SPRING	1			SET	0	0
160	15261-13360	COLLET,VALVE SPRING	1			SET	0.004	0.0088
170	12181-13150	SEAL,VALVE STEM	1				0.002	0.0044
180	12181-13410	WASHER,VALVE,SPRING	2				0.002	0.0044
190	12181-03310	GASKET,CYLINDER HEAD	1				0.008	0.0176
200	12181-94540	PIPE,KNOCK	2				0.003	0.0066
210	12181-03450	BOLT,CYLINDER HEAD	2	<=562731			0.042	0.0924
210	12627-03450	BOLT,CYLINDER HEAD	2	>=562732	≠		0.04	0.088
220	12181-03460	BOLT,CYLINDER HEAD	2	<=562731			0	0
220	12181-03462	BOLT,CYLINDER HEAD	2	>=562732	≠		0.06	0.132
230	12181-03470	BOLT,CYLINDER HEAD	1	<=562731			0	0
230	12181-03472	BOLT,CYLINDER HEAD	1	>=562732	≠		0.08	0.176
240	01754-50850	BOLT,FLANGE	1				0.02	0.044
250	12181-03540	WASHER,HEAD BOLT	2				0.002	0.0044
260	12181-03020	ASSY CYLINDER HEAD	1	<=553712			0	0
260	12181-03022	ASSY CYLINDER HEAD	1	>=553713	←		0	0

PISTON AND CRANKSHAFT






PISTON AND CRANKSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-21110	PISTON	1			STD	0	0
010	12181-21910	PISTON	1			+0.25MM	0	0
010	12181-21920	PISTON	1			+0.50MM	0	0
020	12181-21052	ASSY PISTON RING	1			STD	0	0
020	12181-21092	ASSY PISTON RING	1			+0.25MM	0	0
020	12181-21102	ASSY PISTON RING	1			+0.50MM	0	0
030	12181-21310	PIN,PISTON	1				0.09	0.198
040	12181-21330	CLIP,PISTON PIN	2				0.001	0.0022
050	12181-22010	ASSY ROD,CONNECTING	1			STD	0.27	0.594
050	12181-22050	ASSY ROD,CONNECTING	1			-0.25MM	0.27	0.594
050	12181-22060	ASSY ROD,CONNECTING	1			-0.50MM	0.27	0.594
060	13961-22140	BOLT,CONNECTING ROD	2				0.02	0.044
070	12181-22170	WASHER,ROD BOLT	2				0.002	0.0044
080	12181-23010	COMP.CRANKSHAFT	1				3	6.6
090	06311-75015	PLUG	1				0.002	0.0044
100	12181-24110	GEAR,CRANKSHAFT	1				0.185	0.407
110	12181-26440	GEAR,BALANCER	1				0.22	0.484
120	12181-95240	KEY,WOODRUFF	1				0.004	0.0088
130	08103-06306	BEARING,BALL	1				0.345	0.759
140	08103-06206	BEARING,BALL	1				0.2	0.44
150	13961-16640	SEAL,OIL	2				0.01	0.022
160	13641-23680	SHIM	1			0.20MM	0.002	0.0044
160	13641-23620	SHIM	1			0.30MM	0.001	0.0022
160	13641-23630	SHIM	1			0.40MM	0.002	0.0044
160	13641-23650	SHIM	1			0.50MM	0.001	0.0022
160	12181-23620	SHIM	1			0.60MM	0.003	0.0066
160	12181-23630	SHIM	1			0.70MM	0.003	0.0066
170	12181-21850	PISTON SET,O/S	1			+0.25MM	0	0
170	12181-21862	PISTON SET,O/S	1			+0.50MM	0	0

CAMSHAFT






CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-14500	COMP COVER,CYL.HEAD	1				0.245	0.539
020	12181-05550	JOINT,BREATHING TUBE	1				0.005	0.011
030	12181-14520	GASKET,HEAD COVER	1	≤562731			0	0
030	12182-14520	GASKET,HEAD COVER	1	≥562732	←		0.01	0.022
040	01202-50625	BOLT	7				0.014	0.0308
050	13811-15110	PUSH ROD	2	≤553712			0.024	0.0528
050	12181-15110	PUSH ROD	2	≥553713	≠		0.02	0.044
060	12181-15550	TAPPET	2				0.032	0.0704
070	12181-16150	CAMSHAFT	1				0.55	1.21
080	12181-16510	GEAR,CAMSHAFT	1	≤756267			0	0
080	12181-16512	GEAR,CAMSHAFT	1	≥756268	←		0.545	1.199
090	12181-95230	KEY,WOODRUFF	1				0.003	0.0066
100	08103-06203	BEARING,BALL	1				0.065	0.143
110	12181-16620	SHIM	1			0.50MM	0.002	0.0044
110	12181-16630	SHIM	1			0.60MM	0.002	0.0044
110	12181-16640	SHIM	1			0.80MM	0.003	0.0066
110	12181-16650	SHIM	1			0.90MM	0.002	0.0044
110	12181-16660	SHIM	1			1.00MM	0.004	0.0088
110	12181-16670	SHIM	1			1.20MM	0.005	0.011

ROCKER ARM






ROCKER ARM


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-14020	ASSY ROCKER ARM	2	≤553712			0.04	0.088
010	12181-14022	ASSY ROCKER ARM	2	≥553713	≠		0.04	0.088
020	13801-14230	SCREW,ADJUSTING	2	≤553712			0.005	0.011
020	12181-14230	SCREW,ADJUSTING	2	≥553713	≠		0.007	0.0154
030	15261-14240	NUT	2				0.002	0.0044
040	12181-14060	ASSY SHAFT,ROCKERARM	1				0.15	0.33
050	12181-14430	WASHER,ROCKER ARM	2	≤569020			0.001	0.0022
050	44312-16240	COLLAR,THRUST	2	≥569021	≠		0.005	0.011
060	04613-00100	CIR CLIP,EXTERNAL	2				0.001	0.0022
070	12181-94540	PIPE,KNOCK	1				0.003	0.0066
080	05012-00608	PIN,STRAIGHT	1				0.002	0.0044

BREATHER



MUFFLER






MUFFLER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-12110	COMP.MUFFLER	1	≤553712			0	0
010	12181-12116	COMP.MUFFLER	1	≥553713	←		0	0
010	12181-12118	COMP.MUFFLER	1	≥559371	←		0.3	0.66
010	12181-12120	COMP.MUFFLER	1	≥562382	←		2.17	4.774
020	12181-12510	STAY,MUFFLER	1	≤562381			0	0
020	12181-12513	STAY,MUFFLER	1	≥562382	←		0.36	0.792
030	12579-12230	GASKET,MUFFLER	1				0.001	0.0022
040	01518-50818	STUD	2	≤568320			0.011	0.0242
040	01518-50822	STUD	2	≥568321	←		0.012	0.0264
050	02114-50080	NUT	2				0.005	0.011
060	04512-50080	WASHER,SPRING	2				0.001	0.0022
070	01123-50814	BOLT	2				0.01	0.022
080	01123-50820	BOLT	2				0.011	0.0242
090	04013-50080	WASHER,PLAIN	4				0.003	0.0066

CARBURETTOR



010 12101-4401-4
110 12008-4545-0
120 01202-50612



12101-007-10




CARBURETTOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-44010	CARBURETTOR	1	≤559370			0	0
010	12181-44012	CARBURETTOR	1	≥559371	←		0	0
010	12181-44013	CARBURETTOR	1	≥563692	←		0	0
010	12181-44014	CARBURETTOR	1	≥565921	←		0.5	1.1
010	12091-44010	ASSY CARBURETTOR	1	≥855174	≠		0	0
020	12181-46140	ELBOW,INTAKE	1				0	0
030	12181-46160	GASKET,INTAKE ELBOW	1				0	0
040	01123-50848	BOLT	2				0.02	0.044
050	12181-46150	INSULATOR	1				0.015	0.033
060	12181-46170	GASKET,INSULATOR	2				0	0
070	01153-50804	BOLT	1				0.05	0.11
080	01153-50803	BOLT	1				0.04	0.088
090	02114-50080	NUT	1				0.005	0.011
100	04512-50080	WASHER,SPRING	2				0.001	0.0022
110	12008-45450	CORD,CARB.EARTH	1	≥565921			0.005	0.011
110	12008-45450	CORD,CARB.EARTH	1	≤855173			0.005	0.011
120	01202-50612	BOLT	1	≥565921			0.005	0.011
120	01202-50612	BOLT	1	≤855173			0.005	0.011

CARBURETTOR [COMPONENT PARTS]




**CARBURETTOR [COMPONENT PARTS]**

S.No.;<=855173

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-44010	CARBURETTOR	1	<=559370			0	0
010	12181-44012	CARBURETTOR	1	>=559371	←		0	0
010	12181-44013	CARBURETTOR	1	>=563692	←		0	0
010	12181-44014	CARBURETTOR	1	>=565921	←		0.5	1.1
020	13941-44340	SCREW,CROSS	4				0.002	0.0044
030	12181-44530	VALVE,CHOKE	1				0.008	0.0176
040	12181-44570	SEAL,V	2				0.001	0.0022
050	12181-94060	GASKET	2				0.001	0.0022
060	12181-44390	WASHER	2				0.002	0.0044
070	12181-44500	ASSY SHAFT,CHOKE	1				0.018	0.0396
080	12181-45170	RING	1				0.001	0.0022
090	12181-44520	SPRING	1				0.002	0.0044
100	12181-44320	VALVE,THROTTLE	1	<=555758			0.005	0.011
100	12181-44323	VALVE,THROTTLE	1	>=555759	≠		0.01	0.022
100	12181-44324	VALVE,THROTTLE	1	>=756268	≠		0.01	0.022
110	12181-44300	ASSY SHAFT,THROTTLE	1				0.02	0.044
120	12181-44650	GASKET	1				0.001	0.0022
130	13941-44810	SPRING	1				0.001	0.0022
140	12181-44220	SCREW,PILOT	1	<=563691			0	0
140	12181-44222	SCREW,PILOT	1	>=563692	←		0.005	0.011
140	12641-44220	ADJUSTER	1	>=756268	≠		0.005	0.011
150	12181-44230	SCREW	1	<=756267			0.002	0.0044
150	12181-44232	SCREW	1	>=756268	≠		0.005	0.011
160	12181-44182	PILOT JET	1				0.005	0.011
170	12181-44720	FLOAT	1				0.005	0.011
180	12181-44120	NOZZLE PIECE	1				0.01	0.022
190	12181-44670	JET	1	<=559370			0	0
190	12181-44672	JET	1	>=559371	←		0.002	0.0044
190	12181-44673	JET	1	>=756268	≠		0.001	0.0022
200	12181-96840	O RING	1				0.001	0.0022
210	12181-44820	HOLDER,JET	1				0.01	0.022
220	12181-44840	ASSY NEEDLE	1				0.01	0.022
230	12181-44750	GASKET	1				0.002	0.0044
240	13941-44780	PIN,FLOAT	1				0.001	0.0022
250	13811-83500	SOLENOID	1				0.07	0.154
260	12181-44700	ASSY BODY,FL-CHAMBER	1				0.113	0.2486
270	13941-44810	SPRING	1				0.001	0.0022
280	12181-44580	PIN,SPRING	2				0.001	0.0022
290	12181-44810	SPRING	1				0.001	0.0022
300	12181-44830	SCREW	1				0.003	0.0066
310	12181-44280	GASKET	1				0.001	0.0022
320	12181-44200	AIR JET	1	<=756267			0.002	0.0044
320	12182-44200	AIR JET	1	>=756268	≠		0.005	0.011
330	12181-44150	AIR JET	1	<=559370			0	0
330	12181-44152	AIR JET	1	>=559371	←		0.002	0.0044
330	12182-44150	AIR JET	1	>=756268	≠		0.002	0.0044

CARBURETTOR [COMPONENT PARTS]




**CARBURETTOR [COMPONENT PARTS]**

S.No.;>=855174

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12091-44010	ASSY CARBURETTOR	1				0	0
020	12091-44180	ASSY JET,THRO	1				0.002	0.0044
030	12091-44120	NOZZLE,MAIN	1				0.004	0.0088
040	12091-44670	JET,MAIN	1				0.001	0.0022
050	12091-44720	FLOAT	1				0.007	0.0154
060	12091-44840	VALVE,FLOAT	1				0.001	0.0022
070	12091-44780	PIN,FLOAT	1				0.001	0.0022
080	12091-44750	GASKET,FLOAT CHAMBER	1				0.001	0.0022
090	12091-44700	CHAMBER,FLOAT	1				0.04	0.088
100	12091-44280	GASKET	1				0.001	0.0022
110	12091-45270	HOLDER,SOLENOID	1				0.02	0.044
120	12091-45530	GASKET,PASEGE COVER	1				0.002	0.0044
130	12091-45310	COVER,PASEGE	1				0.02	0.044
140	12091-44990	SCREW(SWML)	3				0.002	0.0044
150	12091-44300	ASSY SHAFT,THROTTLE	1				0.022	0.0484
160	12091-44500	ASSY SHAFT	1				0.013	0.0286
170	12091-44520	SPRING,RETURN CHOKE	1				0.001	0.0022
180	12091-44320	VALVE,THROTTLE	1				0.006	0.0132
190	12091-44340	SCREW	4				0.001	0.0022
200	12091-44530	VALVE,CHOKE	1				0.006	0.0132
210	12091-44230	SCREW,THROTTEL STOP.	1				0.002	0.0044
220	12091-44810	SPRING	1				0.001	0.0022
230	12091-44220	SCREW,ADJUSTING	1				0.002	0.0044
240	12091-44450	SPRING,ADJUSTING	1				0.001	0.0022
250	12091-44570	SEAL	1				0.001	0.0022
260	12091-44830	SCREW,DRAIN	1				0.003	0.0066
270	12091-44540	SPRING	1				0.001	0.0022
280	12091-83500	ASSY SOLENOID	1				0.05	0.11
290	12091-44650	GASKET,SOLENOID	1				0.001	0.0022






MAGNETO

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	13375-67740	SPARK PLUG	1				0.05	0.11
020	12807-67720	CAP,SPARK PLUG	1				0.03	0.066
030	12181-67010	ASSY MAGNETO,F-WHEEL	1				7.27	15.994
040	12181-67030	COMP.ROTOR	1				6.72	14.784
050	12181-67060	COMP.TR-MGNET UNIT	1	≤839236			0.285	0.627
050	12182-67060	IGNITER	1	≥839237	↔		0.25	0.55
060	12181-67070	COIL,CHARGER	1				0.257	0.5654
070	13901-91010	BOLT	4				0.008	0.0176
080	12181-95250	KEY,WOODRUFF	1				0.008	0.0176
090	12181-92920	NUT,FLANGE	1				0.035	0.077
100	12181-69740	CLAMP,CORD	1				0.014	0.0308
110	13901-91020	BOLT	1				0.005	0.011

BALANCER SHAFT






BALANCER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-26350	SHAFT,BALANCER	1				0.66	1.452
020	12181-26360	SHAFT,BALANCER	1				0.67	1.474
030	12181-26450	GEAR,BALANCER	1				0.45	0.99
040	12181-26460	GEAR,BALANCER	1				0.25	0.55
050	13662-95030	KEY,FEATHER	2				0.001	0.0022
060	08103-06202	BEARING,BALL	4				0.05	0.11
070	12181-26500	SHIM,BALANCER	2			0.50MM	0.001	0.0022
070	12181-26510	SHIM,BALANCER	2			0.60MM	0.001	0.0022
070	12181-26520	SHIM,BALANCER	2			0.70MM	0.002	0.0044
070	12181-26530	SHIM,BALANCER	2			0.80MM	0.002	0.0044
070	12181-26540	SHIM,BALANCER	2			0.90MM	0.002	0.0044
070	12181-26550	SHIM,BALANCER	2			1.00MM	0.002	0.0044
070	12181-26560	SHIM,BALANCER	2			1.20MM	0.002	0.0044

OIL FILTER






OIL FILTER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-32100	ASSY FILTER,OIL	1				0.082	0.1804
020	04815-00100	O RING	1				0.001	0.0022
030	12181-36460	ASSY SUPPORT,O/G	1	≤553712			0.015	0.033
030	12181-36462	ASSY SUPPORT,O/G	1	≥553713	≠		0.024	0.0528
040	12181-36410	GAUGE,OIL	1	≤553712			0.01	0.022
040	12181-36412	GAUGE,OIL	1	≥553713	≠		0.025	0.055
050	99999-99999	BLANK	0				0	0
060	12181-33730	FLANGE,OIL DRAIN	1				0.05	0.11
070	12181-33740	GASKET,DRAIN FLANGE	1				0	0
080	01023-50625	BOLT	2				0.007	0.0154
090	13901-33750	PLUG	1				0.03	0.066
100	04714-00120	GASKET	1				0.001	0.0022
110	12181-35070	ASSY ROTOR,OIL PUMP	1				0.045	0.099
120	12182-35130	COVER,OIL PUMP	1				0.03	0.066
130	12181-35160	O RING	1				0.005	0.011
140	01202-50616	BOLT	3				0.006	0.0132
150	13662-36920	VALVE,RELIEF	1				0.003	0.0066
160	13662-36950	SPRING	1				0.005	0.011
170	13662-91370	BOLT,SPRING RETAINER	1				0.12	0.264
180	04714-00100	GASKET	1				0.002	0.0044
190	06312-10010	PLUG	1				0.007	0.0154
200	12181-42380	PIPE,DRAIN	1	≤562681			0	0
200	09661-30100	TUBE,FUEL	1	≥562682	←		0.01	0.022
200	09661-50120	TUBE,FUEL	1	≥855174	≠		0.01	0.022
210	01202-50614	BOLT	2				0.006	0.0132
220	04811-00180	O RING	1				0.001	0.0022

FAN COVER






FAN COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-74380	COMP COVER,FAN	1	≤555758			0.81	1.782
010	12181-74382	COMP COVER,FAN	1	≥555759	←		0.83	1.826
020	12181-74480	COWLING,CYL.HEAD	1	≤559370			0	0
020	12181-74482	COWLING,CYL.HEAD	1	≥559371	←		0	0
020	12181-74483	COWLING,CYL.HEAD	1	≥562382	≠		0.3	0.66
030	13641-74520	BOLT	5				0.004	0.0088
040	13902-91060	BOLT	3				0.01	0.022
050	12181-75370	COVER,DUST	1	≤553712			0.198	0.4356
050	12181-75372	COVER,DUST	1	≥553713	←		0.1	0.22
050	12181-75373	COVER,DUST	1	≥563994	≠		0.13	0.286
060	01202-50610	BOLT	4	≤553712			0.004	0.0088
060	01202-50612	BOLT	3	≥553713	←		0.005	0.011
070	12181-75500	COMP.COVER	1	≤556686			0.17	0.374
070	12181-75503	COMP.COVER	1	≥556687	≠		0	0
070	12181-75504	COMP.COVER	1	≥855174	←		0.2	0.44
080	12271-93170	SCREW	1				0.003	0.0066
090	01025-50612	BOLT	1				0.005	0.011
100	13824-67580	CLAMP,CORD	1				0.006	0.0132
110	01123-50814	BOLT	1				0.01	0.022
120	99999-99999	BLANK	0				0	0
130	66071-51330	PLATE,SHUTTER	1	≥562382			1	2.2
140	66071-51340	TRIM,SASH	1	≥562382			0.22	0.484
150	15272-67590	CLAMP,CORD	2	≥562382			0.004	0.0088

SPEED CONTROL PLATE






SPEED CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-57000	ASSY PLATE,CONTROL	1				0.15	0.33
020	13621-93410	SCREW	3	≤884796			0	0
020	12182-93410	SCREW	3	≥884797	↔		0.003	0.0066
030	13641-56860	SPRING	3				0.001	0.0022
040	12181-57170	LEVER,SPEED	1				0.034	0.0748
050	12181-57180	ASSY LEVER,SPEED	1				0.063	0.1386
060	12181-57830	STOP,CHOKE ROD	1				0.005	0.011
070	04013-50060	WASHER,PLAIN	2				0.001	0.0022
080	04613-00050	CIR CLIP,EXTERNAL	1				0	0
090	01053-50510	BOLT	1				0.002	0.0044
100	12181-57240	COLLAR	1				0.005	0.011
110	12181-57290	SPRING,LEVER	1				0.007	0.0154
120	12181-57630	SPRING,RETURN	1				0.003	0.0066
130	04015-50080	WASHER,PLAIN	1				0.001	0.0022
140	13631-91130	BOLT	1				0.007	0.0154
150	13961-91550	STUD	1				0.01	0.022
160	13961-92010	NUT	1	≤855173			0.005	0.011
160	02751-50080	NUT,FLANGE	1	≥855174	↔		0.006	0.0132
170	12181-63010	STARTER	1	≤564885			2.5	5.5
170	12106-63010	STARTER	1	≥564886	←		3.6	7.92
180	01123-50840	BOLT	2				0.018	0.0396
190	04015-50080	WASHER,PLAIN	1				0.001	0.0022






STARTER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-63010	STARTER	1	<=564885			2.5	5.5
010	12106-63010	STARTER	1	>=564886	←		3.6	7.92
020	12181-63390	BRUSH,SPRING	4				0.002	0.0044
030	12181-63380	HOLDER,BRUSH	1				0.014	0.0308
040	12181-63680	INSULATOR	1				0.005	0.011
050	12181-63070	ASSY ARMATURE,STARTE	1				0.95	2.09
060	12181-63040	ASSY STARTER,CLUTCH	1	<=564885			0.24	0.528
060	12106-63040	ASSY STARTER,CLUTCH	1	>=564886	≠		0.05	0.11
070	12181-63030	ASSY HOUSING,STARTER	1	<=564885			0.47	1.034
070	12106-63030	ASSY HOUSING,STARTER	1	>=564886	≠		0.48	1.056
080	12181-63450	ASSY FRAME	1				0.11	0.242
090	12181-63530	BEARING,OIL LESS	1				0.005	0.011
100	12181-63050	LEVER,STARTER DRIVE	1				0.02	0.044
110	12181-63080	ASSY SWITCH,MAGNETIC	1				0.6	1.32
120	12181-63320	BOLT,THROUGH	2				0.02	0.044
130	17381-63290	COVER	1				0.005	0.011
140	14278-92010	NUT	2				0.001	0.0022
150	12181-92010	NUT	1				0.006	0.0132
160	02156-50080	NUT	1				0.004	0.0088
170	04512-50080	WASHER,SPRING	1				0.001	0.0022
180	12181-63200	YOKE,ASSY STARTER	1	<=564885			1	2.2
180	11420-63200	ASSY YOKE	1	>=564886	≠		1	2.2

GOVERNOR






GOVERNOR


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12181-55290	COMP GEAR,GOVERNOR	1	<=554712			0	0
010	12181-55292	COMP GEAR,GOVERNOR	1	>=554713	←		0.03	0.066
020	12181-55310	SHAFT,GOVERNOR	1				0.012	0.0264
030	13641-55333	WASHER	1				0.001	0.0022
040	13641-55342	WASHER	1				0.002	0.0044
050	12181-55450	SLEEVE,GOVERNOR	1				0.01	0.022
060	13641-55363	CLIP,GOVERNOR	1				0.001	0.0022
070	12181-56020	ASSY LEVER,GOVERNOR	1				0.083	0.1826
080	01125-50835	BOLT	1	<=565710			0.017	0.0374
080	01123-50835	BOLT	1	>=565711	→		0.02	0.044
085	04012-50080	WASHER,PLAIN	1	>=565711			0.001	0.0022
090	12181-92010	NUT	1	<=905960			0.006	0.0132
090	13961-92020	NUT	1	>=905961	↔		0.007	0.0154
100	12181-56100	ASSY SHAFT,G-LEVER	1	<=562731			0	0
100	12181-56102	ASSY SHAFT,G-LEVER	1	>=562732	←		0.05	0.11
110	04613-00070	CIR CLIP,EXTERNAL	1				0	0
120	12191-56910	SEAL,OIL	1				0.001	0.0022
130	04013-50080	WASHER,PLAIN	1				0.003	0.0066
140	04613-00070	CIR CLIP,EXTERNAL	1				0	0
150	12181-56350	ROD,GOVERNOR	1				0.002	0.0044
160	12181-56390	SPRING,ROD	1				0.002	0.0044
170	12181-56410	SPRING,GOVERNOR	1				0.003	0.0066
180	12181-57810	ROD,CHOKE	1				0.006	0.0132

FUEL TANK



155 66071-5832-0
157 13621-4236-0



98271-800-10




FUEL TANK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-54800	COMP.TANK,FUEL	1				2.5	5.5
020	66071-54860	ASSY CAP,FUEL TANK	1				0.051	0.1122
030	66071-54820	GAUGE,FUEL	1				0.017	0.0374
040	66071-54830	GASKET	1				0.016	0.0352
050	66071-54840	PLATE	1				0.071	0.1562
060	04013-50050	WASHER,PLAIN	4				0	0
070	02054-50050	NUT	4				0.002	0.0044
080	66071-54850	PIPE,DRAIN TANK	1	≤17878			0	0
080	66071-54853	PIPE,DRAIN TANK	1	≥17879	←		0	0
080	66071-54854	PIPE,DRAIN	1	≥38826	←		0.03	0.066
090	01123-50820	BOLT	4				0.011	0.0242
100	04015-50080	WASHER,PLAIN	4				0.001	0.0022
110	12181-43010	ASSY FILTER,FUEL	1	≤17134			0	0
110	12181-43012	ASSY FILTER,FUEL	1	≥17135	←		0.07	0.154
120	12454-43160	ELEMENT,FILTER	1				0.001	0.0022
130	12866-43140	GASKET	1				0.001	0.0022
140	13415-43130	POT,FILTER	1	≤17134			0	0
140	12181-43130	POT,FILTER	1	≥17135	←		0	0
140	12361-43130	POT,FILTER	1	≥33077	↔		0.002	0.0044
150	66071-58320	NUT,FLANGE	1	≤41583			0.026	0.0572
150	02771-50120	NUT,FLANGE	1	≥41584	↔		0.018	0.0396
155	66071-58320	ASSY PIPE,FUEL	2	≤31378			0.026	0.0572
155	66071-58320	ASSY PIPE,FUEL	1	≥31379			0.026	0.0572
155	66071-58320	ASSY PIPE,FUEL	1	≤32078			0.026	0.0572
157	13621-42360	CLIP,FUEL TUBE	4	≤31378			0	0
157	09318-88105	CLAMP,HOSE	2	≥31379	←		0.01	0.022
157	09318-88105	CLAMP,HOSE	2	≤32078			0.01	0.022
160	66071-58340	ASSY PIPE,FUEL	1	≥31379			0.03	0.066
160	66071-58340	ASSY PIPE,FUEL	2	≥32079			0.03	0.066
170	09318-88105	CLAMP,HOSE	2	≥31379			0.01	0.022
170	09318-88105	CLAMP,HOSE	4	≥32079			0.01	0.022
180	13621-42360	CLIP,FUEL TUBE	1				0	0
190	99999-99999	BLANK	0				0	0
200	54821-21630	SPONGE	1				0.002	0.0044
210	54821-21640	COVER,RUBBER	1				0.004	0.0088

AIR CLEANER






AIR CLEANER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-58210	ASSY CLEANER,AIR	1	≤32078			1.2	2.64
010	66071-58213	ASSY CLEANER,AIR	1	≥32079	≠		1.15	2.53
020	66071-58220	BODY,AIR CLEANER	1	≤32078			0.75	1.65
020	66071-58223	BODY,AIR CLEANER	1	≥32079	≠		0.75	1.65
030	15852-11470	VALVE	1				0.03	0.066
040	15852-11080	ASSY ELEMENT,CLEANER	1	≤10007			0.45	0.99
040	15852-11220	ELEMENT,AIR CLEANER	1	≥10008	↔		0.38	0.836
050	15227-87480	LABEL,ELEMENT A/C	1	≤10007			0.004	0.0088
060	15221-94430	WASHER,WITH RUBBER	1				0.004	0.0088
070	15221-92620	BOLT,WING	1				0.04	0.088
080	01754-50812	BOLT,FLANGE	2				0.01	0.022
090	66071-58130	PIPE,INLET	1				0.4	0.88
100	15261-11720	BAND,PIPE	2	≤31378			0.03	0.066
100	15221-11720	BAND,PIPE	2	≥31379	≠		0.03	0.066
110	66071-58230	PIPE.INLET	1				0.28	0.616

BATTERY






BATTERY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-55400	ASSY BATTERY	1	<=33604			0	0
010	66071-55402	ASSY BATTERY	1	>=33605	←		5.8	12.76
010	66001-55400	ASSY BATTERY	1	>=41804	↔		7.8	17.16
020	66811-55420	RETAINER,BATTERY	1				0.082	0.1804
030	66071-55470	BOLT,BATTERY SET	2	<=42962			0.037	0.0814
030	38430-33290	BOLT,HOOK	2	>=50001	≠		0.005	0.011
040	02751-50060	NUT,FLANGE	2				0.005	0.011
050	04013-50060	WASHER,PLAIN	2	<=38140			0.001	0.0022
060	66071-55430	CORD,BATTERY(+)	1	<=41633			0	0
060	66001-55430	CORD,BATTERY	1	>=41634	←		0.25	0.55
070	66071-55440	CORD,BATTERY(-)	1				0.037	0.0814
080	66071-55610	BRACKET,BATTERY	1	>=50001			0.96	2.112
090	01025-50616	BOLT	4	>=50001			0.005	0.011
100	01754-50612	BOLT,FLANGE	1				0.005	0.011




6076-604-10

**LIGHT**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-55300	ASSY LIGHT,HEAD	1				0.56	1.232
020	66071-55310	COMP.LENS	1				0.5	1.1
030	66071-55320	ASSY SOCKET,BULB	2				0.04	0.088
040	66071-55340	SOCKET	2				0.026	0.0572
050	66071-55350	BULB	2				0.008	0.0176
060	66071-55360	WIRE,LEAD(+)	2				0.006	0.0132
070	66071-55330	SCREW,TAPPING	4				0.002	0.0044
080	02751-50060	NUT,FLANGE	4				0.005	0.011
090	04013-50060	WASHER,PLAIN	4				0.001	0.0022
100	15241-67570	CLAMP,CORD	2	<=33364			0.003	0.0066
100	15241-67570	CLAMP,CORD	1	>=33365			0.003	0.0066

DASHBOARD






DASHBOARD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-55110	DASHBOARD	1	≤37816			0	0
010	66071-55113	DASHBOARD	1	≥37817	←		0.32	0.704
020	66071-55120	ASSY SWITCH,MAIN	1				0.11	0.242
030	63413-55760	ASSY KEY,STARTER	1				0.02	0.044
040	55311-41120	SWITCH,LIGHT	1				0.05	0.11
050	67401-99120	ASSY KNOB,LIGHT SW.	1				0.005	0.011
060	12191-57460	STOPPER,RELEASE	1				0.01	0.022
070	03054-50510	SCREW,CR-REC-PAN-HD	1				0.003	0.0066
080	66071-55170	ASSY LEVER,THROTTLE	1	≤32877			0.22	0.484
080	66091-55172	ASSY LEVER,THROTTLE	1	≥32878	≠		0.24	0.528
090	66071-55180	GRIP,LEVER	1	≤32877			0.022	0.0484
090	66091-55180	GRIP,LEVER	1	≥32878	≠		0.015	0.033
100	66071-55190	WIRE,THROTTLE	1	≤32877			0.033	0.0726
100	66071-55192	WIRE,THROTTLE	1	≥32878	≠		0.04	0.088
110	01754-50612	BOLT,FLANGE	2				0.005	0.011
120	66021-55230	SCREW	4	≤37816			0.005	0.011
120	66071-55130	SCREW	4	≥37817	≠		0.01	0.022
130	66021-55260	WASHER,PLAIN	4	≤37816			0.001	0.0022
140	66021-55280	WASHER,SPRING	4	≤37816			0.001	0.0022
150	66071-55230	RECTIFIER	1				0.08	0.176
160	03024-50525	SCREW,WITH WASHER	1				0.005	0.011
170	66071-55210	RELAY,BOX	1	≤41559			0	0
170	66071-55212	RELAY,BOX	1	≥41560	←		0.1	0.22
180	01222-50625	BOLT	2				0.007	0.0154
190	66204-32240	ASSY SWITCH,SAFETY	2	≤31810			0	0
190	66416-55810	ASSY SWITCH,SAFETY	2	≥31811	←		0.11	0.242
200	66704-55310	METER,TRACTOR	1			OPTION	0.22	0.484

WIRE HARNESS






WIRE HARNESS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-55140	ASSY WIRE HARNESS	1	≤42962			0	0
010	66071-55250	WIRE HARNESS	1	≥50001	↔		0.5	1.1
015	66071-55150	ASSY WIRE HARNESS	1	≤41633			0	0
015	66071-55153	WIRE HARNESS	1	≥41634	←		0	0
015	66071-55154	WIRE HARNESS	1	≥41925	←		0.44	0.968
015	66071-55154	WIRE HARNESS	1	≤42962			0.44	0.968
020	59460-41710	RING,FUSIBLE	1				0.006	0.0132
030	37410-55520	FUSE	2			5A	0.002	0.0044
035	66071-55160	WIRE HARNESS	1	≤42962			0.056	0.1232
040	66071-55750	ASSY BAG,SPARE FUSE	1				0.01	0.022
050	37410-55520	FUSE	1			5A	0.002	0.0044
060	13824-67580	CLAMP,CORD	1	≤34656			0.006	0.0132
070	55311-41260	BAND,CORD	1	≤15206			0.007	0.0154

TRANSMISSION CASE






TRANSMISSION CASE
S.No.;<=42962

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-11110	CASE,T/M LH	1				1.98	4.356
020	66071-11120	CASE,T/M RH	1				1.8	3.96
030	01754-50845	BOLT,FLANGE	8				0.021	0.0462
040	01754-50870	BOLT,FLANGE	1				0.028	0.0616
050	01173-51002	BOLT	2				0.064	0.1408
060	02118-50100	NUT	2				0.005	0.011
070	04512-50100	WASHER,SPRING	2				0.003	0.0066
080	05012-00814	PIN,STRAIGHT	2				0.006	0.0132
090	06331-35020	PLUG	1				0.068	0.1496
100	04717-02000	WASHER,WITH RUBBER	1				0.004	0.0088
110	06331-35020	PLUG	1				0.068	0.1496
120	04717-01200	WASHER,WITH RUBBER	1				0.002	0.0044
130	66071-13210	FLANGE	1				0.17	0.374
140	66071-13220	PULLEY	1				0.158	0.3476
150	05712-00518	KEY,FEATHER	1				0.003	0.0066
160	01754-50612	BOLT,FLANGE	3				0.005	0.011
170	01350-10510	BOLT,HEX-SOC-HD	1				0.003	0.0066
180	03650-50612	SCREW,SET	1				0.015	0.033
190	66071-13230	FLANGE	1				0.13	0.286
200	66071-13240	FAN,COOLING	1				0.035	0.077
210	66071-13250	PLATE	1				0.02	0.044
220	03024-50512	SCREW,WITH WASHER	2				0.003	0.0066
230	05712-00530	KEY,FEATHER	1				0.006	0.0132
240	01754-50612	BOLT,FLANGE	1				0.005	0.011






HST AND BEVEL GEAR SHAFT

S.No.;<=42962

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-14010	SHAFT,BEVEL PINION	1			12T	0.16	0.352
020	04612-00200	CIR CLIP,EXTERNAL	1				0.001	0.0022
030	66071-14020	COUPLING	1				0.11	0.242
040	08101-06304	BEARING,BALL	1				0.146	0.3212
050	66071-14030	COLLAR	1				0.005	0.011
060	67311-14820	BEARING,BALL	1				0.07	0.154
070	66071-14040	SHIM	2			0.8MM	0.004	0.0088
070	66071-14050	SHIM	1			0.2MM	0.002	0.0044
070	66071-14060	SHIM	2			1.2MM	0.006	0.0132
080	04611-00520	CIR CLIP,INTERNAL	1				0.009	0.0198
090	66071-14310	SHAFT	1				0.21	0.462
100	09500-17328	SEAL,OIL	1				0.008	0.0176
110	08101-06203	BEARING,BALL	1				0.063	0.1386
120	66071-14320	GEAR	1			15T	0.12	0.264
130	66071-14330	COLLAR	1				0.006	0.0132
140	04612-00190	CIR CLIP,EXTERNAL	1				0.001	0.0022
150	66071-14340	GEAR,BEVEL	1			27T	0.18	0.396
160	08101-06005	BEARING,BALL	1				0.08	0.176
170	66071-36010	ASSY HST	1	<=30824			0	0
170	66071-36013	ASSY HST	1	>=30825	←		7	15.4
180	66071-36020	STUD	2				0.046	0.1012
190	01518-50835	STUD	2				0.017	0.0374
200	02751-50080	NUT,FLANGE	4				0.006	0.0132
210	66071-36030	COLLAR	1				0.08	0.176






HST
S.No.;>=50001

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-15100	ASSY AXLE,TRANS	1				23	50.6
020	66071-15120	ASSY TANK,HYDRAULIC	1				0.12	0.264
030	66091-81120	COVER,OIL TANK	1				0.035	0.077
040	66091-81130	GASKET,COVER	1				0.005	0.011
050	66091-11140	KEY,SHAFT	1				0.015	0.033
060	66091-11150	KEY,CONTROL SHAFT	1				0.005	0.011
070	66071-15130	HOSE,HYD.TANK	1				0.045	0.099
080	09318-88230	CLAMP,HOSE	2				0.008	0.0176
090	38240-29250	NUT,SPRING	2				0.005	0.011
100	01025-50616	BOLT	2				0.005	0.011
110	66071-15310	PLATE,HST	1				0.186	0.4092
120	01133-51020	BOLT	1				0.02	0.044
130	01041-52516	BOLT	2				0.02	0.044
140	04512-50080	WASHER,SPRING	2				0.001	0.0022
150	66021-36052	BOLT	1				0.006	0.0132
160	04512-50060	WASHER,SPRING	1				0.001	0.0022
170	01133-51075	BOLT	4				0.03	0.066
180	66071-52530	PULLEY HST	1				0.49	1.078
190	66071-52550	WASHER,HST PULLEY	1				0.058	0.1276
200	66071-15170	FAN	1				0.16	0.352
210	01025-50616	BOLT	2				0.005	0.011




**HST [COMPONENT PARTS]**

S.No.;<=42962

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-83610	TANK ASSY	1	<=30824			0	0
010	66071-83612	TANK ASSY	1	>=30825	←		0.07	0.154
011	66071-83620	TANK	1	>=30825			0.025	0.055
012	66071-83630	DIAPHRAGM	1	>=30825			0.01	0.022
013	66071-83640	CAP	1	>=30825			0.01	0.022
014	66071-83650	O RING	1	>=30825			0.003	0.0066
020	66071-83680	FILTER	1				0.01	0.022
030	66071-83700	KIT,SEAL	1				0.046	0.1012
040	66071-83710	SEAL,OIL	1				0.005	0.011
050	66071-83720	SEAL,OIL	1				0.005	0.011
060	66071-83730	O RING	6				0.001	0.0022
070	66071-83740	GASKET	1				0.01	0.022
080	66071-83750	O RING	1				0.001	0.0022
090	66071-83760	O RING	2				0.001	0.0022
100	66071-83770	SEAL,OIL	1				0.005	0.011
110	66071-83780	O RING	2				0.001	0.0022
120	66071-83790	SEAL,OIL	1				0.005	0.011
130	66071-36110	SHAFT,PUMP	1				0.2	0.44
140	66071-36120	CLIP	4				0.001	0.0022
150	66071-36130	BRG,THRUST ROLLER	1				0.025	0.055
160	66071-36140	COLLAR,THRUST	1				0.035	0.077
170	66071-36150	WASHER,SHAFT	2				0.006	0.0132
180	66071-36160	SPRING	1				0.005	0.011
190	66071-36170	ASSY CYLINDER	1				0.55	1.21
200	66071-36210	ASSY SWASHPLATE	1				0.26	0.572
210	66071-36220	BEARING,CRADLE	2				0.01	0.022
220	66071-36230	ARM,TRUNNION	1				0.055	0.121
230	66071-36240	BEARING,JOURNAL	1				0.014	0.0308
240	66071-36250	GUIDE,SLOT	1				0.005	0.011
250	66071-36310	SHAFT,MOTOR	1				0.14	0.308
260	66071-36320	BEARING,THRUST BALL	1				0.062	0.1364
270	66071-36330	ASSY,CYLINDER BLOCK	1				0.55	1.21
280	66071-36340	BEARING,NEEDLE	1				0.015	0.033
290	66071-36420	SPOOL	1				0.015	0.033




**HST [COMPONENT PARTS]**

S.No.;>=50001

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-15100	ASSY AXLE,TRANS	1				23	50.6
020	66071-81310	ASSY COVER	1				1.04	2.288
030	66091-81330	CIR CLIP,INTERNAL	1				0.005	0.011
040	66071-81320	ASSY SHAFT,INPUT	1				0.18	0.396
050	66091-81170	GASKET,COVER	1				0.007	0.0154
060	66091-81560	BUTTON	2				0.008	0.0176
070	66091-81720	COUPLING	1				0.03	0.066
080	66091-81450	ASSY PUMP	1				0.78	1.716
090	66091-81460	RING,CAM	1				1.02	2.244
100	66091-81470	PIN,CAM RING	1				0.026	0.0572
110	66091-81480	SHAFT,CONTROL	1				0.16	0.352
120	66071-81350	CASE,HOUSING	1				5.46	12.012
130	66091-81370	BEARING,NEEDLE	1				0.005	0.011
140	66091-81570	BOLT	5				0.009	0.0198
150	66071-81360	COVER,VALVE	1				0.16	0.352
160	66071-81370	FILTER	1				0.027	0.0594
170	66071-81380	GASKET,COVER	1				0.002	0.0044
180	66091-81490	NUT	1				0.015	0.033
190	66091-81520	SPRING	1				0.003	0.0066
200	66091-81530	BRACKET	1				0.037	0.0814
210	66071-81390	BOLT	16				0.017	0.0374
220	66071-81410	GASKET,HOUSING	2				0.002	0.0044
230	66091-81730	ASSY MOTOR	2				0.82	1.804
240	66071-81420	PAD,FRICTION	2				0.024	0.0528
250	66071-81430	PLATE,REACTION	2				0.075	0.165
260	66071-81440	PLATE,BACK UP	2				0.082	0.1804
270	66071-81450	GEAR,SUN 1ST	2			18T	0.098	0.2156
280	66071-81460	GEAR,RING	4			54T	0.385	0.847
290	66071-81470	GEAR,PLANET 1ST	6			18T	0.057	0.1254
300	66071-81480	CARRIER 1ST	2				0.32	0.704
310	66071-81490	GEAR,SUN 2ND	2			18T	0.075	0.165
320	66071-81510	GEAR,PLANET 2ND	6			18T	0.047	0.1034
330	66071-81520	CARRIER 2ND	2				0.64	1.408
340	66091-81680	BOLT	13				0.008	0.0176
350	66071-81530	ASSY CASE,AXLE	2				2.3	5.06
360	66091-81650	CIR CLIP,EXTERNAL	4				0.004	0.0088
370	66091-81660	COLLAR,THRUST	4				0.008	0.0176
380	66091-81620	CIR CLIP,INTERNAL	2				0.008	0.0176
390	66091-81640	BEARING,BALL	2				0.126	0.2772
400	66071-81560	SHAFT,AXLE	2				0.86	1.892
410	66071-81570	JOINT,PIPE	1				0.008	0.0176
420	66071-81580	PLUG	1				0.068	0.1496
430	66091-81380	ASSY PISTON	2				0.02	0.044
440	66071-81610	ROD,PUSH	2				0.038	0.0836
450	66071-81620	CIR-CLIP,EXTERNAL	4				0.001	0.0022
460	66071-81630	BASE,SPRING	2				0.002	0.0044
470	66071-81640	SPRING	2				0.004	0.0088
480	66071-81650	SHAFT,BRAKE	1				0.045	0.099
490	66071-81660	CAP,BOLT	1				0.006	0.0132
500	66071-81670	LEVER,BRAKE RH	1				0.023	0.0506
510	66071-81680	LEVER,BRAKE LH	1				0.057	0.1254
520	66071-81690	SHIM	1				0.01	0.022
530	66071-81710	NUT	1				0.004	0.0088
540	66071-81720	KIT,GASKET	1			OPTION	0.02	0.044
550	66071-81730	KIT,SEAL	1			OPTION	0.032	0.0704




**DIFFERENTIAL CASE**

S.No.;<=42962

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-14410	SHAFT	1			9-38T	1	2.2
020	67211-14220	BEARING,BALL	1				0.07	0.154
030	66071-14440	CHAIN	1				0.42	0.924
040	08101-06302	BEARING,BALL	1				0.084	0.1848
050	66071-14900	ASSY DIFFERENTIAL	1				2.1	4.62
060	66071-14910	SPROCKET	1				0.61	1.342
070	66071-14920	CASE,DIFFERENTIAL	2				0.325	0.715
080	01774-51030	BOLT,FLANGE	4				0.02	0.044
090	02771-50100	NUT,FLANGE	4				0	0
100	66071-14930	GEAR,DIFF.SIDE	2			20T	0.14	0.308
110	66071-14940	GEAR,DIFF.SIDE	2			20T	0.18	0.396

TENSION PULLEY



220 66071-5163-0



66576-804-10




TENSION PULLEY


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-51510	PULLEY	1	≤42962			1.32	2.904
010	66071-52510	PULLEY,ENGINE	1	≥50001	≠		1.44	3.168
020	04015-50100	WASHER,PLAIN	2				0.016	0.0352
030	01774-51030	BOLT,FLANGE	1				0.02	0.044
040	66071-51530	KEY	1				0.016	0.0352
050	66071-51520	BELT,V	1	≤42962			0.324	0.7128
050	66071-52560	BELT,V	1	≥50001	≠		0.4	0.88
060	66071-51550	ARM,TENSION	1				0.335	0.737
070	66071-51560	WASHER	1				0.005	0.011
080	04612-00160	CIR CLIP,EXTERNAL	1				0.001	0.0022
090	66071-51570	PULLEY,TENSION	1				0.15	0.33
100	04612-00170	CIR CLIP,EXTERNAL	2				0.001	0.0022
110	66071-51620	SUPPORT,TENSION ARM	1				0.171	0.3762
120	01754-50816	BOLT,FLANGE	2	≤12086			0.011	0.0242
120	01123-50814	BOLT	2	≥12087	≠		0.01	0.022
130	66021-42860	SPRING	1	≤13286			0.038	0.0836
130	66071-51640	SPRING	1	≥13287	≠		0.03	0.066
140	66071-51540	RETAINER,BELT	1				0.385	0.847
150	01811-50815	BOLT,WING	2	≤10410			0.025	0.055
150	01811-50818	BOLT,WING	2	≥10411	≠		0.033	0.0726
160	04013-50080	WASHER,PLAIN	2				0.003	0.0066
170	66071-51610	ARM,MOWER TENSION	1				0.76	1.672
180	66021-25190	ASSY PULLEY,TENSION	1				0	0
190	08141-06203	BEARING,BALL	2				0.064	0.1408
200	04612-00170	CIR CLIP,EXTERNAL	2				0.001	0.0022
210	66071-51580	HOLDER,TENSION	1				0.062	0.1364
220	66071-51630	SPACER	1	≤42962			0.035	0.077
230	01754-50616	BOLT,FLANGE	4				0.006	0.0132
240	66021-25130	SPRING,PTO CLUTCH	1				0.045	0.099
250	66071-51590	SPRING,RETURN	1				0.02	0.044
260	04512-50080	WASHER,SPRING	2				0.001	0.0022
270	66071-52580	COMP PULLEY,IDLER	1	≥50001			0.2	0.44
280	66071-52590	BEARING,BALL	1	≥50001			0.11	0.242
290	66071-52520	SHAFT,IDLER PULLEY	1	≥50001			0.057	0.1254
300	01135-51060	BOLT	1	≥50001			0.045	0.099


SPEED CHANGE PEDAL




010 66071-4331-0
020 66071-4332-0



040 66071-4333-0



070 66071-4351-2
076 04013-50060






SPEED CHANGE PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-43310	PEDAL,SPEED CHANGE	1	≤41313			0.75	1.65
010	66071-43520	PEDAL,SPEED CHANGE	1	≥41314	≠		0.6	1.32
020	66071-43320	COVER,PEDAL	1	≤41313			0.14	0.308
020	66071-43530	COVER,PEDAL	1	≥41314	≠		0.04	0.088
030	05411-00630	PIN,SPRING	1				0.004	0.0088
040	66071-43330	SHAFT,PEDAL	1	≤18070			0.45	0.99
040	66071-43334	SHAFT,PEDAL	1	≥30001	≠		0	0
040	66071-43335	SHAFT,PEDAL	1	≥32878	←		0	0
040	66071-43336	SHAFT,PEDAL	1	≥35613	←		0.4	0.88
050	01155-50840	BOLT	2	≤41313			0.02	0.044
050	01155-50835	BOLT	2	≥41314	≠		0.015	0.033
060	02114-50080	NUT	2				0.005	0.011
070	66071-43340	HOLDER,PEDAL	1	≤14238			0.212	0.4664
070	66071-42510	HOLDER,PEDAL	1	≥14239	≠		0	0
070	66071-43512	HOLDER,PEDAL	1	≥30001	≠		0.3	0.66
070	66071-43513	HOLDER,PEDAL	1	≥32878	←		0	0
075	67211-42940	NIPPLE,GREASE	1	≥32878			0.001	0.0022
076	04013-50060	WASHER,PLAIN	1	≥32878			0.001	0.0022
076	04013-50060	WASHER,PLAIN	1	≤35612			0.001	0.0022
080	01754-50816	BOLT,FLANGE	2				0.011	0.0242
090	66071-43350	ROD,SPEED CHANGE	1	≤42962			0.7	1.54
090	66071-48110	ROD,SHIFT	1	≥50001	≠		0.5	1.1
100	66071-43430	PLATE,LOCK	1				0.055	0.121
110	01025-50616	BOLT	2				0.005	0.011
120	66071-43360	ROD,SPEED CHANGE	1				0.035	0.077
130	02114-50080	NUT	1				0.005	0.011
140	05122-50818	PIN,JOINT	1				0.008	0.0176
150	04013-50080	WASHER,PLAIN	2				0.003	0.0066
160	05511-50320	PIN,SPLIT	1				0.002	0.0044
170	05515-50800	PIN,SNAP	1	≤42962			0.001	0.0022
170	05511-50218	PIN,SPLIT	1	≥50001	≠		0.001	0.0022

SPEED CHANGE ARM



14075-024-14


**SPEED CHANGE ARM**

S.No.;<=42962

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-43370	ARM,SPEED CHANGE	1				0.132	0.2904
020	01754-50630	BOLT,FLANGE	1				0.01	0.022
030	02751-50060	NUT,FLANGE	1				0.005	0.011
040	66071-43380	ARM,NEUTRAL	1				0.157	0.3454
050	08121-06000	BEARING,BALL	1				0.02	0.044
060	04612-00100	CIR CLIP,EXTERNAL	1				0.001	0.0022
070	66204-43572	BUSH	1				0.003	0.0066
080	66071-43390	SHAFT,HOLDER	1				0.08	0.176
090	01123-50830	BOLT	1				0.015	0.033
100	66071-43440	SPRING	1				0.017	0.0374
110	66071-43410	HOLDER,SPRING	1				0.036	0.0792
120	66071-43420	LEVER,BYPATH	1				0.15	0.33
130	66071-43480	BUTTON	1				0.042	0.0924
140	05511-50318	PIN,SPLIT	1				0.001	0.0022

SPEED CHANGE ARM




**SPEED CHANGE ARM**

S.No.;>=50001

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-48140	ARM,SHIFT	1				0.16	0.352
020	04013-50100	WASHER,PLAIN	1				0.004	0.0088
030	04512-50100	WASHER,SPRING	1				0.003	0.0066
040	02044-50300	NUT	1				0.012	0.0264
050	66071-48130	ROD,SHIFT	1				0.106	0.2332
060	04013-50080	WASHER,PLAIN	2				0.003	0.0066
070	05511-50218	PIN,SPLIT	2				0.001	0.0022
080	66071-48120	LEVER,CHANGE	1				0.14	0.308
090	08511-01212	BUSH	2				0.005	0.011
100	04013-50120	WASHER,PLAIN	1				0.007	0.0154
110	05511-50420	PIN,SPLIT	1				0.002	0.0044
120	66071-48220	ARM,NEUTRAL	1				0.2	0.44
130	08121-06000	BEARING,BALL	1				0.02	0.044
140	04612-00100	CIR CLIP,EXTERNAL	1				0.001	0.0022
150	66204-43572	BUSH	1				0.003	0.0066
160	66091-43440	SHAFT,HOLDER	1				0.05	0.11
170	01123-50830	BOLT	1				0.015	0.033
180	66021-43430	SPRING	1				0.023	0.0506
190	66071-48210	BRACKET,NEUTRAL	1				0.29	0.638
200	01041-52516	BOLT	2				0.02	0.044
210	04512-50080	WASHER,SPRING	2				0.001	0.0022
220	66071-48610	ARM,BYPATH	1				0.056	0.1232
230	05122-50628	PIN,JOINT	1				0.006	0.0132
240	05525-50600	PIN,SNAP	1				0	0
250	66071-48620	ROD,BYPATH	1				0.1	0.22
260	04013-50060	WASHER,PLAIN	1				0.001	0.0022
270	05525-50600	PIN,SNAP	1				0	0

REAR AXLE






REAR AXLE
S.No.;<=42962


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-17110	AXLE,REAR LH	1				1	2.2
020	66071-17120	AXLE,REAR RH	1				2.02	4.444
030	66071-17130	WASHER	2				0.005	0.011
040	04612-00250	CIR CLIP,EXTERNAL	2				0.002	0.0044
050	08101-06205	BEARING,BALL	3				0.14	0.308
060	66071-17140	COLLAR	1				0.11	0.242
070	66071-17150	COLLAR	1				0.054	0.1188
080	04611-00520	CIR CLIP,INTERNAL	2				0.009	0.0198
090	63154-31380	SLEEVE	2				0.03	0.066
100	63733-17150	SEAL,OIL	2				0.04	0.088
110	66071-17170	BEARING,PILLOW	1				0.306	0.6732
120	01133-51020	BOLT	2				0.02	0.044

REAR AXLE FLANGE



FRONT AXLE






FRONT AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-56110	COMP.AXLE,FRONT	1	≤42962			2.4	5.28
010	66071-56115	COMP.AXLE,FRONT	1	≥50001	→		2.5	5.5
020	06613-10675	NIPPLE,GREASE	2				0.003	0.0066
030	66071-56120	COLLAR	1				0.18	0.396
040	66071-56180	BOLT	1	≤42962			0.103	0.2266
040	01173-51202	BOLT	1	≥50001	→		0.101	0.2222
050	05511-50325	PIN,SPLIT	1	≤42962			0.002	0.0044
060	04013-50120	WASHER,PLAIN	1	≤42962			0.007	0.0154
070	02374-50120	NUT	1	≤42962			0.013	0.0286
070	50140-63590	NUT	1	≥50001	≠		0.02	0.044
080	66071-56130	ARM,KNUCKLE	1				0.2	0.44
090	01754-50845	BOLT,FLANGE	1				0.021	0.0462
100	02751-50080	NUT,FLANGE	1				0.006	0.0132
110	66071-56140	COMP LINK,DRAG	1				0.62	1.364
120	02118-50100	NUT	2				0.005	0.011
130	04512-50100	WASHER,SPRING	2				0.003	0.0066
140	66071-56150	KINGPIN,LH	1				0.87	1.914
150	66071-56160	KINGPIN,RH	1				0.87	1.914
160	66021-41140	WASHER	1				0.007	0.0154
170	04612-00200	CIR CLIP,EXTERNAL	1				0.001	0.0022
180	66071-56170	ROD,TIE	1				0.35	0.77
190	66021-56210	END,ROD RH	1				0.055	0.121
200	66021-56220	END,ROD LH	1				0.11	0.242
210	02118-50100	NUT	3				0.005	0.011
220	04512-50100	WASHER,SPRING	2				0.003	0.0066
230	55311-31550	NUT	1				0.007	0.0154
240	58511-28120	BUSH	4	≤42962			0.008	0.0176






REAR WHEEL (18X8.50-8) AND FRONT WHEEL (14.5X5.00-6)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-17410	ASSY TIRE	2				7.45	16.39
020	66071-17420	TIRE	2				4.5	9.9
030	66071-17430	ASSY VALVE	2				0.01	0.022
040	66071-17440	WHEEL	2				2.6	5.72
050	01133-51018	BOLT	6				0.02	0.044
060	66071-17460	CAP,WHEEL REAR	2	≤37816			0	0
060	66071-17463	CAP,WHEEL REAR	2	≥37817	≠		0.21	0.462
070	66071-17480	LABEL	2	≤37816			0.002	0.0044
070	66190-17480	LABEL	2	≥37817	≠		0.005	0.011
080	66071-56400	ASSY TIRE	2				3.14	6.908
090	66071-56410	TIRE	2	≤41643			0	0
090	66071-56610	TIRE	2	≥41644	↔		2	4.4
100	66071-17430	ASSY VALVE	2				0.01	0.022
110	66071-56430	WHEEL	2				1.2	2.64
120	08141-06004	BEARING,BALL	4				0.064	0.1408
130	66071-56490	WASHER	2				0.005	0.011
140	05511-50530	PIN,SPLIT	2				0.006	0.0132
150	66071-56470	CAP,WHEEL FRONT	2	≤37816			0	0
150	66071-56473	CAP,WHEEL FRONT	2	≥37817	≠		0.11	0.242
160	66071-17480	LABEL	2	≤37816			0.002	0.0044
160	66190-17480	LABEL	2	≥37817	≠		0.005	0.011

BRAKE PEDAL



44071-01-14




BRAKE PEDAL

S.No.;<=18070



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-42810	PEDAL,BRAKE	1				1	2.2
020	66071-42960	STOPPER,BRAKE PEDAL	1				0.3	0.66
030	01754-50820	BOLT,FLANGE	2	<=10410			0.015	0.033
030	01123-50816	BOLT	2	>=10411	≠		0.011	0.0242
040	66021-42830	COVER,PEDAL	1				0.025	0.055
050	01153-50840	BOLT	1				0.018	0.0396
060	02114-50080	NUT	1				0.005	0.011
070	05112-50630	PIN,JOINT	1				0.007	0.0154
080	04012-50060	WASHER,PLAIN	1				0.001	0.0022
090	05511-51615	PIN,SPLIT	1				0.001	0.0022
100	66071-42820	SUPPORT,PEDAL SHAFT	1				0.49	1.078
110	01754-50812	BOLT,FLANGE	2				0.01	0.022
120	66071-42830	SHAFT,BRAKE PEDAL	1				1.24	2.728
130	66071-42840	SPRING	1				0.035	0.077
140	66071-42980	PLATE,SAFETY SWITCH	1				0.052	0.1144
150	01754-50612	BOLT,FLANGE	2				0.005	0.011

BRAKE PEDAL



BRAKE PEDAL






BRAKE PEDAL
S.No.;>=30881

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-42770	PEDAL,BRAKE	1				1.11	2.442
020	66021-42830	COVER,PEDAL	1				0.025	0.055
030	05112-50630	PIN,JOINT	1				0.007	0.0154
040	04012-50060	WASHER,PLAIN	1				0.001	0.0022
050	05511-51615	PIN,SPLIT	1				0.001	0.0022
060	66071-42720	SUPPORT,PEDAL SHAFT	1				0.42	0.924
070	01754-50812	BOLT,FLANGE	2				0.01	0.022
080	66071-42780	SHAFT,BRAKE	1	<=41313			0	0
080	66071-42782	SHAFT,BRAKE	1	>=41314	←		1.1	2.42
090	67111-44670	SPRING	1				0.04	0.088
091	66071-42990	SPRING,PLATE	1	<=41313			0.01	0.022
092	03024-50508	SCREW,WITH WASHER	2	<=41313			0.002	0.0044

BRAKE ROD






BRAKE ROD
S.No.;<=18070

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-42850	ROD,BRAKE	1				0.161	0.3542
020	66591-42410	TURNBUCKLE	1				0.046	0.1012
030	02114-50080	NUT	1				0.005	0.011
035	66021-43440	NUT	1				0.004	0.0088
040	66071-42870	PIECE,ROD ADJUSTING	1				0.032	0.0704
050	02114-50080	NUT	1				0.005	0.011
060	66071-42970	ROD,BRAKE	1				0.055	0.121
070	04013-50080	WASHER,PLAIN	2				0.003	0.0066
080	05511-50218	PIN,SPLIT	2				0.001	0.0022
090	66071-42860	SPRING	1				0.012	0.0264
100	66071-42880	ROD,BRAKE	1				0.048	0.1056
110	66071-42890	SPRING	1				0.045	0.099
120	66071-42950	HOLDER,SPRING	1				0.09	0.198
130	05112-50640	PIN,JOINT	1				0.01	0.022
140	04012-50060	WASHER,PLAIN	1				0.001	0.0022
150	05511-51615	PIN,SPLIT	1				0.001	0.0022
160	66071-42910	ARM,PARKING BRAKE	1				0.12	0.264
170	66071-42920	LOCK,BRAKE	1				0	0
180	66082-42920	LOCK,BRAKE	1				0.07	0.154
190	01754-50612	BOLT,FLANGE	2				0.005	0.011
200	04013-50100	WASHER,PLAIN	1				0.004	0.0088
210	05511-50322	PIN,SPLIT	1				0.002	0.0044
220	05112-50618	PIN,JOINT	1				0.005	0.011
230	04013-50060	WASHER,PLAIN	1				0.001	0.0022
240	05511-51615	PIN,SPLIT	1				0.001	0.0022
250	66071-42932	ROD,PARKING BRAKE	1				0.12	0.264
260	66071-42940	SPRING	1				0.008	0.0176
270	04013-50080	WASHER,PLAIN	1				0.003	0.0066
280	05511-50218	PIN,SPLIT	1				0.001	0.0022
290	33251-80170	GRIP	1				0.008	0.0176
300	02112-50080	NUT	1				0.003	0.0066

BRAKE ROD






BRAKE ROD
S.No.;30001 to 42962

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-42740	ROD,BRAKE	1				0.24	0.528
020	02112-50080	NUT	2	≤30880			0.003	0.0066
020	02156-50080	NUT	2	≥30881	≠		0.004	0.0088
030	04013-50080	WASHER,PLAIN	1	≤30880			0.003	0.0066
030	04013-50080	WASHER,PLAIN	2	≥30881			0.003	0.0066
040	05511-50218	PIN,SPLIT	1				0.001	0.0022
050	66021-42850	SPRING	1				0.03	0.066
060	05112-51055	PIN,JOINT	1				0.032	0.0704
070	66071-42925	LOCK,BRAKE	1				0.25	0.55
080	66071-42760	LOCK,BRAKE	1				0.05	0.11
090	01754-50612	BOLT,FLANGE	2				0.005	0.011
100	04013-50100	WASHER,PLAIN	1				0.004	0.0088
110	05515-51000	PIN,SNAP	1				0	0
120	66071-42932	ROD,PARKING BRAKE	1				0.12	0.264
130	66071-42750	SPRING	1	≤30880			0.005	0.011
130	66071-42940	SPRING	1	≥30881	≠		0.008	0.0176
140	04013-50080	WASHER,PLAIN	1				0.003	0.0066
150	05511-50218	PIN,SPLIT	1				0.001	0.0022
160	33251-80170	GRIP	1				0.008	0.0176
170	02112-50080	NUT	1				0.003	0.0066

BRAKE ROD






BRAKE ROD
S.No.;>=50001

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-48410	ROD,BRAKE	1				0.26	0.572
020	02156-50080	NUT	2				0.004	0.0088
030	04013-50080	WASHER,PLAIN	2				0.003	0.0066
040	05511-50218	PIN,SPLIT	1				0.001	0.0022
050	66021-42850	SPRING	1				0.03	0.066
060	66091-42840	SPRING	1				0.013	0.0286
070	66071-48420	SHAFT,BRAKE ARM	1				0.43	0.946
080	66071-15180	BOLT	2				0.027	0.0594
090	04512-50080	WASHER,SPRING	2				0.001	0.0022
100	66091-42970	LINK	1				0.05	0.11
110	04013-50080	WASHER,PLAIN	1				0.003	0.0066
120	05511-50218	PIN,SPLIT	1				0.001	0.0022
130	04013-50060	WASHER,PLAIN	1				0.001	0.0022
140	05511-51612	PIN,SPLIT	1				0.001	0.0022
150	05112-51055	PIN,JOINT	1				0.032	0.0704
160	66071-42110	HOLDER,BRAKE LOCK	1				0.01	0.022
170	66071-42760	LOCK,BRAKE	1				0.05	0.11
180	01754-50612	BOLT,FLANGE	2				0.005	0.011
190	66071-42120	PLATE,PARKING	1				0.015	0.033
200	04013-50100	WASHER,PLAIN	1				0.004	0.0088
210	05515-51000	PIN,SNAP	1				0	0
220	66071-42940	SPRING	1				0.008	0.0176






BRAKE
S.No.;<=42962

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-22300	ASSY BRAKE	1				0.62	1.364
020	66071-22310	DRUM,BRAKE	1				0.195	0.429
030	66071-22320	COVER,BRAKE	1				0.175	0.385
040	66071-22330	LEVER,BRAKE	1				0.067	0.1474
050	66021-22340	SHAFT,BRAKE CAM	1				0.048	0.1056
060	66071-22390	KIT SHOE,BRAKE	1				0.03	0.066
070	66021-22360	SPRING,SHOE RETURN	1				0.005	0.011
080	63611-22140	O RING	1				0.001	0.0022
090	02014-50100	NUT	1				0.011	0.0242
100	04512-50100	WASHER,SPRING	1				0.003	0.0066
110	66071-22340	GASKET	1				0.005	0.011
120	04612-00140	CIR CLIP,EXTERNAL	1				0.001	0.0022
130	01754-50612	BOLT,FLANGE	4				0.005	0.011

STEERING






STEERING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-41000	ASSY WHEEL,STEERING	1	≤37816			0	0
010	66071-41002	ASSY WHEEL,STEERING	1	≥37817	←		2.27	4.994
020	66071-41020	CAP,WHEEL	1	≤37816			0	0
020	66071-41022	CAP,WHEEL	1	≥37817	←		0.02	0.044
021	66071-41080	CAP	1				0.02	0.044
022	66071-41090	MARK	1	≤37816			0	0
022	66071-41092	MARK,KUBOTA	1	≥37817	←		0.004	0.0088
030	66071-41030	NUT,FLANGE	1	≤41583			0	0
030	02771-50120	NUT,FLANGE	1	≥41584	↔		0.018	0.0396
040	66071-41042	SHAFT,STEERING	1	≤41477			0.7	1.54
040	66071-41045	SHAFT,STEERING	1	≥41478	≠		0.69	1.518
050	08141-06201	BEARING,BALL	1				0.04	0.088
060	66071-41050	WASHER,PLAIN	1	≤41477			0.009	0.0198
060	68493-42710	WASHER	1	≥41478	≠		0.02	0.044
070	05511-50425	PIN,SPLIT	1	≤41477			0.003	0.0066
070	01123-50814	BOLT	1	≥41478	≠		0.01	0.022
080	66071-41060	BUSH,POST	1				0.02	0.044
090	66071-41110	COMP.GEAR,SECTOR	1				1.7	3.74
100	66071-41120	BRACKET	1	≤14238			0.181	0.3982
100	66071-41160	BRACKET	1	≥14239	≠		0.185	0.407
110	66021-41120	BEARING,DRY	2				0.015	0.033
120	01774-51025	BOLT,FLANGE	3				0.02	0.044
130	66071-41130	ARM,PITMAN	1				0.6	1.32
140	66071-41140	SHIM	1			1.0MM	0.007	0.0154
140	66071-41150	SHIM	1			0.5MM	0.003	0.0066
150	04013-50120	WASHER,PLAIN	1				0.007	0.0154
160	02174-50120	NUT	1				0.01	0.022
170	04512-50120	WASHER,SPRING	1				0.003	0.0066

LIFT LEVER






LIFT LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-51740	LEVER,LIFT	1	≤10910			0	0
010	66071-51742	LEVER,LIFT	1	≥10911	←		0.66	1.452
020	66071-51750	GRIP,LEVER	1				0.051	0.1122
030	66071-51760	BUTTON	1				0.042	0.0924
040	66071-51772	ROD,LIFT LOCK	1				0.05	0.11
050	66071-51782	LOCK,LIFT	1				0.1	0.22
060	66071-51790	SPRING	1				0.005	0.011
070	04013-50060	WASHER,PLAIN	1				0.001	0.0022
080	05511-51612	PIN,SPLIT	1				0.001	0.0022
090	04013-50080	WASHER,PLAIN	1				0.003	0.0066
100	05511-50218	PIN,SPLIT	1				0.001	0.0022

LIFT LINK



160 66071-5184-0
 170 66071-5185-0
 180 66071-5186-0
 190 02116-50100
 200 55311-3155-0






LIFT LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-51810	LINK,LIFT	1				0.143	0.3146
020	04011-50120	WASHER,PLAIN	1				0.005	0.011
030	05511-50425	PIN,SPLIT	1				0.003	0.0066
040	66071-51822	LEVER,LIFT LINK	1				0.285	0.627
050	05411-00625	PIN,SPRING	1	≤12086			0.004	0.0088
050	66071-51920	PIN,JOINT	1	≥12087	←		0.01	0.022
060	04013-50060	WASHER,PLAIN	1	≥12087			0.001	0.0022
070	05511-50212	PIN,SPLIT	1	≥12087			0.001	0.0022
080	04015-50100	WASHER,PLAIN	1				0.016	0.0352
090	05511-50318	PIN,SPLIT	1				0.001	0.0022
100	66071-51910	SPRING	1				0.25	0.55
110	66071-51830	LINK,LIFT	1	≤18070			0	0
110	66071-51833	LINK,LIFT	1	≥30001	←		0.14	0.308
120	02118-50100	NUT	1				0.005	0.011
130	02116-50100	NUT	1				0.004	0.0088
140	04015-50120	WASHER,PLAIN	2				0.02	0.044
150	05511-50425	PIN,SPLIT	2				0.003	0.0066
160	66071-51840	ROD,LIFT LOWER	1	≤18070			0.065	0.143
170	66071-51850	ROD,LIFT UPPER	1	≤18070			0.128	0.2816
180	66071-51860	TURNBUCKLE	1	≤18070			0.068	0.1496
190	02116-50100	NUT	1	≤18070			0.004	0.0088
200	55311-31550	NUT	1	≤18070			0.007	0.0154
210	66071-51870	LINK,LIFT	1	≤18070			0.238	0.5236
210	66071-51870	LINK,LIFT	2	≥30001			0.238	0.5236

MOWER LINK



060




MOWER LINK


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-51710	LINK,MOWER	1	≤42962			4	8.8
010	66071-51930	LINK,MOWER	1	≥50001	≠		3.9	8.58
020	05122-51225	PIN,JOINT	2				0.024	0.0528
030	05511-50425	PIN,SPLIT	2				0.003	0.0066
040	66071-51720	LINK,MOWER	2				0.56	1.232
050	66071-51880	COLLAR	2				0.009	0.0198
060	66071-51730	LINK,MOWER	2				0.097	0.2134
070	70712-51140	RING,SNAP	4				0.009	0.0198
080	05122-51225	PIN,JOINT	4				0.024	0.0528
090	04011-50120	WASHER,PLAIN	4				0.005	0.011
100	04015-50120	WASHER,PLAIN	6				0.02	0.044
110	05511-50425	PIN,SPLIT	6				0.003	0.0066
120	04011-50160	WASHER,PLAIN	2				0	0
130	05511-50425	PIN,SPLIT	2				0.003	0.0066

HOOD



060 66071-5422-0
070 01023-50614



060 66071-5427-0



66071-510-10




HOOD


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-54110	COMP.BONNET	1	<=41477			7.5	16.5
010	66001-54110	COMP.BONNET	1	>=41478	≠		5.5	12.1
020	66071-54210	FULCRUM,BONNET	2				0.077	0.1694
030	01754-50816	BOLT,FLANGE	4				0.011	0.0242
040	04013-50100	WASHER,PLAIN	2				0.004	0.0088
050	05516-51000	PIN,SNAP	2				0	0
060	66071-54220	SPRING	1	<=33076			0.005	0.011
060	66071-54270	GUIDE,BONNET	1	>=33077	←		0.03	0.066
060	66204-53150	TRIM,SASH	1	>=41478	≠		0.02	0.044
070	01754-50614	BOLT,FLANGE	4	<=12086			0.005	0.011
070	01023-50614	BOLT	4	>=12087	≠		0.005	0.011
070	01023-50614	BOLT	4	<=33076			0.005	0.011


PANEL




010 66071-5311-0
110 13824-6759-0



040 66021-5523-0
050 66021-5526-0
060 66021-5528-0



090 66071-5331-0
100 01754-50612




66076-511-10



PANEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-53110	COMP.PANEL	1	≤32877			0	0
010	66071-53120	COMP.PANEL	1	≥32878	↔		0	0
010	66071-53123	COMP.PANEL	1	≥41478	→		0	0
020	01754-50812	BOLT,FLANGE	4				0.01	0.022
030	66071-53280	COVER,PANEL REAR	1				0.238	0.5236
040	66021-55230	SCREW,CR-REC-PAN-HD	2	≤37816			0.005	0.011
040	66071-55130	SCREW	2	≥37817	≠		0.01	0.022
050	66021-55260	WASHER,PLAIN	2	≤37816			0.001	0.0022
060	66021-55280	WASHER,SPRING	2	≤37816			0.001	0.0022
070	54911-32330	GRIP,LEVER	1				0.055	0.121
080	66071-53290	WIRE,PTO CLUTCH	1				0.077	0.1694
090	66071-53310	STAY,PANEL	1	≤42962			0.065	0.143
100	01754-50612	BOLT,FLANGE	2	≤42962			0.005	0.011
110	13824-67590	CLAMP,CORD	1	≥17135			0.002	0.0044
110	13824-67590	CLAMP,CORD	1	≤38140			0.002	0.0044



66076-812-10





FENDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-52110	FENDER	1	<=32288			0	0
010	66071-52116	FENDER	1	>=32289	←		4	8.8
020	66301-52810	SPRING,SEAT	2				0.12	0.264
030	01754-50818	BOLT,FLANGE	4	<=16212			0.011	0.0242
030	01125-50825	BOLT	4	>=16213	≠		0.018	0.0396
040	66021-52130	REFLECTOR	2				0.027	0.0594
050	66071-52140	COVER,BATTERY	1	<=41313			0	0
050	66071-52144	COVER,BATTERY	1	>=41314	←		0.35	0.77
060	14117-57170	KNOB,SP.ADJ.LEVER	1				0.015	0.033
070	67061-54650	CUSHION	1				0.01	0.022
080	66071-52150	COVER,FENDER	1				0.113	0.2486
090	03614-50612	SCREW,TAPPING	4				0.003	0.0066
100	04012-50060	WASHER,PLAIN	4				0.001	0.0022
110	66071-52160	COVER,LIFT	1				0.076	0.1672
120	03614-50612	SCREW,TAPPING	3				0.003	0.0066

FRAME







FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-51115	FRAME	1	≤18070			38	83.6
010	66071-51119	FRAME	1	≥30001	≠		0	0
010	66071-51120	FRAME	1	≥33077	↔		35	77
010	66071-51130	FRAME	1	≥50001	≠		36	79.2
020	66071-51210	BUMPER	1	≤18070			1	2.2
020	66071-51213	BUMPER	1	≥30001	≠		1.42	3.124
030	01774-51020	BOLT,FLANGE	4				0	0
040	66071-51220	COVER	1	≤18070			0.225	0.495
040	66071-51222	COVER	1	≥30001	≠		0.19	0.418
050	01754-50612	BOLT,FLANGE	2				0.005	0.011
060	66071-51230	COVER,HST FAN	1	≤41924			0.068	0.1496
070	01754-50612	BOLT,FLANGE	2	≤41924			0.005	0.011
080	66071-51240	COVER,REAR	1	≤18070			0.4	0.88
090	01754-50612	BOLT,FLANGE	4	≤18070			0.005	0.011
100	66071-51290	PLATE,HITCH	1				0.189	0.4158
110	01754-50816	BOLT,FLANGE	2				0.011	0.0242
120	01555-51002	STUD	1				0.09	0.198
130	01555-51020	STUD	3				0.02	0.044
140	02771-50100	NUT,FLANGE	4				0	0

STEP SEAT






STEP SEAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-51280	STAY,BUMPER	1	≤17134			0.334	0.7348
010	66071-51310	COVER,MUFFLER	1	≥17135	≠		1.16	2.552
010	66071-51350	COVER,MUFFLER	1	≥30001	≠		0	0
010	66071-51352	COVER,MUFFLER	1	≥32229	≠		1.26	2.772
020	01754-50820	BOLT,FLANGE	4	≤41313			0.015	0.033
020	01754-50812	BOLT,FLANGE	4	≥41314	↔		0.01	0.022
030	66071-51250	SEAT,STEP	1	≤14238			0	0
030	66071-51254	SEAT,STEP	1	≥14239	←		0.55	1.21
030	66071-51360	SEAT,STEP	1	≥30001	←		1.66	3.652
040	66071-51260	SEAT,STEP	1	≤18070			0.4	0.88
050	66071-51270	SEAT,STEP	1	≤18070			0.5	1.1
060	32530-17830	STOPPER	6	≤18070			0.002	0.0044
060	32530-17830	STOPPER	4	≥30001			0.002	0.0044
060	32530-17830	STOPPER	4	≤42962			0.002	0.0044
070	66071-51320	PLATE,SHUTTER	1	≥17135			0.14	0.308
080	01123-50816	BOLT	2	≥17135			0.011	0.0242







SEAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-45900	ASSY SEAT	1	<=37816			0	0
010	66071-45904	ASSY SEAT	1	>=37817	←		5.59	12.298
020	66071-45940	ASSY STAY,SEATSWITCH	1				0.13	0.286
030	66071-45950	ASSY SWITCH,SEAT	1				0.07	0.154
040	66071-45970	BOLT	4				0.01	0.022
050	66071-45980	SPRING	4				0.002	0.0044
055	67001-47110	LABEL,KUBOTA	1	<=37816			0.002	0.0044
055	67001-47112	LABEL,KUBOTA	1	>=37817	←		0.01	0.022
060	02114-50080	NUT	4				0.005	0.011
070	04013-50080	WASHER,PLAIN	4				0.003	0.0066
080	04512-50080	WASHER,SPRING	4				0.001	0.0022
090	66071-45960	SUPPORT,SEAT	2				0.4	0.88
100	05112-50865	PIN,JOINT	2				0.028	0.0616
110	04013-50080	WASHER,PLAIN	2				0.003	0.0066
120	05515-50800	PIN,SNAP	2				0.001	0.0022



210 66041-4728-0
210 66706-4734-0



220 66071-4727-0






66071-801-10



LABEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-47110	MARK,KUBOTA RH 2	1	≤37816			0.05	0.11
010	66071-47112	MARK,KUBOTA RH 2	1	≥37817	←		0.005	0.011
020	66071-47120	MARK,KUBOTA LH	1	≤37816			0.015	0.033
020	66071-47122	MARK,KUBOTA LH	1	≥37817	←		0.005	0.011
030	66071-47130	LABEL,PARKING	1	≤12077		[A]	0.001	0.0022
030	66071-47132	LABEL,PARKING	1	≥12078	←	[A]	0	0
030	66071-47510	LABEL,PARKING	1	≥50001	≠	[A]	0.001	0.0022
030	66074-47130	LABEL,PARKING	1	≤42962		[CA]	0.003	0.0066
030	66074-47510	LABEL,PARKING	1	≥50001	≠	[CA]	0.001	0.0022
040	66071-47180	LABEL,LIFT	1			[A]	0.002	0.0044
040	66082-47180	LABEL,LIFT	1			[CA]	0.001	0.0022
050	66071-47170	LABEL,FUEL ON-OFF	1			[A]	0.001	0.0022
050	66082-47170	LABEL,FUEL ON-OFF	1			[CA]	0.002	0.0044
060	66071-47190	LABEL, ENGINE START	1	≤32030		[A]	0	0
060	66071-47194	LABEL,ENGINE START	1	≥32031	←	[A]	0.012	0.0264
060	66001-47190	LABEL,CAUTION	1	≥41726	≠	[A]	0	0
060	66001-47192	LABEL,CAUTION	1	≥42179	←	[A]	0	0
060	66082-47190	LABEL,CAUTION	1			[CA]	0.001	0.0022
070	66001-47160	LABEL,ENGINE START	1	≥41726		[A]	0.004	0.0088
070	66071-47530	LABEL,ENGINE START	1	≥50001	≠	[A]	0.004	0.0088
080	66041-47170	LABEL,SPEED CHANGE	1			[A]	0.001	0.0022
080	66021-47170	LABEL,SPEED CHANGE	1			[CA]	0.001	0.0022
090	66071-47220	LABEL,HST	2				0.002	0.0044
100	66071-47240	LABEL,BYPATH LEVER	1	≤10911		[A]	0.001	0.0022
100	66071-47242	LABEL,BYPATH LEVER	1	≥10912	←	[A]	0	0
100	66071-47520	LABEL,BYPATH LEVER	1	≥50001	≠	[A]	0.001	0.0022
100	66074-47240	LABEL,BYPATH LEVER	1	≤42962		[CA]	0.002	0.0044
100	66074-47520	LABEL,BYPATH LEVER	1	≥50001	≠	[CA]	0.001	0.0022
110	12181-88820	MARK,COMMERCIAL	1	≤37816		[A]	0.006	0.0132
110	12181-88824	MARK,COMMERCIAL	1	≥37817	←	[A]	0	0
110	12181-88830	MARK	1	≤37816		[CA]	0	0
110	12181-88834	MARK	1	≥37817	←	[CA]	0	0
120	66041-47290	LABEL,BRAKE	1			[A]	0.001	0.0022
120	66027-47290	LABEL,BRAKE	1			[CA]	0.001	0.0022
130	35820-98632	LABEL,START CAUTION	1	≤13286		[A]	0.003	0.0066
130	66071-47320	LABEL,START CAUTION	1	≥13287	≠	[A]	0	0
140	66071-47250	LACE,FRONT LINE	1	≤32708			0	0
140	66071-47253	LACE,FRONT LINE	1	≥32709	←		0	0
140	66071-47254	LACE,FRONT LINE	1	≥37817	≠		0.18	0.396
150	66071-47280	LABEL,STARTER	1			[A]	0.001	0.0022
150	66082-47280	LABEL,STARTER	1			[CA]	0.001	0.0022
160	12109-87240	LABEL,CAUTION	1	≤12077		[A]	0	0
160	62425-47490	LABEL,FUEL	1	≥12078	≠	[A]	0.003	0.0066
160	66071-47200	LABEL,FUEL CAUTION	1	≥50001	≠	[A]	0.001	0.0022
160	61232-48150	LABEL,FUEL	1	≤42962		[CA]	0.001	0.0022
160	66074-47200	LABEL,FUEL CAUTION	1	≥50001	≠	[CA]	0.001	0.0022
170	66001-47133	LABEL,HST CAUTION	1	≥41644		[A]	0.002	0.0044
180	66041-47140	LABEL	1			[A]	0.001	0.0022
180	66027-47140	LABEL	1			[CA]	0.001	0.0022
190	66071-47310	LABEL,BELT RETAINER	1				0.003	0.0066
200	66082-47310	LABEL,BELT RETAINER	1			[CA]	0.002	0.0044
210	66041-47280	LABEL,CAUTION	1	≤42962		[A]	0.001	0.0022
210	66706-47340	LABEL,CAUTION	1	≤42962		[CA]	0.001	0.0022
220	66071-47270	LABEL,KUBOTA	1	≤32708			0.003	0.0066



6607I-003-20



ACCESSORIES

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-62910	MANUAL,INSTRUCTION	1	<=14240		[A]	0	0
010	66071-62912	MANUAL,INSTRUCTION	1	>=14241	←	[A]	0	0
010	66071-62913	MANUAL,INSTRUCTION	1	>=32229	←	[A]	0	0
010	66071-62914	MANUAL,INSTRUCTION	1	>=41584	←	[A]	0.083	0.1826
010	66071-62916	MANUAL,INSTRUCTION	1	>=41644	≠	[A]	0.08	0.176
010	66071-62917	MANUAL,INSTRUCTION	1	>=41726	≠	[A]	0	0
010	66071-62918	MANUAL,INSTRUCTION	1	>=50001	≠	[A]	0	0
010	66077-62910	MANUAL,INSTRUCTION	1	<=41583		[CA]	0	0
010	66077-62912	MANUAL,INSTRUCTION	1	>=41584	←	[CA]	0	0
010	66077-62914	MANUAL,INSTRUCTION	1	>=41726	≠	[CA]	0.163	0.3586
010	66077-62915	MANUAL,INSTRUCTION	1	>=50001	≠	[CA]	0	0
020	66071-62950	MANUAL,STRUCTURE	1	>=50001			0.035	0.077
030	67111-55190	RING,FUSIBLE	1				0.005	0.011