

# Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

**REF.No** → The number referring to the part on the picture page of the parts book.

**Part No.** → The number assigned to this part at the time of printing the parts book.

**Description** → Discription of part.

**Q'ty** → Quantity of part used on that page.

**S.No.** → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

**I/C** → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

# The part shown is not interchangeable with the other serial number.

← new for old

→ old for new


**Remarks** → Notes about this particulart part. Sometimes this may say except [FR] or [CA]

## Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

| Symbol | Country                  |
|--------|--------------------------|
| A      | United States of America |
| CA     | Canada                   |
| FR     | France                   |
| GR     | Greece                   |
| PO     | Portugal                 |
| AU     | Australia                |

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.



LABELS  
ACCESSORIES  
OPTION

| Item                 | Part No. | Description                                       | Book     |
|----------------------|----------|---------------------------------------------------|----------|
| ENGINE               | 010001   | CRANKCASE                                         | 100K0491 |
|                      | 010002   | OIL PAN                                           | 100K0491 |
|                      | 010003   | CYLINDER HEAD                                     | 100K0491 |
|                      | 010004   | GEAR CASE                                         | 100K0491 |
|                      | 010005   | HEAD COVER                                        | 100K0491 |
|                      | 010100   | MAIN BEARING CASE                                 | 100K0491 |
|                      | 010101   | CAMSHAFT AND IDLE GEAR SHAFT                      | 100K0491 |
|                      | 010102   | PISTON AND CRANKSHAFT                             | 100K0491 |
|                      | 01010301 | FLYWHEEL [W/O IND-PTO]                            | 100K0491 |
|                      | 01010303 | FLYWHEEL [WITH IND-PTO]                           | 100K0491 |
|                      | 010105   | FUEL CAMSHAFT                                     | 100K0491 |
|                      | 010200   | ENGINE STOP LEVER                                 | 100K0491 |
|                      | 010202   | INJECTION PUMP                                    | 100K0491 |
|                      | 010203   | INJECTION PUMP [COMPONENT PARTS]                  | 100K0491 |
|                      | 010204   | GOVERNOR                                          | 100K0491 |
|                      | 010205   | SPEED CONTROL PLATE                               | 100K0491 |
|                      | 010206   | NOZZLE HOLDER AND GLOW PLUG                       | 100K0491 |
|                      | 010207   | NOZZLE HOLDER [COMPONENT PARTS]                   | 100K0491 |
|                      | 01050001 | WATER FLANGE AND THERMOSTAT [ROPS TYPE]           | 100K0491 |
|                      | 010501   | WATER PUMP                                        | 100K0491 |
|                      | 010600   | VALVE AND ROCKER ARM                              | 100K0491 |
|                      | 01060101 | INLET MANIFOLD [ROPS TYPE]                        | 100K0491 |
|                      | 01090102 | UPPER GASKET KIT                                  | 100K0491 |
|                      | 010902   | LOWER GASKET KIT                                  | 100K0491 |
|                      | 010603   | EXHAUST MANIFOLD/MUFFLER                          | 100K0491 |
|                      | 01060401 | AIR CLEANER [ROPS TYPE] [OLD TYPE]                | 100K0491 |
|                      | 01060402 | AIR CLEANER [ROPS TYPE] [NEW TYPE]                | 100K0491 |
|                      | 01A002   | STOP SOLENOID/ENGINE STOP WIRE                    | 100K0491 |
|                      | 01A01001 | ACCELERATOR LEVER [EXCEPT HST TYPE] [ROPS TYPE]   | 100K0491 |
|                      | 01A01002 | ACCELERATOR LEVER [HST TYPE] [ROPS TYPE]          | 100K0491 |
|                      | 01A025   | ACCELERATOR LINKAGE [EXCEPT HST TYPE]             | 100K0491 |
|                      | 01A03001 | ACCELERATOR ROD [EXCEPT HST TYPE] [ROPS TYPE]     | 100K0491 |
|                      | 01A03003 | ACCELERATOR ROD [HST TYPE]                        | 100K0491 |
| FUEL SYSTEM          | 01A10101 | FUEL TANK [ROPS TYPE]                             | 100K0491 |
|                      | 01A110   | FUEL PIPE AND FUEL FILTER                         | 100K0491 |
|                      | 01A130   | FUEL FILTER [COMPONENT PARTS]                     | 100K0491 |
| COOLING WATER SYSTEM | 01A401   | FAN                                               | 100K0491 |
|                      | 01A41001 | WATER PIPE [ROPS TYPE]                            | 100K0491 |
|                      | 01A420   | RADIATOR                                          | 100K0491 |
| ELECTRICAL SYSTEM    | 01A43001 | RESERVE TANK [ROPS TYPE]                          | 100K0491 |
|                      | 01A51501 | ALTERNATOR [ROPS TYPE]                            | 100K0491 |
|                      | 01A52001 | ALTERNATOR [COMPONENT PARTS] [ROPS TYPE]          | 100K0491 |
|                      | 01A525   | STARTER                                           | 100K0491 |
|                      | 01A530   | STARTER [COMPONENT PARTS]                         | 100K0491 |
|                      | 01A53501 | BATTERY [ROPS TYPE]                               | 100K0491 |
|                      | 01B10201 | SWITCH 1 [EXCEPT HST TYPE] [ROPS TYPE] [OLD TYPE] | 100K0491 |
|                      | 01B10202 | SWITCH 1 [EXCEPT HST TYPE] [ROPS TYPE] [NEW TYPE] | 100K0491 |
|                      | 01B10203 | SWITCH 1 [HST TYPE] [ROPS TYPE] [OLD TYPE]        | 100K0491 |
|                      | 01B10204 | SWITCH 1 [HST TYPE] [ROPS TYPE] [NEW TYPE]        | 100K0491 |
|                      | 01B10301 | SWITCH 2 [EXCEPT HST TYPE] [ROPS TYPE]            | 100K0491 |
|                      | 01B10302 | SWITCH 2 [HST TYPE] [ROPS TYPE]                   | 100K0491 |
|                      | 01B115   | PANEL BOARD                                       | 100K0491 |
|                      | 01B120   | PANEL BOARD [COMPONENT PARTS]                     | 100K0491 |
|                      | 01B30401 | LIGHT 1 [ROPS TYPE] [OLD TYPE]                    | 100K0491 |


| Item                          | Part No. | Description                                        | Book     |
|-------------------------------|----------|----------------------------------------------------|----------|
| ELECTRICAL SYSTEM             | 01B30402 | LIGHT 1 [ROPS TYPE] [NEW TYPE]                     | 100K0491 |
|                               | 01B50101 | ELECTRICAL WIRING [EXCEPT HST TYPE] [ROPS TYPE]    | 100K0491 |
|                               | 01B50102 | ELECTRICAL WIRING [EXCEPT HST TYPE] [ROPS TYPE]    | 100K0491 |
|                               | 01B50103 | ELECTRICAL WIRING [HST TYPE] [ROPS TYPE][OLD TYPE] | 100K0491 |
|                               | 01B50104 | ELECTRICAL WIRING [HST TYPE] [ROPS TYPE][OLD TYPE] | 100K0491 |
|                               | 01B50105 | ELECTRICAL WIRING [HST TYPE] [ROPS TYPE][NEW TYPE] | 100K0491 |
| CLUTCH/TRANSMISSION/REAR AXLE | 01C101   | CLUTCH                                             | 100K0491 |
|                               | 01C201   | CLUTCH LEVER                                       | 100K0491 |
|                               | 01C30101 | CLUTCH PEDAL [EXCEPT HST TYPE] [ROPS TYPE]         | 100K0491 |
|                               | 01C30102 | CLUTCH PEDAL [HST TYPE] [ROPS TYPE]                | 100K0491 |
|                               | 01C40101 | CLUTCH HOUSING [MANUAL T/M TYPE]                   | 100K0491 |
|                               | 01C40103 | CLUTCH HOUSING [GST TYPE]                          | 100K0491 |
|                               | 01C40104 | CLUTCH HOUSING [HST TYPE]                          | 100K0491 |
|                               | 01C405   | GST VALVE [GST TYPE]                               | 100K0491 |
|                               | 01C406   | GST VALVE [GST TYPE] [COMPONENT PARTS]             | 100K0491 |
|                               | 01C407   | GST VALVE [GST TYPE] [COMPONENT PARTS]             | 100K0491 |
|                               | 01C408   | GST VALVE [GST TYPE] [COMPONENT PARTS]             | 100K0491 |
|                               | 01C41001 | MID CASE [MANUAL T/M TYPE] [WITH IND-PTO]          | 100K0491 |
|                               | 01C41003 | MID CASE [GST TYPE] [WITH IND-PTO]                 | 100K0491 |
|                               | 01C41004 | MID CASE [HST TYPE] [OLD TYPE]                     | 100K0491 |
|                               | 01C41005 | MID CASE [HST TYPE] [NEW TYPE]                     | 100K0491 |
|                               | 01C415   | HST [COMPONENT PARTS] [HST TYPE]                   | 100K0491 |
|                               | 01C42001 | TRANSMISSION CASE [MANUAL T/M TYPE] [W/O MID PTO]  | 100K0491 |
|                               | 01C42003 | TRANSMISSION CASE [GST TYPE] [W/O MID PTO]         | 100K0491 |
|                               | 01C42005 | TRANSMISSION CASE [HST TYPE] [W/O MID PTO]         | 100K0491 |
|                               | 01D10102 | MAIN SHAFT [EXCEPT HST TYPE] [WITH IND-PTO]        | 100K0491 |
|                               | 01D10103 | MAIN SHAFT [HST TYPE]                              | 100K0491 |
|                               | 01D103   | INPUT SHAFT [HST TYPE]                             | 100K0491 |
|                               | 01D10501 | COUNTERSHAFT [MANUAL T/M TYPE]                     | 100K0491 |
|                               | 01D10502 | COUNTERSHAFT [GST TYPE]                            | 100K0491 |
|                               | 01D107   | OUTPUT SHAFT [HST TYPE]                            | 100K0491 |
|                               | 01D11002 | HYDRAULIC CLUTCH [GST TYPE] [WITH IND-PTO]         | 100K0491 |
|                               | 01D11501 | SHUTTLE SHAFT [MANUAL T/M TYPE]                    | 100K0491 |
|                               | 01D11502 | SHUTTLE SHAFT [GST TYPE]                           | 100K0491 |
|                               | 01D11701 | RANGE GEAR SHAFT [MANUAL T/M TYPE]                 | 100K0491 |
|                               | 01D11702 | RANGE GEAR SHAFT [GST TYPE]                        | 100K0491 |
|                               | 01D12503 | SPIRAL BEVEL PINION [EXCEPT HST TYPE] [W/O CREEP]  | 100K0491 |
|                               | 01D12504 | SPIRAL BEVEL PINION [EXCEPT HST TYPE][WITH CREEP]  | 100K0491 |
|                               | 01D12505 | SPIRAL BEVEL PINION [HST TYPE]                     | 100K0491 |
|                               | 01D127   | REAR DIFFERENTIAL                                  | 100K0491 |
|                               | 01D13001 | PTO COUNTERSHAFT [EXCEPT HST TYPE] [WITH IND-PTO]  | 100K0491 |
|                               | 01D13201 | PTO CLUTCH [EXCEPT HST TYPE] [WITH IND-PTO]        | 100K0491 |
|                               | 01D13203 | PTO CLUTCH [HST TYPE] [W/O IND-PTO]                | 100K0491 |
|                               | 01D13502 | PTO SHAFT [EXCEPT HST TYPE] [W/O MID PTO]          | 100K0491 |
|                               | 01D13504 | PTO SHAFT [HST TYPE] [W/O MID PTO]                 | 100K0491 |
|                               | 01D20101 | MAIN GEAR SHIFT FORK [MANUAL T/M TYPE]             | 100K0491 |
|                               | 01D20102 | MAIN GEAR SHIFT FORK [GST TYPE]                    | 100K0491 |

| Item                          | Part No. | Description                                       | Book     |
|-------------------------------|----------|---------------------------------------------------|----------|
| CLUTCH/TRANSMISSION/REAR AXLE | 01D20501 | SHUTTLE SHIFT FORK [MANUAL T/M TYPE]              | 100K0491 |
|                               | 01D20502 | SHUTTLE SHIFT FORK [GST TYPE]                     | 100K0491 |
|                               | 01D21501 | RANGE GEAR SHIFT FORK/CREEP GEAR SHIFT FORK       | 100K0491 |
|                               | 01D21502 | RANGE GEAR SHIFT FORK/CREEP GEAR SHIFT FORK       | 100K0491 |
|                               | 01D217   | RANGE GEAR SHIFT FORK [HST TYPE]                  | 100K0491 |
|                               | 01D22501 | DIFFERENTIAL LOCK SHIFT FORK [EXCEPT HST TYPE]    | 100K0491 |
|                               | 01D22502 | DIFFERENTIAL LOCK SHIFT FORK [HST TYPE]           | 100K0491 |
|                               | 01D30101 | REAR AXLE [ROPS TYPE]                             | 100K0491 |
| SPEED CHANGE LEVER/BRAKE      | 01D401   | BRAKE                                             | 100K0491 |
|                               | 01D40501 | BRAKE ROD 1 [EXCEPT HST TYPE] [ROPS TYPE]         | 100K0491 |
|                               | 01D40502 | BRAKE ROD 1 [HST TYPE] [ROPS TYPE]                | 100K0491 |
|                               | 01D41001 | BRAKE ROD 2 [MANUAL T/M TYPE]                     | 100K0491 |
|                               | 01D41002 | BRAKE ROD 2 [GST TYPE]                            | 100K0491 |
|                               | 01D41003 | BRAKE ROD 2 [HST TYPE]                            | 100K0491 |
|                               | 01E10101 | MAIN GEAR SHIFT LEVER [MANUAL T/M TYPE]           | 100K0491 |
|                               | 01E10102 | MAIN GEAR SHIFT LEVER [GST TYPE] [ROPS TYPE]      | 100K0491 |
|                               | 01E10501 | SHUTTLE SHIFT LEVER [EXCEPT HST TYPE] [ROPS TYPE] | 100K0491 |
|                               | 01E106   | CRUISE CONTROL LEVER [HST TYPE]                   | 100K0491 |
|                               | 01E107   | CRUISE CONTROL CABLE [HST TYPE]                   | 100K0491 |
|                               | 01E108   | NEUTRAL HOLDER LINK [HST TYPE]                    | 100K0491 |
|                               | 01E10901 | SPEED CONTROL PEDAL [HST TYPE] [ROPS TYPE]        | 100K0491 |
|                               | 01E11001 | RANGE GEAR SHIFT LEVER [MANUAL T/M TYPE]          | 100K0491 |
|                               | 01E11002 | RANGE GEAR SHIFT LEVER [HST TYPE] [ROPS TYPE]     | 100K0491 |
|                               | 01E111   | RANGE GEAR SHIFT LEVER/CREEP GEAR SHIFT LEVER     | 100K0491 |
|                               | 01E11201 | RANGE GEAR SHIFT ROD [HST TYPE] [OLD TYPE]        | 100K0491 |
|                               | 01E11202 | RANGE GEAR SHIFT ROD [HST TYPE] [NEW TYPE]        | 100K0491 |
|                               | 01E115   | CREEP GEAR SHIFT LEVER [GST TYPE] [WITH CREEP]    | 100K0491 |
|                               | 01E122   | PTO CLUTCH CONTROL LEVER [WITH IND-PTO]           | 100K0491 |
|                               | 01E12502 | PTO GEAR SHIFT LEVER [HST TYPE]                   | 100K0491 |
|                               | 01E127   | PTO CLUTCH VALVE [COMPONENT PARTS] [WITH IND-PTO] | 100K0491 |
|                               | 01E140   | FRONT WHEEL DRIVE LEVER                           | 100K0491 |
| FRONT AXLE/CHASSIS            | 01E20101 | BRAKE PEDAL [EXCEPT HST TYPE] [ROPS TYPE]         | 100K0491 |
|                               | 01E20102 | BRAKE PEDAL [HST TYPE] [ROPS TYPE]                | 100K0491 |
|                               | 01F10502 | FRONT AXLE FRAME                                  | 100K0491 |
|                               | 01F120   | PROPELLER SHAFT                                   | 100K0491 |
|                               | 01F12201 | FRONT WHEEL DRIVE SHAFT [W/O MID PTO]             | 100K0491 |
|                               | 01F125   | FRONT DIFFERENTIAL CASE                           | 100K0491 |
|                               | 01F135   | FRONT DIFFERENTIAL                                | 100K0491 |
|                               | 01F140   | FRONT AXLE CASE                                   | 100K0491 |
|                               | 01F145   | DIFFERENTIAL GEAR SHAFT                           | 100K0491 |
|                               | 01F150   | FRONT AXLE                                        | 100K0491 |
| STEERING                      | 01G10101 | STEERING HANDLE [EXCEPT HST TYPE] [ROPS TYPE]     | 100K0491 |
|                               | 01G10102 | STEERING HANDLE [HST TYPE] [ROPS TYPE]            | 100K0491 |
|                               | 01G110   | STEERING CONTROLLER                               | 100K0491 |
|                               | 01G12002 | STEERING LINKAGE                                  | 100K0491 |
|                               | 01H11002 | STEERING CYLINDER                                 | 100K0491 |

| Item                         | Part No. | Description                                           | Book     |
|------------------------------|----------|-------------------------------------------------------|----------|
| STEERING<br>HYDRAULIC SYSTEM | 01H115   | STEERING CYLINDER [COMPONENT PARTS]                   | 100K0491 |
|                              | 01H12001 | HYDRAULIC PUMP [EXCEPT HST TYPE]                      | 100K0491 |
|                              | 01H12002 | HYDRAULIC PUMP [HST TYPE]                             | 100K0491 |
|                              | 01H12501 | HYDRAULIC PUMP [COMPONENT PARTS]<br>[EXCEPT HST TYPE] | 100K0491 |
|                              | 01H12502 | HYDRAULIC PUMP [COMPONENT PARTS] [HST<br>TYPE]        | 100K0491 |
|                              | 01H145   | REGULATOR VALVE [EXCEPT HST TYPE]                     | 100K0491 |
|                              | 01H20501 | HYDRAULIC OIL LINE(INLET) [EXCEPT HST<br>TYPE]        | 100K0491 |
|                              | 01H20502 | HYDRAULIC OIL LINE(INLET) [HST TYPE]                  | 100K0491 |
|                              | 01H21001 | HYDRAULIC OIL LINE(DELIVERY) [EXCEPT HST<br>TYPE]     | 100K0491 |
|                              | 01H21002 | HYDRAULIC OIL LINE(DELIVERY) [HST TYPE]               | 100K0491 |
|                              | 01H21501 | HYDRAULIC OIL LINE(PS) [EXCEPT HST TYPE]              | 100K0491 |
|                              | 01H21502 | HYDRAULIC OIL LINE(PS) [HST TYPE]                     | 100K0491 |
|                              | 01H23001 | PTO HYDRAULIC OIL LINE [MANUAL T/M TYPE]              | 100K0491 |
|                              | 01H23003 | PTO HYDRAULIC OIL LINE [GST TYPE] [WITH<br>IND-PTO]   | 100K0491 |
|                              | 01H23501 | HYDRAULIC OUTLET BLOCK [EXCEPT HST<br>TYPE]           | 100K0491 |
|                              | 01H23502 | HYDRAULIC OUTLET BLOCK [HST TYPE]                     | 100K0491 |
|                              | 01H240   | HYDRAULIC PIPE [HST TYPE]                             | 100K0491 |
|                              | 01H24501 | OIL COOLER [HST TYPE] [OLD TYPE]                      | 100K0491 |
|                              | 01H24502 | OIL COOLER [HST TYPE] [NEW TYPE]                      | 100K0491 |
|                              | 01H301   | HYDRAULIC CYLINDER                                    | 100K0491 |
|                              | 01H320   | LIFT ARM                                              | 100K0491 |
|                              | 01H330   | FEED BACK LEVER                                       | 100K0491 |
|                              | 01H405   | CONTROL VALVE                                         | 100K0491 |
|                              | 01H410   | CONTROL VALVE [COMPONENT PARTS] [OLD<br>TYPE]         | 100K0491 |
|                              | 01H41001 | CONTROL VALVE [COMPONENT PARTS] [NEW<br>TYPE]         | 100K0491 |
|                              | 01H44001 | POSITION CONTROL LEVER [ROPS TYPE]                    | 100K0491 |
|                              | 01J105   | TOP LINK                                              | 100K0491 |
|                              | 01J11003 | 3-POINT LINKAGE 1 (LOWER LINK) [OLD TYPE]             | 100K0491 |
|                              | 01J11004 | 3-POINT LINKAGE 1 (LOWER LINK) [NEW TYPE]             | 100K0491 |
|                              | 01J115   | 3-POINT LINKAGE 2(LIFT ROD)                           | 100K0491 |
|                              | 01K105   | DRAWBAR                                               | 100K0491 |
|                              | 01K12501 | PTO PROTECTOR [ROPS TYPE]                             | 100K0491 |
|                              | 01L101   | FRONT GRILLE                                          | 100K0491 |
|                              | 01L10301 | FRONT GRILLE SUPPORT [EXCEPT HST TYPE]                | 100K0491 |
|                              | 01L10302 | FRONT GRILLE SUPPORT [HST TYPE] [ROPS<br>TYPE]        | 100K0491 |
|                              | 01L10501 | HOOD(BONNET) [ROPS TYPE]                              | 100K0491 |
|                              | 01L111   | HOOD(BONNET) SIDE RH                                  | 100K0491 |
|                              | 01L113   | HOOD(BONNET) SIDE LH                                  | 100K0491 |
|                              | 01L11501 | SIDE COVER LOWER [ROPS TYPE]                          | 100K0491 |
|                              | 01L13001 | SHUTTER PLATE [ROPS TYPE]                             | 100K0491 |
|                              | 01L20101 | PANEL FRAME [EXCEPT HST TYPE] [ROPS<br>TYPE]          | 100K0491 |
|                              | 01L20102 | PANEL FRAME [HST TYPE] [ROPS TYPE]                    | 100K0491 |
|                              | 01L21001 | FENDER [MANUAL T/M TYPE]                              | 100K0491 |
|                              | 01L21002 | FENDER [GST TYPE] [ROPS TYPE]                         | 100K0491 |
|                              | 01L21003 | FENDER [HST TYPE] [ROPS TYPE]                         | 100K0491 |
|                              | 01L21501 | FLOOR SEAT [EXCEPT HST TYPE] [ROPS TYPE]              | 100K0491 |
|                              | 01L21502 | FLOOR SEAT [HST TYPE] [ROPS TYPE]                     | 100K0491 |
|                              | 01L22001 | SEAT [ROPS TYPE]                                      | 100K0491 |
|                              | 01L221   | SEAT SUSPENSION [COMPONENT PARTS]                     | 100K0491 |
|                              | 01L22501 | STEP [EXCEPT HST TYPE]                                | 100K0491 |
| HITCH/DRAWBAR                |          |                                                       |          |
| HOOD(BONNET)/ROPS/CAB        |          |                                                       |          |

| Item                   | Part No. | Description                                          | Book     |
|------------------------|----------|------------------------------------------------------|----------|
| HOOD(BONNET)/ROPS/CAB  | 01L22502 | STEP [HST TYPE]                                      | 100K0491 |
|                        | 01L301   | ROPS [ROPS TYPE] [OLD TYPE]                          | 100K0491 |
|                        | 01L30101 | ROPS [ROPS TYPE] [NEW TYPE]                          | 100K0491 |
| FRONT WHEEL/REAR WHEEL | 01L501   | SMV EMBLEM                                           | 100K0491 |
|                        | 01P10103 | FRONT WHEEL (8.3-16)                                 | 100K0491 |
|                        | 01P10104 | FRONT WHEEL (10-16.5)                                | 100K0491 |
|                        | 01P10105 | FRONT WHEEL (27*8.5-15)                              | 100K0491 |
|                        | 01P10106 | FRONT WHEEL (27*10.50-15)                            | 100K0491 |
|                        | 01P10107 | FRONT WHEEL (29*12.50-15)                            | 100K0491 |
|                        | 01P11002 | REAR WHEEL (13.6-24)                                 | 100K0491 |
|                        | 01P11003 | REAR WHEEL (14.9-24)                                 | 100K0491 |
|                        | 01P11004 | REAR WHEEL (17.5-24)                                 | 100K0491 |
|                        | 01P11005 | REAR WHEEL (41*14.00-20)                             | 100K0491 |
|                        | 01P11006 | REAR WHEEL (21.5L-16.1) [OLD TYPE]                   | 100K0491 |
|                        | 01P11007 | REAR WHEEL (21.5L-16.1) [NEW TYPE]                   | 100K0491 |
| LABELS                 | 01R10501 | LABEL 1 [A] [MANUAL T/M TYPE] [ROPS TYPE]            | 100K0491 |
|                        | 01R10502 | LABEL 1 [CA] [MANUAL T/M TYPE] [ROPS TYPE]           | 100K0491 |
|                        | 01R10503 | LABEL 1 [A] [GST TYPE] [ROPS TYPE]                   | 100K0491 |
|                        | 01R10504 | LABEL 1 [CA] [GST TYPE] [ROPS TYPE]                  | 100K0491 |
|                        | 01R10505 | LABEL 1 [A] [HST TYPE] [ROPS TYPE]                   | 100K0491 |
|                        | 01R10506 | LABEL 1 [CA] [HST TYPE] [ROPS TYPE]                  | 100K0491 |
|                        | 01R11001 | LABEL 2 [A] [MANUAL T/M TYPE] [ROPS TYPE]            | 100K0491 |
|                        | 01R11002 | LABEL 2 [CA] [MANUAL T/M TYPE] [ROPS TYPE]           | 100K0491 |
|                        | 01R11003 | LABEL 2 [A] [GST TYPE] [ROPS TYPE]                   | 100K0491 |
|                        | 01R11004 | LABEL 2 [CA] [GST TYPE] [ROPS TYPE]                  | 100K0491 |
|                        | 01R11005 | LABEL 2 [A] [HST TYPE] [ROPS TYPE]                   | 100K0491 |
|                        | 01R11006 | LABEL 2 [CA] [HST TYPE] [ROPS TYPE]                  | 100K0491 |
| ACCESSORIES<br>OPTION  | 01S105   | ACCESSORIES AND SERVICE PARTS                        | 100K0491 |
|                        | 01T103   | AIR CLEANER COVER KIT [OPTION]                       | 100K0491 |
|                        | 01T108   | SWITCH KIT [OPTION]                                  | 100K0491 |
|                        | 01T120   | FRONT GUARD STAY KIT [OPTION]                        | 100K0491 |
|                        | 01T130   | POSITION CONTROL LEVER (WITH DRAFT)<br>[OPTION]      | 100K0491 |
|                        | 01T135   | DRAFT CONTROL LEVER (WITH DRAFT)<br>[OPTION]         | 100K0491 |
|                        | 01T140   | TOP LINK HOLDER (WITH DRAFT) [OPTION]                | 100K0491 |
|                        | 01T145   | SWINGING DRAWBAR/CLEVIS DRAWBAR<br>[OPTION]          | 100K0491 |
|                        | 01T15001 | REMOTE CONTROL VALVE LEVER 1 [ROPS<br>TYPE] [OPTION] | 100K0491 |
|                        | 01T15003 | REMOTE CONTROL VALVE LEVER 2 [ROPS<br>TYPE] [OPTION] | 100K0491 |
|                        | 01T15005 | REMOTE CONTROL VALVE LEVER 3 [ROPS<br>TYPE] [OPTION] | 100K0491 |
|                        | 01T15501 | REMOTE CONTROL VALVE COUPLER 1 [OPTION]              | 100K0491 |
|                        | 01T15502 | REMOTE CONTROL VALVE COUPLER 2 [OPTION]              | 100K0491 |
|                        | 01T15503 | REMOTE CONTROL VALVE COUPLER 3 [OPTION]              | 100K0491 |
|                        | 01T160   | ROPS [ROPS TYPE] [OPTION] [OLD TYPE]                 | 100K0491 |
|                        | 01T16001 | ROPS [ROPS TYPE] [OPTION] [NEW TYPE]                 | 100K0491 |

# CRANKCASE






## CRANKCASE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16423-01010 | COMP.CRANKCASE      | 1    |         |     |         | 0            | 0           |
| 010    | 16423-01012 | COMP.CRANKCASE      | 1    | ≤1Y2848 | ↔   |         | 49           | 107.8       |
| 010    | 16423-01014 | COMP.CRANKCASE      | 1    | ≥2A0001 | ←   |         | 49           | 107.8       |
| 020    | 15521-96020 | PLUG                | 6    |         |     |         | 0.003        | 0.0066      |
| 030    | 15521-96030 | PLUG                | 2    |         |     |         | 0.007        | 0.0154      |
| 040    | 17391-96160 | PLUG EXPANSION      | 3    |         |     |         | 0.003        | 0.0066      |
| 050    | 06311-75045 | PLUG EXPANSION      | 1    |         |     |         | 0.026        | 0.0572      |
| 060    | 15221-03380 | CAP SEALING         | 6    |         |     |         | 0.017        | 0.0374      |
| 070    | 15221-03390 | CAP SEALING         | 2    |         |     |         | 0.03         | 0.066       |
| 080    | 05012-00408 | PIN STRAIGHT        | 2    |         |     |         | 0.001        | 0.0022      |
| 090    | 05012-00609 | PIN STRAIGHT        | 2    |         |     |         | 0.003        | 0.0066      |
| 100    | 05012-00612 | PIN STRAIGHT        | 2    |         |     |         | 0.003        | 0.0066      |
| 110    | 05012-01018 | PIN STRAIGHT        | 1    |         |     |         | 0.012        | 0.0264      |
| 120    | 15221-33650 | PIN PIPE            | 1    |         |     |         | 0.004        | 0.0088      |
| 130    | 15321-73340 | PIPE WATER RETURN   | 1    |         |     |         | 0.016        | 0.0352      |
| 140    | 15221-33610 | PLUG                | 1    |         |     |         | 0.009        | 0.0198      |
| 150    | 15021-33660 | GASKET              | 1    |         |     |         | 0.001        | 0.0022      |
| 160    | 15221-33700 | O RING              | 1    |         |     |         | 0.001        | 0.0022      |
| 170    | 15471-35012 | ASSY PUMP OIL       | 1    |         |     |         | 0.55         | 1.21        |
| 180    | 15296-35150 | GASKET OIL PUMP     | 1    |         |     |         | 0            | 0           |
| 180    | 1A021-35150 | GASKET OIL PUMP     | 1    |         | ↔   |         | 0.001        | 0.0022      |
| 190    | 01053-50650 | BOLT                | 4    |         |     |         | 0.011        | 0.0242      |
| 200    | 04512-60060 | WASHER SPRING       | 4    |         |     |         | 0.001        | 0.0022      |
| 210    | 19202-35660 | GEAR OIL PUMP DRIVE | 1    |         |     |         | 0.23         | 0.506       |
| 220    | 05712-00410 | KEY FEATHER         | 1    |         |     |         | 0.001        | 0.0022      |
| 230    | 15221-35682 | NUT FLANGE          | 1    |         |     |         | 0.014        | 0.0308      |



16493-028-12

110 TA140-3641-0




TA140-802-10



## OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|---------|-----|---------|--------------|-------------|
| 010    | 17341-01610 | OIL PAN         | 1    |         |     |         | 4.1          | 9.02        |
| 020    | 15815-01620 | GASKET OIL PAN  | 1    |         |     |         | 0.03         | 0.066       |
| 030    | 01133-51028 | BOLT            | 22   |         |     |         | 0.027        | 0.0594      |
| 040    | 17377-91010 | BOLT            | 2    |         |     |         | 0.08         | 0.176       |
| 050    | 15261-33750 | PLUG            | 2    | ≤YJ3494 |     |         | 0.034        | 0.0748      |
| 050    | 16427-33750 | PLUG DRAIN      | 2    | ≥YL0001 | ←   |         | 0            | 0           |
| 060    | 15109-33660 | GASKET          | 2    | ≤3351   |     |         | 0.001        | 0.0022      |
| 060    | 6C090-58960 | GASKET          | 2    | ≥3352   | ←   |         | 0.002        | 0.0044      |
| 070    | 15411-32110 | FILTER OIL      | 1    |         |     |         | 0.24         | 0.528       |
| 080    | 01123-60814 | BOLT            | 1    |         |     |         | 0.008        | 0.0176      |
| 090    | 04811-00160 | O RING          | 1    |         |     |         | 0.001        | 0.0022      |
| 090    | 04817-00160 | O RING          | 1    |         | ←   |         | 0            | 0           |
| 100    | TA140-36420 | GUIDE OIL GAUGE | 1    |         |     |         | 0.067        | 0.1474      |
| 110    | TA140-36410 | GAUGE OIL       | 1    | ≤2927   |     |         | 0            | 0           |
| 110    | TA140-36413 | GAUGE OIL       | 1    | ≥2928   | ←   |         | 0.025        | 0.055       |
| 120    | 01754-50816 | BOLT FLANGE     | 1    |         |     |         | 0.011        | 0.0242      |
| 130    | 16414-33640 | PLUG OIL GAUGE  | 1    | ≥2A0001 |     |         | 0.003        | 0.0066      |






## CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 09980-10075 | CAP PROTECTOR        | 1    |       |     |         | 0.001        | 0.0022      |
| 020    | 15221-01750 | HOOK ENGINE          | 1    |       |     |         | 0.04         | 0.088       |
| 030    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 040    | 15471-91530 | STUD                 | 2    |       |     |         | 0.01         | 0.022       |
| 050    | 02156-50080 | NUT                  | 2    |       |     |         | 0.004        | 0.0088      |
| 060    | 04512-60080 | WASHER SPRING        | 2    |       |     |         | 0.002        | 0.0044      |
| 070    | 04012-50080 | WASHER PLAIN         | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 16429-03040 | COMP.CYLINDER HEAD   | 1    |       |     |         | 19.1         | 42.02       |
| 090    | 15221-03370 | CAP SEALING          | 12   |       |     |         | 0.01         | 0.022       |
| 100    | 15221-03490 | CAP SEALING          | 1    |       |     |         | 0.02         | 0.044       |
| 110    | 15261-96010 | PLUG                 | 2    |       |     |         | 0.002        | 0.0044      |
| 120    | 17321-13580 | GUIDE INLET VALVE    | 4    |       |     |         | 0.015        | 0.033       |
| 130    | 17321-13560 | GUIDE EXHAUST VALVE  | 4    |       |     |         | 0.02         | 0.044       |
| 140    | 16415-13620 | SEAT INLET VALVE     | 4    |       |     |         | 0.01         | 0.022       |
| 150    | 16415-13612 | SEAT EXHAUST VALVE   | 4    |       |     |         | 0.01         | 0.022       |
| 160    | 19013-03450 | BOLT CYLINDER HEAD   | 18   |       |     |         | 0.077        | 0.1694      |
| 170    | 19077-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0.13         | 0.286       |




16467-009-11



## GEAR CASE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|----------|--------------|-------------|
| 010    | 16705-04032 | ASSY CASE GEAR       | 1    |         |     |          | 4.2          | 9.24        |
| 020    | 16241-96020 | PLUG                 | 2    |         |     |          | 0.015        | 0.033       |
| 030    | 04811-00150 | O RING               | 2    |         |     |          | 0.001        | 0.0022      |
| 030    | 04817-00150 | O RING               | 2    |         | ←   |          | 0            | 0           |
| 035    | 04811-00200 | O RING               | 1    |         |     |          | 0.001        | 0.0022      |
| 035    | 04817-00200 | O RING               | 1    |         | ←   |          | 0            | 0           |
| 040    | 04811-00360 | O RING               | 1    |         |     |          | 0.002        | 0.0044      |
| 040    | 04817-00360 | O RING               | 1    |         | ←   |          | 0            | 0           |
| 050    | 15221-56280 | PIN START SPRING     | 1    |         |     |          | 0.006        | 0.0132      |
| 060    | 05012-00612 | PIN STRAIGHT         | 2    |         |     |          | 0.003        | 0.0066      |
| 070    | 17331-32610 | SUPPORT OIL FILTER   | 1    |         |     |          | 0.275        | 0.605       |
| 080    | 17326-32620 | GASKET               | 1    |         |     |          | 0.005        | 0.011       |
| 090    | 01123-50825 | BOLT                 | 3    |         |     |          | 0.013        | 0.0286      |
| 100    | 17331-32880 | COVER                | 1    |         |     |          | 0.075        | 0.165       |
| 110    | 17331-32910 | COMP BOLT            | 1    |         |     |          | 0.07         | 0.154       |
| 120    | 04811-00150 | O RING               | 1    |         |     |          | 0.001        | 0.0022      |
| 120    | 04817-00150 | O RING               | 1    |         | ←   |          | 0            | 0           |
| 130    | 19202-96830 | O RING               | 1    |         |     |          | 0.01         | 0.022       |
| 140    | 17326-04132 | GASKET GEAR CASE     | 1    |         |     |          | 0.03         | 0.066       |
| 150    | 01123-50860 | BOLT                 | 3    |         |     |          | 0.026        | 0.0572      |
| 160    | 01153-50870 | BOLT                 | 3    |         |     |          | 0.026        | 0.0572      |
| 170    | 17367-91010 | BOLT                 | 2    |         |     |          | 0.005        | 0.011       |
| 180    | 01153-50880 | BOLT                 | 2    |         |     |          | 0.03         | 0.066       |
| 190    | 17367-91020 | BOLT                 | 3    |         |     |          | 0.035        | 0.077       |
| 200    | 17367-91030 | BOLT                 | 2    |         |     |          | 0.02         | 0.044       |
| 210    | 04512-60080 | WASHER SPRING        | 5    |         |     |          | 0.002        | 0.0044      |
| 220    | 99999-99999 | BLANK                | 0    |         |     |          | 0            | 0           |
| 230    | 15521-32290 | JOINT PIPE           | 1    | ≤YW4276 |     |          | 0            | 0           |
| 230    | 15521-32293 | JOINT PIPE           | 1    | ≥YY0001 | ←   |          | 0            | 0           |
| 240    | 15241-36950 | SPRING               | 1    |         |     |          | 0.004        | 0.0088      |
| 250    | 15521-36930 | SEAT VALVE           | 1    |         |     |          | 0.015        | 0.033       |
| 260    | 07715-03213 | BALL                 | 1    |         |     |          | 0.004        | 0.0088      |
| 270    | 15521-73320 | FLANGE WATER RETURN  | 1    |         |     |          | 0.04         | 0.088       |
| 280    | 15766-73330 | GASKET WATER FLANGE  | 1    |         |     |          | 0            | 0           |
| 280    | 1A021-73330 | GASKET RETURN FLANGE | 1    |         | ↔   |          | 0.001        | 0.0022      |
| 290    | 01023-50620 | BOLT                 | 3    |         |     |          | 0.006        | 0.0132      |
| 300    | 17321-32433 | CARTRIDGE OIL FILTER | 1    |         |     |          | 0            | 0           |
| 300    | 16414-32430 | CARTRIDGE OIL FILTER | 1    |         | ↔   |          | 0            | 0           |
| 310    | 38240-34660 | ASSY GEAR CASE H/M   | 1    |         |     |          | 0.335        | 0.737       |
| 320    | 15296-88130 | GASKET H/METER UNIT  | 1    |         |     |          | 0.002        | 0.0044      |
| 330    | 15221-88210 | STUD                 | 4    |         |     |          | 0.005        | 0.011       |
| 340    | 02056-50060 | NUT                  | 4    |         |     |          | 0.002        | 0.0044      |
| 350    | 04512-60060 | WASHER SPRING        | 4    |         |     |          | 0.001        | 0.0022      |
| 360    | 15571-33140 | PLUG OIL FILLER      | 1    | ≤1L4203 |     | NOT SALE | 0.03         | 0.066       |
| 360    | 16427-33140 | PLUG OIL FILLER      | 1    | ≥1N0001 | ←   |          | 0.025        | 0.055       |




16 493-030-10





16493-004-14

050 17118-0483-0




1A021-804-11



## MAIN BEARING CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 19013-07090 | ASSY BRG.CASE WHEEL  | 1    |       |     |         | 1.55         | 3.41        |
| 020    | 19013-04540 | BOLT BEARING CASE    | 2    |       |     |         | 0.038        | 0.0836      |
| 030    | 19077-04360 | GASKET BEARING CASE  | 1    |       |     |         | 0.004        | 0.0088      |
| 040    | 19013-04813 | COVER BEARING CASE   | 1    |       |     |         | 0.41         | 0.902       |
| 050    | 17118-04830 | GASKET BRG.CASE COV. | 1    |       |     |         | 0            | 0           |
| 050    | 1A091-04820 | GASKET CASE COVER    | 1    |       | ↔   |         | 0.006        | 0.0132      |
| 060    | 01123-50825 | BOLT                 | 8    |       |     |         | 0.013        | 0.0286      |
| 070    | 01123-50828 | BOLT                 | 8    |       |     |         | 0.014        | 0.0308      |
| 080    | 19202-04460 | SEAL OIL             | 1    |       |     |         | 0.055        | 0.121       |
| 090    | 99999-99999 | BLANK                | 0    |       |     |         | 0            | 0           |
| 100    | 19013-07040 | ASSY BRG.CASE MAIN   | 1    |       |     |         | 1.5          | 3.3         |
| 110    | 19013-04540 | BOLT BEARING CASE    | 2    |       |     |         | 0.038        | 0.0836      |
| 120    | 19013-07050 | ASSY BRG.CASE MAIN   | 1    |       |     |         | 1.495        | 3.289       |
| 130    | 19013-04540 | BOLT BEARING CASE    | 2    |       |     |         | 0.038        | 0.0836      |
| 140    | 19013-07060 | ASSY BRG.CASE MAIN   | 1    |       |     |         | 1.52         | 3.344       |
| 150    | 19013-04540 | BOLT BEARING CASE    | 2    |       |     |         | 0.038        | 0.0836      |
| 160    | 15601-04560 | BOLT BEARING CASE    | 3    |       |     |         | 0.06         | 0.132       |



16785-001-10

100 16427-2401-0


100 1A053-2401-0

110 16427-2498-0

120 16427-2436-0

140 16427-2425-0

160 16427-2437-0




16467-815-10



## CAMSHAFT AND IDLE GEAR SHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15601-15550 | TAPPET            | 8    |         |     |         | 0.08         | 0.176       |
| 020    | 19013-15110 | PUSH ROD          | 8    |         |     |         | 0.05         | 0.11        |
| 030    | 17343-16010 | ASSY CAMSHAFT     | 1    |         |     |         | 4.2          | 9.24        |
| 040    | 17343-16150 | CAMSHAFT          | 1    |         |     |         | 2.2          | 4.84        |
| 050    | 15521-93610 | SCREW SET         | 1    |         |     |         | 0.002        | 0.0044      |
| 060    | 15521-16510 | GEAR CAMSHAFT     | 1    | ≤1W2630 |     |         | 0.85         | 1.87        |
| 060    | 15521-16514 | GEAR CAM          | 1    | ≥1Y0001 | ←   |         | 0.85         | 1.87        |
| 070    | 05712-00720 | KEY FEATHER       | 1    |         |     |         | 0.008        | 0.0176      |
| 080    | 15221-16270 | STOPPER CAMSHAFT  | 1    |         |     |         | 0.073        | 0.1606      |
| 090    | 01123-50818 | BOLT              | 2    |         |     |         | 0.012        | 0.0264      |
| 100    | 16427-24010 | COMP.GEAR IDLE    | 1    | ≤1W2630 |     |         | 1.2          | 2.64        |
| 100    | 1A053-24010 | COMP.GEAR IDLE    | 1    | ≥1Y0001 | ←   |         | 0            | 0           |
| 100    | 1G791-24010 | COMP.GEAR IDLE    | 1    | ≥2A0001 | ←   |         | 1.195        | 2.629       |
| 110    | 16427-24980 | BUSH IDLE GEAR    | 1    | ≤1W2630 |     |         | 0.07         | 0.154       |
| 110    | 1A021-24980 | BUSH IDLE GEAR    | 1    | ≥1Y0001 | ←   |         | 0.072        | 0.1584      |
| 120    | 16427-24360 | COLLAR            | 1    | ≤1W2630 |     |         | 0.02         | 0.044       |
| 120    | 1A021-24370 | COLLAR            | 1    | ≥1Y0001 | ≠   |         | 0.022        | 0.0484      |
| 130    | 15451-95400 | CIR CLIP EXTERNAL | 1    |         |     |         | 0.01         | 0.022       |
| 140    | 16427-24250 | SHAFT IDLE GEAR   | 1    | ≤1W2630 |     |         | 0.65         | 1.43        |
| 140    | 1A021-24250 | SHAFT IDLE GEAR   | 1    | ≥1Y0001 | ≠   |         | 0.685        | 1.507       |
| 150    | 01123-50818 | BOLT              | 3    |         |     |         | 0.012        | 0.0264      |
| 160    | 16427-24370 | COLLAR            | 1    | ≤1W2630 |     |         | 0.02         | 0.044       |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS    | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|------------|--------------|-------------|
| 010    | 19077-21110 | PISTON              | 4    |          |     | STD        | 0.58         | 1.276       |
| 010    | 19077-21910 | PISTON              | 4    |          |     | +0.5mm     | 0.585        | 1.287       |
| 020    | 17331-21050 | ASSY PISTON RING    | 4    |          |     | STD        | 0.065        | 0.143       |
| 020    | 17331-21090 | ASSY PISTON RING    | 4    |          |     | +0.5mm     | 0.065        | 0.143       |
| 030    | 14901-21310 | PIN PISTON          | 4    |          |     |            | 0.17         | 0.374       |
| 040    | 14109-21330 | CIR CLIP INTERNAL   | 8    |          |     |            | 0.015        | 0.033       |
| 050    | 17311-22010 | ASSY CONNECTING ROD | 4    |          |     |            | 0.885        | 1.947       |
| 060    | 17331-21980 | BUSH PISTON PIN     | 4    |          |     |            | 0.025        | 0.055       |
| 070    | 15521-22142 | BOLT CONNECTING ROD | 8    |          |     |            | 0.026        | 0.0572      |
| 080    | 17311-22310 | METAL CRANKPIN      | 4    |          |     | STD SET    | 0.045        | 0.099       |
| 080    | 17331-22970 | METAL CRANKPIN      | 4    |          |     | -0.2mm SET | 0.05         | 0.11        |
| 080    | 17331-22980 | METAL CRANKPIN      | 4    |          |     | -0.4mm SET | 0.045        | 0.099       |
| 090    | 16641-23010 | COMP.CRANKSHAFT     | 1    |          |     |            | 17           | 37.4        |
| 100    | 07715-00401 | BALL                | 4    |          |     |            | 0.001        | 0.0022      |
| 110    | 19202-23280 | BUSH CRANKSHAFT     | 1    |          |     |            | 0.09         | 0.198       |
| 120    | 15471-24110 | GEAR CRANK          | 1    |          |     |            | 0.375        | 0.825       |
| 130    | 05712-00720 | KEY FEATHER         | 1    |          |     |            | 0.008        | 0.0176      |
| 140    | 15471-23312 | SLINGER OIL         | 1    |          |     |            | 0.008        | 0.0176      |
| 150    | 19202-23250 | COLLAR CRANKSHAFT   | 1    |          |     |            | 0.065        | 0.143       |
| 160    | 04811-10300 | O RING              | 1    |          |     |            | 0.001        | 0.0022      |
| 170    | 15221-23360 | NUT CRANKSHAFT      | 1    |          |     |            | 0.11         | 0.242       |
| 180    | 99999-99999 | BLANK               | 0    |          |     |            | 0            | 0           |
| 190    | 17311-23470 | METAL CRANKSHAFT    | 1    | <=YA4256 |     | STD        | 0            | 0           |
| 190    | 17311-23472 | METAL CRANKSHAFT    | 1    | >=YA4257 | ←   | STD        | 0            | 0           |
| 190    | 17311-23910 | METAL CRANKSHAFT    | 1    |          |     | -0.2mm     | 0.05         | 0.11        |
| 190    | 17311-23920 | METAL CRANKSHAFT    | 1    |          |     | -0.4mm     | 0.06         | 0.132       |
| 200    | 17311-23480 | METAL CRANKSHAFT    | 4    |          |     | STD SET    | 0.045        | 0.099       |
| 200    | 17311-23930 | METAL CRANKSHAFT    | 4    |          |     | -0.2mm SET | 0.05         | 0.11        |
| 200    | 17311-23940 | METAL CRANKSHAFT    | 4    |          |     | -0.4mm SET | 0.06         | 0.132       |
| 210    | 15521-23530 | METAL SIDE          | 2    |          |     | STD        | 0.01         | 0.022       |
| 210    | 15221-23950 | METAL SIDE          | 2    | <=YE3457 |     | +0.2mm     | 0            | 0           |
| 210    | 15521-23950 | METAL SIDE          | 2    | >=YE3458 | ←   | +0.2mm     | 0.01         | 0.022       |
| 210    | 15221-23960 | METAL SIDE          | 2    | <=YE3457 |     | +0.4mm     | 0            | 0           |
| 210    | 15521-23960 | METAL SIDE          | 2    | >=YE3458 | ←   | +0.4mm     | 0.01         | 0.022       |
| 220    | 19202-23540 | METAL SIDE          | 2    |          |     | STD        | 0.01         | 0.022       |
| 220    | 19202-23970 | METAL SIDE          | 2    |          |     | +0.2mm     | 0.01         | 0.022       |
| 220    | 19202-23980 | METAL SIDE          | 2    |          |     | +0.4mm     | 0.01         | 0.022       |
| 230    | 19202-04140 | SEAL OIL            | 1    |          |     |            | 0.015        | 0.033       |
| 240    | 07916-26940 | KIT RING PISTON     | 4    |          |     | STD        | 0.87         | 1.914       |
| 240    | 07916-26950 | KIT RING PISTON     | 4    |          |     | +0.5mm     | 0.88         | 1.936       |
| 250    | 07916-28000 | KIT METAL ENGINE    | 1    |          |     | STD        | 0.42         | 0.924       |
| 250    | 07916-28742 | KIT METAL ENGINE    | 1    |          |     | -0.2mm     | 0.55         | 1.21        |
| 250    | 07916-28752 | KIT METAL ENGINE    | 1    |          |     | -0.4mm     | 0.55         | 1.21        |







## FLYWHEEL [W/O IND-PTO]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16493-25010 | COMP.FLYWHEEL    | 1    |       |     |         | 29.8         | 65.56       |
| 020    | 15221-63820 | GEAR RING        | 1    |       |     |         | 1.2          | 2.64        |
| 030    | 16457-25160 | BOLT FLYWHEEL    | 6    |       |     |         | 0.063        | 0.1386      |
| 040    | TA040-20102 | COMP.HOUSING F-W | 1    |       |     |         | 18.2         | 40.04       |
| 050    | 05012-01018 | PIN STRAIGHT     | 2    |       |     |         | 0.012        | 0.0264      |
| 060    | 31220-14290 | PLUG             | 9    |       |     |         | 0.002        | 0.0044      |
| 070    | 15521-04680 | COVER            | 1    |       |     |         | 0.035        | 0.077       |
| 080    | 15521-04790 | PACKING COVER    | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 01123-50816 | BOLT             | 2    |       |     |         | 0.011        | 0.0242      |
| 100    | 16427-91010 | BOLT             | 11   |       |     |         | 0.004        | 0.0088      |
| 110    | 99999-99999 | BLANK            | 0    |       |     |         | 0            | 0           |
| 120    | 01073-51240 | BOLT             | 2    |       |     |         | 0.049        | 0.1078      |
| 130    | 04512-60120 | WASHER SPRING    | 2    |       |     |         | 0.005        | 0.011       |








**FUEL CAMSHAFT**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 19077-16020 | ASSY CAMSHAFT FUEL   | 1    |       |     |         | 3            | 6.6         |
| 020    | 19077-16170 | CAMSHAFT FUEL        | 1    |       |     |         | 1.12         | 2.464       |
| 030    | 08153-06205 | BEARING BALL         | 1    |       |     |         | 0.13         | 0.286       |
| 040    | 16415-51150 | GEAR INJECTION PUMP  | 1    |       |     |         | 1.075        | 2.365       |
| 050    | 05712-00525 | KEY FEATHER          | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 04612-00240 | CIR CLIP EXTERNAL    | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 15611-55450 | SLEEVE GOVERNOR      | 1    |       |     |         | 0.117        | 0.2574      |
| 080    | 15221-55470 | CIR-CLIP GOV. SLEEVE | 1    |       |     |         | 0.003        | 0.0066      |
| 090    | 15611-55690 | CASE GOVERNOR BALL   | 1    |       |     |         | 0.03         | 0.066       |
| 100    | 07715-03205 | BALL                 | 39   |       |     |         | 0.001        | 0.0022      |
| 110    | 15221-55740 | CIR-CLIP             | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 07715-00403 | BALL                 | 7    |       |     |         | 0.03         | 0.066       |
| 130    | 08240-00001 | BEARING BALL         | 1    |       |     |         | 0.19         | 0.418       |
| 140    | 15221-16320 | STOPPER FUEL C/SHAFT | 1    |       |     |         | 0.02         | 0.044       |
| 150    | 01123-60814 | BOLT                 | 2    |       |     |         | 0.008        | 0.0176      |



16493-016-10



## ENGINE STOP LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15521-54090 | APPARATUS IDLING     | 1    |       |     |         | 0.045        | 0.099       |
| 020    | 15521-54100 | ASSY BOLT ADJUSTMENT | 1    |       |     |         | 0.015        | 0.033       |
| 030    | 15401-92010 | NUT                  | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 15521-92330 | NUT                  | 1    |       |     |         | 0.02         | 0.044       |
| 050    | 15021-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | 15521-54270 | CAP                  | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 17331-57702 | ASSY LEVER ENG.STOP  | 1    |       |     |         | 0.19         | 0.418       |
| 080    | 15471-51652 | COVER INJECTION PUMP | 1    |       |     |         | 0.02         | 0.044       |
| 090    | 17331-57740 | SHAFT LEVER          | 1    |       |     |         | 0.04         | 0.088       |
| 100    | 17331-57720 | LEVER ENGINE STOP    | 1    |       |     |         | 0.05         | 0.11        |
| 110    | 15471-57980 | SEAL OIL             | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 05411-00420 | PIN SPRING           | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 15471-57920 | SPRING RETURN        | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 15296-51660 | GASKET PUMP COVER    | 1    |       |     |         | 0            | 0           |
| 140    | 1A021-51660 | GASKET PUMP COVER    | 1    |       | ↔   |         | 0.003        | 0.0066      |
| 150    | 01023-50618 | BOLT                 | 1    |       |     |         | 0.006        | 0.0132      |
| 160    | 01023-50622 | BOLT                 | 2    |       |     |         | 0.005        | 0.011       |
| 170    | 04012-50060 | WASHER PLAIN         | 2    |       |     |         | 0.001        | 0.0022      |
| 180    | 17394-60110 | SUPPORT SOLENOID     | 1    |       |     |         | 0.28         | 0.616       |






## INJECTION PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|--------------------------------------|--------------|-------------|
| 010    | 15401-95690 | JOINT EYE           | 1    |         |     |                                      | 0.04         | 0.088       |
| 020    | 16454-51010 | ASSY PUMP INJECTION | 1    | ≤3126   |     | REFER TO L.No.1C09-L FOR COMPONENTS. | 3            | 6.6         |
| 020    | 1G762-51010 | ASSY PUMP INJECTION | 1    | ≥WY0011 | ≠   | REFER TO L.No.1C09-L FOR COMPONENTS. | 2.5          | 5.5         |
| 030    | 19077-52090 | SHIM INJECTION PUMP | 1    | ≤2G0380 |     | 0.20mm                               | 0.006        | 0.0132      |
| 030    | 19077-52092 | SHIM INJECTION PUMP | 1    | ≥2J0001 | ≠   | 0.20mm                               | 0.006        | 0.0132      |
| 030    | 19077-52110 | SHIM INJECTION PUMP | 1    | ≤2G0380 |     | 0.25mm                               | 0.002        | 0.0044      |
| 030    | 19077-52113 | SHIM INJECTION PUMP | 1    | ≥2J0001 | ≠   | 0.25mm                               | 0.002        | 0.0044      |
| 030    | 19077-52120 | SHIM INJECTION PUMP | 1    | ≤2G0380 |     | 0.30mm                               | 0.01         | 0.022       |
| 030    | 19077-52123 | SHIM INJECTION PUMP | 1    | ≥2J0001 | ≠   | 0.30mm                               | 0.01         | 0.022       |
| 040    | 01123-50822 | BOLT                | 4    |         |     |                                      | 0.012        | 0.0264      |
| 050    | 15221-91530 | STUD                | 2    |         |     |                                      | 0.011        | 0.0242      |
| 060    | 02156-50080 | NUT                 | 2    |         |     |                                      | 0.004        | 0.0088      |
| 070    | 04512-60080 | WASHER SPRING       | 2    |         |     |                                      | 0.002        | 0.0044      |
| 080    | 14311-60504 | ASSY COCK JET START | 1    |         |     |                                      | 0.034        | 0.0748      |
| 090    | 17121-52030 | ASSY PUMP FUEL      | 1    |         |     |                                      | 0.13         | 0.286       |
| 100    | 15263-52140 | GASKET FUEL PUMP    | 1    |         |     |                                      | 0            | 0           |
| 100    | 1A021-52140 | GASKET FUEL PUMP    | 1    |         | ↔   |                                      | 0.001        | 0.0022      |
| 110    | 01023-50616 | BOLT                | 2    |         |     |                                      | 0.005        | 0.011       |
| 120    | 32400-35510 | ASSY PIPE FUEL      | 1    |         |     |                                      | 0.035        | 0.077       |
| 130    | 14301-42750 | CLIP PIPE           | 2    |         |     |                                      | 0.005        | 0.011       |






# INJECTION PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16454-51010 | ASSY PUMP INJECTION | 1    | <=3126   |     |         | 3            | 6.6         |
| 010    | 1G762-51010 | ASSY PUMP INJECTION | 1    | >=WY0011 | ≠   |         | 2.5          | 5.5         |
| 020    | 16454-51050 | PLUNGER PUMP        | 4    |          |     |         | 0.05         | 0.11        |
| 030    | 16454-51030 | VALVE DELIVERY.     | 4    |          |     |         | 0.015        | 0.033       |
| 040    | 16454-51230 | SPRING DELIV.VALVE  | 4    |          |     |         | 0.005        | 0.011       |
| 050    | 15221-51240 | GASKET DELIV.VALVE  | 4    |          |     |         | 0.001        | 0.0022      |
| 060    | 16415-51220 | HOLDER DELIV.VALVE  | 4    |          |     |         | 0.07         | 0.154       |
| 070    | 16475-51610 | ASSY PLATE LOCK     | 2    |          |     |         | 0.06         | 0.132       |
| 080    | 15221-51070 | ASSY TAPPET         | 4    |          |     |         | 0.039        | 0.0858      |
| 090    | 14611-51250 | PIN TAPPET GUIDE    | 4    |          |     |         | 0.003        | 0.0066      |
| 100    | 14611-51440 | PLATE               | 2    |          |     |         | 0.005        | 0.011       |
| 110    | 15221-51280 | SPRING PLUNGER      | 4    |          |     |         | 0.015        | 0.033       |
| 120    | 15221-51270 | SEAT SPRING UPPER   | 4    |          |     |         | 0.004        | 0.0088      |
| 130    | 15221-51290 | SEAT SPRING LOWER   | 4    |          |     |         | 0.01         | 0.022       |
| 140    | 19077-51490 | SHIM                | 4    |          |     |         | 0.001        | 0.0022      |
| 150    | 15401-51060 | RACK CONTROL        | 1    |          |     |         | 0.05         | 0.11        |
| 160    | 99999-99999 | BLANK               | 0    |          |     |         | 0            | 0           |
| 170    | 99999-99999 | BLANK               | 0    |          |     |         | 0            | 0           |
| 180    | 15221-51382 | SLEEVE CONTROL      | 4    |          |     |         | 0.011        | 0.0242      |
| 190    | 15471-51320 | SCREW FOLLOW        | 1    |          |     |         | 0.032        | 0.0704      |
| 200    | 15401-96650 | GASKET              | 2    |          |     |         | 0.001        | 0.0022      |
| 210    | 14611-51200 | O RING              | 4    |          |     |         | 0.001        | 0.0022      |



16477-007-10

**040 15021-5624-0**

**050 04512-60060**




**1G782-802-10**




## GOVERNOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15601-56020 | COMP.LEVER GOVERNOR | 1    |         |     |         | 0.055        | 0.121       |
| 020    | 16429-56050 | ASSY LEVER FORK     | 1    | ≤3126   |     |         | 0.415        | 0.913       |
| 020    | 1G782-56050 | ASSY LEVER FORK     | 1    | ≥WY0011 | ≠   |         | 0.4          | 0.88        |
| 026    | 17331-56130 | LEVER FORK          | 1    |         |     |         | 0.065        | 0.143       |
| 030    | 15221-56150 | SHAFT FORK LEVER    | 1    | ≤2A3094 |     |         | 0.1          | 0.22        |
| 030    | 1G911-56150 | SHAFT FORK LEVER    | 1    | ≥2C0001 | ≠   |         | 0.05         | 0.11        |
| 040    | 15021-56240 | BOLT LEVER SHAFT    | 1    | ≤2A3094 |     |         | 0.005        | 0.011       |
| 040    | 01754-50618 | BOLT FLANGE         | 1    | ≥2C0001 | ≠   |         | 0.01         | 0.022       |
| 050    | 04512-60060 | WASHER SPRING       | 2    | ≤2A3094 |     |         | 0.001        | 0.0022      |
| 050    | 04512-60060 | WASHER SPRING       | 1    | ≥2C0001 |     |         | 0.001        | 0.0022      |
| 060    | 15221-56230 | HOLDER FORK LEVER   | 1    |         |     |         | 0.1          | 0.22        |
| 070    | 15221-66410 | BOLT                | 1    |         |     |         | 0.005        | 0.011       |
| 080    | 01123-50832 | BOLT                | 2    |         |     |         | 0.016        | 0.0352      |
| 090    | 01023-50628 | BOLT                | 1    |         |     |         | 0.015        | 0.033       |
| 100    | 04012-50080 | WASHER PLAIN        | 2    |         |     |         | 0.001        | 0.0022      |
| 110    | 04012-50060 | WASHER PLAIN        | 1    |         |     |         | 0.001        | 0.0022      |
| 120    | 15611-56480 | SPRING START        | 1    |         |     |         | 0.001        | 0.0022      |
| 130    | 19077-56412 | SPRING              | 1    |         |     |         | 0.01         | 0.022       |
| 140    | 16415-56420 | SPRING GOVERNOR     | 1    |         |     |         | 0.002        | 0.0044      |



050 16221-5442-0




1G722-800-10




## SPEED CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------|--------------|-------------|
| 005    | 1A021-54350 | ASSY BOLT ADJUSTMENT | 1    | >=2C0001 |     |         | 0.015        | 0.033       |
| 010    | 15601-54120 | BOLT ADJUSTING       | 1    | <=2A0394 |     |         | 0.011        | 0.0242      |
| 010    | 1A021-54120 | BOLT ADJUSTING       | 1    | >=2C0001 | ←   |         | 0            | 0           |
| 020    | 15601-92012 | NUT                  | 1    |          |     |         | 0.006        | 0.0132      |
| 030    | 15601-96650 | GASKET               | 2    |          |     |         | 0.001        | 0.0022      |
| 040    | 15841-14620 | NUT                  | 1    |          |     |         | 0.01         | 0.022       |
| 050    | 16221-54420 | CAP                  | 1    | <=3126   |     |         | 0.001        | 0.0022      |
| 050    | 1G833-54290 | PIPE LOCK            | 1    | >=WY0011 | ≠   |         | 0.012        | 0.0264      |
| 060    | 15469-57150 | LEVER SPEED CONTROL  | 1    |          |     |         | 0.06         | 0.132       |
| 070    | 05712-00408 | KEY FEATHER          | 1    |          |     |         | 0.001        | 0.0022      |
| 080    | 04811-00120 | O RING               | 1    |          |     |         | 0.001        | 0.0022      |
| 080    | 04817-00120 | O RING               | 1    |          | ←   |         | 0            | 0           |
| 090    | 04013-60080 | WASHER PLAIN         | 1    |          |     |         | 0.002        | 0.0044      |
| 100    | 02112-50080 | NUT                  | 2    |          |     |         | 0.003        | 0.0066      |
| 110    | 15521-57240 | COLLAR               | 1    |          |     |         | 0.002        | 0.0044      |
| 120    | 15521-57115 | PLATE SPEED CONTROL  | 1    |          |     |         | 0.1          | 0.22        |
| 130    | 15439-57210 | GASKET               | 1    |          |     |         | 0.005        | 0.011       |
| 140    | 01023-50625 | BOLT                 | 2    |          |     |         | 0.007        | 0.0154      |
| 150    | 15221-88210 | STUD                 | 2    |          |     |         | 0.005        | 0.011       |
| 160    | 04512-60060 | WASHER SPRING        | 2    |          |     |         | 0.001        | 0.0022      |
| 170    | 02056-50060 | NUT                  | 2    |          |     |         | 0.002        | 0.0044      |



170 04013-60040




16493-804-10



# NOZZLE HOLDER AND GLOW PLUG

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|--------------------------------------|--------------|-------------|
| 010    | 16454-53900 | KIT HOLDER NOZZLE   | 4    |         |     | REFER TO L.No.1C11-L FOR COMPONENTS. | 0.14         | 0.308       |
| 020    | 15841-53622 | GASKET              | 4    |         |     |                                      | 0.002        | 0.0044      |
| 025    | 19077-53650 | SEAL HEAT           | 4    |         |     |                                      | 0.005        | 0.011       |
| 030    | 19077-53714 | PIPE INJECTION      | 1    |         |     |                                      | 0.14         | 0.308       |
| 040    | 19077-53723 | PIPE INJECTION      | 1    |         |     |                                      | 0.14         | 0.308       |
| 050    | 19077-53733 | PIPE INJECTION      | 1    |         |     |                                      | 0.12         | 0.264       |
| 060    | 19077-53743 | PIPE INJECTION      | 1    |         |     |                                      | 0.13         | 0.286       |
| 070    | 15841-53850 | CLAMP PIPE          | 3    |         |     |                                      | 0.01         | 0.022       |
| 080    | 15841-53860 | CLAMP PIPE          | 3    |         |     |                                      | 0.009        | 0.0198      |
| 090    | 03024-50520 | SCREW WITH WASHER   | 3    |         |     |                                      | 0.004        | 0.0088      |
| 100    | 19077-65510 | GLOW PLUG           | 4    |         |     |                                      | 0.03         | 0.066       |
| 110    | 16475-65560 | CORD GLOW PLUG      | 1    |         |     |                                      | 0.02         | 0.044       |
| 120    | 16454-42502 | ASSY PIPE OVER FLOW | 1    |         |     |                                      | 0.06         | 0.132       |
| 130    | 34070-42633 | ASSY TUBE FUEL      | 1    |         |     |                                      | 0.025        | 0.055       |
| 140    | 09661-40400 | TUBE FUEL           | 1    |         |     |                                      | 0.02         | 0.044       |
| 150    | 14971-42750 | CLIP PIPE           | 2    |         |     |                                      | 0.001        | 0.0022      |
| 160    | 02761-50040 | NUT FLANGE          | 4    |         |     |                                      | 0.002        | 0.0044      |
| 170    | 04013-60040 | WASHER PLAIN        | 4    | ≤3126   |     |                                      | 0.002        | 0.0044      |
| 170    | 04013-60040 | WASHER PLAIN        | 4    | ≥WY0011 |     |                                      | 0.002        | 0.0044      |
| 170    | 04013-60040 | WASHER PLAIN        | 4    | ≤XS4888 |     |                                      | 0.002        | 0.0044      |




16224-009-12



# NOZZLE HOLDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16454-53900 | KIT HOLDER NOZZLE  | 4    |       |     |         | 0.14         | 0.308       |
| 020    | 15841-92030 | NUT                | 4    |       |     |         | 0.005        | 0.011       |
| 030    | 15841-53230 | WASHER ADJUSTING   | 4    |       |     |         | 0.001        | 0.0022      |
| 040    | 16475-53170 | SPRING NOZZLE      | 4    |       |     |         | 0.005        | 0.011       |
| 050    | 15841-53350 | PIECE DISTANCE     | 4    |       |     |         | 0.004        | 0.0088      |
| 060    | 15841-53160 | PUSH ROD           | 4    |       |     |         | 0.001        | 0.0022      |
| 070    | 16475-53280 | NUT NOZZLE         | 4    |       |     |         | 0.03         | 0.066       |
| 080    | 15841-94040 | WASHER             | 4    |       |     |         | 0.001        | 0.0022      |
| 090    | 16454-53610 | PIECE NOZZLE       | 4    |       |     |         | 0.024        | 0.0528      |
| 100    | 15841-98100 | ASSY WASHER ADJUST | 4    |       |     |         | 0.043        | 0.0946      |
| 110    | 15841-53230 | WASHER ADJUSTING   | 4    |       |     | 0.900mm | 0.001        | 0.0022      |
| 110    | 15841-98510 | WASHER ADJUSTING   | 4    |       |     | 0.925mm | 0.001        | 0.0022      |
| 110    | 15841-98520 | WASHER ADJUSTING   | 4    |       |     | 0.950mm | 0.001        | 0.0022      |
| 110    | 15841-98530 | WASHER ADJUSTING   | 4    |       |     | 0.975mm | 0.001        | 0.0022      |
| 110    | 15841-98540 | WASHER ADJUSTING   | 4    |       |     | 1.000mm | 0.001        | 0.0022      |
| 110    | 15841-98550 | WASHER ADJUSTING   | 4    |       |     | 1.025mm | 0.001        | 0.0022      |
| 110    | 15841-98560 | WASHER ADJUSTING   | 4    |       |     | 1.050mm | 0.001        | 0.0022      |
| 110    | 15841-98570 | WASHER ADJUSTING   | 4    |       |     | 1.075mm | 0.001        | 0.0022      |
| 110    | 15841-98580 | WASHER ADJUSTING   | 4    |       |     | 1.100mm | 0.001        | 0.0022      |
| 110    | 15841-98590 | WASHER ADJUSTING   | 4    |       |     | 1.125mm | 0.001        | 0.0022      |
| 110    | 15841-98600 | WASHER ADJUSTING   | 4    |       |     | 1.150mm | 0.001        | 0.0022      |
| 110    | 15841-98610 | WASHER ADJUSTING   | 4    |       |     | 1.175mm | 0.001        | 0.0022      |
| 110    | 15841-98620 | WASHER ADJUSTING   | 4    |       |     | 1.200mm | 0.001        | 0.0022      |
| 110    | 15841-98630 | WASHER ADJUSTING   | 4    |       |     | 1.225mm | 0.001        | 0.0022      |
| 110    | 15841-98640 | WASHER ADJUSTING   | 4    |       |     | 1.250mm | 0.001        | 0.0022      |
| 110    | 15841-98650 | WASHER ADJUSTING   | 4    |       |     | 1.275mm | 0.001        | 0.0022      |
| 110    | 15841-98660 | WASHER ADJUSTING   | 4    |       |     | 1.300mm | 0.001        | 0.0022      |
| 110    | 15841-98670 | WASHER ADJUSTING   | 4    |       |     | 1.325mm | 0.001        | 0.0022      |
| 110    | 15841-98680 | WASHER ADJUSTING   | 4    |       |     | 1.350mm | 0.001        | 0.0022      |
| 110    | 15841-98690 | WASHER ADJUSTING   | 4    |       |     | 1.375mm | 0.001        | 0.0022      |
| 110    | 15841-98700 | WASHER ADJUSTING   | 4    |       |     | 1.400mm | 0.001        | 0.0022      |
| 110    | 15841-98710 | WASHER ADJUSTING   | 4    |       |     | 1.425mm | 0.001        | 0.0022      |
| 110    | 15841-98720 | WASHER ADJUSTING   | 4    |       |     | 1.450mm | 0.001        | 0.0022      |
| 110    | 15841-98730 | WASHER ADJUSTING   | 4    |       |     | 1.475mm | 0.001        | 0.0022      |
| 110    | 15841-98740 | WASHER ADJUSTING   | 4    |       |     | 1.500mm | 0.001        | 0.0022      |
| 110    | 15841-98750 | WASHER ADJUSTING   | 4    |       |     | 1.525mm | 0.001        | 0.0022      |
| 110    | 15841-98760 | WASHER ADJUSTING   | 4    |       |     | 1.550mm | 0.001        | 0.0022      |
| 110    | 15841-98770 | WASHER ADJUSTING   | 4    |       |     | 1.575mm | 0.001        | 0.0022      |
| 110    | 15841-98780 | WASHER ADJUSTING   | 4    |       |     | 1.600mm | 0.002        | 0.0044      |
| 110    | 15841-98790 | WASHER ADJUSTING   | 4    |       |     | 1.625mm | 0.001        | 0.0022      |
| 110    | 15841-98800 | WASHER ADJUSTING   | 4    |       |     | 1.650mm | 0.001        | 0.0022      |
| 110    | 15841-98810 | WASHER ADJUSTING   | 4    |       |     | 1.675mm | 0.004        | 0.0088      |
| 110    | 15841-98820 | WASHER ADJUSTING   | 4    |       |     | 1.700mm | 0.001        | 0.0022      |
| 110    | 15841-98830 | WASHER ADJUSTING   | 4    |       |     | 1.725mm | 0.001        | 0.0022      |
| 110    | 15841-98840 | WASHER ADJUSTING   | 4    |       |     | 1.750mm | 0.001        | 0.0022      |
| 110    | 15841-98850 | WASHER ADJUSTING   | 4    |       |     | 1.775mm | 0.001        | 0.0022      |
| 110    | 15841-98860 | WASHER ADJUSTING   | 4    |       |     | 1.800mm | 0.001        | 0.0022      |
| 110    | 15841-98870 | WASHER ADJUSTING   | 4    |       |     | 1.825mm | 0.001        | 0.0022      |
| 110    | 15841-98880 | WASHER ADJUSTING   | 4    |       |     | 1.850mm | 0.001        | 0.0022      |
| 110    | 15841-98890 | WASHER ADJUSTING   | 4    |       |     | 1.875mm | 0.001        | 0.0022      |
| 110    | 15841-98900 | WASHER ADJUSTING   | 4    |       |     | 1.900mm | 0.001        | 0.0022      |
| 110    | 15841-98910 | WASHER ADJUSTING   | 4    |       |     | 1.925mm | 0.001        | 0.0022      |
| 110    | 15841-98920 | WASHER ADJUSTING   | 4    |       |     | 1.950mm | 0.001        | 0.0022      |
| 120    | 15841-53622 | GASKET             | 4    |       |     |         | 0.002        | 0.0044      |
| 130    | 19077-53650 | SEAL HEAT          | 4    |       |     |         | 0.005        | 0.011       |






# WATER FLANGE AND THERMOSTAT [ROPS TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16415-72702 | COMP.FLANGE WATER   | 1    |       |     |         | 0.35         | 0.77        |
| 020    | 17331-73342 | PIPE WATER RETURN   | 1    |       |     |         | 0.01         | 0.022       |
| 030    | 15766-72920 | GASKET WATER FLANGE | 1    |       |     |         | 0            | 0           |
| 030    | 1A021-72920 | GASKET WATER FLANGE | 1    |       | ↔   |         | 0.002        | 0.0044      |
| 040    | 01123-50820 | BOLT                | 2    |       |     |         | 0.011        | 0.0242      |
| 050    | 15221-91530 | STUD                | 1    |       |     |         | 0.011        | 0.0242      |
| 060    | 01153-50875 | BOLT                | 1    |       |     |         | 0.028        | 0.0616      |
| 070    | 02156-50080 | NUT                 | 1    |       |     |         | 0.004        | 0.0088      |
| 080    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 090    | 15521-73340 | PIPE WATER RETURN   | 1    |       |     |         | 0.025        | 0.055       |
| 100    | 15109-73360 | BAND PIPE           | 2    |       |     |         | 0.01         | 0.022       |
| 110    | 15321-73260 | COVER THERMOSTAT    | 1    |       |     |         | 0.107        | 0.2354      |
| 120    | 15313-73270 | GASKET THERMOSTAT   | 1    |       |     |         | 0            | 0           |
| 120    | 1A021-73270 | GASKET THERMOSTAT   | 1    |       | ↔   |         | 0.001        | 0.0022      |
| 130    | 01123-50835 | BOLT                | 2    |       |     |         | 0.02         | 0.044       |
| 140    | 19434-73014 | ASSY THERMOSTAT     | 1    |       |     |         | 0            | 0           |



16467-010-11

040 16661-7351-0




1A012-801-10



# WATER PUMP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16412-73030 | ASSY PUMP WATER      | 1    | <=1W2630 |     |         | 1.21         | 2.662       |
| 010    | 1A021-73030 | ASSY PUMP WATER      | 1    | >=1Y0001 | ←   |         | 0            | 0           |
| 020    | 17331-73410 | BODY WATER PUMP      | 1    |          |     |         | 0.51         | 1.122       |
| 030    | 15521-73550 | BEARING              | 1    |          |     |         | 0.235        | 0.517       |
| 040    | 16661-73510 | IMPELLER WATER PUMP  | 1    | <=1W2630 |     |         | 0.195        | 0.429       |
| 040    | 1A021-73510 | IMPELLER WATER PUMP  | 1    | >=1Y0001 | ←   |         | 0            | 0           |
| 050    | 16661-73050 | ASSY SEAL MECHANICAL | 1    |          |     |         | 0.025        | 0.055       |
| 060    | 15521-73520 | FLANGE WATER PUMP    | 1    |          |     |         | 0.25         | 0.55        |
| 070    | 17326-73430 | GASKET WATER PUMP    | 1    |          |     |         | 0            | 0           |
| 070    | 1A021-73430 | GASKET WATER PUMP    | 1    |          | ↔   |         | 0.007        | 0.0154      |
| 080    | 01123-50828 | BOLT                 | 3    |          |     |         | 0.014        | 0.0308      |
| 090    | 15521-91510 | STUD                 | 1    |          |     |         | 0.012        | 0.0264      |
| 100    | 04512-60080 | WASHER SPRING        | 1    |          |     |         | 0.002        | 0.0044      |
| 110    | 02156-50080 | NUT                  | 1    |          |     |         | 0.004        | 0.0088      |
| 120    | 15221-88210 | STUD                 | 1    |          |     |         | 0.005        | 0.011       |
| 130    | 01023-50618 | BOLT                 | 8    |          |     |         | 0.006        | 0.0132      |
| 140    | 02056-50060 | NUT                  | 1    |          |     |         | 0.002        | 0.0044      |
| 150    | 04512-60060 | WASHER SPRING        | 1    |          |     |         | 0.001        | 0.0022      |



16493-008-12

080 15401-1405-2  
090 03410-00808



180 04612-00140




16493-807-10



## VALVE AND ROCKER ARM


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16484-13110 | VALVE INLET         | 4    |         |     |         | 0.05         | 0.11        |
| 020    | 16484-13120 | VALVE EXHAUST       | 4    |         |     |         | 0.1          | 0.22        |
| 030    | 15221-13240 | SPRING VALVE        | 8    |         |     |         | 0.036        | 0.0792      |
| 040    | 15221-13330 | RETAINER VALVE SP.  | 8    |         |     |         | 0.03         | 0.066       |
| 050    | 15221-13360 | COLLET VALVE SPRING | 8    |         |     | SET     | 0            | 0           |
| 050    | 15221-13980 | ASSY COLLET         | 8    |         | ←   | SET     | 0.005        | 0.011       |
| 060    | 15221-13150 | SEAL VALVE STEM     | 8    |         |     |         | 0.001        | 0.0022      |
| 070    | 15221-13280 | CAP VALVE           | 8    |         |     |         | 0.006        | 0.0132      |
| 080    | 15401-14052 | ASSY SHAFT R-ARM    | 1    | ≤1Y2848 |     |         | 0.32         | 0.704       |
| 080    | 1A091-14260 | SHAFT ROCKER ARM    | 1    | ≥2A0001 | ≠   |         | 0.313        | 0.6886      |
| 090    | 03410-50808 | SCREW SET           | 2    | ≤1Y2848 |     |         | 0.002        | 0.0044      |
| 100    | 15221-14350 | BRACKET ROCKER ARM  | 4    |         |     |         | 0.044        | 0.0968      |
| 110    | 15521-91500 | STUD                | 4    |         |     |         | 0.035        | 0.077       |
| 120    | 02156-50080 | NUT                 | 4    |         |     |         | 0.004        | 0.0088      |
| 130    | 04512-60080 | WASHER SPRING       | 4    |         |     |         | 0.002        | 0.0044      |
| 140    | 04012-50080 | WASHER PLAIN        | 4    |         |     |         | 0.001        | 0.0022      |
| 150    | 05411-00528 | PIN SPRING          | 1    |         |     |         | 0.003        | 0.0066      |
| 160    | 15221-14430 | WASHER R-ARM.SHAFT  | 2    |         |     |         | 0.002        | 0.0044      |
| 170    | 15221-14310 | SPRING ROCKER ARM   | 3    |         |     |         | 0.005        | 0.011       |
| 175    | 04013-60080 | WASHER PLAIN        | 2    | ≥2A0001 |     |         | 0.002        | 0.0044      |
| 176    | 04512-60080 | WASHER SPRING       | 2    | ≥2A0001 |     |         | 0.002        | 0.0044      |
| 177    | 01153-50812 | BOLT                | 2    | ≥2A0001 |     |         | 0.008        | 0.0176      |
| 180    | 04612-00140 | CIR CLIP EXTERNAL   | 2    | ≤1Y2848 |     |         | 0.001        | 0.0022      |
| 190    | 15621-14030 | ASSY ROCKER ARM     | 8    |         |     |         | 0.1          | 0.22        |
| 200    | 15521-14230 | SCREW ADJUSTING     | 8    |         |     |         | 0.009        | 0.0198      |
| 210    | 15021-14240 | NUT                 | 8    |         |     |         | 0.003        | 0.0066      |



16493-011-11


**010 16475-1176-0**



**010**

**16493-808-10**









# UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-27746 | KIT GASKET UPPER     | 1    |       |     |         | 0            | 0           |
| 010    | 07916-27747 | KIT GASKET UPPER     | 1    |       | ↔   |         | 0            | 0           |
| 020    | 15221-33700 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 19077-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0.13         | 0.286       |
| 040    | 15221-13150 | SEAL VALVE STEM      | 8    |       |     |         | 0.001        | 0.0022      |
| 050    | 15841-53622 | GASKET               | 4    |       |     |         | 0.002        | 0.0044      |
| 060    | 19077-53650 | SEAL HEAT            | 4    |       |     |         | 0.005        | 0.011       |
| 070    | 15471-14520 | GASKET HEAD COVER    | 1    |       |     |         | 0.05         | 0.11        |
| 080    | 15021-33660 | GASKET               | 4    |       |     |         | 0.001        | 0.0022      |
| 090    | 16423-11820 | GASKET IN-MANIFOLUDO | 1    |       |     |         | 0.018        | 0.0396      |
| 100    | 15296-12350 | GASKET EX-MANIFOLD   | 1    |       |     |         | 0            | 0           |
| 100    | 1A091-12350 | GASKET EX-MANIFOLD   | 1    |       | ↔   |         | 0.02         | 0.044       |
| 110    | 15439-12350 | GASKET EX-MANIFOLD   | 1    |       |     |         | 0.02         | 0.044       |
| 110    | 1A091-12360 | GASKET EX-MANIFOLD   | 1    |       | ↔   |         | 0.02         | 0.044       |
| 120    | T0070-16420 | GASKET MUFFLER       | 1    |       |     |         | 0.016        | 0.0352      |
| 130    | 15766-72920 | GASKET WATER FLANGE  | 1    |       |     |         | 0            | 0           |
| 130    | 1A021-72920 | GASKET WATER FLANGE  | 1    |       | ↔   |         | 0.002        | 0.0044      |
| 140    | 15313-73270 | GASKET THERMOSTAT    | 1    |       |     |         | 0            | 0           |
| 140    | 1A021-73270 | GASKET THERMO.COVER  | 1    |       | ↔   |         | 0.001        | 0.0022      |



100 17118-0483-0



100


16478-800-10




# LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-27755 | KIT GASKET LOWER     | 1    |       |     |         | 0.3          | 0.66        |
| 010    | 07916-27756 | KIT GASKET LOWER     | 1    |       | ↔   |         | 0            | 0           |
| 020    | 15021-33660 | GASKET               | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 15296-35150 | GASKET OIL PUMP      | 1    |       |     |         | 0            | 0           |
| 030    | 1A021-35150 | GASKET OIL PUMP      | 1    |       | ↔   |         | 0.001        | 0.0022      |
| 040    | 15815-01620 | GASKET OIL PAN       | 1    |       |     |         | 0.03         | 0.066       |
| 050    | 15109-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 6C090-58960 | GASKET               | 2    |       | ←   |         | 0.002        | 0.0044      |
| 060    | 04811-00160 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04817-00160 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 070    | 04811-10300 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 19202-04140 | SEAL OIL             | 1    |       |     |         | 0.015        | 0.033       |
| 090    | 19077-04360 | GASKET BEARING CASE  | 1    |       |     |         | 0.004        | 0.0088      |
| 100    | 17118-04830 | GASKET BRG.CASE COV. | 1    |       |     |         | 0            | 0           |
| 100    | 1A091-04820 | GASKET CASE COVER    | 1    |       | ↔   |         | 0.006        | 0.0132      |
| 110    | 19202-04460 | SEAL OIL             | 1    |       |     |         | 0.055        | 0.121       |
| 120    | 15521-04790 | PACKING COVER        | 1    |       |     |         | 0.005        | 0.011       |
| 130    | 04811-00150 | O RING               | 3    |       |     |         | 0.001        | 0.0022      |
| 130    | 04817-00150 | O RING               | 2    |       | ←   |         | 0            | 0           |
| 140    | 04811-00200 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 04817-00200 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 150    | 04811-00360 | O RING               | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 04817-00360 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 160    | 17326-32620 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |
| 170    | 19202-96830 | O RING               | 1    |       |     |         | 0.01         | 0.022       |
| 180    | 17326-04132 | GASKET GEAR CASE     | 1    |       |     |         | 0.03         | 0.066       |
| 190    | 15766-73330 | GASKET WATER FLANGE  | 1    |       |     |         | 0            | 0           |
| 190    | 1A021-73330 | GASKET RETURN FLANGE | 1    |       | ↔   |         | 0.001        | 0.0022      |
| 200    | 15296-88130 | GASKET H/METER UNIT  | 1    |       |     |         | 0.002        | 0.0044      |
| 210    | 17326-73430 | GASKET WATER PUMP    | 1    |       |     |         | 0            | 0           |
| 210    | 1A021-73430 | GASKET WATER PUMP    | 1    |       | ↔   |         | 0.007        | 0.0154      |
| 220    | 15263-52140 | GASKET FUEL PUMP     | 1    |       |     |         | 0            | 0           |
| 220    | 1A021-52140 | GASKET FUEL PUMP     | 1    |       | ↔   |         | 0.001        | 0.0022      |
| 230    | 15401-96650 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 240    | 15021-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 250    | 15471-57980 | SEAL OIL             | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 15296-51660 | GASKET PUMP COVER    | 1    |       |     |         | 0            | 0           |
| 260    | 1A021-51660 | GASKET PUMP COVER    | 1    |       | ↔   |         | 0.003        | 0.0066      |
| 270    | 15601-96650 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 280    | 04811-00120 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 280    | 04817-00120 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 290    | 15439-57210 | GASKET               | 1    |       |     |         | 0.005        | 0.011       |



060 04512-50080  
070 02156-50080




TA140-837-10




## EXHAUST MANIFOLD/MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 17377-12312 | MANIFOLD EXHAUST   | 1    |         |     |         | 2.95         | 6.49        |
| 020    | T0070-16420 | GASKET MUFFLER     | 1    |         |     |         | 0.016        | 0.0352      |
| 030    | 15221-91530 | STUD               | 8    |         |     |         | 0.011        | 0.0242      |
| 040    | 15296-12350 | GASKET EX-MANIFOLD | 1    |         |     |         | 0            | 0           |
| 040    | 1A091-12350 | GASKET EX-MANIFOLD | 1    |         | ↔   |         | 0.02         | 0.044       |
| 050    | 15439-12350 | GASKET EX-MANIFOLD | 1    |         |     |         | 0.02         | 0.044       |
| 050    | 1A091-12360 | GASKET EX-MANIFOLD | 1    |         | ↔   |         | 0.02         | 0.044       |
| 060    | 04512-60080 | WASHER SPRING      | 8    | ≤71140  |     |         | 0.002        | 0.0044      |
| 070    | 02156-50080 | NUT                | 8    | ≤71140  |     |         | 0.004        | 0.0088      |
| 070    | 16429-92010 | NUT                | 8    | ≥71141  | ←   |         | 0.007        | 0.0154      |
| 080    | TA140-16410 | MUFFLER            | 1    | ≤2E4526 |     |         | 5.9          | 12.98       |
| 080    | TA140-16414 | MUFFLER            | 1    | ≥2G0001 | ←   |         | 5.9          | 12.98       |
| 090    | 01123-50822 | BOLT               | 4    | ≤1L0599 |     |         | 0.012        | 0.0264      |
| 090    | 01128-50825 | BOLT               | 4    | ≥1L0001 | ←   |         | 0            | 0           |



010 TA140-9320-0




TA140-817-10



**AIR CLEANER [ROPS TYPE] [OLD TYPE]**  
[S.No.;<=61549]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-93200 | ASSY CLEANER AIR(W) | 1    | <=52079 |     |         | 0            | 0           |
| 010    | TA140-93202 | ASSY CLEANER AIR(W) | 1    | >=52080 | ←   |         | 1.6          | 3.52        |
| 020    | TA140-93210 | COMP.BODY A/C       | 1    |         |     |         | 0.425        | 0.935       |
| 030    | TA040-93220 | ASSY ELEMENT INNER  | 1    |         |     |         | 0.195        | 0.429       |
| 040    | TA040-93230 | ASSY ELEMENT OUTER  | 1    |         |     |         | 0.56         | 1.232       |
| 050    | TA140-93240 | ASSY COVER A/C      | 1    |         |     |         | 0.305        | 0.671       |
| 060    | TA040-93250 | VALVE EVACUATOR     | 1    |         |     |         | 0.011        | 0.0242      |
| 070    | 15831-11090 | ASSY INDICATOR      | 1    |         |     |         | 0.03         | 0.066       |
| 080    | 01754-50816 | BOLT FLANGE         | 2    |         |     |         | 0.011        | 0.0242      |
| 090    | TA140-16350 | HOSE                | 1    |         |     |         | 0.105        | 0.231       |
| 100    | TA140-16340 | HOSE                | 1    | <=51354 |     |         | 0            | 0           |
| 100    | TA140-16342 | HOSE                | 1    | >=51355 | ←   |         | 0.08         | 0.176       |
| 110    | TA140-16330 | HOSE                | 1    |         |     |         | 0.515        | 1.133       |
| 120    | 15401-11720 | BAND PIPE           | 2    | <=50009 |     |         | 0.05         | 0.11        |
| 120    | 09318-89066 | CLAMP HOSE          | 2    | >=50010 | ←   |         | 0.036        | 0.0792      |
| 130    | TA140-16360 | COVER RETAINER      | 1    |         |     |         | 0.084        | 0.1848      |
| 140    | 09318-89063 | CLAMP HOSE          | 1    | <=50009 |     |         | 0.04         | 0.088       |
| 140    | 09318-89066 | CLAMP HOSE          | 1    | >=50010 | ←   |         | 0.036        | 0.0792      |
| 150    | 09318-89069 | CLAMP HOSE          | 1    |         |     |         | 0.04         | 0.088       |





| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-93202 | ASSY CLEANER AIR(W) | 1    |       |     |         | 1.6          | 3.52        |
| 020    | TA140-93210 | COMP.BODY A/C       | 1    |       |     |         | 0.425        | 0.935       |
| 030    | TA040-93220 | ASSY ELEMENT INNER  | 1    |       |     |         | 0.195        | 0.429       |
| 040    | TA040-93230 | ASSY ELEMENT OUTER  | 1    |       |     |         | 0.56         | 1.232       |
| 050    | TA140-93240 | ASSY COVER A/C      | 1    |       |     |         | 0.305        | 0.671       |
| 060    | TA040-93250 | VALVE EVACUATOR     | 1    |       |     |         | 0.011        | 0.0242      |
| 070    | 15831-11090 | ASSY INDICATOR      | 1    |       |     |         | 0.03         | 0.066       |
| 080    | 01754-50816 | BOLT FLANGE         | 2    |       |     |         | 0.011        | 0.0242      |
| 090    | TA150-16300 | HOSE                | 1    |       |     |         | 1.025        | 2.255       |
| 100    | 09318-89066 | CLAMP HOSE          | 1    |       |     |         | 0.036        | 0.0792      |
| 110    | 09318-89069 | CLAMP HOSE          | 1    |       |     |         | 0.04         | 0.088       |






## STOP SOLENOIDE/ENGINE STOP WIRE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15471-60010 | SOLENOID STOP     | 1    |       |     |         | 0.415        | 0.913       |
| 020    | 01125-60816 | BOLT              | 2    |       |     |         | 0.01         | 0.022       |
| 030    | 17331-60150 | LEVER STOP        | 1    |       |     |         | 0.025        | 0.055       |
| 040    | 15471-60162 | LEVER STOP        | 1    |       |     |         | 0.007        | 0.0154      |
| 050    | 04012-50060 | WASHER PLAIN      | 3    |       |     |         | 0.001        | 0.0022      |
| 060    | 05525-60600 | PIN SNAP          | 3    |       |     |         | 0.001        | 0.0022      |
| 070    | T0070-44214 | WIRE ENGINE STOP  | 1    |       |     |         | 0.11         | 0.242       |
| 080    | T0070-44260 | SCREW             | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 34070-44220 | HOLDER WIRE       | 1    |       |     |         | 0.02         | 0.044       |
| 100    | 01023-50620 | BOLT              | 1    |       |     |         | 0.006        | 0.0132      |
| 110    | 34070-44240 | PIN JOINT         | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 04011-50100 | WASHER PLAIN      | 1    |       |     |         | 0.002        | 0.0044      |
| 130    | 34550-44220 | BREAKER STOP WIRE | 1    |       |     |         | 0.008        | 0.0176      |
| 140    | 53581-64150 | BAND CORD         | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 02771-60100 | NUT FLANGE        | 1    |       |     |         | 0.01         | 0.022       |
| 160    | 02012-60060 | NUT               | 1    |       |     |         | 0.005        | 0.011       |





| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-49873 | GRIP                | 1    |       |     |         | 0.024        | 0.0528      |
| 020    | TA040-42814 | SHAFT ACCEL.CONTROL | 1    |       |     |         | 0.42         | 0.924       |
| 030    | T0070-45910 | SUPPORT ACCEL.LEVER | 1    |       |     |         | 0.025        | 0.055       |
| 040    | 01754-50816 | BOLT FLANGE         | 1    |       |     |         | 0.011        | 0.0242      |
| 050    | 04013-60120 | WASHER PLAIN        | 2    |       |     |         | 0.01         | 0.022       |
| 060    | 33251-10270 | CAP SPRING          | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 33251-10320 | SPRING ACCEL.LEVER  | 1    |       |     |         | 0.012        | 0.0264      |
| 080    | 02174-50120 | NUT                 | 2    |       |     |         | 0.01         | 0.022       |
| 090    | 34070-42820 | ROD CONNECTING      | 1    |       |     |         | 0.07         | 0.154       |
| 100    | 04012-50080 | WASHER PLAIN        | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 05511-50215 | PIN SPLIT           | 2    |       |     |         | 0.001        | 0.0022      |






ACCELERATOR LEVER [HST TYPE] [ROPS TYPE]  
[EXCEPT TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-49873 | GRIP                | 1    |       |     |         | 0.024        | 0.0528      |
| 020    | TA040-42814 | SHAFT ACCEL.CONTROL | 1    |       |     |         | 0.42         | 0.924       |
| 030    | T0070-45910 | SUPPORT ACCEL.LEVER | 1    |       |     |         | 0.025        | 0.055       |
| 040    | 01754-50816 | BOLT FLANGE         | 1    |       |     |         | 0.011        | 0.0242      |
| 050    | 04013-60120 | WASHER PLAIN        | 2    |       |     |         | 0.01         | 0.022       |
| 060    | 33251-10270 | CAP SPRING          | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 33251-10320 | SPRING ACCEL.LEVER  | 1    |       |     |         | 0.012        | 0.0264      |
| 080    | 02174-50120 | NUT                 | 2    |       |     |         | 0.01         | 0.022       |
| 090    | 34070-42820 | ROD CONNECTING      | 1    |       |     |         | 0.07         | 0.154       |
| 100    | 04012-50080 | WASHER PLAIN        | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 05511-50215 | PIN SPLIT           | 2    |       |     |         | 0.001        | 0.0022      |
| 120    | T0270-76400 | SPRING              | 1    |       |     |         | 0.018        | 0.0396      |
| 130    | T0270-76450 | LEVER ACCEL.LINK    | 1    |       |     |         | 0.175        | 0.385       |
| 140    | 67156-38220 | PIECE GUIDE         | 1    |       |     |         | 0.003        | 0.0066      |
| 150    | 36741-94450 | SPRING              | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 04011-50180 | WASHER PLAIN        | 1    |       |     |         | 0.012        | 0.0264      |
| 170    | 05511-50330 | PIN SPLIT           | 1    |       |     |         | 0.005        | 0.011       |




TA040-006-10








| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-42920 | ROD PEDAL       | 1    |       |     |         | 0.065        | 0.143       |
| 020    | 04012-50060 | WASHER PLAIN    | 2    |       |     |         | 0.001        | 0.0022      |
| 030    | 05511-50218 | PIN SPLIT       | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | TA040-42900 | ASSY ROD ACCEL. | 1    |       |     |         | 0.246        | 0.5412      |
| 050    | 02112-50080 | NUT             | 2    |       |     |         | 0.003        | 0.0066      |
| 060    | 04012-50080 | WASHER PLAIN    | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 04012-50060 | WASHER PLAIN    | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 05511-50218 | PIN SPLIT       | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 05511-51612 | PIN SPLIT       | 1    |       |     |         | 0.001        | 0.0022      |





↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0320-76070 | ASSY ROD ACCEL. | 1    |       |     |         | 0.265        | 0.583       |
| 020    | 02112-50080 | NUT             | 2    |       |     |         | 0.003        | 0.0066      |
| 030    | 04012-50080 | WASHER PLAIN    | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 04012-50060 | WASHER PLAIN    | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 05511-50218 | PIN SPLIT       | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 05511-51612 | PIN SPLIT       | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | T0070-76460 | CUSHION         | 1    |       |     |         | 0.006        | 0.0132      |




010 TA040-4200-3

010 TA040-4200-4


010 TA040-4200-5

010 TA040-4200-6



150 34070-4211-0

150 34070-4211-5




TA147-808-10




## FUEL TANK [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS                      | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|------------------------------|--------------|-------------|
| 005    | TA040-94400 | KIT FUEL TANK      | 1    | <=71951 |     |                              | 0            | 0           |
| 010    | TA040-42003 | ASSY TANK FUEL     | 1    | <=50519 |     | NOT SALE ORDER BY REF.No.005 | 0            | 0           |
| 010    | TA040-42004 | ASSY TANK FUEL     | 1    | >=50520 | ←   | NOT SALE ORDER BY REF.No.005 | 7            | 15.4        |
| 010    | TA040-42005 | ASSY TANK FUEL     | 1    | >=71805 | ←   | NOT SALE ORDER BY REF.No.005 | 7            | 15.4        |
| 010    | TA040-42006 | ASSY TANK FUEL     | 1    | >=71924 | ←   | NOT SALE ORDER BY REF.No.005 | 7            | 15.4        |
| 010    | TA040-42007 | ASSY TANK FUEL     | 1    | >=71952 | ←   | NOT SALE ORDER BY REF.No.005 | 7            | 15.4        |
| 020    | 61191-54720 | ASSY CAP FUEL TANK | 1    |         |     |                              | 0.09         | 0.198       |
| 030    | 61191-54740 | GASKET TANK CAP    | 1    |         |     |                              | 0.01         | 0.022       |
| 040    | 31351-13820 | CUSHION BATTERY    | 1    |         |     |                              | 0.015        | 0.033       |
| 050    | 01754-50816 | BOLT FLANGE        | 2    |         |     |                              | 0.011        | 0.0242      |
| 060    | 04015-60080 | WASHER PLAIN       | 2    |         |     |                              | 0.01         | 0.022       |
| 070    | 04011-50140 | WASHER PLAIN       | 2    |         |     |                              | 0.007        | 0.0154      |
| 080    | 34070-42060 | CUSHION            | 2    |         |     |                              | 0.005        | 0.011       |
| 090    | 34070-42070 | SPACER             | 2    |         |     |                              | 0.07         | 0.154       |
| 100    | 01123-50875 | BOLT               | 2    |         |     |                              | 0.04         | 0.088       |
| 110    | T0070-42513 | SHUTTER            | 1    |         |     |                              | 0.03         | 0.066       |
| 120    | T0070-42523 | SHUTTER            | 1    |         |     |                              | 0.019        | 0.0418      |
| 130    | T0070-42532 | SHUTTER            | 1    |         |     |                              | 0.015        | 0.033       |
| 140    | T0120-42150 | PLATE FUEL TANK    | 1    |         |     |                              | 0.08         | 0.176       |
| 150    | 34070-42110 | PLATE SHUTTER      | 1    | <=50258 |     | NOT SALE ORDER BY REF.No.005 | 0            | 0           |
| 150    | 34070-42115 | PLATE SHUTTER      | 1    | >=50259 | ←   | NOT SALE ORDER BY REF.No.005 | 3            | 6.6         |
| 150    | 34070-42116 | PLATE SHUTTER      | 1    | >=71952 | ←   |                              | 0            | 0           |
| 160    | 34070-42260 | CUSHION            | 4    |         |     |                              | 0.005        | 0.011       |




030 14301-4275-0



100 34530-4261-2

120 35080-3556-0

140 14301-4275-0




TA129-804-11



## FUEL PIPE AND FUEL FILTER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|--------------------------------------|--------------|-------------|
| 010    | 15521-43015 | ASSY FILTER FUEL | 1    |        |     | REFER TO L.No.1D09-L FOR COMPONENTS. | 0.59         | 1.298       |
| 020    | 34530-42620 | ASSY TUBE FUEL   | 1    |        |     |                                      | 0.055        | 0.121       |
| 030    | 14301-42750 | CLIP PIPE        | 2    | ≤71717 |     |                                      | 0.005        | 0.011       |
| 030    | 09318-88125 | CLAMP HOSE       | 2    | ≥71718 | ←   |                                      | 0.001        | 0.0022      |
| 040    | 34530-42670 | TUBE             | 1    |        |     |                                      | 0.01         | 0.022       |
| 050    | 09661-80300 | TUBE FUEL        | 1    |        |     |                                      | 0.04         | 0.088       |
| 060    | 32751-42640 | ASSY TUBE FUEL   | 1    |        |     |                                      | 0.06         | 0.132       |
| 070    | 09661-50750 | TUBE FUEL        | 1    |        |     |                                      | 0            | 0           |
| 080    | 14971-42750 | CLIP PIPE        | 2    |        |     |                                      | 0.001        | 0.0022      |
| 090    | 01123-50825 | BOLT             | 2    |        |     |                                      | 0.013        | 0.0286      |
| 100    | 34530-42612 | ASSY TUBE FUEL   | 1    |        |     |                                      | 0.08         | 0.176       |
| 110    | 09661-80450 | PIPE FUEL        | 1    |        |     |                                      | 0.055        | 0.121       |
| 120    | 35080-35560 | CLIP PIPE        | 1    | ≤72985 |     |                                      | 0.005        | 0.011       |
| 130    | 34530-42710 | TUBE             | 1    |        |     |                                      | 0.01         | 0.022       |
| 140    | 14301-42750 | CLIP PIPE        | 1    | ≤72985 |     |                                      | 0.005        | 0.011       |
| 140    | 14911-42750 | CLIP PIPE        | 2    | ≥72986 | ←   |                                      | 0.002        | 0.0044      |
| 150    | 34070-42633 | ASSY TUBE FUEL   | 1    |        |     |                                      | 0.025        | 0.055       |
| 160    | 09661-40400 | TUBE FUEL        | 1    |        |     |                                      | 0.02         | 0.044       |
| 170    | 14971-42750 | CLIP PIPE        | 2    |        |     |                                      | 0.001        | 0.0022      |



**FUEL FILTER [COMPONENT PARTS]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight<br>(kgf) | Weight<br>(lb) |
|--------|-------------|-------------------|------|-------|-----|---------|-----------------|----------------|
| 010    | 15521-43015 | ASSY FILTER FUEL  | 1    |       |     |         | 0.59            | 1.298          |
| 020    | 15521-43114 | ASSY BODY         | 1    |       |     |         | 0.235           | 0.517          |
| 030    | 15521-43522 | HANDLE FILTER     | 1    |       |     |         | 0.04            | 0.088          |
| 040    | 15521-43672 | GASKET            | 1    |       |     |         | 0.001           | 0.0022         |
| 050    | 15521-43552 | RETAINER HANDLE   | 1    |       |     |         | 0.01            | 0.022          |
| 060    | 15521-43542 | PLATE THRUST      | 1    |       |     |         | 0.001           | 0.0022         |
| 070    | 04811-10290 | O RING            | 1    |       |     |         | 0.001           | 0.0022         |
| 080    | 03054-50308 | SCREW PAN-HEAD    | 2    |       |     |         | 0.005           | 0.011          |
| 090    | 15521-43150 | RING RETAINER     | 1    |       |     |         | 0.14            | 0.308          |
| 100    | 15521-43100 | ASSY CUP FILTER   | 1    |       |     |         | 0.05            | 0.11           |
| 105    | 15521-43130 | CUP FILTER        | 1    |       |     |         | 0.1             | 0.22           |
| 110    | 16873-88430 | LABEL FUEL FILTER | 1    |       |     |         | 0.001           | 0.0022         |
| 120    | 15521-43160 | ELEMENT FILTER    | 1    |       |     |         | 0.07            | 0.154          |
| 130    | 04811-50650 | O RING            | 1    |       |     |         | 0.002           | 0.0044         |
| 140    | 15521-43930 | SPRING            | 1    |       |     |         | 0.004           | 0.0088         |
| 150    | 04811-00160 | O RING            | 1    |       |     |         | 0.001           | 0.0022         |




TA040-010-10




















120 02056-50060

130 04512-60060




TA120-831-10



## ALTERNATOR [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|--------------------------------------|--------------|-------------|
| 010    | TA040-74020 | STAY ALTERNATOR  | 1    |         |     |                                      | 0.09         | 0.198       |
| 020    | 17371-74280 | PULLEY FAN DRIVE | 1    |         |     |                                      | 0.98         | 2.156       |
| 030    | 05712-00720 | KEY FEATHER      | 1    |         |     |                                      | 0.008        | 0.0176      |
| 040    | 34070-75602 | ASSY ALTERNATOR  | 1    | <=72871 |     | REFER TO L.No.1D14-L FOR COMPONENTS. | 0            | 0           |
| 050    | 01173-51000 | BOLT             | 1    |         |     |                                      | 0.06         | 0.132       |
| 060    | 02116-50100 | NUT              | 1    |         |     |                                      | 0.004        | 0.0088      |
| 070    | 04512-60100 | WASHER SPRING    | 1    |         |     |                                      | 0.002        | 0.0044      |
| 080    | 04011-50100 | WASHER PLAIN     | 1    |         |     |                                      | 0.002        | 0.0044      |
| 090    | 01153-60830 | BOLT             | 1    |         |     |                                      | 0.025        | 0.055       |
| 100    | 04015-60080 | WASHER PLAIN     | 1    |         |     |                                      | 0.01         | 0.022       |
| 110    | 04512-60080 | WASHER SPRING    | 1    |         |     |                                      | 0.002        | 0.0044      |
| 120    | 02056-50060 | NUT              | 1    | <=73349 |     |                                      | 0.002        | 0.0044      |
| 120    | 12264-92020 | NUT SPRING       | 1    | >=73350 | ←   |                                      | 0.05         | 0.11        |
|        |             | WASHER M         |      |         |     |                                      |              |             |
| 130    | 04512-60060 | WASHER SPRING    | 1    | <=73349 |     |                                      | 0.001        | 0.0022      |






**ALTERNATOR [COMPONENT PARTS] [ROPS TYPE]**  
[EXCEPT TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 34070-75602 | ASSY ALTERNATOR      | 1    | ≤72871 |     |          | 0            | 0           |
| 020    | 16427-64110 | PULLEY ALTERNATOR    | 1    |        |     |          | 0.2          | 0.44        |
| 030    | 15881-92010 | NUT                  | 1    |        |     |          | 0.02         | 0.044       |
| 040    | 15881-64150 | COLLAR               | 1    |        |     |          | 0.004        | 0.0088      |
| 050    | 15881-64040 | ROTOR                | 1    | ≤72871 |     | NOT SALE | 1.2          | 2.64        |
| 050    | 66436-64040 | ROTOR                | 1    | ≥72872 | ←   |          | 1.2          | 2.64        |
| 060    | 15881-64800 | COVER BEARING        | 1    |        |     |          | 0.001        | 0.0022      |
| 070    | 15881-64770 | BEARING BALL         | 1    | ≤72871 |     |          | 0.04         | 0.088       |
| 070    | 16652-64770 | BEARING BALL         | 1    | ≥72872 | ←   |          | 0.045        | 0.099       |
| 080    | 15881-64810 | WASHER THRUST        | 1    |        |     |          | 0.002        | 0.0044      |
| 090    | 15881-64020 | FRAME DRIVE END      | 1    | ≤72871 |     |          | 1.2          | 2.64        |
| 090    | 16678-64020 | ASSY FRAME DRIVE END | 1    | ≥72872 | ≠   |          | 0            | 0           |
| 100    | 15881-64710 | PLATE RETAINER       | 1    |        |     |          | 0.01         | 0.022       |
| 110    | 15881-93010 | SCREW ROUND HEAD     | 4    |        |     |          | 0.003        | 0.0066      |
| 120    | 15881-64260 | BOLT THROUGH         | 2    |        |     |          | 0.01         | 0.022       |
| 130    | 15881-64780 | BEARING BALL         | 1    | ≤72871 |     |          | 0.05         | 0.11        |
| 130    | 16652-64770 | BEARING BALL         | 1    | ≥72872 | ←   |          | 0.045        | 0.099       |
| 140    | 16241-64060 | FRAME END            | 1    |        |     |          | 0.2          | 0.44        |
| 150    | 16241-64230 | COVER END            | 1    | ≤72871 |     |          | 0.035        | 0.077       |
| 150    | 16231-64230 | COVER END            | 1    | ≥72872 | ≠   |          | 0.035        | 0.077       |
| 160    | 16241-64850 | ASSY RECTIFIER       | 1    |        |     |          | 0.16         | 0.352       |
| 170    | 16241-64900 | BUSH INSULATION      | 1    |        |     |          | 0.007        | 0.0154      |
| 180    | 15881-64310 | HOLDER BRUSH         | 1    | ≤72871 |     |          | 0.025        | 0.055       |
| 180    | 16652-64310 | HOLDER BRUSH         | 1    | ≥72872 | ≠   |          | 0.025        | 0.055       |
| 190    | 15881-64090 | BRUSH                | 2    |        |     |          | 0.002        | 0.0044      |
| 200    | 15881-64330 | SPRING BRUSH         | 2    |        |     |          | 0.002        | 0.0044      |
| 210    | 15881-93020 | SCREW ROUND HEAD     | 2    |        |     |          | 0.005        | 0.011       |
| 220    | 15881-93030 | SCREW ROUND HEAD     | 6    |        |     |          | 0.003        | 0.0066      |
| 230    | 15881-93040 | SCREW ROUND HEAD     | 1    |        |     |          | 0.003        | 0.0066      |
| 240    | 15881-91040 | BOLT                 | 3    |        |     |          | 0.005        | 0.011       |
| 250    | 15881-92020 | NUT                  | 2    |        |     |          | 0.02         | 0.044       |
| 260    | 15881-91050 | BOLT                 | 2    |        |     |          | 0.01         | 0.022       |
| 270    | 14182-92030 | NUT                  | 1    |        |     |          | 0.003        | 0.0066      |
| 280    | 66436-64600 | ASSY REGULATOR       | 1    |        |     |          | 0.08         | 0.176       |



TA040-015-11








## STARTER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-------------------|--------------|-------------|
| 010    | 17341-63010 | ASSY STARTER         | 1    |        |     |                   | 3.65         | 8.03        |
| 020    | 11197-63080 | ASSY YOKE            | 1    |        |     |                   | 0.92         | 2.024       |
| 030    | 11197-63070 | ASSY ARMATURE        | 1    |        |     |                   | 0.8          | 1.76        |
| 040    | 11460-63500 | BEARING              | 1    |        |     |                   | 0.03         | 0.066       |
| 050    | 11460-63530 | BEARING              | 1    |        |     |                   | 0.02         | 0.044       |
| 060    | 17341-63040 | CLUTCH OVER RUNNING  | 1    |        |     |                   | 0.2          | 0.44        |
| 065    | 17381-63280 | PINION BEVEL         | 1    |        |     |                   | 0.07         | 0.154       |
| 070    | 17341-63030 | FRAME DRIVE END      | 1    |        |     |                   | 0.44         | 0.968       |
| 080    | 11173-63020 | ASSY SWITCH MAGNETIC | 1    | ≤50258 |     | ND No.228000-1080 | 0.2          | 0.44        |
| 080    | 15621-63020 | ASSY SWITCH MAGNETIC | 1    | ≥50259 | ≠   | ND No.228000-1081 | 1.17         | 2.574       |
| 090    | 99999-99999 | BLANK                | 0    |        |     |                   | 0            | 0           |
| 100    | 17341-63200 | FRAME END            | 1    |        |     |                   | 0.13         | 0.286       |
| 110    | 17381-63380 | ASSY HOLDER BRUSH    | 1    |        |     |                   | 0.05         | 0.11        |
| 120    | 15401-63390 | SPRING BRUSH         | 4    |        |     |                   | 0.003        | 0.0066      |
| 130    | 11460-63270 | GEAR                 | 1    |        |     |                   | 0.04         | 0.088       |
| 140    | 11460-63110 | RETAINER             | 1    |        |     |                   | 0.01         | 0.022       |
| 150    | 19212-63100 | ROLLER               | 5    |        |     |                   | 0.002        | 0.0044      |
| 160    | 19212-97130 | BALL                 | 1    |        |     |                   | 0.003        | 0.0066      |
| 170    | 11460-63120 | SPRING               | 1    |        |     |                   | 0.01         | 0.022       |
| 180    | 11460-93310 | BOLT                 | 2    |        |     |                   | 0.01         | 0.022       |
| 190    | 15511-96660 | O RING               | 2    |        |     |                   | 0.005        | 0.011       |
| 200    | 15511-63760 | ASSY BOLT            | 2    |        |     |                   | 0.005        | 0.011       |
| 210    | 16285-63570 | PIPE DRAIN           | 1    |        |     |                   | 0.005        | 0.011       |
| 220    | 13963-92010 | NUT HEXAGON          | 1    |        |     |                   | 0.005        | 0.011       |
| 230    | 11197-63320 | BOLT                 | 2    |        |     |                   | 0.02         | 0.044       |
| 240    | 04512-50080 | WASHER SPRING        | 1    |        |     |                   | 0            | 0           |
| 250    | 99999-99999 | BLANK                | 0    |        |     |                   | 0            | 0           |
| 260    | 16285-92010 | NUT HEXAGON          | 1    |        |     |                   | 0.005        | 0.011       |
| 270    | 04512-60080 | WASHER SPRING        | 1    |        |     |                   | 0.002        | 0.0044      |
| 280    | 11173-63130 | COVER TERMINAL       | 1    |        |     |                   | 0.007        | 0.0154      |
| 290    | 16285-98050 | ASSY COVER           | 1    |        |     |                   | 0.048        | 0.1056      |






## BATTERY [ROPS TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|-----------|--------------|-------------|
| 010    | 99999-99999 | BATTERY          | 1    |        |     | 80D26R-MF | 0            | 0           |
| 020    | TA040-30150 | LABEL BATTERY    | 1    |        |     | ENGLISH   | 0.002        | 0.0044      |
| 020    | TA041-30150 | LABEL BATTERY    | 1    |        |     | FRENCH    | 0.005        | 0.011       |
| 030    | TA040-30160 | CAP BATTERY      | 6    |        |     |           | 0.01         | 0.022       |
| 040    | TA240-30120 | CORD BATTERY     | 1    |        |     |           | 0.485        | 1.067       |
| 050    | T0070-30130 | CAP              | 1    |        |     |           | 0.015        | 0.033       |
| 060    | T0070-30140 | CAP              | 1    |        |     |           | 0.012        | 0.0264      |
| 070    | TA140-33340 | CORD EARTH       | 1    |        |     |           | 0.17         | 0.374       |
| 080    | 04015-60080 | WASHER PLAIN     | 1    |        |     |           | 0.01         | 0.022       |
| 090    | 55311-41260 | BAND CORD        | 2    |        |     |           | 0.007        | 0.0154      |
| 100    | 34550-40110 | RETAINER BATTERY | 1    | ≤50935 |     |           | 0.325        | 0.715       |
| 100    | 34070-40110 | RETAINER BATTERY | 1    | ≥50936 | ≠   |           | 0.285        | 0.627       |
| 110    | 38240-33295 | BOLT HOOK        | 2    |        |     |           | 0.05         | 0.11        |
| 120    | 04015-60060 | WASHER PLAIN     | 2    |        |     |           | 0.005        | 0.011       |
| 130    | 76611-56730 | NUT LOCK         | 2    |        |     |           | 0.005        | 0.011       |
| 130    | 02552-50060 | NUT LOCK         | 2    |        | ←   |           | 0.002        | 0.0044      |





| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0070-31410 | TIMER KEY STOP       | 1    |       |     |         | 0.065        | 0.143       |
| 020    | 16415-65660 | CONTROLLER           | 1    |       |     |         | 0.07         | 0.154       |
| 030    | 16415-65600 | RELAY GLOW           | 1    |       |     |         | 0.1          | 0.22        |
| 040    | 01754-50616 | BOLT FLANGE          | 2    |       |     |         | 0.006        | 0.0132      |
| 050    | 02751-50060 | NUT FLANGE           | 2    |       |     |         | 0.005        | 0.011       |
| 060    | 35800-75070 | RELAY STARTER        | 1    |       |     |         | 0.08         | 0.176       |
| 070    | 01754-50616 | BOLT FLANGE          | 1    |       |     |         | 0.006        | 0.0132      |
| 080    | 02751-50060 | NUT FLANGE           | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 32400-33700 | UNIT HAZARD          | 1    |       |     |         | 0.07         | 0.154       |
| 100    | 34670-31820 | SWITCH MAIN          | 1    |       |     |         | 0            | 0           |
| 110    | TA040-76630 | SWITCH COMBINATION   | 1    |       |     |         | 0.09         | 0.198       |
| 120    | 37500-55212 | SWITCH HAZARD        | 1    |       |     |         | 0.02         | 0.044       |
| 130    | 36919-75030 | RELAY                | 3    |       |     |         | 0.038        | 0.0836      |
| 140    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |       |     |         | 0.02         | 0.044       |






**SWITCH 1 [EXCEPT HST TYPE] [ROPS TYPE] [NEW TYPE]**  
**[EXCEPTE TYPE CABINE] [TYPE NOUVEAU] [S.No.;>=51881]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | T0070-31410 | TIMER KEY STOP       | 1    |         |     |         | 0.065        | 0.143       |
| 020    | 16415-65660 | CONTROLLER           | 1    |         |     |         | 0.07         | 0.154       |
| 030    | 16415-65600 | RELAY GLOW           | 1    |         |     |         | 0.1          | 0.22        |
| 040    | 01754-50616 | BOLT FLANGE          | 2    |         |     |         | 0.006        | 0.0132      |
| 050    | 02751-50060 | NUT FLANGE           | 2    |         |     |         | 0.005        | 0.011       |
| 060    | 35800-75070 | RELAY STARTER        | 1    |         |     |         | 0.08         | 0.176       |
| 070    | 01754-50616 | BOLT FLANGE          | 1    |         |     |         | 0.006        | 0.0132      |
| 080    | 02751-50060 | NUT FLANGE           | 1    |         |     |         | 0.005        | 0.011       |
| 090    | 3F240-75430 | UNIT FLASHER         | 1    |         |     |         | 0.06         | 0.132       |
| 100    | 34670-31820 | SWITCH MAIN          | 1    | <=60458 |     |         | 0            | 0           |
| 100    | 34670-31822 | SWITCH MAIN          | 1    | >=60459 | ←   |         | 0.26         | 0.572       |
| 110    | TA040-76630 | SWITCH COMBINATION   | 1    | <=60079 |     |         | 0.09         | 0.198       |
| 110    | 3A751-75010 | SWITCH COMBINATION   | 1    | >=60080 | ←   |         | 0.115        | 0.253       |
| 120    | TA140-30910 | SWITCH HAZARD        | 1    |         |     |         | 0.115        | 0.253       |
| 130    | 99999-99999 | BLANK                | 0    |         |     |         | 0            | 0           |
| 140    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |         |     |         | 0.02         | 0.044       |





| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0070-31410 | TIMER KEY STOP       | 1    |       |     |         | 0.065        | 0.143       |
| 020    | 16415-65660 | CONTROLLER           | 1    |       |     |         | 0.07         | 0.154       |
| 030    | 16415-65600 | RELAY GLOW           | 1    |       |     |         | 0.1          | 0.22        |
| 040    | 01754-50616 | BOLT FLANGE          | 2    |       |     |         | 0.006        | 0.0132      |
| 050    | 02751-50060 | NUT FLANGE           | 2    |       |     |         | 0.005        | 0.011       |
| 060    | 35800-75070 | RELAY STARTER        | 1    |       |     |         | 0.08         | 0.176       |
| 070    | 01754-50616 | BOLT FLANGE          | 1    |       |     |         | 0.006        | 0.0132      |
| 080    | 02751-50060 | NUT FLANGE           | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 32400-33700 | UNIT HAZARD          | 1    |       |     |         | 0.07         | 0.154       |
| 100    | 34670-31820 | SWITCH MAIN          | 1    |       |     |         | 0            | 0           |
| 110    | TA040-76630 | SWITCH COMBINATION   | 1    |       |     |         | 0.09         | 0.198       |
| 120    | 37500-55212 | SWITCH HAZARD        | 1    |       |     |         | 0.02         | 0.044       |
| 130    | 36919-75030 | RELAY                | 3    |       |     |         | 0.038        | 0.0836      |
| 140    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |       |     |         | 0.02         | 0.044       |







**SWITCH 1 [HST TYPE] [ROPS TYPE] [NEW TYPE]**  
 [TYPE NOUVEAU] [S.No.;=>51881]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | T0070-31410 | TIMER KEY STOP       | 1    |         |     |         | 0.065        | 0.143       |
| 020    | 16415-65660 | CONTROLLER           | 1    |         |     |         | 0.07         | 0.154       |
| 030    | 16415-65600 | RELAY GLOW           | 1    |         |     |         | 0.1          | 0.22        |
| 040    | 01754-50616 | BOLT FLANGE          | 2    |         |     |         | 0.006        | 0.0132      |
| 050    | 02751-50060 | NUT FLANGE           | 2    |         |     |         | 0.005        | 0.011       |
| 060    | 35800-75070 | RELAY STARTER        | 1    |         |     |         | 0.08         | 0.176       |
| 070    | 01754-50616 | BOLT FLANGE          | 1    |         |     |         | 0.006        | 0.0132      |
| 080    | 02751-50060 | NUT FLANGE           | 1    |         |     |         | 0.005        | 0.011       |
| 090    | 3F240-75430 | UNIT FLASHER         | 1    |         |     |         | 0.06         | 0.132       |
| 100    | 34670-31820 | SWITCH MAIN          | 1    | <=60458 |     |         | 0            | 0           |
| 100    | 34670-31822 | SWITCH MAIN          | 1    | >=60459 | ←   |         | 0.26         | 0.572       |
| 110    | TA040-76630 | SWITCH COMBINATION   | 1    | <=60079 |     |         | 0.09         | 0.198       |
| 110    | 3A751-75010 | SWITCH COMBINATION   | 1    | >=60080 | ←   |         | 0.115        | 0.253       |
| 120    | TA140-30910 | SWITCH HAZARD        | 1    |         |     |         | 0.115        | 0.253       |
| 130    | 99999-99999 | BLANK                | 0    |         |     |         | 0            | 0           |
| 140    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |         |     |         | 0.02         | 0.044       |
| 150    | 37150-32240 | SWITCH SAFETY        | 1    | >=70001 |     |         | 0.12         | 0.264       |






| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15531-39010 | SWITCH OIL        | 1    |       |     |         | 0.032        | 0.0704      |
| 020    | 31351-32830 | SENSOR THERMO     | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 16415-83040 | SENSOR THERMO     | 1    |       |     |         | 0.03         | 0.066       |
| 040    | 15109-33660 | GASKET            | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | TA040-43900 | SWITCH LEVER      | 2    |       |     |         | 0.008        | 0.0176      |
| 060    | 03024-50414 | SCREW WITH WASHER | 2    |       |     |         | 0.002        | 0.0044      |
| 070    | TA040-31202 | ASSY GAUGE FUEL   | 1    |       |     |         | 0.505        | 1.111       |
| 080    | 34070-31220 | GASKET            | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 03024-50512 | SCREW WITH WASHER | 5    |       |     |         | 0.003        | 0.0066      |
| 100    | TA040-43900 | SWITCH LEVER      | 1    |       |     |         | 0.008        | 0.0176      |
| 110    | 03024-50416 | SCREW WITH WASHER | 1    |       |     |         | 0.002        | 0.0044      |




100 52320-4290-0

110 67111-5583-0



110 67111-5583-0




TA140-836-10



## SWITCH 2 [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 15531-39010 | SWITCH OIL         | 1    |        |     |         | 0.032        | 0.0704      |
| 020    | 31351-32830 | SENSOR THERMO      | 1    |        |     |         | 0.02         | 0.044       |
| 030    | 16415-83040 | SENSOR THERMO      | 1    |        |     |         | 0.03         | 0.066       |
| 040    | 15109-33660 | GASKET             | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | TA040-43900 | SWITCH LEVER       | 2    |        |     |         | 0.008        | 0.0176      |
| 060    | 03024-50414 | SCREW WITH WASHER  | 2    |        |     |         | 0.002        | 0.0044      |
| 070    | TA040-31202 | ASSY GAUGE FUEL    | 1    |        |     |         | 0.505        | 1.111       |
| 080    | 34070-31220 | GASKET             | 1    |        |     |         | 0.01         | 0.022       |
| 090    | 03024-50512 | SCREW WITH WASHER  | 5    |        |     |         | 0.003        | 0.0066      |
| 100    | 52320-42900 | ASSY SWITCH SAFETY | 1    | ≤61868 |     |         | 0.1          | 0.22        |
| 100    | TA240-53900 | SWITCH SAFETY      | 1    | ≥70001 | ≠   |         | 0.062        | 0.1364      |
| 110    | 67111-55830 | NUT SAFETY SWITCH  | 2    | ≤61868 |     |         | 0.035        | 0.077       |
| 110    | 67111-55830 | NUT SAFETY SWITCH  | 1    | ≥70001 |     |         | 0.035        | 0.077       |
| 110    | 67111-55830 | NUT SAFETY SWITCH  | 1    | ≤71140 |     |         | 0.035        | 0.077       |
| 120    | 67111-55840 | CAP SAFETY SWITCH  | 1    |        |     |         | 0.002        | 0.0044      |






## PANEL BOARD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|--------------------------------------|--------------|-------------|
| 010    | TA140-30210 | ASSY PANEL          | 1    |        |     | REFER TO L.No.1E08-R FOR COMPONENTS. | 1.72         | 3.784       |
| 020    | TA040-30610 | ASSY CABLE FLEXIBLE | 1    |        |     |                                      | 0.25         | 0.55        |
| 030    | 04811-10080 | O RING              | 1    |        |     |                                      | 0.001        | 0.0022      |
| 040    | 34070-30190 | PLATE PANEL         | 1    |        |     |                                      | 0.15         | 0.33        |
| 050    | 03514-50414 | SCREW TAPPING       | 6    |        |     |                                      | 0.001        | 0.0022      |
| 060    | 34070-99410 | SEAL PANEL          | 2    | ≤72849 |     |                                      | 0            | 0           |
| 060    | 34070-99412 | SEAL PANEL          | 2    | ≥72850 | ←   |                                      | 0            | 0           |
| 070    | 34070-41110 | BOLT SET            | 2    |        |     |                                      | 0.01         | 0.022       |
| 080    | 31391-31140 | SCREW               | 2    |        |     |                                      | 0.01         | 0.022       |
| 090    | 37410-54990 | SCREW               | 2    |        |     |                                      | 0.003        | 0.0066      |
| 100    | 04013-60040 | WASHER PLAIN        | 2    |        |     |                                      | 0.002        | 0.0044      |






# PANEL BOARD [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-30210 | ASSY PANEL         | 1    |       |     |         | 1.72         | 3.784       |
| 020    | TA040-76620 | HOOD PANEL         | 1    |       |     |         | 0.5          | 1.1         |
| 030    | TA040-30220 | ASSY TACHOMETER    | 1    |       |     |         | 0.22         | 0.484       |
| 040    | TA040-30230 | ASSY METER FUEL    | 1    |       |     |         | 0.08         | 0.176       |
| 050    | TA040-30240 | ASSY THERMOMETER   | 1    |       |     |         | 0.08         | 0.176       |
| 060    | TA140-30250 | CASE               | 1    |       |     |         | 0.846        | 1.8612      |
| 070    | 34070-30260 | GLASS              | 1    |       |     |         | 0.485        | 1.067       |
| 080    | TA040-30270 | ASSY PLATE         | 1    |       |     |         | 0.135        | 0.297       |
| 090    | 38240-31460 | ASSY LAMP ELECTRIC | 9    |       |     |         | 0.015        | 0.033       |
| 100    | 38240-31470 | BULB               | 9    |       |     | 3.4W    | 0.01         | 0.022       |
| 110    | 38240-31480 | SOCKET             | 9    |       |     |         | 0.001        | 0.0022      |
| 120    | 34070-30280 | PLATE WINDOW       | 1    |       |     |         | 0.21         | 0.462       |
| 130    | 34070-30170 | LENS               | 2    |       |     |         | 0.005        | 0.011       |
| 140    | 66426-81100 | WASHER PLAIN       | 5    |       |     |         | 0.001        | 0.0022      |
| 150    | 04512-60040 | WASHER SPRING      | 5    |       |     |         | 0.002        | 0.0044      |
| 160    | 02054-50040 | NUT                | 5    |       |     |         | 0.001        | 0.0022      |
| 170    | 32530-94900 | SCREW WITH WASHER  | 2    |       |     |         | 0.002        | 0.0044      |
| 180    | 03514-50425 | SCREW TAPPING      | 10   |       |     |         | 0.001        | 0.0022      |
| 190    | 35533-76230 | SCREW WITH WASHER  | 1    |       |     |         | 0.002        | 0.0044      |
| 200    | 34070-30290 | SCREW TAPPING      | 2    |       |     |         | 0.01         | 0.022       |



010 T0270-9906-0

040 T0270-9910-0




TA140-819-10



**LIGHT 1 [ROPS TYPE] [OLD TYPE]**  
S.No.;<=73226

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | T0270-99060 | ASSY LIGHT HEAD   | 1    | <=61667 |     |         | 0.8          | 1.76        |
| 010    | TA140-99060 | ASSY LIGHT HEAD   | 1    | >=61668 | ≠   |         | 0.68         | 1.496       |
| 020    | 34070-99010 | BULB              | 2    |         |     | 25W     | 0.02         | 0.044       |
| 030    | T0270-99090 | ASSY WIRE HARNESS | 1    |         |     |         | 0.05         | 0.11        |
| 040    | T0270-99100 | UNIT LAMP         | 1    | <=61667 |     |         | 0.715        | 1.573       |
| 040    | TA140-99100 | UNIT LAMP         | 1    | >=61668 | ≠   |         | 0.6          | 1.32        |
| 045    | TA140-49500 | MARK SYMBOL       | 1    | >=61668 |     |         | 0.013        | 0.0286      |
| 050    | T0270-99070 | GRILLE LIGHT RH   | 1    |         |     |         | 0.125        | 0.275       |
| 060    | T0270-99080 | GRILLE LIGHT LH   | 1    |         |     |         | 0.125        | 0.275       |
| 070    | 30400-19060 | BOLT FLANGE       | 2    |         |     |         | 0.006        | 0.0132      |
| 080    | 02761-50050 | NUT FLANGE        | 4    |         |     |         | 0.005        | 0.011       |
| 090    | 02751-50060 | NUT FLANGE        | 2    |         |     |         | 0.005        | 0.011       |
| 100    | 32530-33610 | ASSY LIGHT HAZARD | 2    |         |     |         | 0.5          | 1.1         |
| 110    | 32530-91510 | LENS HAZARD LIGHT | 4    |         |     |         | 0.085        | 0.187       |
| 120    | 32530-91520 | SCREW TAPPING     | 12   |         |     |         | 0.001        | 0.0022      |
| 130    | 32530-91530 | BULB LIGHT        | 2    |         |     | 27W     | 0.02         | 0.044       |
| 140    | 02114-50100 | NUT               | 2    |         |     |         | 0.005        | 0.011       |
| 150    | 04411-50100 | WASHER SPRING     | 2    |         |     |         | 0.001        | 0.0022      |
| 160    | TA040-30020 | LIGHT TAIL        | 2    |         |     |         | 0.5          | 1.1         |
| 170    | TA040-99110 | BULB LIGHT        | 2    |         |     | 8W      | 0.01         | 0.022       |
| 180    | TA040-99120 | CORD              | 2    |         |     |         | 0.03         | 0.066       |
| 190    | 03614-50614 | SCREW TAPPING     | 8    |         |     |         | 0.005        | 0.011       |






**LIGHT 1 [ROPS TYPE] [NEW TYPE]**  
S.No.;>=73227

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-99060 | ASSY LIGHT HEAD     | 1    |       |     |         | 0.68         | 1.496       |
| 020    | 34070-99010 | BULB                | 2    |       |     | 25W     | 0.02         | 0.044       |
| 030    | T0270-99090 | ASSY WIRE HARNESS   | 1    |       |     |         | 0.05         | 0.11        |
| 040    | TA140-99100 | UNIT LAMP           | 1    |       |     |         | 0.6          | 1.32        |
| 045    | TA140-49500 | MARK SYMBOL         | 1    |       |     |         | 0.013        | 0.0286      |
| 050    | T0270-99070 | GRILLE LIGHT RH     | 1    |       |     |         | 0.125        | 0.275       |
| 060    | T0270-99080 | GRILLE LIGHT LH     | 1    |       |     |         | 0.125        | 0.275       |
| 070    | 30400-19060 | BOLT FLANGE         | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | 02761-50050 | NUT FLANGE          | 4    |       |     |         | 0.005        | 0.011       |
| 090    | 02751-50060 | NUT FLANGE          | 2    |       |     |         | 0.005        | 0.011       |
| 100    | 32530-33610 | ASSY LIGHT HAZARD   | 2    |       |     |         | 0.5          | 1.1         |
| 110    | 32530-91510 | LENS HAZARD LIGHT   | 4    |       |     |         | 0.085        | 0.187       |
| 120    | 32530-91520 | SCREW TAPPING       | 12   |       |     |         | 0.001        | 0.0022      |
| 130    | 32530-91530 | BULB LIGHT          | 2    |       |     | 27W     | 0.02         | 0.044       |
| 140    | 02114-50100 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 150    | 04411-50100 | WASHER SPRING       | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | 31301-34303 | ASSY LIGHT COMBI.RH | 1    |       |     |         | 0.4          | 0.88        |
| 170    | 31301-34320 | BODY RH             | 1    |       |     |         | 0.18         | 0.396       |
| 180    | 31301-34340 | LENS                | 1    |       |     |         | 0.105        | 0.231       |
| 190    | 31391-34350 | GASKET              | 1    |       |     |         | 0.002        | 0.0044      |
| 200    | 31391-34360 | BULB                | 1    |       |     |         | 0.018        | 0.0396      |
| 210    | 31301-34370 | BULB                | 1    |       |     |         | 0.02         | 0.044       |
| 220    | 31391-34380 | SCREW               | 2    |       |     |         | 0.007        | 0.0154      |
| 230    | 31301-34313 | ASSY LIGHT COMBI.LH | 1    |       |     |         | 0.54         | 1.188       |
| 240    | 31301-34330 | BODY LH             | 1    |       |     |         | 0.21         | 0.462       |
| 250    | 31301-34340 | LENS                | 1    |       |     |         | 0.105        | 0.231       |
| 260    | 31391-34350 | GASKET              | 1    |       |     |         | 0.002        | 0.0044      |
| 270    | 31391-34360 | BULB                | 1    |       |     |         | 0.018        | 0.0396      |
| 280    | 31301-34370 | BULB                | 1    |       |     |         | 0.02         | 0.044       |
| 290    | 31391-34380 | SCREW               | 2    |       |     |         | 0.007        | 0.0154      |
| 300    | 04512-60060 | WASHER SPRING       | 8    |       |     |         | 0.001        | 0.0022      |
| 310    | 03614-50614 | SCREW TAPPING       | 8    |       |     |         | 0.005        | 0.011       |
| 320    | 34040-68960 | HOLDER              | 2    |       |     |         | 0.23         | 0.506       |
| 330    | 02761-50050 | NUT FLANGE          | 4    |       |     |         | 0.005        | 0.011       |






**ELECTRICAL WIRING [EXCEPT HST TYPE] [ROPS TYPE]**  
**[OLD TYPE] [EXCEPTE TYPE CABINE] [TYPE VIEUX] [S.No.;<=51880]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-30310 | WIRE HARNESS      | 1    |       |     |         | 1.1          | 2.42        |
| 020    | TA140-30400 | ASSY BOX FUSE     | 1    |       |     |         | 0.138        | 0.3036      |
| 030    | TA140-30410 | COVER FUSE BOX    | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 35533-77350 | ASSY CASE FUSE    | 1    |       |     |         | 0.04         | 0.088       |
| 050    | 36730-75550 | FUSE              | 4    |       |     | 10A     | 0.001        | 0.0022      |
| 060    | 35820-75560 | FUSE              | 3    |       |     | 15A     | 0.002        | 0.0044      |
| 070    | 34670-34530 | FUSE              | 1    |       |     | 40A     | 0.003        | 0.0066      |
| 080    | TA140-30320 | WIRE HARNESS      | 1    |       |     |         | 0.25         | 0.55        |
| 090    | TA140-30332 | WIRE HARNESS      | 1    |       |     |         | 0.25         | 0.55        |
| 100    | 03024-50520 | SCREW WITH WASHER | 2    |       |     |         | 0.004        | 0.0088      |
| 110    | 55311-41260 | BAND CORD         | 3    |       |     |         | 0.007        | 0.0154      |
| 120    | 32240-34460 | CLAMP CORD        | 3    |       |     |         | 0.011        | 0.0242      |
| 130    | 13816-67580 | CLAMP CORD        | 2    |       |     |         | 0.004        | 0.0088      |
| 140    | 53581-64150 | BAND CORD         | 2    |       |     |         | 0.002        | 0.0044      |
| 150    | 13816-67580 | CLAMP CORD        | 4    |       |     |         | 0.004        | 0.0088      |
| 160    | 15241-67580 | CLAMP CORD        | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 44366-68380 | BAND CORD         | 1    |       |     |         | 0.01         | 0.022       |
| 180    | 36330-75390 | DIODE             | 2    |       |     |         | 0.01         | 0.022       |



TA120-014-15

**090 TA140-3033-2**



**090**


**TA150-816-10**



**ELECTRICAL WIRING [EXCEPT HST TYPE] [ROPS TYPE]**  
**[NEW TYPE] [EXCEPTE TYPE CABINE] [TYPE NOUVEAU] [S.No.;=>51881]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-30314 | WIRE HARNESS      | 1    | <=73226 |     |         | 0            | 0           |
| 010    | TA140-30315 | WIRE HARNESS      | 1    | >=73227 | ←   |         | 1.1          | 2.42        |
| 020    | TA140-30400 | ASSY BOX FUSE     | 1    |         |     |         | 0.138        | 0.3036      |
| 030    | TA140-30410 | COVER FUSE BOX    | 1    |         |     |         | 0.02         | 0.044       |
| 040    | 35533-77350 | ASSY CASE FUSE    | 1    |         |     |         | 0.04         | 0.088       |
| 050    | 36730-75550 | FUSE              | 4    |         |     | 10A     | 0.001        | 0.0022      |
| 060    | 35820-75560 | FUSE              | 3    |         |     | 15A     | 0.002        | 0.0044      |
| 070    | 34670-34530 | FUSE              | 1    |         |     | 40A     | 0.003        | 0.0066      |
| 080    | TA140-30320 | WIRE HARNESS      | 1    |         |     |         | 0.25         | 0.55        |
| 090    | TA140-30332 | WIRE HARNESS      | 1    | <=73226 |     |         | 0.25         | 0.55        |
| 090    | TA140-30333 | WIRE HARNESS      | 1    | >=73227 | ←   |         | 0.25         | 0.55        |
| 100    | 03024-50520 | SCREW WITH WASHER | 2    |         |     |         | 0.004        | 0.0088      |
| 110    | 55311-41260 | BAND CORD         | 3    |         |     |         | 0.007        | 0.0154      |
| 120    | 32240-34460 | CLAMP CORD        | 3    |         |     |         | 0.011        | 0.0242      |
| 130    | 13816-67580 | CLAMP CORD        | 2    |         |     |         | 0.004        | 0.0088      |
| 140    | 53581-64150 | BAND CORD         | 2    |         |     |         | 0.002        | 0.0044      |
| 150    | 13816-67580 | CLAMP CORD        | 4    |         |     |         | 0.004        | 0.0088      |
| 160    | 15241-67580 | CLAMP CORD        | 1    |         |     |         | 0.004        | 0.0088      |
| 170    | 44366-68380 | BAND CORD         | 1    |         |     |         | 0.01         | 0.022       |




TA120-015-11



**ELECTRICAL WIRING [HST TYPE] [ROPS TYPE][OLD TYPE]**  
[TYPE VIEUX] [S.No.;<=51880]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-30310 | WIRE HARNESS HST  | 1    |       |     |         | 1.1          | 2.42        |
| 020    | TA140-30400 | ASSY BOX FUSE     | 1    |       |     |         | 0.138        | 0.3036      |
| 030    | TA140-30410 | COVER FUSE BOX    | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 35533-77350 | ASSY CASE FUSE    | 1    |       |     |         | 0.04         | 0.088       |
| 050    | 36730-75550 | FUSE              | 4    |       |     | 10A     | 0.001        | 0.0022      |
| 060    | 35820-75560 | FUSE              | 3    |       |     | 15A     | 0.002        | 0.0044      |
| 070    | 34670-34530 | FUSE              | 1    |       |     | 40A     | 0.003        | 0.0066      |
| 080    | TA140-30320 | WIRE HARNESS      | 1    |       |     |         | 0.25         | 0.55        |
| 090    | TA240-30332 | WIRE HARNESS HST  | 1    |       |     |         | 0.21         | 0.462       |
| 100    | 03024-50520 | SCREW WITH WASHER | 2    |       |     |         | 0.004        | 0.0088      |
| 110    | 55311-41260 | BAND CORD         | 3    |       |     |         | 0.007        | 0.0154      |
| 120    | 32240-34460 | CLAMP CORD        | 3    |       |     |         | 0.011        | 0.0242      |
| 130    | 13816-67580 | CLAMP CORD        | 2    |       |     |         | 0.004        | 0.0088      |
| 140    | 53581-64150 | BAND CORD         | 2    |       |     |         | 0.002        | 0.0044      |
| 150    | 13816-67580 | CLAMP CORD        | 4    |       |     |         | 0.004        | 0.0088      |
| 160    | 15241-67580 | CLAMP CORD        | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 44366-68380 | BAND CORD         | 1    |       |     |         | 0.01         | 0.022       |
| 180    | 36330-75390 | DIODE             | 2    |       |     |         | 0.01         | 0.022       |






**ELECTRICAL WIRING [HST TYPE] [ROPS TYPE][OLD TYPE]**  
[TYPE VIEUX] [S.No.;51881to61868]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-30314 | WIRE HARNESS HST  | 1    |       |     |         | 0            | 0           |
| 020    | TA140-30400 | ASSY BOX FUSE     | 1    |       |     |         | 0.138        | 0.3036      |
| 030    | TA140-30410 | COVER FUSE BOX    | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 35533-77350 | ASSY CASE FUSE    | 1    |       |     |         | 0.04         | 0.088       |
| 050    | 36730-75550 | FUSE              | 4    |       |     | 10A     | 0.001        | 0.0022      |
| 060    | 35820-75560 | FUSE              | 3    |       |     | 15A     | 0.002        | 0.0044      |
| 070    | 34670-34530 | FUSE              | 1    |       |     | 40A     | 0.003        | 0.0066      |
| 080    | TA140-30320 | WIRE HARNESS      | 1    |       |     |         | 0.25         | 0.55        |
| 090    | TA240-30332 | WIRE HARNESS HST  | 1    |       |     |         | 0.21         | 0.462       |
| 100    | 03024-50520 | SCREW WITH WASHER | 2    |       |     |         | 0.004        | 0.0088      |
| 110    | 55311-41260 | BAND CORD         | 3    |       |     |         | 0.007        | 0.0154      |
| 120    | 32240-34460 | CLAMP CORD        | 3    |       |     |         | 0.011        | 0.0242      |
| 130    | 13816-67580 | CLAMP CORD        | 2    |       |     |         | 0.004        | 0.0088      |
| 140    | 53581-64150 | BAND CORD         | 2    |       |     |         | 0.002        | 0.0044      |
| 150    | 13816-67580 | CLAMP CORD        | 4    |       |     |         | 0.004        | 0.0088      |
| 160    | 15241-67580 | CLAMP CORD        | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 44366-68380 | BAND CORD         | 1    |       |     |         | 0.01         | 0.022       |



TA120-015-16

## 090 TA240-3033-3




TA120-832-10




**ELECTRICAL WIRING [HST TYPE] [ROPS TYPE][NEW TYPE]**  
[TYPE NOUVEAU] [S.No.;=>70001]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA240-30315 | WIRE HARNESS HST  | 1    | <=73326 |     |         | 0            | 0           |
| 010    | TA240-30316 | WIRE HARNESS HST  | 1    | >=73327 | ←   |         | 1.1          | 2.42        |
| 020    | TA140-30400 | ASSY BOX FUSE     | 1    |         |     |         | 0.138        | 0.3036      |
| 030    | TA140-30410 | COVER FUSE BOX    | 1    |         |     |         | 0.02         | 0.044       |
| 040    | 35533-77350 | ASSY CASE FUSE    | 1    |         |     |         | 0.04         | 0.088       |
| 050    | 36730-75550 | FUSE              | 4    |         |     | 10A     | 0.001        | 0.0022      |
| 060    | 35820-75560 | FUSE              | 3    |         |     | 15A     | 0.002        | 0.0044      |
| 070    | 34670-34530 | FUSE              | 1    |         |     | 40A     | 0.003        | 0.0066      |
| 080    | TA140-30320 | WIRE HARNESS      | 1    |         |     |         | 0.25         | 0.55        |
| 090    | TA240-30333 | WIRE HARNESS HST  | 1    | <=73326 |     |         | 0            | 0           |
| 090    | TA240-30334 | WIRE HARNESS HST  | 1    | >=73327 | ←   |         | 0.21         | 0.462       |
| 100    | 03024-50520 | SCREW WITH WASHER | 2    |         |     |         | 0.004        | 0.0088      |
| 110    | 55311-41260 | BAND CORD         | 3    |         |     |         | 0.007        | 0.0154      |
| 120    | 32240-34460 | CLAMP CORD        | 3    |         |     |         | 0.011        | 0.0242      |
| 130    | 13816-67580 | CLAMP CORD        | 2    |         |     |         | 0.004        | 0.0088      |
| 140    | 53581-64150 | BAND CORD         | 2    |         |     |         | 0.002        | 0.0044      |
| 150    | 13816-67580 | CLAMP CORD        | 4    |         |     |         | 0.004        | 0.0088      |
| 160    | 15241-67580 | CLAMP CORD        | 1    |         |     |         | 0.004        | 0.0088      |
| 170    | 44366-68380 | BAND CORD         | 1    |         |     |         | 0.01         | 0.022       |








TA040-024-11









**CLUTCH PEDAL [EXCEPT HST TYPE] [ROPS TYPE]**  
**[EXCEPTE TYPE CABINE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-44052 | COMP.PEDAL CLUTCH | 1    |        |     |         | 1.6          | 3.52        |
| 020    | 08511-02520 | BUSH              | 2    |        |     |         | 0.02         | 0.044       |
| 030    | 34070-44140 | SEAL OIL          | 2    |        |     |         | 0.005        | 0.011       |
| 040    | TA040-44160 | SPRING            | 1    |        |     |         | 0.108        | 0.2376      |
| 050    | 01073-51030 | BOLT              | 1    |        |     |         | 0.028        | 0.0616      |
| 060    | 02116-50100 | NUT               | 1    |        |     |         | 0.004        | 0.0088      |
| 070    | 37410-44120 | COVER PEDAL       | 1    |        |     |         | 0.08         | 0.176       |
| 080    | TA040-44460 | ROD CLUTCH        | 1    | ≤51880 |     |         | 0            | 0           |
| 080    | TA040-44462 | ROD CLUTCH        | 1    | ≥51881 | ←   |         | 0.24         | 0.528       |
| 090    | 34070-44470 | U JOINT           | 1    |        |     |         | 0.08         | 0.176       |
| 100    | 02176-50100 | NUT               | 1    |        |     |         | 0.005        | 0.011       |
| 110    | 05122-61028 | PIN JOINT         | 2    |        |     |         | 0.02         | 0.044       |
| 120    | 04013-60100 | WASHER PLAIN      | 2    |        |     |         | 0.004        | 0.0088      |
| 130    | 05511-50318 | PIN SPLIT         | 2    |        |     |         | 0.001        | 0.0022      |
| 140    | T0270-47490 | CUSHION           | 1    |        |     |         | 0.002        | 0.0044      |



010 TA040-4405-2




TA140-820-10



## CLUTCH PEDAL [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-44052 | COMP.PEDAL CLUTCH | 1    | ≤61868 |     |         | 1.6          | 3.52        |
| 010    | TA240-44050 | COMP.PEDAL CLUTCH | 1    | ≥70001 | ←   |         | 1.56         | 3.432       |
| 020    | 08511-02520 | BUSH              | 2    |        |     |         | 0.02         | 0.044       |
| 030    | 34070-44140 | SEAL OIL          | 2    |        |     |         | 0.005        | 0.011       |
| 040    | TA040-44160 | SPRING            | 1    |        |     |         | 0.108        | 0.2376      |
| 050    | 01073-51030 | BOLT              | 1    |        |     |         | 0.028        | 0.0616      |
| 060    | 02116-50100 | NUT               | 1    |        |     |         | 0.004        | 0.0088      |
| 070    | 37410-44120 | COVER PEDAL       | 1    |        |     |         | 0.08         | 0.176       |
| 080    | TA040-44460 | ROD CLUTCH        | 1    | ≤51880 |     |         | 0            | 0           |
| 080    | TA040-44462 | ROD CLUTCH        | 1    | ≥51881 | ←   |         | 0.24         | 0.528       |
| 090    | 34070-44470 | U JOINT           | 1    |        |     |         | 0.08         | 0.176       |
| 100    | 02176-50100 | NUT               | 1    |        |     |         | 0.005        | 0.011       |
| 110    | 05122-61028 | PIN JOINT         | 2    |        |     |         | 0.02         | 0.044       |
| 120    | 04013-60100 | WASHER PLAIN      | 2    |        |     |         | 0.004        | 0.0088      |
| 130    | 05511-50318 | PIN SPLIT         | 2    |        |     |         | 0.001        | 0.0022      |
| 140    | T0270-47490 | CUSHION           | 1    |        |     |         | 0.002        | 0.0044      |




TA049-023-13



## CLUTCH HOUSING [MANUAL T/M TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-20208 | HOUSING CLUTCH     | 1    |       |     |         | 41           | 90.2        |
| 015    | 08511-01915 | BUSH               | 3    |       |     |         | 0.01         | 0.022       |
| 020    | 15512-96010 | PLUG DRAIN         | 1    |       |     |         | 0.101        | 0.2222      |
| 030    | 04717-02150 | WASHER WITH RUBBER | 1    |       |     |         | 0.004        | 0.0088      |
| 040    | 32430-14270 | KIT PLUG           | 1    |       |     |         | 0.04         | 0.088       |
| 050    | 05511-50430 | PIN SPLIT          | 1    |       |     |         | 0.004        | 0.0088      |
| 060    | 04512-60140 | WASHER SPRING      | 1    |       |     |         | 0.006        | 0.0132      |
| 070    | 32210-27580 | PLUG               | 10   |       |     |         | 0.001        | 0.0022      |
| 080    | 05012-01018 | PIN STRAIGHT       | 2    |       |     |         | 0.012        | 0.0264      |
| 090    | 01574-51265 | STUD               | 4    |       |     |         | 0.067        | 0.1474      |
| 100    | 01173-51295 | BOLT               | 2    |       |     |         | 0.086        | 0.1892      |
| 110    | 01574-51285 | STUD               | 2    |       |     |         | 0.085        | 0.187       |
| 120    | 01133-51265 | BOLT               | 2    |       |     |         | 0.065        | 0.143       |
| 130    | 04512-60120 | WASHER SPRING      | 8    |       |     |         | 0.005        | 0.011       |
| 140    | 02176-50120 | NUT                | 6    |       |     |         | 0.01         | 0.022       |
| 150    | 31351-38720 | PLUG               | 1    |       |     |         | 0.005        | 0.011       |
| 160    | TA040-20250 | HOLDER BEARING     | 1    |       |     |         | 0.78         | 1.716       |
| 170    | 05012-00818 | PIN STRAIGHT       | 2    |       |     |         | 0.008        | 0.0176      |
| 180    | 01133-51035 | BOLT               | 4    |       |     |         | 0.03         | 0.066       |







## CLUTCH HOUSING [GST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-60206 | HOUSING CLUTCH     | 1    |       |     |         | 39.1         | 86.02       |
| 015    | 08511-01915 | BUSH               | 3    |       |     |         | 0.01         | 0.022       |
| 020    | 15512-96010 | PLUG DRAIN         | 1    |       |     |         | 0.101        | 0.2222      |
| 030    | 04717-02150 | WASHER WITH RUBBER | 1    |       |     |         | 0.004        | 0.0088      |
| 040    | 32430-14270 | KIT PLUG           | 1    |       |     |         | 0.04         | 0.088       |
| 050    | 05511-50430 | PIN SPLIT          | 1    |       |     |         | 0.004        | 0.0088      |
| 060    | 04512-60140 | WASHER SPRING      | 1    |       |     |         | 0.006        | 0.0132      |
| 070    | 32210-27580 | PLUG               | 10   |       |     |         | 0.001        | 0.0022      |
| 080    | 05012-01018 | PIN STRAIGHT       | 2    |       |     |         | 0.012        | 0.0264      |
| 090    | 01574-51265 | STUD               | 4    |       |     |         | 0.067        | 0.1474      |
| 100    | 01173-51295 | BOLT               | 2    |       |     |         | 0.086        | 0.1892      |
| 110    | 01574-51285 | STUD               | 2    |       |     |         | 0.085        | 0.187       |
| 120    | 01133-51265 | BOLT               | 2    |       |     |         | 0.065        | 0.143       |
| 130    | 04512-60120 | WASHER SPRING      | 8    |       |     |         | 0.005        | 0.011       |
| 140    | 02176-50120 | NUT                | 6    |       |     |         | 0.01         | 0.022       |
| 150    | 31351-38720 | PLUG               | 1    |       |     |         | 0.005        | 0.011       |
| 160    | TA040-20250 | HOLDER BEARING     | 1    |       |     |         | 0.78         | 1.716       |
| 170    | 05012-00818 | PIN STRAIGHT       | 2    |       |     |         | 0.008        | 0.0176      |
| 180    | 01133-51035 | BOLT               | 4    |       |     |         | 0.03         | 0.066       |



010 TA240-5115-0



010 { A  
•  
015 }


TA140-821-10



## CLUTCH HOUSING [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA240-51150 | ASSY HOUSING CLUTCH | 1    | <=61868 |     |         | 29.4         | 64.68       |
| 010    | TA250-51150 | ASSY HOUSING CLUTCH | 1    | >=70001 | ≠   |         | 0            | 0           |
| 015    | 08511-01915 | BUSH                | 3    |         |     |         | 0.01         | 0.022       |
| 020    | 15512-96010 | PLUG DRAIN          | 1    |         |     |         | 0.101        | 0.2222      |
| 030    | 04717-02150 | WASHER WITH RUBBER  | 1    |         |     |         | 0.004        | 0.0088      |
| 040    | 32430-14270 | KIT PLUG            | 1    |         |     |         | 0.04         | 0.088       |
| 050    | 05511-50430 | PIN SPLIT           | 1    |         |     |         | 0.004        | 0.0088      |
| 060    | 04512-60140 | WASHER SPRING       | 1    |         |     |         | 0.006        | 0.0132      |
| 070    | 32210-27580 | PLUG                | 6    |         |     |         | 0.001        | 0.0022      |
| 080    | 05012-01018 | PIN STRAIGHT        | 2    |         |     |         | 0.012        | 0.0264      |
| 090    | 01574-51265 | STUD                | 4    |         |     |         | 0.067        | 0.1474      |
| 100    | 01173-51295 | BOLT                | 2    |         |     |         | 0.086        | 0.1892      |
| 110    | 01574-51285 | STUD                | 2    |         |     |         | 0.085        | 0.187       |
| 120    | 01133-51265 | BOLT                | 2    |         |     |         | 0.065        | 0.143       |
| 130    | 04512-60120 | WASHER SPRING       | 8    |         |     |         | 0.005        | 0.011       |
| 140    | 02176-50120 | NUT                 | 6    |         |     |         | 0.01         | 0.022       |
| 150    | 31351-38720 | PLUG                | 1    |         |     |         | 0.005        | 0.011       |
| 160    | TA240-51250 | HOLDER BEARING      | 1    | <=72826 |     |         | 1.66         | 3.652       |
| 160    | 32771-51250 | HOLDER BEARING      | 1    | >=72827 | ←   |         | 0            | 0           |
| 170    | 05012-00818 | PIN STRAIGHT        | 2    |         |     |         | 0.008        | 0.0176      |
| 180    | 01123-50845 | BOLT                | 4    |         |     |         | 0.02         | 0.044       |



TA140-162-20


|     |               |
|-----|---------------|
|     | FIG.No.C406   |
|     | • 020         |
| 050 | • 030         |
|     | • 060         |
|     | 050           |
|     | • FIG.No.C406 |
|     | • 040         |
|     | FIG.No.E10102 |
| 060 | • 040         |
|     | • 050         |
|     | FIG.No.E10103 |
|     | • (CAB TYPE)  |
|     | • 040         |
|     | • 050         |



## GST VALVE [GST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------------------------------------|--------------|-------------|
| 010    | TA040-65015 | ASSY VALVE GST       | 1    | ≤73349 |     | NOTSALER/TL.No.1F08-R1to1F08-R4FORCOM. | 0            | 0           |
| 010    | TA040-99034 | ASSY VALVE GST       | 1    | ≥73350 | ←   | REFER TO L.No.1F08-R1to1F08-R4FORCOM.  | 8.45         | 18.59       |
| 020    | 36530-27273 | PIPE HYDRAULIC       | 1    |        |     |                                        | 0.005        | 0.011       |
| 030    | 01133-51032 | BOLT                 | 10   |        |     |                                        | 0.025        | 0.055       |
| 040    | 05012-01018 | PIN STRAIGHT         | 2    |        |     |                                        | 0.012        | 0.0264      |
| 050    | 34076-99280 | ASSY COVER ROTARYVAL | 1    |        |     |                                        | 0.23         | 0.506       |
| 060    | 34076-99200 | ASSY SEAL ROTARY VA. | 1    |        |     |                                        | 0.3          | 0.66        |




YA140-221-10



## GST VALVE [GST TYPE] [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|----------|--------------|-------------|
| 010    | TA040-99030 | ASSY VALVE GST     | 1    | <=73349 |     | NOT SALE | 8.45         | 18.59       |
| 010    | TA040-99034 | ASSY VALVE GST     | 1    | >=73350 | ←   |          | 8.45         | 18.59       |
| 020    | T0186-65510 | COVER ROTARY VALVE | 1    |         |     |          | 0.21         | 0.462       |
| 030    | T0186-65530 | SEAL OIL           | 1    |         |     |          | 0.008        | 0.0176      |
| 040    | 04811-10850 | O RING             | 1    |         |     |          | 0.002        | 0.0044      |
| 050    | 01123-50825 | BOLT               | 3    |         |     |          | 0.013        | 0.0286      |
| 060    | 08101-06004 | BEARING BALL       | 1    |         |     |          | 0.065        | 0.143       |
| 070    | 50770-12180 | COLLAR THRUST      | 1    |         |     |          | 0.003        | 0.0066      |
| 080    | 34076-65550 | PLATE DETENT       | 1    |         |     |          | 0.11         | 0.242       |
| 090    | 34076-65580 | ORIFICE            | 1    |         |     |          | 0.005        | 0.011       |
| 100    | 07715-01605 | BALL               | 2    |         |     |          | 0.003        | 0.0066      |
| 110    | 04811-00060 | O RING             | 9    |         |     |          | 0.001        | 0.0022      |
| 110    | 04817-00060 | O RING             | 9    |         | ←   |          | 0            | 0           |
| 120    | 32420-67380 | PLUG               | 9    |         |     |          | 0.005        | 0.011       |
| 130    | 05012-00406 | PIN STRAIGHT       | 2    |         |     |          | 0.001        | 0.0022      |
| 140    | 01311-10645 | BOLT HEX-SOC-HD    | 3    |         |     |          | 0.01         | 0.022       |
| 150    | 04810-00120 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 150    | 04817-00120 | O RING             | 1    |         | ←   |          | 0            | 0           |
| 160    | 34076-65430 | BUSH               | 1    |         |     |          | 0.005        | 0.011       |
| 170    | 34076-65910 | PLATE SEPARATE     | 1    |         |     |          | 0.3          | 0.66        |
| 180    | T0276-65880 | BOLT HEX-SOC-HD    | 8    |         |     |          | 0.008        | 0.0176      |
| 190    | T0276-65870 | BOLT HEX-SOC-HD    | 5    |         |     |          | 0.008        | 0.0176      |
| 200    | 34076-65850 | BOLT               | 2    |         |     |          | 0.01         | 0.022       |
| 210    | 34076-65860 | BOLT               | 5    |         |     |          | 0.02         | 0.044       |
| 220    | 04512-60060 | WASHER SPRING      | 7    |         |     |          | 0.001        | 0.0022      |
| 230    | 05012-00616 | PIN STRAIGHT       | 2    |         |     |          | 0.004        | 0.0088      |
| 240    | T0276-65990 | PLUG               | 1    |         |     |          | 0.004        | 0.0088      |




TA140-222-10



## GST VALVE [GST TYPE] [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|----------|--------------|-------------|
| 010    | TA040-99030 | ASSY VALVE GST     | 1    | <=73349 |     | NOT SALE | 8.45         | 18.59       |
| 010    | TA040-99034 | ASSY VALVE GST     | 1    | >=73350 | ←   |          | 8.45         | 18.59       |
| 020    | 34076-65140 | SEAL PISTON        | 2    |         |     |          | 0.005        | 0.011       |
| 030    | 04811-06100 | O RING             | 2    |         |     |          | 0.001        | 0.0022      |
| 030    | 04817-06100 | O RING             | 2    |         | ←   |          | 0            | 0           |
| 040    | 34076-65170 | SEAL PISTON        | 2    |         |     |          | 0.005        | 0.011       |
| 050    | 04811-00110 | O RING             | 2    |         |     |          | 0.001        | 0.0022      |
| 050    | 04817-00110 | O RING             | 2    |         | ←   |          | 0.001        | 0.0022      |
| 060    | 34076-65180 | COVER PISTON MAIN  | 2    |         |     |          | 0.09         | 0.198       |
| 070    | 04811-00110 | O RING             | 2    |         |     |          | 0.001        | 0.0022      |
| 070    | 04817-00110 | O RING             | 2    |         | ←   |          | 0.001        | 0.0022      |
| 080    | 04611-00300 | CIR CLIP INTERNAL  | 2    |         |     |          | 0.004        | 0.0088      |
| 090    | 34076-65220 | SEAL PISTON        | 1    |         |     |          | 0.005        | 0.011       |
| 100    | 04811-06100 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 100    | 04817-06100 | O RING             | 1    |         | ←   |          | 0            | 0           |
| 110    | 34076-65240 | COVER PISTON HI-LO | 1    |         |     |          | 0.06         | 0.132       |
| 120    | 04811-00140 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 120    | 04817-00140 | O RING             | 1    |         | ←   |          | 0            | 0           |
| 130    | 04611-00300 | CIR CLIP INTERNAL  | 1    |         |     |          | 0.004        | 0.0088      |
| 140    | 34076-65270 | SHIFTER PISTON     | 3    |         |     |          | 0.135        | 0.297       |
| 150    | 05411-00625 | PIN SPRING         | 3    |         |     |          | 0.004        | 0.0088      |
| 160    | 34076-65930 | PIN CHECK          | 3    |         |     |          | 0.005        | 0.011       |
| 170    | 34076-65940 | PIN CHECK          | 1    |         |     |          | 0.01         | 0.022       |
| 180    | 34076-65450 | SEAT VALVE         | 4    |         |     |          | 0.005        | 0.011       |
| 190    | 04811-06100 | O RING             | 4    |         |     |          | 0.001        | 0.0022      |
| 190    | 04817-06100 | O RING             | 4    |         | ←   |          | 0            | 0           |
| 200    | 07715-03213 | BALL               | 4    |         |     |          | 0.004        | 0.0088      |
| 210    | 34076-65470 | SPRING CHECK       | 4    |         |     |          | 0.005        | 0.011       |
| 220    | 07715-00401 | BALL               | 3    |         |     |          | 0.001        | 0.0022      |
| 230    | 34076-65950 | PIN CHECK ROLLER   | 1    |         |     |          | 0.005        | 0.011       |
| 240    | 67511-36640 | PLUG               | 4    |         |     |          | 0.003        | 0.0066      |



270 34076-6583-0

280 34076-6584-0




TA150-822-10



## GST VALVE [GST TYPE] [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|----------|--------------|-------------|
| 010    | TA040-99030 | ASSY VALVE GST     | 1    | <=73349 |     | NOT SALE | 8.45         | 18.59       |
| 010    | TA040-99034 | ASSY VALVE GST     | 1    | >=73350 | ←   |          | 8.45         | 18.59       |
| 020    | 04811-00260 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 020    | 04817-00260 | O RING             | 1    |         | ←   |          | 0            | 0           |
| 030    | 04811-10240 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 040    | 04811-16220 | RING               | 1    |         |     |          | 0.001        | 0.0022      |
| 050    | 34076-65800 | PLUG               | 1    |         |     |          | 0.01         | 0.022       |
| 060    | 34076-65820 | ORIFICE            | 1    |         |     |          | 0.005        | 0.011       |
| 070    | 99999-99999 | BLANK              | 0    |         |     |          | 0            | 0           |
| 080    | 34550-65770 | SPRING             | 1    |         |     |          | 0.02         | 0.044       |
| 090    | 34076-65760 | SPRING RETURN      | 1    |         |     |          | 0.02         | 0.044       |
| 100    | 04811-00180 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 100    | 04817-00180 | O RING             | 1    |         | ←   |          | 0.003        | 0.0066      |
| 110    | 34076-65750 | PLUG               | 1    |         |     |          | 0.015        | 0.033       |
| 120    | 04811-00070 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 120    | 04817-00070 | O RING             | 1    |         | ←   |          | 0            | 0           |
| 130    | 04013-60060 | WASHER PLAIN       | 1    |         |     |          | 0.001        | 0.0022      |
| 140    | 04811-10120 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 150    | 67950-29230 | POP PET            | 1    |         |     |          | 0.015        | 0.033       |
| 160    | 04611-00160 | CIR CLIP INTERNAL  | 1    |         |     |          | 0.001        | 0.0022      |
| 170    | 34076-65390 | SUPPORT            | 1    |         |     |          | 0.005        | 0.011       |
| 180    | 07715-00401 | BALL               | 1    |         |     |          | 0.001        | 0.0022      |
| 190    | 34076-65380 | PLUG               | 1    |         |     |          | 0.115        | 0.253       |
| 200    | 04811-00200 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 200    | 04817-00200 | O RING             | 1    |         | ←   |          | 0            | 0           |
| 210    | 03651-50825 | SCREW SET          | 1    |         |     |          | 0.01         | 0.022       |
| 220    | 62571-13330 | WASHER SEAL        | 1    |         |     |          | 0.003        | 0.0066      |
| 230    | 02114-50080 | NUT                | 1    |         |     |          | 0.005        | 0.011       |
| 240    | 34076-65320 | SPRING             | 1    |         |     |          | 0.005        | 0.011       |
| 250    | 34550-65330 | PLUG               | 1    |         |     |          | 0.06         | 0.132       |
| 260    | 04717-01800 | WASHER WITH RUBBER | 1    |         |     |          | 0.003        | 0.0066      |
| 270    | 34076-65830 | FILTER MODULATION  | 1    | <=73349 |     | NOT SALE | 0.005        | 0.011       |
| 270    | 3G999-00300 | SPRING FILTER      | 1    | >=73350 | ←   |          | 0            | 0           |
| 280    | 34076-65840 | FILTER PILOT       | 1    | <=73349 |     | NOT SALE | 0.005        | 0.011       |
| 280    | 3F750-23710 | FILTER             | 1    | >=73350 | ←   |          | 0.002        | 0.0044      |
| 290    | 01053-50608 | BOLT               | 1    |         |     |          | 0.004        | 0.0088      |
| 300    | 04717-00600 | WASHER WITH RUBBER | 1    |         |     |          | 0.001        | 0.0022      |
| 310    | 34076-65680 | PLUG               | 1    |         |     |          | 0.025        | 0.055       |
| 320    | 04811-00140 | O RING             | 2    |         |     |          | 0.001        | 0.0022      |
| 320    | 04817-00140 | O RING             | 2    |         | ←   |          | 0            | 0           |
| 330    | 34076-65650 | PLATE STOPPER      | 2    |         |     |          | 0.005        | 0.011       |
| 340    | 34076-65660 | SPRING             | 1    |         |     |          | 0.005        | 0.011       |
| 350    | 34076-65690 | PLUG               | 1    |         |     |          | 0.03         | 0.066       |
| 360    | 32420-67380 | PLUG               | 1    |         |     |          | 0.005        | 0.011       |
| 370    | 34076-65630 | PLUG               | 1    |         |     |          | 0.035        | 0.077       |
| 380    | 04811-00140 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 380    | 04817-00140 | O RING             | 1    |         | ←   |          | 0            | 0           |
| 390    | 67511-36640 | PLUG               | 4    |         |     |          | 0.003        | 0.0066      |
| 400    | 99999-99999 | BLANK              | 0    |         |     |          | 0            | 0           |
| 410    | 04811-00050 | O RING             | 1    |         |     |          | 0.001        | 0.0022      |
| 410    | 04817-00050 | O RING             | 1    |         | ←   |          | 0            | 0           |






MID CASE [MANUAL T/M TYPE] [WITH IND-PTO]  
[AVEC TYPE DE PDF IND]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-20304 | CASE MID          | 1    |       |     |         | 37           | 81.4        |
| 020    | TA040-69200 | HOLDER            | 1    |       |     |         | 3.7          | 8.14        |
| 030    | TA040-69210 | PISTON            | 1    |       |     |         | 0.09         | 0.198       |
| 040    | TA040-69220 | COVER             | 1    |       |     |         | 0.06         | 0.132       |
| 050    | TA040-69230 | SPRING            | 1    |       |     |         | 0.039        | 0.0858      |
| 060    | TA040-69240 | SPRING            | 1    |       |     |         | 0.024        | 0.0528      |
| 070    | 34076-65170 | SEAL PISTON       | 1    |       |     |         | 0.005        | 0.011       |
| 080    | 04811-06230 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-06230 | O RING            | 1    |       | ←   |         | 0            | 0           |
| 090    | 04611-00280 | CIR CLIP INTERNAL | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | 32420-67380 | PLUG              | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 05012-00818 | PIN STRAIGHT      | 2    |       |     |         | 0.008        | 0.0176      |
| 120    | 01133-51035 | BOLT              | 4    |       |     |         | 0.03         | 0.066       |
| 130    | 05012-01018 | PIN STRAIGHT      | 2    |       |     |         | 0.012        | 0.0264      |
| 140    | 35340-14182 | STUD              | 6    |       |     |         | 0.05         | 0.11        |
| 150    | 01133-51240 | BOLT              | 2    |       |     |         | 0.05         | 0.11        |
| 160    | 04512-60120 | WASHER SPRING     | 6    |       |     |         | 0.005        | 0.011       |
| 170    | 35340-27360 | NUT               | 6    |       |     |         | 0.015        | 0.033       |






MID CASE [GST TYPE] [WITH IND-PTO]  
[AVEC TYPE DE PDF IND]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-60305 | CASE MID          | 1    |       |     |         | 36           | 79.2        |
| 020    | TA040-69200 | HOLDER            | 1    |       |     |         | 3.7          | 8.14        |
| 030    | TA040-69210 | PISTON            | 1    |       |     |         | 0.09         | 0.198       |
| 040    | TA040-69220 | COVER             | 1    |       |     |         | 0.06         | 0.132       |
| 050    | TA040-69230 | SPRING            | 1    |       |     |         | 0.039        | 0.0858      |
| 060    | TA040-69240 | SPRING            | 1    |       |     |         | 0.024        | 0.0528      |
| 070    | 34076-65170 | SEAL PISTON       | 1    |       |     |         | 0.005        | 0.011       |
| 080    | 04811-06230 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-06230 | O RING            | 1    |       | ←   |         | 0            | 0           |
| 090    | 04611-00280 | CIR CLIP INTERNAL | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | 32420-67380 | PLUG              | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 05012-00818 | PIN STRAIGHT      | 2    |       |     |         | 0.008        | 0.0176      |
| 120    | 01133-51035 | BOLT              | 4    |       |     |         | 0.03         | 0.066       |
| 130    | 05012-01018 | PIN STRAIGHT      | 2    |       |     |         | 0.012        | 0.0264      |
| 140    | 35340-14182 | STUD              | 6    |       |     |         | 0.05         | 0.11        |
| 150    | 01133-51240 | BOLT              | 2    |       |     |         | 0.05         | 0.11        |
| 160    | 04512-60120 | WASHER SPRING     | 6    |       |     |         | 0.005        | 0.011       |
| 170    | 35340-27360 | NUT               | 6    |       |     |         | 0.015        | 0.033       |






**MID CASE [HST TYPE] [OLD TYPE]**  
[S.No.;<=61868]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.   | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|---------|-----|--------------------------------------|--------------|-------------|
| 010    | TA240-50322 | CASE MID HST   | 1    | >=50259 |     |                                      | 33.5         | 73.7        |
| 020    | TA240-50330 | HOLDER BEARING | 1    |         |     |                                      | 0.94         | 2.068       |
| 030    | 05012-00818 | PIN STRAIGHT   | 2    |         |     |                                      | 0.008        | 0.0176      |
| 040    | 01123-50850 | BOLT           | 4    |         |     |                                      | 0.02         | 0.044       |
| 050    | TA240-51350 | HOLDER         | 1    |         |     |                                      | 2.4          | 5.28        |
|        |             | MID-BRG.PTO    |      |         |     |                                      |              |             |
| 060    | 05012-00818 | PIN STRAIGHT   | 2    |         |     |                                      | 0.008        | 0.0176      |
| 070    | 01133-51030 | BOLT           | 4    |         |     |                                      | 0.025        | 0.055       |
| 075    | TA240-50310 | GASKET         | 1    |         |     |                                      | 0.035        | 0.077       |
| 080    | 05012-01018 | PIN STRAIGHT   | 2    |         |     |                                      | 0.012        | 0.0264      |
| 090    | TA240-50280 | STUD           | 4    |         |     |                                      | 0.066        | 0.1452      |
| 100    | 04512-60140 | WASHER SPRING  | 4    |         |     |                                      | 0.006        | 0.0132      |
| 110    | TA240-50240 | NUT            | 4    |         |     |                                      | 0.009        | 0.0198      |
| 120    | TA240-50210 | STUD           | 2    |         |     |                                      | 0.071        | 0.1562      |
| 130    | 01138-51240 | BOLT           | 2    |         |     |                                      | 0.05         | 0.11        |
| 140    | 04512-60120 | WASHER SPRING  | 2    |         |     |                                      | 0.005        | 0.011       |
| 150    | 35340-27360 | NUT            | 2    |         |     |                                      | 0.015        | 0.033       |
| 160    | 05012-01018 | PIN STRAIGHT   | 2    |         |     |                                      | 0.012        | 0.0264      |
| 170    | TA240-50220 | STUD           | 4    |         |     |                                      | 0.062        | 0.1364      |
| 180    | 01138-51255 | BOLT           | 3    |         |     |                                      | 0.06         | 0.132       |
| 190    | TA240-50210 | STUD           | 1    |         |     |                                      | 0.071        | 0.1562      |
| 200    | 04512-60120 | WASHER SPRING  | 5    |         |     |                                      | 0.005        | 0.011       |
| 210    | 35340-27360 | NUT            | 5    |         |     |                                      | 0.015        | 0.033       |
| 220    | TA240-58000 | ASSY HST       | 1    |         |     | REFER TO L.No.1F11-R FOR COMPONENTS. | 67           | 147.4       |






**MID CASE [HST TYPE] [NEW TYPE]**  
[S.No.:=>70001]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.   | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|---------|-----|--------------------------------------|--------------|-------------|
| 010    | TA250-50320 | CASE MID HST   | 1    |         |     |                                      | 34           | 74.8        |
| 020    | TA240-50330 | HOLDER BEARING | 1    |         |     |                                      | 0.94         | 2.068       |
| 030    | 05012-00818 | PIN STRAIGHT   | 2    |         |     |                                      | 0.008        | 0.0176      |
| 040    | 01123-50850 | BOLT           | 4    |         |     |                                      | 0.02         | 0.044       |
| 050    | TA240-51350 | HOLDER         | 1    |         |     |                                      | 2.4          | 5.28        |
|        |             | MID-BRG.PTO    |      |         |     |                                      |              |             |
| 060    | 05012-00818 | PIN STRAIGHT   | 2    |         |     |                                      | 0.008        | 0.0176      |
| 070    | 01133-51030 | BOLT           | 4    |         |     |                                      | 0.025        | 0.055       |
| 075    | TA250-50310 | GASKET         | 1    |         |     |                                      | 0.03         | 0.066       |
| 080    | 05012-01018 | PIN STRAIGHT   | 2    |         |     |                                      | 0.012        | 0.0264      |
| 090    | TA240-50280 | STUD           | 5    |         |     |                                      | 0.066        | 0.1452      |
| 100    | 04512-60140 | WASHER SPRING  | 5    |         |     |                                      | 0.006        | 0.0132      |
| 110    | TA240-50240 | NUT            | 5    |         |     |                                      | 0.009        | 0.0198      |
| 120    | TA240-50210 | STUD           | 2    |         |     |                                      | 0.071        | 0.1562      |
| 130    | 01138-51240 | BOLT           | 2    |         |     |                                      | 0.05         | 0.11        |
| 140    | 04512-60120 | WASHER SPRING  | 2    |         |     |                                      | 0.005        | 0.011       |
| 150    | 35340-27360 | NUT            | 2    |         |     |                                      | 0.015        | 0.033       |
| 160    | 05012-01018 | PIN STRAIGHT   | 2    |         |     |                                      | 0.012        | 0.0264      |
| 170    | TA240-50220 | STUD           | 4    |         |     |                                      | 0.062        | 0.1364      |
| 180    | 01138-51255 | BOLT           | 3    |         |     |                                      | 0.06         | 0.132       |
| 190    | TA240-50210 | STUD           | 1    |         |     |                                      | 0.071        | 0.1562      |
| 200    | 04512-60120 | WASHER SPRING  | 5    |         |     |                                      | 0.005        | 0.011       |
| 210    | 35340-27360 | NUT            | 5    |         |     |                                      | 0.015        | 0.033       |
| 220    | TA240-58004 | ASSY HST       | 1    | <=72879 |     | REFER TO L.No.1F11-R FOR COMPONENTS. | 0            | 0           |
| 220    | TA240-58005 | ASSY HST       | 1    | >=72880 | ≠   | REFER TO L.No.1F11-R FOR COMPONENTS. | 62           | 136.4       |




32771-031-12

850 TA240-5955-0

860 TA240-5935-0

870 01350-10520



TA150-818-10



## HST [COMPONENT PARTS] [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-58000 | ASSY HST             | 1    | ≤61868 |     |         | 67           | 147.4       |
| 010    | TA240-58004 | ASSY HST             | 1    | ≥70001 | ≠   |         | 0            | 0           |
| 010    | TA240-58005 | ASSY HST             | 1    | ≥72880 | ≠   |         | 62           | 136.4       |
| 020    | TA240-58110 | CASE HST             | 1    | ≤69999 |     |         | 27           | 59.4        |
| 020    | TA240-58114 | CASE HST             | 1    | ≥70001 | ≠   |         | 0            | 0           |
| 030    | TA240-58120 | SHAFT PUMP           | 1    |        |     |         | 0.995        | 2.189       |
| 040    | TA240-58130 | SHAFT MOTOR          | 1    |        |     |         | 0.85         | 1.87        |
| 050    | TA240-58500 | ASSY ROTARY PUMP     | 1    |        |     |         | 3            | 6.6         |
| 060    | 04611-00350 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.003        | 0.0066      |
| 070    | TA240-58600 | ASSY ROTARY MOTOR    | 1    |        |     |         | 3            | 6.6         |
| 080    | 04611-00350 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.003        | 0.0066      |
| 090    | TA240-58700 | ASSY SWASH PLATE     | 1    |        |     |         | 1.105        | 2.431       |
| 100    | TA240-58800 | ASSY BRACKET         | 1    |        |     |         | 0.785        | 1.727       |
| 110    | TA240-58820 | METAL                | 2    |        |     |         | 0.01         | 0.022       |
| 120    | 03056-50510 | SCREW CSK-HD         | 2    |        |     |         | 0.001        | 0.0022      |
| 130    | TA240-58140 | PLATE                | 1    |        |     |         | 0.166        | 0.3652      |
| 140    | TA240-58900 | ASSY COVER PORTBLOCK | 1    |        |     |         | 14           | 30.8        |
| 150    | TA240-59000 | ASSY VALVE HIGH      | 2    |        |     |         | 0.05         | 0.11        |
| 160    | 04611-00160 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.001        | 0.0022      |
| 170    | 58700-11290 | SEAL OIL             | 1    |        |     |         | 0.012        | 0.0264      |
| 180    | 04611-00400 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.005        | 0.011       |
| 185    | TA240-58960 | ASSY PLUG            | 2    |        |     |         | 0            | 0           |
| 190    | 04810-00180 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 200    | TA240-58210 | ASSY PLUG            | 5    |        |     |         | 0.026        | 0.0572      |
| 210    | 04810-00140 | O RING               | 5    |        |     |         | 0.001        | 0.0022      |
| 220    | TA240-58310 | ASSY PLUG            | 1    |        |     |         | 0.018        | 0.0396      |
| 230    | 04810-00110 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 240    | 05012-00614 | PIN STRAIGHT         | 2    |        |     |         | 0.004        | 0.0088      |
| 250    | TA240-58150 | GUIDE                | 1    |        |     |         | 0.028        | 0.0616      |
| 260    | TA240-59100 | ASSY PISTON          | 1    |        |     |         | 2.64         | 5.808       |
| 270    | 02052-50080 | NUT                  | 2    |        |     |         | 0.004        | 0.0088      |
| 280    | 04611-00280 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.002        | 0.0044      |
| 290    | 01311-10825 | BOLT HEX-SOC-HD      | 6    |        |     |         | 0.02         | 0.044       |
| 300    | 04810-00110 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 305    | TA240-59210 | GASKET               | 2    |        |     |         | 0            | 0           |
| 310    | TA240-58310 | ASSY PLUG            | 1    |        |     |         | 0.018        | 0.0396      |
| 320    | 04810-00110 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 330    | TA240-59300 | ASSY REGULATOR       | 1    | ≤72879 |     |         | 1.985        | 4.367       |
| 330    | TA240-59303 | ASSY REGULATOR       | 1    | ≥72880 | ≠   |         | 1.985        | 4.367       |
| 340    | 08101-06804 | BEARING BALL         | 1    |        |     |         | 0.01         | 0.022       |
| 350    | 01350-10545 | BOLT HEX-SOC-HD      | 4    |        |     |         | 0.008        | 0.0176      |
| 360    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 370    | 03650-50825 | SCREW SET            | 1    |        |     |         | 0            | 0           |
| 375    | TA240-59450 | O RING               | 1    |        |     |         | 0            | 0           |
| 380    | TA240-59280 | NUT                  | 1    |        |     |         | 0.007        | 0.0154      |
| 385    | TA240-59800 | ASSY CASE            | 2    |        |     |         | 0            | 0           |
| 386    | TA240-59820 | SEAL OIL             | 2    |        |     |         | 0.005        | 0.011       |
| 390    | 04811-00210 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 400    | TA240-58210 | ASSY PLUG            | 1    |        |     |         | 0.026        | 0.0572      |
| 410    | 04810-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 420    | 04611-00400 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.005        | 0.011       |
| 430    | TA240-59290 | COLLAR               | 1    |        |     |         | 0.005        | 0.011       |
| 440    | 04612-00190 | CIR CLIP EXTERNAL    | 1    |        |     |         | 0.001        | 0.0022      |
| 450    | 38450-21980 | BEARING BALL         | 2    |        |     |         | 0.225        | 0.495       |
| 460    | 04612-00250 | CIR CLIP EXTERNAL    | 2    |        |     |         | 0.002        | 0.0044      |
| 470    | 04611-00400 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.005        | 0.011       |
| 480    | 58700-11290 | SEAL OIL             | 1    |        |     |         | 0.012        | 0.0264      |
| 490    | TA240-58160 | COVER DISTANCE PIECE | 1    |        |     |         | 0.34         | 0.748       |
| 500    | 04611-00650 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.011        | 0.0242      |



## HST [COMPONENT PARTS] [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 510    | TA240-58170 | GASKET               | 2    |        |     |          | 0.001        | 0.0022      |
| 520    | 04811-50650 | O RING               | 1    |        |     |          | 0.002        | 0.0044      |
| 530    | TA240-59500 | ASSY PUMP            | 1    |        |     |          | 0.495        | 1.089       |
| 540    | TA240-58310 | ASSY PLUG            | 1    |        |     |          | 0.018        | 0.0396      |
| 550    | 04810-00110 | O RING               | 1    |        |     |          | 0.001        | 0.0022      |
| 560    | 04811-50900 | O RING               | 1    |        |     |          | 0.003        | 0.0066      |
| 570    | 04811-00180 | O RING               | 1    |        |     |          | 0.001        | 0.0022      |
| 580    | TA240-58230 | PIN STRAIGHT         | 2    |        |     |          | 0.009        | 0.0198      |
| 590    | 05912-00510 | KEY STRAIGHT         | 1    |        |     |          | 0.002        | 0.0044      |
| 600    | 01311-10825 | BOLT HEX-SOC-HD      | 2    |        |     |          | 0.02         | 0.044       |
| 610    | TA240-58180 | PIPE PTO             | 2    |        |     |          | 0.17         | 0.374       |
| 620    | 04811-00280 | O RING               | 4    |        |     |          | 0.002        | 0.0044      |
| 630    | TA240-58190 | GASKET               | 1    |        |     |          | 0.013        | 0.0286      |
| 640    | TA240-58200 | GASKET               | 1    |        |     |          | 0.003        | 0.0066      |
| 650    | TA240-59600 | ASSY VALVE LOW       | 2    |        |     |          | 0.05         | 0.11        |
| 660    | TA240-59630 | SHIM                 | 2    |        |     | 0.5mm    | 0.001        | 0.0022      |
| 670    | TA240-58210 | ASSY PLUG            | 2    |        |     |          | 0.026        | 0.0572      |
| 680    | 04810-00140 | O RING               | 2    |        |     |          | 0.001        | 0.0022      |
| 690    | TA240-58220 | PLUG                 | 2    |        |     |          | 0.01         | 0.022       |
| 700    | TA240-58230 | PIN STRAIGHT         | 2    |        |     |          | 0.009        | 0.0198      |
| 710    | TA240-58240 | BOLT HEX-SOC-HD      | 8    |        |     |          | 0.051        | 0.1122      |
| 720    | TA240-58250 | BOLT HEX-SOC-HD      | 2    |        |     |          | 0.072        | 0.1584      |
| 730    | TA240-58260 | BOLT HEX-SOC-HD      | 1    |        |     |          | 0.044        | 0.0968      |
| 740    | TA240-58270 | PIPE                 | 1    | ≤69999 |     |          | 0.135        | 0.297       |
| 740    | TA240-58273 | PIPE                 | 1    | ≥70001 | ≠   |          | 0            | 0           |
| 750    | TA240-58280 | NIPPLE               | 2    |        |     |          | 0.036        | 0.0792      |
| 760    | 04810-00110 | O RING               | 2    |        |     |          | 0.001        | 0.0022      |
| 770    | TA240-58290 | ASSY PLUG            | 1    |        |     |          | 0.011        | 0.0242      |
| 780    | 04810-00080 | O RING               | 1    |        |     |          | 0.001        | 0.0022      |
| 790    | TA240-59700 | ASSY PLATE           | 1    |        |     |          | 0.003        | 0.0066      |
| 800    | TA240-58300 | PIPE                 | 1    |        |     |          | 0.095        | 0.209       |
| 810    | 04811-00150 | O RING               | 2    |        |     |          | 0.001        | 0.0022      |
| 820    | TA240-58310 | ASSY PLUG            | 3    |        |     |          | 0.018        | 0.0396      |
| 830    | 04810-00110 | O RING               | 3    |        |     |          | 0.001        | 0.0022      |
| 840    | TA240-58320 | PIN STRAIGHT         | 1    |        |     |          | 0.002        | 0.0044      |
| 850    | TA240-59550 | ASSY LEVER REGULATOR | 1    | ≤72879 |     |          | 0            | 0           |
| 860    | TA240-59350 | LEVER REGULATOR      | 1    | ≤72879 |     | NOT SALE | 0            | 0           |
| 870    | 01350-10520 | BOLT HEX-SOC-HD      | 1    | ≤72879 |     |          | 0.004        | 0.0088      |






TRANSMISSION CASE [MANUAL T/M TYPE] [W/O MID PTO]  
[SANS TYPE DE PDF VENTRALE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|-----------|--------------|-------------|
| 010    | TA040-20402 | CASE TRANSMISSION  | 1    | <=73226 |     |           | 41           | 90.2        |
| 010    | TA040-20404 | CASE TRANSMISSION  | 1    | >=73227 | ←   |           | 41           | 90.2        |
| 020    | 31301-14230 | GAUGE OIL          | 1    |         |     |           | 0.005        | 0.011       |
| 030    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |           | 0.012        | 0.0264      |
| 040    | 01574-61260 | STUD               | 5    |         |     |           | 0.05         | 0.11        |
| 050    | 01133-51260 | BOLT               | 2    |         |     |           | 0.06         | 0.132       |
| 060    | 01133-51235 | BOLT               | 2    |         |     |           | 0.05         | 0.11        |
| 070    | 04512-60120 | WASHER SPRING      | 5    |         |     |           | 0.005        | 0.011       |
| 080    | 02176-50120 | NUT                | 5    |         |     |           | 0.01         | 0.022       |
| 090    | 15512-96010 | PLUG DRAIN         | 1    |         |     |           | 0.101        | 0.2222      |
| 100    | 04717-02150 | WASHER WITH RUBBER | 1    |         |     |           | 0.004        | 0.0088      |
| 110    | 99999-99999 | BLANK              | 0    |         |     |           | 0            | 0           |
| 120    | TA040-20454 | HOLDER BEARING     | 1    |         |     |           | 4.5          | 9.9         |
| 130    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |           | 0.012        | 0.0264      |
| 140    | 01133-51040 | BOLT               | 5    |         |     |           | 0.03         | 0.066       |
| 150    | 01133-51060 | BOLT               | 1    |         |     |           | 0.042        | 0.0924      |
| 160    | 34076-60470 | PLUG               | 1    |         |     | W/O CREEP | 0.005        | 0.011       |
| 170    | 34076-60470 | PLUG               | 1    |         |     |           | 0.005        | 0.011       |






TRANSMISSION CASE [GST TYPE] [W/O MID PTO]  
[SANS TYPE DE PDF VENTRALE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|-----------|--------------|-------------|
| 010    | TA040-20402 | CASE TRANSMISSION  | 1    | <=73326 |     |           | 41           | 90.2        |
| 010    | TA040-20404 | CASE TRANSMISSION  | 1    | >=73327 | ←   |           | 41           | 90.2        |
| 020    | 31301-14230 | GAUGE OIL          | 1    |         |     |           | 0.005        | 0.011       |
| 030    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |           | 0.012        | 0.0264      |
| 040    | 01574-61260 | STUD               | 5    |         |     |           | 0.05         | 0.11        |
| 050    | 01133-51260 | BOLT               | 2    |         |     |           | 0.06         | 0.132       |
| 060    | 01133-51235 | BOLT               | 2    |         |     |           | 0.05         | 0.11        |
| 070    | 04512-60120 | WASHER SPRING      | 5    |         |     |           | 0.005        | 0.011       |
| 080    | 02176-50120 | NUT                | 5    |         |     |           | 0.01         | 0.022       |
| 090    | 15512-96010 | PLUG DRAIN         | 1    |         |     |           | 0.101        | 0.2222      |
| 100    | 04717-02150 | WASHER WITH RUBBER | 1    |         |     |           | 0.004        | 0.0088      |
| 110    | 34076-60470 | PLUG               | 1    |         |     |           | 0.005        | 0.011       |
| 120    | TA040-60450 | HOLDER BEARING     | 1    |         |     |           | 5.4          | 11.88       |
| 130    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |           | 0.012        | 0.0264      |
| 140    | 01133-51040 | BOLT               | 5    |         |     |           | 0.03         | 0.066       |
| 150    | 01133-51060 | BOLT               | 1    |         |     |           | 0.042        | 0.0924      |
| 160    | 34076-60470 | PLUG               | 1    |         |     | W/O CREEP | 0.005        | 0.011       |
| 170    | 34076-60470 | PLUG               | 1    |         |     |           | 0.005        | 0.011       |






**TRANSMISSION CASE [HST TYPE] [W/O MID PTO]**  
[SANS TYPE DE PDF VENTRALE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA040-20402 | CASE TRANSMISSION  | 1    | <=73226 |     |         | 41           | 90.2        |
| 010    | TA040-20404 | CASE TRANSMISSION  | 1    | >=73227 | ←   |         | 41           | 90.2        |
| 020    | 31301-14230 | GAUGE OIL          | 1    |         |     |         | 0.005        | 0.011       |
| 030    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |         | 0.012        | 0.0264      |
| 040    | 01574-61260 | STUD               | 6    |         |     |         | 0.05         | 0.11        |
| 050    | 01133-51260 | BOLT               | 1    |         |     |         | 0.06         | 0.132       |
| 060    | 01133-51235 | BOLT               | 2    |         |     |         | 0.05         | 0.11        |
| 070    | 04512-60120 | WASHER SPRING      | 6    |         |     |         | 0.005        | 0.011       |
| 080    | 02176-50120 | NUT                | 6    |         |     |         | 0.01         | 0.022       |
| 090    | 15512-96010 | PLUG DRAIN         | 1    |         |     |         | 0.101        | 0.2222      |
| 100    | 04717-02150 | WASHER WITH RUBBER | 1    |         |     |         | 0.004        | 0.0088      |
| 110    | TA240-50450 | HOLDER BEARING     | 1    |         |     |         | 4.7          | 10.34       |
| 120    | 05012-01018 | PIN STRAIGHT       | 2    |         |     |         | 0.012        | 0.0264      |
| 130    | 01133-51040 | BOLT               | 5    |         |     |         | 0.03         | 0.066       |
| 140    | 01133-51060 | BOLT               | 1    |         |     |         | 0.042        | 0.0924      |
| 150    | 34076-60470 | PLUG               | 1    |         |     |         | 0.005        | 0.011       |







**MAIN SHAFT [EXCEPT HST TYPE] [WITH IND-PTO]**  
[AVEC TYPE DE PDF IND]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|--------------|--------------|-------------|
| 010    | TA040-21300 | GEAR-SHAFT        | 1    |       |     | 24T          | 0.75         | 1.65        |
| 020    | 08101-06207 | BEARING BALL      | 1    |       |     |              | 0.282        | 0.6204      |
| 030    | 08101-06908 | BEARING BALL      | 1    |       |     |              | 0.11         | 0.242       |
| 040    | 09500-35529 | SEAL OIL          | 1    |       |     |              | 0.017        | 0.0374      |
| 050    | 04611-00620 | CIR CLIP INTERNAL | 1    |       |     |              | 0.011        | 0.0242      |
| 060    | TA040-22100 | GEAR-SHAFT MAIN   | 1    |       |     | 22-18-13-10T | 1.77         | 3.894       |
| 070    | 37150-21551 | CIR CLIP EXTERNAL | 1    |       |     |              | 0.005        | 0.011       |
| 080    | TA040-22110 | GEAR              | 1    |       |     | 27T          | 0.425        | 0.935       |
| 090    | 37410-57190 | BEARING BALL      | 2    |       |     |              | 0.14         | 0.308       |
| 100    | 35890-41290 | BEARING BALL      | 1    |       |     |              | 0.233        | 0.5126      |
| 110    | TA040-23104 | GEAR-SHAFT I-PTO  | 1    |       |     | 18T          | 1.23         | 2.706       |
| 120    | 36730-24330 | SEAL FIRST SHAFT  | 1    |       |     |              | 0.005        | 0.011       |
| 130    | 37150-21551 | CIR CLIP EXTERNAL | 1    |       |     |              | 0.005        | 0.011       |
| 140    | 34150-21560 | WASHER            | 1    |       |     |              | 0.01         | 0.022       |
| 150    | 35890-41290 | BEARING BALL      | 1    |       |     |              | 0.233        | 0.5126      |












↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-22200 | COUNTERSHAFT      | 1    |       |     |         | 1.055        | 2.321       |
| 020    | 34070-22260 | BEARING BALL      | 1    |       |     |         | 0.235        | 0.517       |
| 030    | 04611-00250 | CIR CLIP INTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | TA040-22210 | GEAR              | 1    |       |     | 24T     | 0.84         | 1.848       |
| 050    | T0073-62320 | BEARING NEEDLE    | 2    |       |     |         | 0.025        | 0.055       |
| 060    | TA040-22250 | COUPLING          | 2    |       |     |         | 0.33         | 0.726       |
| 070    | 34076-62253 | SHIFTER           | 2    |       |     |         | 0.235        | 0.517       |
| 080    | 34076-62260 | RING SYNCHRONIZER | 4    |       |     |         | 0.05         | 0.11        |
| 090    | 32430-21440 | KEY SYNCHRONIZER  | 6    |       |     |         | 0.004        | 0.0088      |
| 100    | 38360-21780 | SPRING            | 4    |       |     |         | 0.005        | 0.011       |
| 110    | 37410-14540 | CIR-CLIP          | 2    |       |     |         | 0.03         | 0.066       |
| 120    | TA040-22220 | GEAR              | 1    |       |     | 29T     | 0.84         | 1.848       |
| 130    | 08823-23727 | BEARING NEEDLE    | 2    |       |     |         | 0.04         | 0.088       |
| 140    | T0073-62230 | GEAR              | 1    |       |     | 34T     | 1.13         | 2.486       |
| 150    | T0073-62240 | GEAR              | 1    |       |     | 37T     | 1.46         | 3.212       |
| 160    | 37150-21790 | CIR-CLIP          | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 34070-22250 | COLLAR THRUST     | 1    |       |     |         | 0.015        | 0.033       |
| 180    | 08101-06305 | BEARING BALL      | 1    |       |     |         | 0.23         | 0.506       |
| 190    | 34150-21560 | WASHER            | 1    |       |     |         | 0.01         | 0.022       |
| 200    | 37150-21551 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.005        | 0.011       |
| 210    | 37150-21682 | COUPLING          | 1    |       |     |         | 0.24         | 0.528       |







## COUNTERSHAFT [GST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-22200 | COUNTERSHAFT      | 1    |       |     |         | 1.055        | 2.321       |
| 020    | 34070-22260 | BEARING BALL      | 1    |       |     |         | 0.235        | 0.517       |
| 030    | 04611-00250 | CIR CLIP INTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | TA040-22210 | GEAR              | 1    |       |     | 24T     | 0.84         | 1.848       |
| 050    | T0073-62320 | BEARING NEEDLE    | 2    |       |     |         | 0.025        | 0.055       |
| 060    | TA040-22250 | COUPLING          | 2    |       |     |         | 0.33         | 0.726       |
| 070    | 34076-62253 | SHIFTER           | 2    |       |     |         | 0.235        | 0.517       |
| 080    | 34076-62260 | RING SYNCHRONIZER | 4    |       |     |         | 0.05         | 0.11        |
| 090    | 32430-21440 | KEY SYNCHRONIZER  | 6    |       |     |         | 0.004        | 0.0088      |
| 100    | 38360-21780 | SPRING            | 4    |       |     |         | 0.005        | 0.011       |
| 110    | 37410-14540 | CIR-CLIP          | 2    |       |     |         | 0.03         | 0.066       |
| 120    | TA040-22220 | GEAR              | 1    |       |     | 29T     | 0.84         | 1.848       |
| 130    | 08823-23727 | BEARING NEEDLE    | 2    |       |     |         | 0.04         | 0.088       |
| 140    | T0073-62230 | GEAR              | 1    |       |     | 34T     | 1.13         | 2.486       |
| 150    | T0073-62240 | GEAR              | 1    |       |     | 37T     | 1.46         | 3.212       |
| 160    | 37150-21790 | CIR-CLIP          | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 34070-22250 | COLLAR THRUST     | 1    |       |     |         | 0.015        | 0.033       |
| 180    | 08101-06305 | BEARING BALL      | 1    |       |     |         | 0.23         | 0.506       |
| 190    | 34150-21560 | WASHER            | 1    |       |     |         | 0.01         | 0.022       |
| 200    | 37150-21551 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.005        | 0.011       |



[illegible]






# HYDRAULIC CLUTCH [GST TYPE] [WITH IND-PTO] [AVEC TYPE DE PDF IND]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-61600 | ASSY CLUTCH       | 1    | ≤50935 |     |         | 0            | 0           |
| 010    | TA040-61603 | ASSY CLUTCH       | 1    | ≥50936 | ←   |         | 3.7          | 8.14        |
| 020    | TA040-61610 | CASE PTO CLUTCH   | 1    |        |     |         | 1.675        | 3.685       |
| 030    | 34076-61530 | BEARING NEEDLE    | 1    |        |     |         | 0.04         | 0.088       |
| 040    | 34076-61540 | BEARING NEEDLE    | 1    |        |     |         | 0.01         | 0.022       |
| 050    | 31501-72403 | RING SEAL         | 2    |        |     |         | 0.005        | 0.011       |
| 060    | 34076-61560 | PISTON            | 1    |        |     |         | 0.26         | 0.572       |
| 070    | 34076-61570 | D RING OUTER      | 1    |        |     |         | 0.005        | 0.011       |
| 080    | 04811-06370 | O RING            | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 04817-06370 | O RING            | 1    |        | ←   |         | 0            | 0           |
| 090    | 34076-61590 | SPRING            | 12   |        |     |         | 0.005        | 0.011       |
| 100    | 34076-61610 | PLATE RETAINER    | 1    |        |     |         | 0.035        | 0.077       |
| 110    | 04612-00420 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.006        | 0.0132      |
| 120    | 34076-61630 | HUB CLUTCH        | 1    |        |     |         | 0.455        | 1.001       |
| 130    | 34076-61650 | DISK CLUTCH       | 3    | ≤50935 |     |         | 0.09         | 0.198       |
| 130    | T0273-61650 | DISK CLUTCH       | 3    | ≥50936 | ←   |         | 0.075        | 0.165       |
| 140    | 34076-61660 | PLATE             | 2    |        |     | 1.6mm   | 0            | 0           |
| 140    | T1063-61660 | PLATE             | 2    |        | ↔   | 1.6mm   | 0.07         | 0.154       |
| 145    | 34076-61690 | PLATE             | 1    |        |     | 1.6mm   | 0            | 0           |
| 145    | T1063-61670 | PLATE             | 1    |        | ↔   | 1.6mm   | 0.073        | 0.1606      |
| 150    | 34076-61710 | HUB CLUTCH INPUT  | 1    |        |     |         | 0.7          | 1.54        |
| 160    | 34076-61680 | SPRING PLATE      | 1    |        |     |         | 0.05         | 0.11        |
| 170    | TA040-61720 | CIR-CLIP INTERNAL | 1    |        |     |         | 0.082        | 0.1804      |
| 180    | 34076-61670 | RUBBER            | 8    |        |     |         | 0.005        | 0.011       |
| 190    | 37150-21551 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.005        | 0.011       |






## SHUTTLE SHAFT [MANUAL T/M TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-22400 | SHAFT SHUTTLE      | 1    |       |     |         | 0.955        | 2.101       |
| 020    | 37150-21551 | CIR CLIP EXTERNAL  | 2    |       |     |         | 0.005        | 0.011       |
| 030    | 34150-21560 | WASHER             | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 35890-41290 | BEARING BALL       | 2    |       |     |         | 0.233        | 0.5126      |
| 050    | TA040-22430 | COLLAR THRUST      | 2    |       |     |         | 0.022        | 0.0484      |
| 060    | TA040-22410 | GEAR               | 1    |       |     | 18T     | 0.58         | 1.276       |
| 070    | 34070-22430 | BEARING NEEDLE     | 2    |       |     |         | 0.035        | 0.077       |
| 080    | TA040-22450 | COUPLING           | 1    |       |     |         | 0.3          | 0.66        |
| 090    | TA040-22440 | SHIFTER            | 1    |       |     |         | 0.225        | 0.495       |
| 100    | TA040-22460 | ASSY SYNCHRO       | 2    |       |     |         | 0.12         | 0.264       |
| 110    | 99999-99999 | BLANK              | 0    |       |     |         | 0            | 0           |
| 120    | 99999-99999 | BLANK              | 0    |       |     |         | 0            | 0           |
| 130    | 99999-99999 | BLANK              | 0    |       |     |         | 0            | 0           |
| 140    | 32430-21440 | KEY SYNCHRONIZER   | 3    |       |     |         | 0.004        | 0.0088      |
| 150    | 38360-21780 | SPRING             | 2    |       |     |         | 0.005        | 0.011       |
| 160    | 34076-62460 | CIR CLIP EXTERNAL  | 1    |       |     |         | 0.005        | 0.011       |
| 170    | TA040-22420 | GEAR BACK          | 1    |       |     | 15T     | 0.4          | 0.88        |
| 180    | 34150-21560 | WASHER             | 1    |       |     |         | 0.01         | 0.022       |
| 190    | TA040-22500 | GEAR-SHAFT SHUTTLE | 1    |       |     | 22-20T  | 2.2          | 4.84        |
| 200    | 35890-41290 | BEARING BALL       | 2    |       |     |         | 0.233        | 0.5126      |
| 210    | TA040-22550 | GEAR-SHAFT BACK    | 1    |       |     | 17T     | 0.885        | 1.947       |
| 220    | 08101-06204 | BEARING BALL       | 1    |       |     |         | 0.102        | 0.2244      |
| 230    | 34070-22560 | BEARING BALL       | 1    |       |     |         | 0.1          | 0.22        |






## SHUTTLE SHAFT [GST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-62400 | SHAFT SHUTTLE      | 1    |       |     |         | 0.98         | 2.156       |
| 020    | 37150-21551 | CIR CLIP EXTERNAL  | 1    |       |     |         | 0.005        | 0.011       |
| 030    | 37150-21790 | CIR-CLIP           | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 34070-15710 | COLLAR THRUST      | 1    |       |     |         | 0.021        | 0.0462      |
| 050    | 35890-41290 | BEARING BALL       | 2    |       |     |         | 0.233        | 0.5126      |
| 060    | TA040-22430 | COLLAR THRUST      | 2    |       |     |         | 0.022        | 0.0484      |
| 070    | TA040-62410 | GEAR               | 1    |       |     | 18T     | 0.685        | 1.507       |
| 080    | 34070-22430 | BEARING NEEDLE     | 2    |       |     |         | 0.035        | 0.077       |
| 090    | TA040-22450 | COUPLING           | 1    |       |     |         | 0.3          | 0.66        |
| 100    | TA040-22440 | SHIFTER            | 1    |       |     |         | 0.225        | 0.495       |
| 110    | 32430-67630 | RING SYNCHRONIZER  | 2    |       |     |         | 0.055        | 0.121       |
| 120    | 32430-21440 | KEY SYNCHRONIZER   | 3    |       |     |         | 0.004        | 0.0088      |
| 130    | 38360-21780 | SPRING             | 2    |       |     |         | 0.005        | 0.011       |
| 140    | 34076-62460 | CIR CLIP EXTERNAL  | 1    |       |     |         | 0.005        | 0.011       |
| 150    | TA040-62420 | GEAR               | 1    |       |     | 15T     | 0.48         | 1.056       |
| 160    | 34150-21560 | WASHER             | 1    |       |     |         | 0.01         | 0.022       |
| 170    | TA040-22500 | GEAR-SHAFT SHUTTLE | 1    |       |     | 20-20T  | 2.2          | 4.84        |
| 180    | 35890-41290 | BEARING BALL       | 2    |       |     |         | 0.233        | 0.5126      |
| 190    | TA040-22550 | GEAR-SHAFT BACK    | 1    |       |     | 17T     | 0.885        | 1.947       |
| 200    | 08101-06204 | BEARING BALL       | 1    |       |     |         | 0.102        | 0.2244      |
| 210    | 34070-22560 | BEARING BALL       | 1    |       |     |         | 0.1          | 0.22        |



TA040-061-10



| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-22600 | SHAFT RANGE GEAR | 1    |       |     |         | 1.14         | 2.508       |
| 020    | 37150-21682 | COUPLING         | 1    |       |     |         | 0.24         | 0.528       |
| 030    | 08101-06305 | BEARING BALL     | 1    |       |     |         | 0.23         | 0.506       |
| 040    | 34076-62650 | COLLAR THRUST    | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 37150-21790 | CIR-CLIP         | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | TA040-22610 | GEAR             | 1    |       |     | 18T     | 0.33         | 0.726       |
| 070    | TA040-22630 | BEARING NEEDLE   | 1    |       |     |         | 0.02         | 0.044       |
| 080    | TA040-22250 | COUPLING         | 1    |       |     |         | 0.33         | 0.726       |
| 090    | 34076-62253 | SHIFTER          | 1    |       |     |         | 0.235        | 0.517       |
| 100    | 37410-14540 | CIR-CLIP         | 1    |       |     |         | 0.03         | 0.066       |
| 110    | TA040-22620 | GEAR             | 1    |       |     | 33T     | 1.36         | 2.992       |
| 120    | TA040-22640 | BEARING NEEDLE   | 1    |       |     |         | 0.05         | 0.11        |
| 130    | 38450-23230 | COLLAR           | 1    |       |     |         | 0.024        | 0.0528      |
| 140    | 08101-06205 | BEARING BALL     | 1    |       |     |         | 0.14         | 0.308       |




TA040-042-10



# RANGE GEAR SHAFT [GST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-22600 | SHAFT RANGE GEAR  | 1    |       |     |         | 1.14         | 2.508       |
| 020    | 37150-21682 | COUPLING          | 1    |       |     |         | 0.24         | 0.528       |
| 030    | 37150-21551 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.005        | 0.011       |
| 040    | 34150-21560 | WASHER            | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 08101-06305 | BEARING BALL      | 1    |       |     |         | 0.23         | 0.506       |
| 060    | 34076-62650 | COLLAR THRUST     | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 37150-21790 | CIR-CLIP          | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | TA040-62610 | GEAR              | 1    |       |     | 18T     | 0.34         | 0.748       |
| 090    | TA040-22630 | BEARING NEEDLE    | 1    |       |     |         | 0.02         | 0.044       |
| 100    | TA040-22250 | COUPLING          | 1    |       |     |         | 0.33         | 0.726       |
| 110    | TA040-22440 | SHIFTER           | 1    |       |     |         | 0.225        | 0.495       |
| 120    | 34076-62260 | RING SYNCHRONIZER | 2    |       |     |         | 0.05         | 0.11        |
| 130    | 32430-21440 | KEY SYNCHRONIZER  | 3    |       |     |         | 0.004        | 0.0088      |
| 140    | T0120-21780 | SPRING            | 2    |       |     |         | 0.003        | 0.0066      |
| 150    | 37410-14540 | CIR-CLIP          | 1    |       |     |         | 0.03         | 0.066       |
| 160    | TA040-62620 | GEAR              | 1    |       |     | 33T     | 1.39         | 3.058       |
| 170    | TA040-22640 | BEARING NEEDLE    | 1    |       |     |         | 0.05         | 0.11        |
| 180    | 38450-23230 | COLLAR            | 1    |       |     |         | 0.024        | 0.0528      |
| 190    | 08101-06205 | BEARING BALL      | 1    |       |     |         | 0.14         | 0.308       |






**SPIRAL BEVEL PINION [EXCEPT HST TYPE] [W/O CREEP]**  
**[SANS TYPE DE RAMPANTE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-15110 | GEAR 4WD             | 1    |        |     | 17T     | 0.22         | 0.484       |
| 020    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 030    | 04612-00350 | CIR CLIP EXTERNAL    | 1    |        |     |         | 0.01         | 0.022       |
| 040    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 050    | 35260-23252 | NUT                  | 1    |        |     |         | 0.04         | 0.088       |
| 060    | 34070-22770 | CASE                 | 1    | ≤71140 |     |         | 0            | 0           |
| 060    | 34070-22772 | CASE                 | 1    | ≥71141 | ←   |         | 0            | 0           |
| 070    | 38240-22140 | BEARING TAPER-ROLLER | 1    |        |     |         | 0.56         | 1.232       |
| 080    | 01133-51040 | BOLT                 | 3    |        |     |         | 0.03         | 0.066       |
| 090    | 34070-22860 | SHIM                 | 2    |        |     | 0.5mm   | 0.015        | 0.033       |
| 090    | 34070-22870 | SHIM                 | 4    |        |     | 0.2mm   | 0.004        | 0.0088      |
| 090    | 34070-22880 | SHIM                 | 2    |        |     | 0.1mm   | 0.005        | 0.011       |
| 100    | 34070-22780 | COVER BEARING        | 1    |        |     |         | 0.21         | 0.462       |
| 110    | 34070-22740 | BEARING ROLLER       | 1    |        |     |         | 0.51         | 1.122       |
| 120    | TA040-21710 | GEAR                 | 1    |        |     | 42-16T  | 1.295        | 2.849       |
| 130    | 37800-43870 | BOLT                 | 8    |        |     |         | 0.026        | 0.0572      |
| 140    | TA040-99340 | ASSY GEAR BEVEL      | 1    |        |     | 6-37T   | 6.1          | 13.42       |






**SPIRAL BEVEL PINION [EXCEPT HST TYPE][WITH CREEP]  
[AVEC TYPE DE RAMPANTE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-----------|--------------|-------------|
| 010    | TA040-15110 | GEAR 4WD             | 1    |        |     | 17T       | 0.22         | 0.484       |
| 020    | 99999-99999 | BLANK                | 0    |        |     |           | 0            | 0           |
| 030    | 04612-00350 | CIR CLIP EXTERNAL    | 1    |        |     |           | 0.01         | 0.022       |
| 040    | 99999-99999 | BLANK                | 0    |        |     |           | 0            | 0           |
| 050    | 35260-23252 | NUT                  | 1    |        |     |           | 0.04         | 0.088       |
| 060    | 34070-22770 | CASE                 | 1    | ≤71140 |     |           | 0            | 0           |
| 060    | 34070-22772 | CASE                 | 1    | ≥71141 | ←   |           | 0            | 0           |
| 070    | 38240-22140 | BEARING TAPER-ROLLER | 1    |        |     |           | 0.56         | 1.232       |
| 080    | 01133-51040 | BOLT                 | 3    |        |     |           | 0.03         | 0.066       |
| 090    | 34070-22860 | SHIM                 | 2    |        |     | 0.5mm     | 0.015        | 0.033       |
| 090    | 34070-22870 | SHIM                 | 4    |        |     | 0.2mm     | 0.004        | 0.0088      |
| 090    | 34070-22880 | SHIM                 | 2    |        |     | 0.1mm     | 0.005        | 0.011       |
| 100    | 34070-22780 | COVER BEARING        | 1    |        |     |           | 0.21         | 0.462       |
| 110    | 34070-22740 | BEARING ROLLER       | 1    |        |     |           | 0.51         | 1.122       |
| 120    | 32420-67662 | COLLAR THRUST        | 1    |        |     |           | 0.005        | 0.011       |
| 130    | TA040-22710 | GEAR                 | 1    |        |     | 42-16-18T | 1.34         | 2.948       |
| 140    | 34070-22430 | BEARING NEEDLE       | 2    |        |     |           | 0.035        | 0.077       |
| 150    | 34076-62730 | COLLAR               | 1    |        |     |           | 0.07         | 0.154       |
| 160    | 30420-74310 | COLLAR THRUST        | 1    |        |     |           | 0.015        | 0.033       |
| 170    | 34070-80180 | GEAR CREEP           | 1    |        |     | 47T       | 1.155        | 2.541       |
| 180    | 34070-80190 | GEAR-SHAFT CREEP     | 1    |        |     | 12T       | 1.45         | 3.19        |
| 190    | 08101-06205 | BEARING BALL         | 1    |        |     |           | 0.14         | 0.308       |
| 200    | 34070-22910 | GEAR CREEP           | 1    |        |     | 41T       | 0.6          | 1.32        |
| 210    | 04612-00450 | CIR CLIP EXTERNAL    | 1    |        |     |           | 0.007        | 0.0154      |
| 220    | 08101-06305 | BEARING BALL         | 1    |        |     |           | 0.23         | 0.506       |
| 230    | 37800-43870 | BOLT                 | 8    |        |     |           | 0.026        | 0.0572      |
| 240    | TA040-99440 | ASSY GEAR BEVEL      | 1    |        |     | 6-37T     | 6.13         | 13.486      |




TA140-049-11



## SPIRAL BEVEL PINION [HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|--------------|--------------|-------------|
| 010    | TA040-15110 | GEAR 4WD             | 1    |        |     | 17T          | 0.22         | 0.484       |
| 020    | 04612-00350 | CIR CLIP EXTERNAL    | 1    |        |     |              | 0.01         | 0.022       |
| 030    | TA240-52600 | GEAR-SHAFT           | 1    |        |     | 13T          | 1.345        | 2.959       |
| 040    | 37150-21682 | COUPLING             | 1    |        |     |              | 0.24         | 0.528       |
| 050    | 08101-06305 | BEARING BALL         | 1    |        |     |              | 0.23         | 0.506       |
| 060    | 34076-62650 | COLLAR THRUST        | 1    |        |     |              | 0.01         | 0.022       |
| 070    | 37150-21790 | CIR-CLIP             | 1    |        |     |              | 0.001        | 0.0022      |
| 080    | TA240-52610 | GEAR                 | 1    | ≤73226 |     | 17T NOT SALE | 0.2          | 0.44        |
| 080    | TA240-52612 | GEAR                 | 1    | ≥73227 | ←   |              | 0.2          | 0.44        |
| 090    | TA040-22630 | BEARING NEEDLE       | 1    |        |     |              | 0.02         | 0.044       |
| 100    | TA240-52620 | GEAR                 | 1    |        |     | 26T          | 0.55         | 1.21        |
| 110    | 37410-57190 | BEARING BALL         | 1    |        |     |              | 0.14         | 0.308       |
| 120    | 35260-23252 | NUT                  | 1    |        |     |              | 0.04         | 0.088       |
| 130    | 34070-22770 | CASE                 | 1    | ≤71140 |     |              | 0            | 0           |
| 130    | 34070-22772 | CASE                 | 1    | ≥71141 | ←   |              | 0            | 0           |
| 140    | 38240-22140 | BEARING TAPER-ROLLER | 1    |        |     |              | 0.56         | 1.232       |
| 150    | 01133-51040 | BOLT                 | 3    |        |     |              | 0.03         | 0.066       |
| 160    | 34070-22860 | SHIM                 | 2    |        |     | 0.5mm        | 0.015        | 0.033       |
| 160    | 34070-22870 | SHIM                 | 4    |        |     | 0.2mm        | 0.004        | 0.0088      |
| 160    | 34070-22880 | SHIM                 | 2    |        |     | 0.1mm        | 0.005        | 0.011       |
| 170    | 34070-22780 | COVER BEARING        | 1    |        |     |              | 0.21         | 0.462       |
| 180    | 32420-67662 | COLLAR THRUST        | 1    |        |     |              | 0.005        | 0.011       |
| 190    | TA240-52712 | GEAR                 | 1    |        |     | 32-23-18T    | 1.36         | 2.992       |
| 200    | 34070-22430 | BEARING NEEDLE       | 2    |        |     |              | 0.035        | 0.077       |
| 210    | TA240-52730 | COLLAR               | 1    |        |     |              | 0.046        | 0.1012      |
| 220    | TA240-52720 | COLLAR THRUST        | 1    |        |     |              | 0.01         | 0.022       |
| 230    | T0070-22810 | GEAR CREEP           | 1    |        |     | 46T          | 1.08         | 2.376       |
| 240    | 34070-22740 | BEARING ROLLER       | 1    |        |     |              | 0.51         | 1.122       |
| 250    | 37800-43870 | BOLT                 | 8    |        |     |              | 0.026        | 0.0572      |
| 260    | TA240-52700 | GEAR-SHAFT           | 1    |        |     | 6T           | 1.66         | 3.652       |
| 270    | TA240-99340 | ASSY GEAR BEVEL      | 1    |        |     | 37T          | 0            | 0           |




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 3A011-32204 | ASSY DIFFERENTIAL    | 1    |       |     |         | 6.2          | 13.64       |
| 020    | 3A011-32710 | CASE DIFFERENTIAL    | 1    |       |     |         | 3.35         | 7.37        |
| 030    | 3A011-32044 | COVER DIFF.CASE      | 1    |       |     |         | 0.795        | 1.749       |
| 040    | 37300-28170 | PIN STRAIGHT         | 2    |       |     |         | 0.025        | 0.055       |
| 050    | 01133-51025 | BOLT                 | 8    |       |     |         | 0.023        | 0.0506      |
| 060    | 35430-26340 | SHAFT DIFF.PINION    | 1    |       |     |         | 0.31         | 0.682       |
| 070    | 35430-26330 | SHAFT DIFF.PINION    | 2    |       |     |         | 0.136        | 0.2992      |
| 080    | 31220-26280 | KEY FEATHER          | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 35430-26350 | PINION DIFF.         | 4    |       |     |         | 0.16         | 0.352       |
| 100    | 31351-26390 | WASHER DIFF.PINION   | 4    |       |     |         | 0.012        | 0.0264      |
| 110    | 37300-26430 | GEAR DIFF.SIDE RH    | 1    |       |     |         | 0.475        | 1.045       |
| 120    | 37300-26440 | GEAR DIFF.SIDE LH    | 1    |       |     |         | 0.63         | 1.386       |
| 130    | 31351-26470 | WASHER SIDE GEAR     | 2    |       |     | 1.5mm   | 0.01         | 0.022       |
| 130    | 31351-26480 | WASHER SIDE GEAR     | 2    |       |     | 1.6mm   | 0.015        | 0.033       |
| 130    | 31351-26490 | WASHER SIDE GEAR     | 2    |       |     | 1.7mm   | 0.016        | 0.0352      |
| 130    | 3A011-32760 | COLLAR THRUST        | 2    |       |     | 1.8mm   | 0.01         | 0.022       |
| 130    | 3A011-32780 | COLLAR THRUST        | 2    |       |     | 2.0mm   | 0.01         | 0.022       |
| 140    | 31351-26610 | SHIFTER DIFF.LOCK    | 1    |       |     |         | 0.43         | 0.946       |
| 150    | 08711-32011 | BEARING TAPER-ROLLER | 1    |       |     |         | 0.538        | 1.1836      |
| 160    | 08711-30209 | BEARING TAPER-ROLLER | 1    |       |     |         | 0.458        | 1.0076      |
| 170    | 34070-28360 | SUPPORT DIFF.        | 1    |       |     |         | 0.405        | 0.891       |
| 180    | 01133-51025 | BOLT                 | 4    |       |     |         | 0.023        | 0.0506      |
| 190    | 04611-00900 | CIR CLIP INTERNAL    | 1    |       |     |         | 0.031        | 0.0682      |
| 200    | 37410-16810 | SHIM DIFFERENTIAL    | 1    |       |     | 0.4mm   | 0.01         | 0.022       |
| 200    | 37410-16820 | SHIM DIFFERENTIAL    | 1    |       |     | 0.5mm   | 0.01         | 0.022       |
| 200    | 37410-16830 | SHIM DIFFERENTIAL    | 1    |       |     | 0.6mm   | 0.01         | 0.022       |
| 200    | 37410-16840 | SHIM DIFFERENTIAL    | 1    |       |     | 0.7mm   | 0.01         | 0.022       |
| 200    | 37410-16850 | SHIM DIFFERENTIAL    | 1    |       |     | 0.8mm   | 0.008        | 0.0176      |
| 200    | 37410-16860 | SHIM DIFFERENTIAL    | 1    |       |     | 0.9mm   | 0.009        | 0.0198      |
| 200    | 37410-16870 | SHIM DIFFERENTIAL    | 1    |       |     | 1.0mm   | 0.01         | 0.022       |
| 200    | 37410-16880 | SHIM DIFFERENTIAL    | 1    |       |     | 1.2mm   | 0.011        | 0.0242      |
| 200    | 37410-16890 | SHIM DIFFERENTIAL    | 1    |       |     | 1.4mm   | 0.015        | 0.033       |
| 210    | 34070-28210 | SHIM                 | 1    |       |     | 0.4mm   | 0.01         | 0.022       |
| 210    | 34070-28230 | SHIM                 | 1    |       |     | 0.6mm   | 0.015        | 0.033       |
| 210    | 34070-28250 | SHIM                 | 1    |       |     | 0.8mm   | 0.015        | 0.033       |
| 210    | 34070-28270 | SHIM                 | 1    |       |     | 1.0mm   | 0.015        | 0.033       |
| 210    | 34070-28290 | SHIM                 | 1    |       |     | 1.2mm   | 0.02         | 0.044       |
| 210    | 34070-28310 | SHIM                 | 1    |       |     | 1.6mm   | 0.025        | 0.055       |





| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight<br>(kgf) | Weight<br>(lb) |
|--------|-------------|--------------------|------|-------|-----|---------|-----------------|----------------|
| 010    | TA040-23200 | GEAR-SHAFT I-PTO   | 1    |       |     | 21T     | 1.585           | 3.487          |
| 020    | 33740-31180 | BEARING ROLLER     | 1    |       |     |         | 0.22            | 0.484          |
| 030    | 08101-06205 | BEARING BALL       | 1    |       |     |         | 0.14            | 0.308          |
| 040    | TA040-23150 | COUNTERSHAFT I-PTO | 1    |       |     |         | 0.99            | 2.178          |
| 050    | 08101-06305 | BEARING BALL       | 2    |       |     |         | 0.23            | 0.506          |
| 060    | TA040-23230 | COLLAR             | 1    |       |     |         | 0.055           | 0.121          |
| 070    | TA040-23160 | GEAR I-PTO         | 1    |       |     | 33T     | 0.915           | 2.013          |



140 TA040-6907-0

140




TA150-811-10



**PTO CLUTCH [EXCEPT HST TYPE] [WITH IND-PTO]**  
[AVEC TYPE DE PDF IND]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-23500 | GEAR-SHAFT I-PTO  | 1    |        |     | 12T     | 1.48         | 3.256       |
| 020    | TA040-69000 | ASSY CLUTCH I-PTO | 1    |        |     |         | 3.6          | 7.92        |
| 030    | TA040-69012 | CASE PTO CLUTCH   | 1    |        |     |         | 1.555        | 3.421       |
| 040    | TA040-69020 | PISTON            | 1    |        |     |         | 0.395        | 0.869       |
| 050    | 31501-72330 | D RING OUTER      | 1    |        |     |         | 0.005        | 0.011       |
| 060    | 31501-72470 | D RING INNER      | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 04811-00100 | O RING            | 3    |        |     |         | 0.001        | 0.0022      |
| 070    | 04817-00100 | O RING            | 3    |        | ←   |         | 0            | 0           |
| 080    | TA040-69030 | PLATE BRAKE       | 1    |        |     |         | 0.5          | 1.1         |
| 090    | TA040-69040 | BOLT              | 3    |        |     |         | 0.004        | 0.0088      |
| 100    | TA040-69050 | SPRING RETURN     | 1    |        |     |         | 0.075        | 0.165       |
| 110    | TA040-69060 | SPRING RETURN     | 3    |        |     |         | 0.008        | 0.0176      |
| 120    | 31501-72370 | WASHER            | 1    |        |     |         | 0.018        | 0.0396      |
| 130    | 04612-00350 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.01         | 0.022       |
| 140    | TA040-69070 | PLATE             | 3    | ≤72826 |     |         | 0.036        | 0.0792      |
| 140    | TA040-69080 | PLATE             | 3    | ≥72827 | ←   |         | 0.036        | 0.0792      |
| 150    | TA040-69080 | PLATE             | 3    |        |     |         | 0.036        | 0.0792      |
| 160    | TA040-69090 | RUBBER            | 9    |        |     |         | 0.001        | 0.0022      |
| 170    | 34070-15250 | DISK CLUTCH       | 6    |        |     |         | 0.04         | 0.088       |
| 180    | TA040-69100 | PLATE BACK        | 1    |        |     |         | 0.127        | 0.2794      |
| 190    | 04611-00920 | CIR CLIP INTERNAL | 1    |        |     |         | 0.04         | 0.088       |
| 200    | 08101-06807 | BEARING BALL      | 1    |        |     |         | 0.03         | 0.066       |
| 210    | TA040-69113 | HUB CLUTCH        | 1    |        |     |         | 0.365        | 0.803       |
| 220    | TA040-69150 | DISK BRAKE        | 1    |        |     |         | 0.41         | 0.902       |
| 230    | TA040-69160 | BEARING NEEDLE    | 1    |        |     |         | 0.029        | 0.0638      |
| 240    | 31501-72403 | RING SEAL         | 2    |        |     |         | 0.005        | 0.011       |
| 250    | 08101-06207 | BEARING BALL      | 1    |        |     |         | 0.282        | 0.6204      |
| 260    | 69331-24330 | COLLAR DISTANCE   | 1    |        |     |         | 0.012        | 0.0264      |
| 270    | 36740-41150 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.01         | 0.022       |
| 280    | 36540-41130 | BEARING BALL      | 1    |        |     |         | 0.34         | 0.748       |






## PTO CLUTCH [HST TYPE] [W/O IND-PTO]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-53250 | COUNTERSHAFT PTO | 1    |        |     |         | 0.455        | 1.001       |
| 020    | 08101-06205 | BEARING BALL     | 1    |        |     |         | 0.14         | 0.308       |
| 030    | TA240-53162 | GEAR PTO         | 1    |        |     | 33T     | 0.795        | 1.749       |
| 040    | 67121-56770 | BEARING BALL     | 1    |        |     |         | 0.127        | 0.2794      |
| 050    | TA040-23410 | CAM CLUTCH       | 1    |        |     |         | 0.52         | 1.144       |
| 060    | TA240-51470 | SPRING           | 1    |        |     |         | 0.058        | 0.1276      |
| 070    | TA040-23450 | CAM CLUTCH       | 1    |        |     |         | 0.465        | 1.023       |
| 080    | 01779-51020 | BOLT UBS         | 1    | ≤71289 |     |         | 0.025        | 0.055       |
| 080    | TA140-23950 | BOLT             | 1    | ≥71290 | ←   |         | 0            | 0           |
| 090    | 41330-76120 | WASHER           | 1    |        |     |         | 0.025        | 0.055       |
| 100    | TA240-23560 | GEAR-SHAFT PTO   | 1    |        |     | 11T     | 0.685        | 1.507       |
| 110    | TA140-25000 | BEARING BALL     | 1    |        |     |         | 0.342        | 0.7524      |
| 120    | 36540-41130 | BEARING BALL     | 1    |        |     |         | 0.34         | 0.748       |






PTO SHAFT [EXCEPT HST TYPE] [W/O MID PTO]  
[SANS TYPE DE PDF VENTRALE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-15120 | GEAR              | 1    |        |     | 29-31T  | 1.75         | 3.85        |
| 020    | 38430-25232 | COLLAR THRUST     | 1    | ≤71951 |     |         | 0.02         | 0.044       |
| 020    | 38430-25233 | COLLAR THRUST     | 1    | ≥71952 | ←   |         | 0            | 0           |
| 030    | 08823-03526 | BEARING NEEDLE    | 2    |        |     |         | 0.035        | 0.077       |
| 040    | TA040-15130 | COLLAR            | 1    |        |     |         | 0.022        | 0.0484      |
| 050    | TA040-23680 | SHAFT PTO DRIVE   | 1    |        |     |         | 1.83         | 4.026       |
| 060    | 37410-57190 | BEARING BALL      | 1    |        |     |         | 0.14         | 0.308       |
| 070    | TA040-23610 | GEAR PTO          | 1    |        |     | 30T     | 1.43         | 3.146       |
| 080    | 76550-34140 | BEARING BALL      | 1    |        |     |         | 0.21         | 0.462       |
| 090    | 34550-62430 | CIR CLIP EXTERNAL | 1    | ≤71289 |     |         | 0            | 0           |
| 090    | 37410-15280 | CIR CLIP EXTERNAL | 1    | ≥71290 | ←   |         | 0.005        | 0.011       |
| 100    | 34550-23360 | COLLAR THRUST     | 1    |        |     |         | 0.025        | 0.055       |
| 110    | 37410-57330 | BEARING BALL      | 1    |        |     |         | 0.2          | 0.44        |
| 120    | TA040-23700 | SHAFT PTO         | 1    |        |     |         | 2.1          | 4.62        |
| 130    | TA040-23660 | COUPLING PTO      | 1    |        |     |         | 0.165        | 0.363       |
| 140    | 35340-25350 | COLLAR OIL SEAL   | 1    |        |     |         | 0.03         | 0.066       |
| 150    | 38430-25330 | BEARING BALL      | 1    |        |     |         | 0.23         | 0.506       |
| 160    | 35340-25320 | NUT               | 1    |        |     |         | 0.05         | 0.11        |
| 170    | 31391-25410 | CASE BEARING      | 1    |        |     |         | 1.28         | 2.816       |
| 180    | 04611-00650 | CIR CLIP INTERNAL | 1    |        |     |         | 0.011        | 0.0242      |
| 190    | 35340-25360 | SEAL OIL          | 1    |        |     |         | 0.024        | 0.0528      |
| 200    | 38240-25370 | SLINGER           | 1    |        |     |         | 0.004        | 0.0088      |
| 210    | 04811-50800 | O RING            | 1    |        |     |         | 0.003        | 0.0066      |
| 220    | 01123-50840 | BOLT              | 4    |        |     |         | 0.018        | 0.0396      |
| 230    | 38430-25540 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.004        | 0.0088      |
| 240    | 31220-25820 | CAP               | 1    |        |     |         | 0.055        | 0.121       |






**PTO SHAFT [HST TYPE] [W/O MID PTO]**  
[SANS TYPE DE PDF VENTRALE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-15120 | GEAR              | 1    |        |     | 29-31T  | 1.75         | 3.85        |
| 020    | 38430-25232 | COLLAR THRUST     | 1    | ≤71951 |     |         | 0.02         | 0.044       |
| 020    | 38430-25233 | COLLAR THRUST     | 1    | ≥71952 | ←   |         | 0            | 0           |
| 030    | 08823-03526 | BEARING NEEDLE    | 2    |        |     |         | 0.035        | 0.077       |
| 040    | TA040-15130 | COLLAR            | 1    |        |     |         | 0.022        | 0.0484      |
| 050    | TA240-53680 | SHAFT PTO DRIVE   | 1    |        |     |         | 1.6          | 3.52        |
| 060    | 37410-57190 | BEARING BALL      | 1    |        |     |         | 0.14         | 0.308       |
| 070    | TA240-23610 | GEAR PTO          | 1    |        |     | 30T     | 1.51         | 3.322       |
| 080    | 37410-57330 | BEARING BALL      | 1    |        |     |         | 0.2          | 0.44        |
| 090    | 34550-62430 | CIR CLIP EXTERNAL | 1    | ≤71289 |     |         | 0            | 0           |
| 090    | 37410-15280 | CIR CLIP EXTERNAL | 1    | ≥71290 | ←   |         | 0.005        | 0.011       |
| 100    | 34550-23360 | COLLAR THRUST     | 1    |        |     |         | 0.025        | 0.055       |
| 110    | 37410-57330 | BEARING BALL      | 1    |        |     |         | 0.2          | 0.44        |
| 120    | TA040-23700 | SHAFT PTO         | 1    |        |     |         | 2.1          | 4.62        |
| 130    | TA040-23660 | COUPLING PTO      | 1    |        |     |         | 0.165        | 0.363       |
| 140    | 35340-25350 | COLLAR OIL SEAL   | 1    |        |     |         | 0.03         | 0.066       |
| 150    | 38430-25330 | BEARING BALL      | 1    |        |     |         | 0.23         | 0.506       |
| 160    | 35340-25320 | NUT               | 1    |        |     |         | 0.05         | 0.11        |
| 170    | 31391-25410 | CASE BEARING      | 1    |        |     |         | 1.28         | 2.816       |
| 180    | 04611-00650 | CIR CLIP INTERNAL | 1    |        |     |         | 0.011        | 0.0242      |
| 190    | 35340-25360 | SEAL OIL          | 1    |        |     |         | 0.024        | 0.0528      |
| 200    | 38240-25370 | SLINGER           | 1    |        |     |         | 0.004        | 0.0088      |
| 210    | 04811-50800 | O RING            | 1    |        |     |         | 0.003        | 0.0066      |
| 220    | 01123-50840 | BOLT              | 4    |        |     |         | 0.018        | 0.0396      |
| 230    | 38430-25540 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.004        | 0.0088      |
| 240    | 31220-25820 | CAP               | 1    |        |     |         | 0.055        | 0.121       |




TA040-053-11



**MAIN GEAR SHIFT FORK [MANUAL T/M TYPE]**  
[TYPE T/M MANUELLE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0073-64103 | FORK MAIN SHIFT | 1    |       |     |         | 0.225        | 0.495       |
| 020    | T0073-64110 | FORK MAIN SHIFT | 1    |       |     |         | 0.23         | 0.506       |
| 030    | TA040-24120 | ROD FORK        | 2    |       |     |         | 0.245        | 0.539       |
| 040    | 05411-00625 | PIN SPRING      | 2    |       |     |         | 0.004        | 0.0088      |
| 050    | 07715-01605 | BALL            | 5    |       |     |         | 0.003        | 0.0066      |
| 060    | 34070-24190 | BOLT            | 1    |       |     |         | 0.015        | 0.033       |
| 070    | 04512-60100 | WASHER SPRING   | 1    |       |     |         | 0.002        | 0.0044      |
| 080    | 32530-23730 | SPRING          | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 34070-24142 | BASE MAIN SHIFT | 1    |       |     |         | 0.395        | 0.869       |
| 100    | 09500-16287 | SEAL OIL        | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 01123-50860 | BOLT            | 4    |       |     |         | 0.026        | 0.0572      |
| 120    | 05012-00818 | PIN STRAIGHT    | 2    |       |     |         | 0.008        | 0.0176      |
| 130    | 34070-24154 | ARM MAIN SHIFT  | 1    |       |     |         | 0.16         | 0.352       |
| 140    | T0070-24160 | ROD MAIN SHIFT  | 1    |       |     |         | 0.35         | 0.77        |
| 150    | 34070-24332 | BOLT SET        | 1    |       |     |         | 0.01         | 0.022       |
| 160    | 32420-67970 | WASHER          | 1    |       |     |         | 0.002        | 0.0044      |
| 170    | TA040-24170 | ROD MAIN SHIFT  | 1    |       |     |         | 0.395        | 0.869       |
| 180    | 05411-00525 | PIN SPRING      | 1    |       |     |         | 0.002        | 0.0044      |
| 190    | 05411-00325 | PIN SPRING      | 1    |       |     |         | 0.001        | 0.0022      |







| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0073-64103 | FORK MAIN SHIFT | 1    |       |     |         | 0.225        | 0.495       |
| 020    | T0073-64110 | FORK MAIN SHIFT | 1    |       |     |         | 0.23         | 0.506       |
| 030    | TA040-64120 | ROD FORK        | 2    |       |     |         | 0.29         | 0.638       |
| 040    | 05411-00625 | PIN SPRING      | 2    |       |     |         | 0.004        | 0.0088      |
| 050    | T0180-64140 | SHIFTER         | 2    |       |     |         | 0.125        | 0.275       |
| 060    | 34076-64170 | PIN SHIFT       | 2    |       |     |         | 0.02         | 0.044       |
| 070    | 31351-23570 | BOLT FORK LOCK  | 2    |       |     |         | 0.007        | 0.0154      |
| 080    | 04512-60060 | WASHER SPRING   | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 07715-01605 | BALL            | 3    |       |     |         | 0.003        | 0.0066      |
| 100    | 34070-24190 | BOLT            | 1    |       |     |         | 0.015        | 0.033       |
| 110    | 04512-60100 | WASHER SPRING   | 1    |       |     |         | 0.002        | 0.0044      |














**RANGE GEAR SHIFT FORK/CREEP GEAR SHIFT FORK**  
[MANUAL T/M TYPE] [TYPE T/M MANUELLE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-24400 | FORK RANGE SHIFT | 1    |       |     |         | 0.37         | 0.814       |
| 020    | TA040-24410 | ROD FORK         | 1    |       |     |         | 0.175        | 0.385       |
| 030    | 62231-18530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 07715-01605 | BALL             | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | TA040-24420 | ARM RANGE SHIFT  | 1    |       |     |         | 0.215        | 0.473       |
| 060    | 04811-00200 | O RING           | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04816-00200 | O RING           | 1    |       | ←   |         | 0            | 0           |
| 070    | 34070-24350 | STOPPER          | 1    |       |     |         | 0.02         | 0.044       |
| 080    | 01754-50812 | BOLT FLANGE      | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 34070-24500 | FORK CREEP SHIFT | 1    |       |     |         | 0.145        | 0.319       |
| 100    | TA040-24510 | ROD FORK         | 1    |       |     |         | 0.19         | 0.418       |
| 110    | 05411-00522 | PIN SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 62231-18530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 07715-01605 | BALL             | 1    |       |     |         | 0.003        | 0.0066      |
| 140    | 34070-24420 | ARM SHIFT        | 1    |       |     |         | 0.22         | 0.484       |
| 150    | 04811-00200 | O RING           | 2    |       |     |         | 0.001        | 0.0022      |
| 150    | 04817-00200 | O RING           | 2    |       | ←   |         | 0            | 0           |
| 160    | 34070-24350 | STOPPER          | 1    |       |     |         | 0.02         | 0.044       |
| 170    | 01754-50812 | BOLT FLANGE      | 1    |       |     |         | 0.01         | 0.022       |






# RANGE GEAR SHIFT FORK/CREEP GEAR SHIFT FORK

[GST TYPE] [TYPE GST]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-24500 | FORK CREEP SHIFT | 1    |       |     |         | 0.145        | 0.319       |
| 020    | TA040-24510 | ROD FORK         | 1    |       |     |         | 0.19         | 0.418       |
| 030    | 05411-00522 | PIN SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 040    | 62231-18530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 07715-01605 | BALL             | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 34070-24420 | ARM SHIFT        | 1    |       |     |         | 0.22         | 0.484       |
| 070    | 04811-00200 | O RING           | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 04816-00200 | O RING           | 1    |       | ←   |         | 0            | 0           |
| 080    | 34070-24350 | STOPPER          | 1    |       |     |         | 0.02         | 0.044       |
| 090    | 01754-50812 | BOLT FLANGE      | 1    |       |     |         | 0.01         | 0.022       |
| 100    | TA040-64400 | FORK RANGE SHIFT | 1    |       |     |         | 0.39         | 0.858       |
| 110    | TA040-64410 | ROD FORK         | 1    |       |     |         | 0.39         | 0.858       |
| 120    | 05411-00625 | PIN SPRING       | 1    |       |     |         | 0.004        | 0.0088      |
| 130    | 34076-64420 | SHIFTER          | 1    |       |     |         | 0.14         | 0.308       |
| 140    | 34076-64170 | PIN SHIFT        | 1    |       |     |         | 0.02         | 0.044       |
| 150    | 31351-23570 | BOLT FORK LOCK   | 1    |       |     |         | 0.007        | 0.0154      |
| 160    | 04512-60060 | WASHER SPRING    | 1    |       |     |         | 0.001        | 0.0022      |







# RANGE GEAR SHIFT FORK [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-54402 | FORK RANGE SHIFT | 1    |       |     |         | 0.285        | 0.627       |
| 020    | TA240-54410 | ROD SHIFF        | 1    |       |     |         | 0.168        | 0.3696      |
| 030    | 62231-18530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 07715-01605 | BALL             | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | TA040-24420 | ARM RANGE SHIFT  | 1    |       |     |         | 0.215        | 0.473       |
| 060    | 04811-00200 | O RING           | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04816-00200 | O RING           | 1    |       | ←   |         | 0            | 0           |
| 070    | 34070-24350 | STOPPER          | 1    |       |     |         | 0.02         | 0.044       |
| 080    | 01754-50812 | BOLT FLANGE      | 1    |       |     |         | 0.01         | 0.022       |
| 090    | TA240-54502 | FORK SHIFT L     | 1    |       |     |         | 0.33         | 0.726       |
| 100    | TA040-24510 | ROD FORK         | 1    |       |     |         | 0.19         | 0.418       |
| 110    | 05411-00522 | PIN SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 62231-18530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 07715-01605 | BALL             | 1    |       |     |         | 0.003        | 0.0066      |
| 140    | 34070-24420 | ARM SHIFT        | 1    |       |     |         | 0.22         | 0.484       |
| 150    | 04811-00200 | O RING           | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 04816-00200 | O RING           | 1    |       | ←   |         | 0            | 0           |
| 160    | 34070-24350 | STOPPER          | 1    |       |     |         | 0.02         | 0.044       |
| 170    | 01754-50812 | BOLT FLANGE      | 1    |       |     |         | 0.01         | 0.022       |




030 04013-50060



090 04012-50080

100 05511-50218

110 05515-60800




TA120-822-11



**DIFFERENTIAL LOCK SHIFT FORK [EXCEPT HST TYPE]**  
 [ROPS TYPE] [EXCEPT TYPE HST] [EXCEPT TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 31351-26630 | FORK DIFF.LOCK SHIFT | 1    | ≤72961 |     | NOT SALE | 0.465        | 1.023       |
| 010    | 31351-26632 | FORK DIFF.LOCK SHIFT | 1    | ≥72962 | ←   |          | 0.465        | 1.023       |
| 020    | 31351-26620 | PIN JOINT            | 1    |        |     |          | 0.008        | 0.0176      |
| 030    | 04013-60060 | WASHER PLAIN         | 1    | ≤72692 |     |          | 0.001        | 0.0022      |
| 040    | 3A011-32870 | PIN SNAP             | 1    | ≤72692 |     |          | 0.001        | 0.0022      |
| 040    | 50080-34110 | PIN SNAP             | 1    | ≥72693 | ←   |          | 0.001        | 0.0022      |
| 050    | 34070-28402 | SHAFT FORK           | 1    |        |     |          | 0.545        | 1.199       |
| 060    | 09500-16287 | SEAL OIL             | 2    |        |     |          | 0.01         | 0.022       |
| 070    | 05411-00635 | PIN SPRING           | 2    |        |     |          | 0.005        | 0.011       |
| 080    | T0070-28414 | ROD DIFF.LOCK        | 1    |        |     |          | 0.08         | 0.176       |
| 090    | 04012-50080 | WASHER PLAIN         | 2    | ≤72507 |     |          | 0.001        | 0.0022      |
| 100    | 05511-50218 | PIN SPLIT            | 1    | ≤72507 |     |          | 0.001        | 0.0022      |
| 110    | 05515-60800 | PIN SNAP             | 1    | ≤72507 |     |          | 0.002        | 0.0044      |
| 110    | 05515-60800 | PIN SNAP             | 2    | ≥72508 |     |          | 0.002        | 0.0044      |
| 120    | 37150-15840 | SPRING               | 1    |        |     |          | 0.06         | 0.132       |



TA140-056-12



030 04013-60060



090 04012-50080

100 05511-50218

110 05515-50800




TA150-813-10



**DIFFERENTIAL LOCK SHIFT FORK [HST TYPE]**  
[ROPS TYPE] [EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | 31351-26630 | FORK DIFF.LOCK SHIFT | 1    | ≤72961 |     | NOT SALE | 0.465        | 1.023       |
| 010    | 31351-26632 | FORK DIFF.LOCK SHIFT | 1    | ≥72962 | ←   |          | 0.465        | 1.023       |
| 020    | 31351-26620 | PIN JOINT            | 1    |        |     |          | 0.008        | 0.0176      |
| 030    | 04013-60060 | WASHER PLAIN         | 1    | ≤72692 |     |          | 0.001        | 0.0022      |
| 040    | 3A011-32870 | PIN SNAP             | 1    | ≤72692 |     |          | 0.001        | 0.0022      |
| 040    | 50080-34110 | PIN SNAP             | 1    | ≥72693 | ←   |          | 0.001        | 0.0022      |
| 050    | TA240-28400 | SHAFT FORK           | 1    |        |     |          | 0.555        | 1.221       |
| 060    | 09500-16287 | SEAL OIL             | 2    |        |     |          | 0.01         | 0.022       |
| 070    | 05411-00635 | PIN SPRING           | 2    |        |     |          | 0.005        | 0.011       |
| 080    | T0070-28414 | ROD DIFF.LOCK        | 1    |        |     |          | 0.08         | 0.176       |
| 090    | 04012-50080 | WASHER PLAIN         | 2    | ≤72507 |     |          | 0.001        | 0.0022      |
| 100    | 05511-50218 | PIN SPLIT            | 1    | ≤72507 |     |          | 0.001        | 0.0022      |
| 110    | 05515-60800 | PIN SNAP             | 1    | ≤72507 |     |          | 0.002        | 0.0044      |
| 110    | 05515-60800 | PIN SNAP             | 2    | ≥72508 |     |          | 0.002        | 0.0044      |
| 120    | 37150-15840 | SPRING               | 1    |        |     |          | 0.06         | 0.132       |






# REAR AXLE [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA040-26710 | SHAFT DIFF.GEAR RH | 1    |         |     | 11T     | 2            | 4.4         |
| 020    | TA040-26720 | SHAFT DIFF.GEAR LH | 1    |         |     | 11T     | 2.2          | 4.84        |
| 030    | 08101-06309 | BEARING BALL       | 2    |         |     |         | 0.82         | 1.804       |
| 040    | 04611-01000 | CIR CLIP INTERNAL  | 2    |         |     |         | 0.042        | 0.0924      |
| 050    | 04612-00450 | CIR CLIP EXTERNAL  | 2    |         |     |         | 0.007        | 0.0154      |
| 060    | 32430-27115 | AXLE REAR          | 2    |         |     |         | 11           | 24.2        |
| 070    | 32430-27144 | SPACER             | 2    |         |     |         | 1.7          | 3.74        |
| 080    | 08101-06210 | BEARING BALL       | 2    |         |     |         | 0.45         | 0.99        |
| 090    | 04611-00900 | CIR CLIP INTERNAL  | 2    |         |     |         | 0.031        | 0.0682      |
| 100    | 31359-44510 | SEAL OIL           | 2    |         |     |         | 0.18         | 0.396       |
| 110    | TA140-25000 | BEARING BALL       | 2    |         |     |         | 0.342        | 0.7524      |
| 120    | 70631-15730 | NUT                | 2    |         |     |         | 0.15         | 0.33        |
| 130    | 32440-26830 | GEAR               | 2    |         |     | 60T     | 6.6          | 14.52       |
| 140    | 32440-27333 | CASE REAR AXLE     | 2    | <=51880 |     |         | 0            | 0           |
| 140    | 32440-27334 | CASE REAR AXLE     | 2    | >=51881 | ←   |         | 19           | 41.8        |
| 150    | 37150-27370 | PIN STRAIGHT       | 4    |         |     |         | 0.009        | 0.0198      |
| 160    | 08100-00026 | BEARING BALL       | 2    |         |     |         | 0.495        | 1.089       |
| 170    | 01133-51035 | BOLT               | 10   |         |     |         | 0.03         | 0.066       |
| 180    | 01133-51240 | BOLT               | 2    |         |     |         | 0.05         | 0.11        |
| 190    | 31220-14290 | PLUG               | 12   |         |     |         | 0.002        | 0.0044      |
| 200    | 32210-27580 | PLUG               | 8    |         |     |         | 0.001        | 0.0022      |
| 210    | 34070-20313 | STUD               | 8    |         |     |         | 0.045        | 0.099       |
| 220    | 37300-14190 | NUT                | 8    |         |     |         | 0.009        | 0.0198      |
| 230    | 04512-60100 | WASHER SPRING      | 8    |         |     |         | 0.002        | 0.0044      |






## BRAKE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|----------|--------------|-------------|
| 010    | TA040-28616 | CASE BRAKE LH      | 1    | <=61549 |     | NOT SALE | 0            | 0           |
| 010    | TA040-28617 | CASE BRAKE LH      | 1    | >=61550 | ←   | NOT SALE | 14.6         | 32.12       |
| 010    | TA040-28618 | CASE BRAKE LH      | 1    | >=73550 | ←   |          | 14.6         | 32.12       |
| 020    | TA040-28626 | CASE BRAKE RH      | 1    | <=61549 |     | NOT SALE | 0            | 0           |
| 020    | TA040-28627 | CASE BRAKE RH      | 1    | >=61550 | ←   | NOT SALE | 14.6         | 32.12       |
| 020    | TA040-28628 | CASE BRAKE RH      | 1    | >=73550 | ←   |          | 14.6         | 32.12       |
| 030    | 05012-01018 | PIN STRAIGHT       | 4    |         |     |          | 0.012        | 0.0264      |
| 040    | 01574-61240 | STUD               | 14   |         |     |          | 0.045        | 0.099       |
| 050    | 01173-51235 | BOLT               | 2    | <=72782 |     |          | 0.04         | 0.088       |
| 050    | 01133-51235 | BOLT               | 2    | >=72783 | ←   |          | 0.05         | 0.11        |
| 060    | 01173-51245 | BOLT               | 6    | <=72782 |     |          | 0.049        | 0.1078      |
| 060    | 01133-51245 | BOLT               | 6    | >=72783 | ←   |          | 0.055        | 0.121       |
| 070    | 01574-51200 | STUD               | 2    |         |     |          | 0.1          | 0.22        |
| 080    | 01574-61260 | STUD               | 2    |         |     |          | 0.05         | 0.11        |
| 090    | 04512-60120 | WASHER SPRING      | 26   | <=72866 |     |          | 0.005        | 0.011       |
| 090    | 04512-60120 | WASHER SPRING      | 18   | >=72867 |     |          | 0.005        | 0.011       |
| 100    | 02176-50120 | NUT                | 18   |         |     |          | 0.01         | 0.022       |
| 105    | 04811-10120 | O RING             | 2    | >=61550 |     |          | 0.001        | 0.0022      |
| 110    | 06331-45010 | PLUG               | 2    |         |     |          | 0.02         | 0.044       |
| 120    | 04717-01000 | WASHER WITH RUBBER | 2    |         |     |          | 0.001        | 0.0022      |
| 130    | 34070-28715 | CAM BRAKE LH       | 1    |         |     |          | 0.285        | 0.627       |
| 140    | 34070-28725 | CAM BRAKE RH       | 1    |         |     |          | 0.285        | 0.627       |
| 150    | 04811-00220 | O RING             | 4    |         |     |          | 0.001        | 0.0022      |
| 150    | 04817-00220 | O RING             | 4    |         | ←   |          | 0.005        | 0.011       |
| 160    | 04015-60120 | WASHER PLAIN       | 2    |         |     |          | 0.022        | 0.0484      |
| 170    | 04512-60120 | WASHER SPRING      | 2    |         |     |          | 0.005        | 0.011       |
| 180    | 02174-50120 | NUT                | 2    |         |     |          | 0.01         | 0.022       |
| 190    | 34070-28770 | PLATE BRAKE CAM LH | 1    |         |     |          | 1.11         | 2.442       |
| 200    | 34070-28780 | PLATE BRAKE CAM RH | 1    |         |     |          | 1.09         | 2.398       |
| 210    | 07715-00805 | BALL               | 12   |         |     |          | 0.016        | 0.0352      |
| 220    | 37150-28200 | DISK BRAKE         | 4    |         |     |          | 0            | 0           |
| 220    | T1060-28200 | DISK BRAKE MAIN    | 4    |         | ↔   |          | 0.75         | 1.65        |
| 230    | 37720-28170 | PLATE              | 2    |         |     |          | 0.422        | 0.9284      |
| 240    | 34070-44615 | LEVER BRAKE CAM LH | 1    |         |     |          | 0.41         | 0.902       |
| 250    | 34070-44623 | LEVER BRAKE CAM RH | 1    |         |     |          | 0.41         | 0.902       |






| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-44810 | ASSY LEVER BRAKE LH | 1    |       |     |         | 0            | 0           |
| 020    | 34070-44890 | BUSH                | 1    |       |     |         | 0.035        | 0.077       |
| 030    | 34070-44910 | ASSY LEVER BRAKE RH | 1    |       |     |         | 0            | 0           |
| 040    | 34070-44890 | BUSH                | 1    |       |     |         | 0.035        | 0.077       |
| 050    | 34070-44870 | SHAFT BRAKE LH      | 1    |       |     |         | 0.225        | 0.495       |
| 060    | 34070-44880 | SHAFT BRAKE RH      | 1    |       |     |         | 0.22         | 0.484       |
| 070    | 04011-50200 | WASHER PLAIN        | 2    |       |     |         | 0.015        | 0.033       |
| 080    | 04612-00200 | CIR CLIP EXTERNAL   | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 34070-44800 | ASSY ROD BRAKE      | 2    |       |     |         | 0.425        | 0.935       |
| 100    | 34070-44840 | ROD BRAKE LOWER     | 2    |       |     |         | 0.13         | 0.286       |
| 110    | 34070-44460 | ROD CLUTCH BRAKE    | 2    |       |     |         | 0.225        | 0.495       |
| 120    | 32350-28980 | TURNBUCKLE          | 2    |       |     |         | 0.124        | 0.2728      |
| 130    | 02116-50100 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 140    | 05122-61028 | PIN JOINT           | 4    |       |     |         | 0.02         | 0.044       |
| 150    | 04013-60100 | WASHER PLAIN        | 4    |       |     |         | 0.004        | 0.0088      |
| 160    | 05511-50318 | PIN SPLIT           | 4    |       |     |         | 0.001        | 0.0022      |



160 04013-50100




TA140-803-11




**BRAKE ROD 1 [HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 34070-44810 | ASSY LEVER BRAKE LH | 1    |         |     |         | 0            | 0           |
| 020    | 34070-44890 | BUSH                | 1    |         |     |         | 0.035        | 0.077       |
| 030    | 34070-44910 | ASSY LEVER BRAKE RH | 1    |         |     |         | 0            | 0           |
| 040    | 34070-44890 | BUSH                | 1    |         |     |         | 0.035        | 0.077       |
| 050    | 34070-44870 | SHAFT BRAKE LH      | 1    |         |     |         | 0.225        | 0.495       |
| 060    | 34070-44880 | SHAFT BRAKE RH      | 1    |         |     |         | 0.22         | 0.484       |
| 070    | 04011-50200 | WASHER PLAIN        | 2    |         |     |         | 0.015        | 0.033       |
| 080    | 04612-00200 | CIR CLIP EXTERNAL   | 2    |         |     |         | 0.001        | 0.0022      |
| 090    | 34070-44800 | ASSY ROD BRAKE      | 2    |         |     |         | 0.425        | 0.935       |
| 100    | 34070-44840 | ROD BRAKE LOWER     | 2    |         |     |         | 0.13         | 0.286       |
| 110    | 34070-44460 | ROD CLUTCH BRAKE    | 2    |         |     |         | 0.225        | 0.495       |
| 120    | 32350-28980 | TURNBUCKLE          | 2    |         |     |         | 0.124        | 0.2728      |
| 130    | 02116-50100 | NUT                 | 2    |         |     |         | 0.004        | 0.0088      |
| 140    | 05122-51035 | PIN JOINT           | 1    |         |     |         | 0.023        | 0.0506      |
| 150    | 05122-61028 | PIN JOINT           | 3    |         |     |         | 0.02         | 0.044       |
| 160    | 04013-60100 | WASHER PLAIN        | 4    | <=51354 |     |         | 0.004        | 0.0088      |
| 160    | 04013-60100 | WASHER PLAIN        | 3    | >=51355 |     |         | 0.004        | 0.0088      |
| 165    | TA240-56470 | COLLAR BRAKE ROD    | 1    | >=51355 |     |         | 0.013        | 0.0286      |
| 170    | 05511-50318 | PIN SPLIT           | 4    |         |     |         | 0.001        | 0.0022      |



















**MAIN GEAR SHIFT LEVER [MANUAL T/M TYPE]**  
[TYPE T/M MANUELLE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | T0070-24254 | ASSY BRACKET     | 1    |        |     |         | 0.1          | 0.22        |
| 020    | 08511-01210 | BUSH             | 2    |        |     |         | 0.005        | 0.011       |
| 025    | 08511-01310 | BUSH             | 1    |        |     |         | 0.004        | 0.0088      |
| 030    | 01774-61020 | BOLT FLANGE      | 2    |        |     |         | 0.022        | 0.0484      |
| 040    | TA040-24213 | LEVER MAIN SHIFT | 1    |        |     |         | 1.21         | 2.662       |
| 050    | TA040-49820 | GRIP LEVER       | 1    |        |     |         | 0.116        | 0.2552      |
| 060    | T0070-24230 | U JOINT          | 1    |        |     |         | 0.107        | 0.2354      |
| 070    | 05122-50635 | PIN JOINT        | 1    |        |     |         | 0.01         | 0.022       |
| 080    | 04012-50060 | WASHER PLAIN     | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 05511-51612 | PIN SPLIT        | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 04011-50120 | WASHER PLAIN     | 1    |        |     |         | 0.005        | 0.011       |
| 110    | 05511-50420 | PIN SPLIT        | 1    |        |     |         | 0.002        | 0.0044      |
| 120    | 34070-47100 | GUIDE SHIFT      | 1    | ≤51880 |     |         | 0            | 0           |
| 120    | 34070-47102 | GUIDE SHIFT      | 1    | ≥51881 | ←   |         | 0.97         | 2.134       |
| 130    | 01754-50812 | BOLT FLANGE      | 4    |        |     |         | 0.01         | 0.022       |
| 140    | T0070-47150 | BOOT             | 1    |        |     |         | 0.175        | 0.385       |






**MAIN GEAR SHIFT LEVER [GST TYPE] [ROPS TYPE]**  
[TYPE GST] [EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-47102 | GUIDE            | 1    |       |     |         | 0.89         | 1.958       |
| 020    | 01754-50812 | BOLT FLANGE      | 4    |       |     |         | 0.01         | 0.022       |
| 030    | 34076-64803 | ASSY CABLE SHIFT | 1    |       |     |         | 1.61         | 3.542       |
| 040    | 32425-72690 | GASKET           | 1    |       |     |         | 0.002        | 0.0044      |
| 050    | 05012-00608 | PIN STRAIGHT     | 2    |       |     |         | 0.002        | 0.0044      |
| 060    | 04013-60060 | WASHER PLAIN     | 3    |       |     |         | 0.001        | 0.0022      |
| 070    | 01023-50628 | BOLT             | 3    |       |     |         | 0.015        | 0.033       |
| 080    | 34076-64560 | COLLAR           | 2    |       |     |         | 0.03         | 0.066       |
| 090    | 01123-50890 | BOLT             | 2    |       |     |         | 0.04         | 0.088       |
| 100    | 02114-50080 | NUT              | 2    |       |     |         | 0.005        | 0.011       |
| 110    | 34076-64570 | STAY             | 1    |       |     |         | 0.07         | 0.154       |
| 120    | 01123-50835 | BOLT             | 1    |       |     |         | 0.02         | 0.044       |
| 130    | 01123-50816 | BOLT             | 1    |       |     |         | 0.011        | 0.0242      |
| 140    | 34076-64550 | ASSY LEVER SHIFT | 1    |       |     |         | 0.28         | 0.616       |
| 150    | 34076-64540 | BUSH             | 2    |       |     |         | 0.005        | 0.011       |
| 160    | 05712-00520 | KEY FEATHER      | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 01123-50816 | BOLT             | 1    |       |     |         | 0.011        | 0.0242      |
| 180    | 04015-60080 | WASHER PLAIN     | 1    |       |     |         | 0.01         | 0.022       |
| 190    | TA040-64512 | LEVER SHIFT      | 1    |       |     |         | 0.225        | 0.495       |
| 200    | 31391-24510 | PIPE LEVER       | 1    |       |     |         | 0.005        | 0.011       |
| 210    | 34076-64530 | SPRING           | 1    |       |     |         | 0.01         | 0.022       |
| 220    | 05411-00525 | PIN SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 230    | 05411-00320 | PIN SPRING       | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | TA040-69820 | GRIP LEVER       | 1    |       |     |         | 0.117        | 0.2574      |



TA140-163-11

**090 04512-50080**

**100 02114-50080**




**TA150-814-10**



**SHUTTLE SHIFT LEVER [EXCEPT HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 34070-43320 | GROMMET             | 1    |        |     |         | 0.01         | 0.022       |
| 020    | TA040-43513 | LEVER SHUTTLE       | 1    | ≤71328 |     |         | 0            | 0           |
| 020    | TA040-43515 | LEVER SHUTTLE       | 1    | ≥71329 | ←   |         | 0.34         | 0.748       |
| 030    | TA040-17472 | GRIP LEVER          | 1    |        |     |         | 0.027        | 0.0594      |
| 040    | 02116-50100 | NUT                 | 1    |        |     |         | 0.004        | 0.0088      |
| 050    | TA040-43970 | BOLT REAMER         | 1    |        |     |         | 0.042        | 0.0924      |
| 060    | T0180-43942 | SPRING              | 1    |        |     |         | 0.012        | 0.0264      |
| 070    | TA040-43920 | COLLAR SHUTTLE      | 1    |        |     |         | 0.005        | 0.011       |
| 080    | 04013-60080 | WASHER PLAIN        | 1    |        |     |         | 0.002        | 0.0044      |
| 090    | 04512-60080 | WASHER SPRING       | 1    | ≤72758 |     |         | 0.002        | 0.0044      |
| 100    | 02114-50080 | NUT                 | 1    | ≤72758 |     |         | 0.005        | 0.011       |
| 100    | 02552-50080 | NUT LOCK            | 1    | ≥72759 | ←   |         | 0.005        | 0.011       |
| 110    | TA040-43544 | JOINT UNIVERSAL     | 1    |        |     |         | 0.915        | 2.013       |
| 120    | 04612-00150 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.001        | 0.0022      |
| 130    | TA040-43870 | BEARING FLANGE      | 1    |        |     |         | 0.02         | 0.044       |
| 140    | 01754-50616 | BOLT FLANGE         | 2    |        |     |         | 0.006        | 0.0132      |
| 150    | TA040-43982 | STAY SWITCH         | 1    |        |     |         | 0.02         | 0.044       |
| 160    | TA040-43534 | SHAFT SHUTTLE SHIFT | 1    |        |     |         | 0.385        | 0.847       |
| 170    | 05411-00630 | PIN SPRING          | 1    |        |     |         | 0.004        | 0.0088      |
| 180    | 01023-50620 | BOLT                | 1    |        |     |         | 0.006        | 0.0132      |
| 190    | T0270-15310 | PIN SPRING          | 1    |        |     |         | 0.002        | 0.0044      |






# CRUISE CONTROL LEVER [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description    | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-21270 | ROD            | 1    |        |     |         | 0.026        | 0.0572      |
| 020    | 99999-99999 | BLANK          | 0    |        |     |         | 0            | 0           |
| 030    | 45404-95770 | END ROD        | 1    |        |     |         | 0.05         | 0.11        |
| 040    | 54721-31850 | BALL LINK      | 1    |        |     |         | 0.065        | 0.143       |
| 050    | 37300-41330 | NUT            | 1    |        |     |         | 0.005        | 0.011       |
| 060    | 02114-50080 | NUT            | 1    |        |     |         | 0.005        | 0.011       |
| 070    | 02751-50080 | NUT FLANGE     | 2    |        |     |         | 0.006        | 0.0132      |
| 080    | TA240-21253 | SHAFT          | 1    | ≤50519 |     |         | 0            | 0           |
| 080    | TA240-21254 | SHAFT          | 1    | ≥50520 | ←   |         | 0.78         | 1.716       |
| 090    | TA240-21260 | LEVER HST LINK | 1    |        |     |         | 0.23         | 0.506       |
| 095    | 67950-44170 | LEVER SPRING   | 1    |        |     |         | 0.013        | 0.0286      |
| 100    | 05411-00625 | PIN SPRING     | 1    |        |     |         | 0.004        | 0.0088      |
| 110    | 05411-00635 | PIN SPRING     | 2    |        |     |         | 0.005        | 0.011       |
| 120    | 09500-16267 | SEAL OIL       | 2    |        |     |         | 0.005        | 0.011       |
| 130    | TA240-55273 | BRACKET        | 1    |        |     |         | 0.695        | 1.529       |
| 140    | 01133-51020 | BOLT           | 2    |        |     |         | 0.02         | 0.044       |
| 150    | TA240-55280 | ASSY LEVER     | 1    |        |     |         | 0.265        | 0.583       |
| 160    | 08511-00806 | BUSH           | 2    |        |     |         | 0.001        | 0.0022      |
| 170    | 04013-60080 | WASHER PLAIN   | 1    |        |     |         | 0.002        | 0.0044      |
| 180    | 05511-50215 | PIN SPLIT      | 1    |        |     |         | 0.001        | 0.0022      |
| 190    | TA240-55260 | SPRING         | 1    |        |     |         | 0.005        | 0.011       |



**CRUISE CONTROL CABLE [HST TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description  | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-55300 | WIRE CONTROL | 1    |        |     |         | 0.205        | 0.451       |
| 020    | 04012-50060 | WASHER PLAIN | 2    |        |     |         | 0.001        | 0.0022      |
| 030    | 05525-60600 | PIN SNAP     | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 05511-51612 | PIN SPLIT    | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | TA240-55310 | LEVER        | 1    |        |     |         | 0.06         | 0.132       |
| 060    | 04015-60080 | WASHER PLAIN | 1    |        |     |         | 0.01         | 0.022       |
| 070    | 05525-50800 | PIN SNAP     | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 6C040-41360 | GRIP LEVER   | 1    |        |     |         | 0.012        | 0.0264      |
| 090    | TA040-24652 | WIRE PTO     | 1    | ≤50013 |     |         | 0.14         | 0.308       |
| 090    | TA140-24650 | WIRE PTO     | 1    | ≥50014 | ←   |         | 0.14         | 0.308       |
| 100    | 37410-51760 | GROMMET      | 1    |        |     |         | 0.003        | 0.0066      |
| 110    | 05122-50614 | PIN JOINT    | 1    |        |     |         | 0.004        | 0.0088      |
| 120    | 04012-50060 | WASHER PLAIN | 2    |        |     |         | 0.001        | 0.0022      |
| 130    | 05511-51612 | PIN SPLIT    | 1    |        |     |         | 0.001        | 0.0022      |
| 140    | 05525-60600 | PIN SNAP     | 1    |        |     |         | 0.001        | 0.0022      |
| 150    | TA240-75630 | GROMMET      | 1    |        |     |         | 0.02         | 0.044       |




TA140-068-14

010 TA240-5517-0


030 TA240-5550-0

210 TA240-5525-0



080 66204-4334-3

110 04012-50080




TA140-843-10



## NEUTRAL HOLDER LINK [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-55170 | BRACKET HST          | 1    | ≤61868 |     |         | 1.09         | 2.398       |
| 010    | TA240-55173 | BRACKET HST          | 1    | ≥70001 | ←   |         | 1.09         | 2.398       |
| 020    | 01774-61020 | BOLT FLANGE          | 2    |        |     |         | 0.022        | 0.0484      |
| 030    | TA240-55500 | ASSY ARM             | 1    | ≤61868 |     |         | 0.445        | 0.979       |
| 030    | TA240-55503 | ASSY ARM             | 1    | ≥70001 | ←   |         | 0.445        | 0.979       |
| 030    | TA240-55504 | ASSY ARM             | 1    |        | ↔   |         | 0            | 0           |
| 040    | 08511-01215 | BUSH                 | 2    |        |     |         | 0.005        | 0.011       |
| 050    | 04013-60120 | WASHER PLAIN         | 1    |        |     |         | 0.01         | 0.022       |
| 060    | 04612-00120 | CIR CLIP EXTERNAL    | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 080    | 66204-43343 | ARM NEUTRAL HOLDER   | 1    | ≤61868 |     |         | 0.13         | 0.286       |
| 080    | TA240-55190 | ARM HOLDER           | 1    | ≥70001 | ≠   |         | 0.14         | 0.308       |
| 090    | 66204-43572 | BUSH                 | 1    |        |     |         | 0.003        | 0.0066      |
| 100    | 66204-43352 | SHAFT HOLDER         | 1    |        |     |         | 0.072        | 0.1584      |
| 110    | 04012-50080 | WASHER PLAIN         | 1    | ≤50009 |     |         | 0.001        | 0.0022      |
| 120    | 01125-50830 | BOLT                 | 1    |        |     |         | 0.01         | 0.022       |
| 130    | 08121-06000 | BEARING BALL         | 1    |        |     |         | 0.02         | 0.044       |
| 140    | 04011-50100 | WASHER PLAIN         | 1    |        |     |         | 0.002        | 0.0044      |
| 150    | 04612-00100 | CIR CLIP EXTERNAL    | 1    |        |     |         | 0.001        | 0.0022      |
| 160    | 76611-43320 | SPRING               | 1    |        |     |         | 0.067        | 0.1474      |
| 170    | TA240-55180 | BOLT ADJUSTING       | 1    |        |     |         | 0.02         | 0.044       |
| 180    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 190    | 02114-50080 | NUT                  | 2    |        |     |         | 0.005        | 0.011       |
| 200    | TA240-54720 | DAMPER HST           | 1    |        |     |         | 0.28         | 0.616       |
| 210    | TA240-55250 | COLLAR DAMPER        | 1    | ≤50935 |     |         | 0.03         | 0.066       |
| 220    | 05122-50828 | PIN JOINT            | 1    |        |     |         | 0.012        | 0.0264      |
| 230    | 04012-50080 | WASHER PLAIN         | 1    |        |     |         | 0.001        | 0.0022      |
| 240    | 05511-50215 | PIN SPLIT            | 2    |        |     |         | 0.001        | 0.0022      |
| 250    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 260    | TA240-55150 | ROD                  | 1    |        |     |         | 0.046        | 0.1012      |
| 270    | 45404-95770 | END ROD              | 1    |        |     |         | 0.05         | 0.11        |
| 280    | 54721-31850 | BALL LINK            | 1    |        |     |         | 0.065        | 0.143       |
| 290    | 37300-41330 | NUT                  | 1    |        |     |         | 0.005        | 0.011       |
| 300    | 02114-50080 | NUT                  | 1    |        |     |         | 0.005        | 0.011       |
| 310    | 02751-50080 | NUT FLANGE           | 2    |        |     |         | 0.006        | 0.0132      |
| 320    | TA250-59550 | ASSY LEVER REGULATOR | 1    |        |     |         | 0            | 0           |
| 330    | 01350-10520 | BOLT HEX-SOC-HD      | 1    |        |     |         | 0.004        | 0.0088      |




TA140-069-12



**SPEED CONTROL PEDAL [HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-55160 | ROD                | 1    |       |     |         | 0.04         | 0.088       |
| 020    | 45404-95770 | END ROD            | 1    |       |     |         | 0.05         | 0.11        |
| 030    | 31351-24210 | SCREW ROD-END LH   | 1    |       |     |         | 0.04         | 0.088       |
| 040    | 37300-41330 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 02114-50080 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 01754-50825 | BOLT FLANGE        | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 02751-50080 | NUT FLANGE         | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | TA240-55100 | ASSY PEDAL         | 1    |       |     |         | 0.81         | 1.782       |
| 090    | TA240-55220 | BUSH               | 2    |       |     |         | 0.001        | 0.0022      |
| 100    | TA240-42560 | COVER HST PEDAL    | 1    |       |     |         | 0.23         | 0.506       |
| 110    | TA240-55200 | ASSY BRACKET PEDAL | 1    |       |     |         | 0.2          | 0.44        |
| 120    | 08511-01006 | BUSH               | 2    |       |     |         | 0.008        | 0.0176      |
| 130    | TA240-55130 | PIN HST PEDAL      | 1    |       |     |         | 0.023        | 0.0506      |
| 140    | 04011-50100 | WASHER PLAIN       | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | 04612-00100 | CIR CLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 01123-50816 | BOLT               | 2    |       |     |         | 0.011        | 0.0242      |
| 170    | TA240-55320 | BOLT FLANGE        | 2    |       |     |         | 0.021        | 0.0462      |
| 180    | TA240-55330 | NUT                | 2    |       |     |         | 0.009        | 0.0198      |






| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-24462 | LEVER RANGE SHIFT | 1    |       |     |         | 0.09         | 0.198       |
| 020    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 030    | TA040-24470 | ROD               | 1    |       |     |         | 0.135        | 0.297       |
| 040    | 04011-50100 | WASHER PLAIN      | 2    |       |     |         | 0.002        | 0.0044      |
| 050    | 05515-61000 | PIN SNAP          | 2    |       |     |         | 0.003        | 0.0066      |
| 060    | TA040-24430 | LEVER RANGE SHIFT | 1    |       |     |         | 0.71         | 1.562       |
| 070    | 08511-01810 | BUSH              | 2    |       |     |         | 0.005        | 0.011       |
| 080    | TA040-24490 | GRIP LEVER        | 1    |       |     |         | 0.033        | 0.0726      |
| 090    | TA040-24482 | SHAFT FULCRUM     | 1    |       |     |         | 0.255        | 0.561       |
| 100    | 04612-00180 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 04512-60120 | WASHER SPRING     | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 04011-50180 | WASHER PLAIN      | 2    |       |     |         | 0.012        | 0.0264      |
| 130    | TA040-24580 | COLLAR            | 1    |       |     |         | 0.062        | 0.1364      |



100 TA240-5475-0




TA140-823-10



**RANGE GEAR SHIFT LEVER [HST TYPE] [ROPS TYPE]**  
[EXCEPT TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-54600 | ASSY ARM          | 1    | ≤51354 |     |         | 0            | 0           |
| 010    | TA240-54603 | ASSY ARM          | 1    | ≥51355 | ←   |         | 0.675        | 1.485       |
| 020    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 030    | 08511-01825 | BUSH              | 1    |        |     |         | 0.01         | 0.022       |
| 040    | TA240-54680 | ASSY ARM          | 1    |        |     |         | 0.435        | 0.957       |
| 050    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 060    | 08511-01825 | BUSH              | 1    |        |     |         | 0.01         | 0.022       |
| 070    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 080    | TA240-54670 | SPRING            | 1    |        |     |         | 0.016        | 0.0352      |
| 090    | TA240-54642 | LEVER RANGE SHIFT | 1    |        |     |         | 0.375        | 0.825       |
| 100    | TA240-54750 | ASSY HOLDER RANGE | 1    | ≤61868 |     |         | 0.235        | 0.517       |
| 100    | TA240-54752 | ASSY HOLDER RANGE | 1    | ≥70001 | ≠   |         | 0.15         | 0.33        |
| 110    | 08511-01825 | BUSH              | 1    |        |     |         | 0.01         | 0.022       |
| 120    | TA240-54660 | BOLT              | 1    |        |     |         | 0.045        | 0.099       |
| 130    | 02156-50080 | NUT               | 1    |        |     |         | 0.004        | 0.0088      |
| 140    | TA240-54652 | LEVER RANGE SHIFT | 1    |        |     |         | 0.44         | 0.968       |
| 150    | 01135-61025 | BOLT              | 2    |        |     |         | 0.04         | 0.088       |
| 160    | 6A100-18560 | CUSHION           | 1    |        |     |         | 0.005        | 0.011       |
| 170    | TA040-24490 | GRIP LEVER        | 1    |        |     |         | 0.033        | 0.0726      |
| 180    | TA040-24482 | SHAFT FULCRUM     | 1    |        |     |         | 0.255        | 0.561       |
| 190    | 04612-00180 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.001        | 0.0022      |
| 200    | 04512-60120 | WASHER SPRING     | 1    |        |     |         | 0.005        | 0.011       |
| 210    | 04011-50180 | WASHER PLAIN      | 1    |        |     |         | 0.012        | 0.0264      |
| 220    | TA240-47102 | GUIDE HST CAHNGE  | 1    |        |     |         | 0.995        | 2.189       |
| 230    | 01754-50812 | BOLT FLANGE       | 4    |        |     |         | 0.01         | 0.022       |






**RANGE GEAR SHIFT LEVER/CREEP GEAR SHIFT LEVER**  
 [MANUAL T/M TYPE] [WITH CREEP] [TYPE T/M MANUELLE] [AVEC TYPE DE RAMPANTE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-24462 | LEVER RANGE SHIFT | 1    |       |     |         | 0.09         | 0.198       |
| 020    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 030    | TA040-24470 | ROD               | 1    |       |     |         | 0.135        | 0.297       |
| 040    | 04011-50100 | WASHER PLAIN      | 2    |       |     |         | 0.002        | 0.0044      |
| 050    | 05515-61000 | PIN SNAP          | 2    |       |     |         | 0.003        | 0.0066      |
| 060    | TA040-24430 | LEVER RANGE SHIFT | 1    |       |     |         | 0.71         | 1.562       |
| 070    | 08511-01810 | BUSH              | 2    |       |     |         | 0.005        | 0.011       |
| 080    | TA040-24490 | GRIP LEVER        | 1    |       |     |         | 0.033        | 0.0726      |
| 090    | TA040-24482 | SHAFT FULCRUM     | 1    |       |     |         | 0.255        | 0.561       |
| 100    | 04612-00180 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 04512-60120 | WASHER SPRING     | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 31351-16590 | SHIM              | 1    |       |     | 1.2mm   | 0.005        | 0.011       |
| 130    | 04011-50180 | WASHER PLAIN      | 2    |       |     |         | 0.012        | 0.0264      |
| 140    | TA040-24564 | LEVER CREEP       | 1    |       |     |         | 0.32         | 0.704       |
| 150    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 160    | 34070-24580 | ROD CREEP         | 1    |       |     |         | 0.085        | 0.187       |
| 170    | 04011-50100 | WASHER PLAIN      | 2    |       |     |         | 0.002        | 0.0044      |
| 180    | 05515-61000 | PIN SNAP          | 2    |       |     |         | 0.003        | 0.0066      |
| 190    | 34070-24554 | ASSY LEVER CREEP  | 1    |       |     |         | 0.73         | 1.606       |
| 200    | 08511-01810 | BUSH              | 2    |       |     |         | 0.005        | 0.011       |
| 210    | TA040-24490 | GRIP LEVER        | 1    |       |     |         | 0.033        | 0.0726      |






**RANGE GEAR SHIFT ROD [HST TYPE] [OLD TYPE]**  
[TYPE VIEUX] [S.No.;<=61868]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 34070-24462 | LEVER RANGE SHIFT  | 1    |         |     |         | 0.09         | 0.198       |
| 020    | 05411-00628 | PIN SPRING         | 1    |         |     |         | 0.004        | 0.0088      |
| 030    | 99999-99999 | BLANK              | 0    |         |     |         | 0            | 0           |
| 040    | TA240-54472 | ROD RANGE          | 1    |         |     |         | 0.072        | 0.1584      |
| 050    | TA240-54592 | ROD RANGE L        | 1    |         |     |         | 0.03         | 0.066       |
| 060    | TA240-54480 | TURNBUCKLE         | 1    |         |     |         | 0.031        | 0.0682      |
| 070    | 32350-28990 | NUT                | 1    |         |     |         | 0.009        | 0.0198      |
| 080    | 02116-50100 | NUT                | 1    |         |     |         | 0.004        | 0.0088      |
| 090    | 05525-61000 | PIN SNAP           | 2    | <=50013 |     |         | 0.002        | 0.0044      |
| 090    | 05515-61000 | PIN SNAP           | 2    | >=50014 | ←   |         | 0.003        | 0.0066      |
| 100    | TA240-54760 | ASSY LINK          | 1    |         |     |         | 0.16         | 0.352       |
| 110    | 99999-99999 | BLANK              | 0    |         |     |         | 0            | 0           |
| 120    | 08511-01810 | BUSH               | 2    |         |     |         | 0.005        | 0.011       |
| 130    | TA040-64482 | SHAFT              | 1    |         |     |         | 0.175        | 0.385       |
| 140    | 04612-00180 | CIR CLIP EXTERNAL  | 1    |         |     |         | 0.001        | 0.0022      |
| 150    | 31351-16570 | SHIM               | 1    |         |     | 0.8mm   | 0.005        | 0.011       |
| 160    | 04512-60120 | WASHER SPRING      | 1    |         |     |         | 0.005        | 0.011       |
| 170    | TA240-23180 | ROD NEUTRAL SWITCH | 1    |         |     |         | 0.115        | 0.253       |
| 180    | TA240-54562 | LEVER RANGE SHIFT  | 1    |         |     |         | 0.305        | 0.671       |
| 190    | 05411-00628 | PIN SPRING         | 1    |         |     |         | 0.004        | 0.0088      |
| 200    | 99999-99999 | BLANK              | 0    |         |     |         | 0            | 0           |
| 210    | TA240-54582 | ROD RANGE R        | 1    |         |     |         | 0.03         | 0.066       |
| 220    | TA240-54592 | ROD RANGE L        | 1    |         |     |         | 0.03         | 0.066       |
| 230    | TA240-54480 | TURNBUCKLE         | 1    |         |     |         | 0.031        | 0.0682      |
| 240    | 32350-28990 | NUT                | 1    |         |     |         | 0.009        | 0.0198      |
| 250    | 02116-50100 | NUT                | 1    |         |     |         | 0.004        | 0.0088      |
| 260    | 05515-61000 | PIN SNAP           | 2    |         |     |         | 0.003        | 0.0066      |






**RANGE GEAR SHIFT ROD [HST TYPE] [NEW TYPE]**  
[TYPE NOUVEAU] [S.No.;=>70001]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-24462 | LEVER RANGE SHIFT | 1    |       |     |         | 0.09         | 0.198       |
| 020    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 030    | 99999-99999 | BLANK             | 0    |       |     |         | 0            | 0           |
| 040    | TA240-54472 | ROD RANGE         | 1    |       |     |         | 0.072        | 0.1584      |
| 050    | TA240-54592 | ROD RANGE L       | 1    |       |     |         | 0.03         | 0.066       |
| 060    | TA240-54480 | TURNBUCKLE        | 1    |       |     |         | 0.031        | 0.0682      |
| 070    | 32350-28990 | NUT               | 1    |       |     |         | 0.009        | 0.0198      |
| 080    | 02116-50100 | NUT               | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 05515-61000 | PIN SNAP          | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | TA240-54562 | LEVER RANGE SHIFT | 1    |       |     |         | 0.305        | 0.671       |
| 110    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 120    | TA240-54582 | ROD RANGE R       | 1    |       |     |         | 0.03         | 0.066       |
| 130    | TA240-54592 | ROD RANGE L       | 1    |       |     |         | 0.03         | 0.066       |
| 140    | TA240-54480 | TURNBUCKLE        | 1    |       |     |         | 0.031        | 0.0682      |
| 150    | 32350-28990 | NUT               | 1    |       |     |         | 0.009        | 0.0198      |
| 160    | 02116-50100 | NUT               | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 05515-61000 | PIN SNAP          | 2    |       |     |         | 0.003        | 0.0066      |





| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-64482 | SHAFT             | 1    |       |     |         | 0.175        | 0.385       |
| 020    | 04512-60120 | WASHER SPRING     | 1    |       |     |         | 0.005        | 0.011       |
| 030    | 31351-16590 | SHIM              | 1    |       |     |         | 0.005        | 0.011       |
| 040    | 04612-00180 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 34076-24553 | ASSY LEVER CREEP  | 1    |       |     |         | 1            | 2.2         |
| 060    | 08511-01810 | BUSH              | 2    |       |     |         | 0.005        | 0.011       |
| 070    | TA040-24490 | GRIP LEVER        | 1    |       |     |         | 0.033        | 0.0726      |
| 080    | TA040-24564 | LEVER CREEP       | 1    |       |     |         | 0.32         | 0.704       |
| 090    | 34076-24580 | ROD CREEP         | 1    |       |     |         | 0.09         | 0.198       |
| 100    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 110    | 04011-50100 | WASHER PLAIN      | 2    |       |     |         | 0.002        | 0.0044      |
| 120    | 05515-61000 | PIN SNAP          | 2    |       |     |         | 0.003        | 0.0066      |




TA147-059-10



## PTO CLUTCH CONTROL LEVER [WITH IND-PTO]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|--------------------------------------|--------------|-------------|
| 010    | TA040-69300 | ASSY VALVE I-PTO | 1    |        |     | REFER TO L.No.1103-R FOR COMPONENTS. | 0.955        | 2.101       |
| 020    | 36530-27273 | PIPE HYDRAULIC   | 1    |        |     |                                      | 0.005        | 0.011       |
| 030    | 01123-50820 | BOLT             | 3    |        |     |                                      | 0.011        | 0.0242      |
| 040    | TA040-24652 | WIRE PTO         | 1    | ≤50013 |     |                                      | 0.14         | 0.308       |
| 040    | TA140-24650 | WIRE PTO         | 1    | ≥50014 | ←   |                                      | 0.14         | 0.308       |
| 050    | 53226-54390 | GROMMET          | 1    |        |     |                                      | 0.004        | 0.0088      |
| 060    | 04012-50060 | WASHER PLAIN     | 2    |        |     |                                      | 0.001        | 0.0022      |
| 070    | 05511-51612 | PIN SPLIT        | 2    |        |     |                                      | 0.001        | 0.0022      |
| 080    | 99999-99999 | BLANK            | 0    |        |     |                                      | 0            | 0           |
| 090    | 99999-99999 | BLANK            | 0    |        |     |                                      | 0            | 0           |
| 100    | 99999-99999 | BLANK            | 0    |        |     |                                      | 0            | 0           |
| 110    | TA040-69710 | LEVER I-PTO      | 1    |        |     |                                      | 0.053        | 0.1166      |
| 120    | 04013-60080 | WASHER PLAIN     | 1    |        |     |                                      | 0.002        | 0.0044      |
| 130    | 05511-50215 | PIN SPLIT        | 1    |        |     |                                      | 0.001        | 0.0022      |
| 140    | 36919-27820 | GRIP PTO LEVER   | 1    |        |     |                                      | 0.015        | 0.033       |
| 150    | 33251-29630 | SPRING           | 1    |        |     |                                      | 0.013        | 0.0286      |
| 160    | TA040-69600 | STAY WIRE        | 1    |        |     |                                      | 0.046        | 0.1012      |
| 170    | 01123-60814 | BOLT             | 1    |        |     |                                      | 0.008        | 0.0176      |






## PTO GEAR SHIFT LEVER [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.  | I/C | REMARKS | Weight<br>(kgf) | Weight<br>(lb) |
|--------|-------------|----------------|------|--------|-----|---------|-----------------|----------------|
| 010    | TA240-24600 | ARM PTO SHIFT  | 1    |        |     |         | 0.22            | 0.484          |
| 020    | TA040-24610 | SPRING         | 1    |        |     |         | 0.029           | 0.0638         |
| 030    | TA040-24620 | LEVER PTO      | 1    |        |     |         | 0.08            | 0.176          |
| 040    | 04811-00200 | O RING         | 1    |        |     |         | 0.001           | 0.0022         |
| 040    | 04816-00200 | O RING         | 1    |        | ←   |         | 0               | 0              |
| 050    | 34070-24350 | STOPPER        | 1    |        |     |         | 0.02            | 0.044          |
| 060    | 01754-50812 | BOLT FLANGE    | 1    |        |     |         | 0.01            | 0.022          |
| 070    | 05411-00628 | PIN SPRING     | 1    |        |     |         | 0.004           | 0.0088         |
| 080    | TA240-24663 | STAY WIRE      | 1    |        |     |         | 0.315           | 0.693          |
| 090    | 01133-51020 | BOLT           | 2    |        |     |         | 0.02            | 0.044          |
| 100    | TA040-24652 | WIRE PTO       | 1    | ≤50013 |     |         | 0.14            | 0.308          |
| 100    | TA140-24650 | WIRE PTO       | 1    | ≥50014 | ←   |         | 0.14            | 0.308          |
| 110    | 53226-54390 | GROMMET        | 1    |        |     |         | 0.004           | 0.0088         |
| 120    | 04012-50060 | WASHER PLAIN   | 2    |        |     |         | 0.001           | 0.0022         |
| 130    | 05511-51612 | PIN SPLIT      | 2    |        |     |         | 0.001           | 0.0022         |
| 140    | TA040-69710 | LEVER I-PTO    | 1    |        |     |         | 0.053           | 0.1166         |
| 150    | 04013-60080 | WASHER PLAIN   | 1    |        |     |         | 0.002           | 0.0044         |
| 160    | 05511-50215 | PIN SPLIT      | 1    |        |     |         | 0.001           | 0.0022         |
| 170    | 36919-27820 | GRIP PTO LEVER | 1    |        |     |         | 0.015           | 0.033          |
| 180    | 33251-29630 | SPRING         | 1    |        |     |         | 0.013           | 0.0286         |






**PTO CLUTCH VALVE [COMPONENT PARTS] [WITH IND-PTO]**  
[AVEC TYPE DE PDF IND]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-69300 | ASSY VALVE I-PTO  | 1    |       |     |         | 0.955        | 2.101       |
| 020    | 04811-06630 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | TA040-69320 | PLUG              | 1    |       |     |         | 0.006        | 0.0132      |
| 040    | 04811-00090 | O RING            | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 04817-00090 | O RING            | 1    |       | ←   |         | 0.001        | 0.0022      |
| 050    | TA040-69330 | SPRING            | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 07715-03209 | BALL              | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 67401-03690 | RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | TA040-69340 | LEVER VALVE ROTOR | 1    |       |     |         | 0.057        | 0.1254      |
| 090    | 05411-00522 | PIN SPRING        | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | TA040-69360 | SPRING            | 1    |       |     |         | 0.014        | 0.0308      |
| 110    | 50770-12180 | COLLAR THRUST     | 1    |       |     |         | 0.003        | 0.0066      |
| 120    | 04612-00200 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 09500-20358 | SEAL OIL          | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 67511-36640 | PLUG              | 1    |       |     |         | 0.003        | 0.0066      |
| 150    | TA040-69370 | LEVER VALVE       | 1    |       |     |         | 0.075        | 0.165       |
| 160    | 04612-00180 | CIR CLIP EXTERNAL | 1    |       |     |         | 0.001        | 0.0022      |






## FRONT WHEEL DRIVE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-15180 | LEVER SHIFT      | 1    |        |     |         | 0.405        | 0.891       |
| 020    | 04811-00200 | O RING           | 1    |        |     |         | 0.001        | 0.0022      |
| 020    | 04816-00200 | O RING           | 1    |        | ←   |         | 0            | 0           |
| 030    | 34070-24350 | STOPPER          | 1    |        |     |         | 0.02         | 0.044       |
| 040    | 01754-50812 | BOLT FLANGE      | 1    |        |     |         | 0.01         | 0.022       |
| 050    | TA140-15470 | LEVER 4WD CHANGE | 1    | ≤73096 |     |         | 0.505        | 1.111       |
| 050    | TA140-15473 | LEVER 4WD CHANGE | 1    | ≥73097 | ←   |         | 0.505        | 1.111       |
| 060    | TA140-15490 | LEVER 4WD CHANGE | 1    |        |     |         | 0.086        | 0.1892      |
| 070    | 05411-00630 | PIN SPRING       | 1    |        |     |         | 0.004        | 0.0088      |
| 080    | TA040-15480 | GRIP LEVER       | 1    |        |     |         | 0.053        | 0.1166      |
| 090    | 02116-50100 | NUT              | 1    |        |     |         | 0.004        | 0.0088      |



TA160-164-11

120 TA040-4400-3

160 TA040-4984-2




TA140-800-10



**BRAKE PEDAL [EXCEPT HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 34070-44010 | SHAFT PEDAL         | 1    |         |     |         | 1.81         | 3.982       |
| 020    | 04612-00250 | CIR CLIP EXTERNAL   | 1    |         |     |         | 0.002        | 0.0044      |
| 030    | 34070-44072 | SUPPORT PEDAL SHAFT | 1    | <=60079 |     |         | 0            | 0           |
| 030    | 34070-44073 | SUPPORT PEDAL SHAFT | 1    | >=60080 | ←   |         | 0.255        | 0.561       |
| 040    | 01123-50816 | BOLT                | 2    |         |     |         | 0.011        | 0.0242      |
| 050    | 99999-99999 | BLANK               | 0    |         |     |         | 0            | 0           |
| 060    | TA040-44102 | ASSY PEDAL BRAKE RH | 1    |         |     |         | 1.41         | 3.102       |
| 070    | 34070-44140 | SEAL OIL            | 2    |         |     |         | 0.005        | 0.011       |
| 080    | 34070-44360 | BEARING NEEDLE      | 2    |         |     |         | 0.012        | 0.0264      |
| 090    | TA040-44114 | PEDAL BRAKE LH      | 1    |         |     |         | 1.32         | 2.904       |
| 100    | 05411-00840 | PIN SPRING          | 1    |         |     |         | 0.008        | 0.0176      |
| 110    | 34070-44170 | SPRING              | 2    |         |     |         | 0.08         | 0.176       |
| 120    | TA040-44003 | COMP.LOCK PARKING   | 1    | <=50258 |     |         | 0.95         | 2.09        |
| 120    | TA140-44000 | COMP.LOCK PARKING   | 1    | >=50259 | ≠   |         | 1.005        | 2.211       |
| 130    | 01123-50816 | BOLT                | 1    |         |     |         | 0.011        | 0.0242      |
| 140    | 36330-83420 | SPRING LOCK         | 1    |         |     |         | 0.006        | 0.0132      |
| 150    | 37410-44120 | COVER PEDAL         | 2    |         |     |         | 0.08         | 0.176       |
| 160    | TA040-49842 | GRIP                | 1    | <=50258 |     |         | 0.025        | 0.055       |
| 160    | TA140-43560 | GRIP                | 1    | >=50259 | ≠   |         | 0.022        | 0.0484      |



120 TA040-4400-3

160 TA040-4984-2




TA140-800-10



**BRAKE PEDAL [HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 34070-44010 | SHAFT PEDAL         | 1    |        |     |         | 1.81         | 3.982       |
| 020    | 04612-00250 | CIR CLIP EXTERNAL   | 1    |        |     |         | 0.002        | 0.0044      |
| 030    | 34070-44072 | SUPPORT PEDAL SHAFT | 1    | ≤60079 |     |         | 0            | 0           |
| 030    | 34070-44073 | SUPPORT PEDAL SHAFT | 1    | ≥60080 | ←   |         | 0.255        | 0.561       |
| 040    | 01123-50816 | BOLT                | 2    |        |     |         | 0.011        | 0.0242      |
| 050    | 99999-99999 | BLANK               | 0    |        |     |         | 0            | 0           |
| 060    | TA240-44100 | ASSY PEDAL BRAKE RH | 1    |        |     |         | 1.25         | 2.75        |
| 070    | 34070-44140 | SEAL OIL            | 2    |        |     |         | 0.005        | 0.011       |
| 080    | 34070-44360 | BEARING NEEDLE      | 2    |        |     |         | 0.012        | 0.0264      |
| 090    | TA240-44110 | PEDAL BRAKE LH      | 1    |        |     |         | 1.2          | 2.64        |
| 100    | 05411-00840 | PIN SPRING          | 1    |        |     |         | 0.008        | 0.0176      |
| 110    | 34070-44170 | SPRING              | 2    |        |     |         | 0.08         | 0.176       |
| 120    | TA040-44003 | COMP.LOCK PARKING   | 1    | ≤50258 |     |         | 0.95         | 2.09        |
| 120    | TA140-44000 | COMP.LOCK PARKING   | 1    | ≥50259 | ≠   |         | 1.005        | 2.211       |
| 130    | 01123-50816 | BOLT                | 1    |        |     |         | 0.011        | 0.0242      |
| 140    | 36330-83420 | SPRING LOCK         | 1    |        |     |         | 0.006        | 0.0132      |
| 150    | 37410-44120 | COVER PEDAL         | 2    |        |     |         | 0.08         | 0.176       |
| 160    | TA040-49842 | GRIP                | 1    | ≤50258 |     |         | 0.025        | 0.055       |
| 160    | TA140-43560 | GRIP                | 1    | ≥50259 | ≠   |         | 0.022        | 0.0484      |
| 170    | TA240-43340 | ASSY LINK           | 1    | ≤50258 |     |         | 0            | 0           |
| 170    | TA240-43342 | ASSY LINK           | 1    | ≥50259 | ←   |         | 0.105        | 0.231       |
| 180    | 05122-50816 | PIN JOINT           | 1    |        |     |         | 0.007        | 0.0154      |
| 190    | 04012-50080 | WASHER PLAIN        | 1    |        |     |         | 0.001        | 0.0022      |
| 200    | 05525-50800 | PIN SNAP            | 1    |        |     |         | 0.001        | 0.0022      |






## FRONT AXLE FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-14000 | COMP.FRAME F-AXLE | 1    | <=50519 |     |         | 0            | 0           |
| 010    | TA140-14003 | COMP.FRAME F-AXLE | 1    | >=50520 | ←   |         | 30           | 66          |
| 020    | TA040-14250 | BOLT REAMER       | 2    |         |     |         | 0.085        | 0.187       |
| 030    | 04512-60160 | WASHER SPRING     | 2    |         |     |         | 0.01         | 0.022       |
| 040    | 02174-50160 | NUT               | 2    |         |     |         | 0.022        | 0.0484      |
| 050    | TA040-14250 | BOLT REAMER       | 2    |         |     |         | 0.085        | 0.187       |
| 060    | 04512-60160 | WASHER SPRING     | 2    |         |     |         | 0.01         | 0.022       |
| 070    | 02174-50160 | NUT               | 2    |         |     |         | 0.022        | 0.0484      |
| 080    | 01133-51230 | BOLT              | 11   |         |     |         | 0.04         | 0.088       |
| 090    | 01133-51240 | BOLT              | 4    |         |     |         | 0.05         | 0.11        |
| 100    | 32420-44880 | BUMPER            | 1    | <=72827 |     |         | 0            | 0           |
| 100    | TA049-44880 | BUMPER            | 1    | >=72828 | ←   |         | 8.2          | 18.04       |
| 110    | 01133-51435 | BOLT              | 4    |         |     |         | 0.001        | 0.0022      |
| 120    | 04512-60140 | WASHER SPRING     | 4    |         |     |         | 0.006        | 0.0132      |
| 130    | 01173-51435 | BOLT              | 2    |         |     |         | 0.056        | 0.1232      |
| 140    | 02174-50140 | NUT               | 2    |         |     |         | 0.014        | 0.0308      |
| 150    | 04512-60140 | WASHER SPRING     | 2    |         |     |         | 0.006        | 0.0132      |



110 01053-50510

120 04512-60050

130 04012-50050




TA120-834-10



# PROPELLER SHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-14640 | SHAFT PROPELLER   | 1    |        |     |         | 1.9          | 4.18        |
| 020    | TA040-14633 | SHAFT PROPELLER   | 1    |        |     |         | 0.79         | 1.738       |
| 030    | T0070-14710 | COUPLING          | 3    |        |     |         | 0.16         | 0.352       |
| 035    | TA040-82180 | O RING            | 2    |        |     |         | 0.001        | 0.0022      |
| 036    | TA040-14720 | SPACER            | 1    |        |     |         | 0.21         | 0.462       |
| 040    | 05411-00430 | PIN SPRING        | 2    |        |     |         | 0.002        | 0.0044      |
| 050    | 08101-06904 | BEARING BALL      | 1    |        |     |         | 0.02         | 0.044       |
| 060    | 34070-14650 | COLLAR            | 1    |        |     |         | 0.01         | 0.022       |
| 070    | 09500-25388 | SEAL OIL          | 2    |        |     |         | 0.01         | 0.022       |
| 080    | 53582-53520 | SLEEVE            | 2    |        |     |         | 0.015        | 0.033       |
| 090    | TA040-14574 | COVER SHAFT FRONT | 1    |        |     |         | 0.33         | 0.726       |
| 100    | TA040-14580 | COVER SHAFT REAR  | 1    |        |     |         | 0.25         | 0.55        |
| 110    | 01053-50510 | BOLT              | 2    | ≤72985 |     |         | 0.002        | 0.0044      |
| 110    | TC050-14590 | BOLT WITH WASHER  | 2    | ≥72986 | ←   |         | 0            | 0           |
| 120    | 04512-60050 | WASHER SPRING     | 2    | ≤72985 |     |         | 0.002        | 0.0044      |
| 130    | 04012-50050 | WASHER PLAIN      | 2    | ≤72985 |     |         | 0.001        | 0.0022      |






| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-15220 | SHAFT DRIVE    | 1    |       |     |         | 1.125        | 2.475       |
| 020    | 34070-22560 | BEARING BALL   | 1    |       |     |         | 0.1          | 0.22        |
| 030    | 37410-57190 | BEARING BALL   | 1    |       |     |         | 0.14         | 0.308       |
| 040    | 35260-24110 | SPRING         | 1    |       |     |         | 0.02         | 0.044       |
| 050    | 07715-01605 | BALL           | 2    |       |     |         | 0.003        | 0.0066      |
| 060    | TA040-15170 | GEAR 4WD SHIFT | 1    |       |     | 24T     | 0.625        | 1.375       |




TA120-01B-13

100 TA140-1355-0




190 32751-1360-0

200 34070-1364-0



230 01176-51245

240 04512-50120




TA140-824-11



## FRONT DIFFERENTIAL CASE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-12003 | CASE FRONT AXLE    | 1    |        |     |         | 19.3         | 42.46       |
| 020    | 31321-38720 | PLUG               | 1    |        |     |         | 0.005        | 0.011       |
| 030    | 06331-35020 | PLUG               | 1    |        |     |         | 0.068        | 0.1496      |
| 040    | 04717-02000 | WASHER WITH RUBBER | 1    |        |     |         | 0.004        | 0.0088      |
| 050    | 06331-45010 | PLUG               | 1    |        |     |         | 0.02         | 0.044       |
| 060    | 04717-01000 | WASHER WITH RUBBER | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | TA040-12910 | PIPE BREATHER      | 1    |        |     |         | 0.017        | 0.0374      |
| 080    | 04811-00080 | O RING             | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 04816-00080 | O RING             | 2    |        |     |         | 0            | 0           |
| 090    | 01123-60814 | BOLT               | 1    |        |     | ←       | 0.008        | 0.0176      |
| 100    | TA140-13550 | ASSY HOLDER FRONT  | 1    | ≤61434 |     |         | 0            | 0           |
| 100    | TA140-13552 | ASSY HOLDER FRONT  | 1    | ≥61435 | ←   |         | 1.485        | 3.267       |
| 110    | 37410-56180 | COLLAR THRUST      | 1    |        |     |         | 0.07         | 0.154       |
| 120    | 08511-05020 | BUSH               | 1    |        |     |         | 0.06         | 0.132       |
| 130    | 04811-00490 | O RING             | 1    |        |     |         | 0.002        | 0.0044      |
| 130    | 04817-00490 | O RING             | 1    |        |     | ←       | 0            | 0           |
| 140    | 01173-51030 | BOLT               | 1    |        |     |         | 0.023        | 0.0506      |
| 150    | 02118-50100 | NUT                | 1    |        |     |         | 0.005        | 0.011       |
| 160    | 31351-16250 | WASHER SEAL        | 1    |        |     |         | 0.015        | 0.033       |
| 170    | TA040-13570 | BOLT               | 2    |        |     |         | 0.08         | 0.176       |
| 180    | 04512-60160 | WASHER SPRING      | 2    |        |     |         | 0.01         | 0.022       |
| 185    | 05012-00818 | PIN STRAIGHT       | 2    |        |     |         | 0.008        | 0.0176      |
| 186    | 06613-10010 | NIPPLE GREASE      | 1    | ≥61435 |     |         | 0.006        | 0.0132      |
| 187    | 06312-10010 | PLUG               | 1    | ≥61435 |     |         | 0.007        | 0.0154      |
| 190    | 32751-13600 | ASSY HOLDER REAR   | 1    | ≤61434 |     |         | 3.2          | 7.04        |
| 190    | TA140-13600 | ASSY HOLDER REAR   | 1    | ≥61435 | ←   |         | 3.2          | 7.04        |
| 200    | 34070-13640 | BUSH               | 1    | ≤61434 |     |         | 0.105        | 0.231       |
| 200    | TA140-13640 | BUSH               | 1    | ≥61435 | ←   |         | 0.09         | 0.198       |
| 210    | 04811-50700 | O RING             | 1    |        |     |         | 0.002        | 0.0044      |
| 220    | 34070-13620 | COLLAR THRUST      | 1    |        |     |         | 0.05         | 0.11        |
| 230    | 01176-51245 | BOLT               | 4    | ≤72782 |     |         | 0.05         | 0.11        |
| 230    | 01138-51245 | BOLT               | 4    | ≥72783 | ←   |         | 0.051        | 0.1122      |
| 240    | 04512-60120 | WASHER SPRING      | 4    | ≤72782 |     |         | 0.005        | 0.011       |
| 245    | 06613-10010 | NIPPLE GREASE      | 1    | ≥61435 |     |         | 0.006        | 0.0132      |
| 250    | 09663-80725 | TUBE FUEL          | 1    |        |     |         | 0.08         | 0.176       |
| 260    | 09318-88115 | CLAMP HOSE         | 1    |        |     |         | 0.002        | 0.0044      |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA040-12013 | ASSY GEAR BEVEL      | 1    | <=72188 |     | 9-23T   | 0            | 0           |
| 010    | TA040-12013 | ASSY GEAR BEVEL      | 1    | >=72189 | ←   | 9-23T   | 0            | 0           |
| 020    | 34070-12200 | BEARING TAPER-ROLLER | 2    |         |     |         | 0.305        | 0.671       |
| 030    | 34070-12060 | COLLAR               | 2    |         |     | 5.8mm   | 0.015        | 0.033       |
| 030    | 34070-12070 | COLLAR               | 2    |         |     | 5.9mm   | 0.015        | 0.033       |
| 030    | 34070-12080 | COLLAR               | 2    |         |     | 6.0mm   | 0.015        | 0.033       |
| 030    | 34070-12090 | COLLAR               | 2    |         |     | 6.1mm   | 0.015        | 0.033       |
| 030    | 34070-12100 | COLLAR               | 2    |         |     | 6.2mm   | 0.02         | 0.044       |
| 040    | 34070-12130 | COLLAR               | 1    |         |     | 9.8mm   | 0.03         | 0.066       |
| 040    | 34070-12140 | COLLAR               | 1    |         |     | 9.9mm   | 0.02         | 0.044       |
| 040    | 34070-12150 | COLLAR               | 1    | <=71289 |     | 10.0mm  | 0            | 0           |
| 040    | 3A221-43100 | COLLAR               | 1    | >=71290 | ←   | 10.0mm  | 0.025        | 0.055       |
| 040    | 34070-12160 | COLLAR               | 1    |         |     | 10.1mm  | 0.03         | 0.066       |
| 040    | 34070-12170 | COLLAR               | 1    |         |     | 10.2mm  | 0.03         | 0.066       |
| 050    | 37410-56710 | NUT                  | 1    |         |     |         | 0.03         | 0.066       |
| 060    | 34070-12220 | SEAL OIL             | 1    |         |     |         | 0.03         | 0.066       |
| 070    | 04611-00580 | CIR CLIP INTERNAL    | 1    |         |     |         | 0.005        | 0.011       |
| 080    | 34070-12250 | CASE DIFF.           | 1    |         |     |         | 1.895        | 4.169       |
| 090    | 32751-12260 | CASE DIFF.           | 1    |         |     |         | 0.9          | 1.98        |
| 100    | 05012-01020 | PIN STRAIGHT         | 2    |         |     |         | 0.02         | 0.044       |
| 110    | 01133-51075 | BOLT                 | 4    |         |     |         | 0.03         | 0.066       |
| 120    | 08101-06212 | BEARING BALL         | 2    |         |     |         | 0.78         | 1.716       |
| 130    | 34070-12280 | CIR CLIP EXTERNAL    | 1    |         |     |         | 0.005        | 0.011       |
| 140    | 31353-43330 | SHAFT PINION         | 1    |         |     |         | 0.13         | 0.286       |
| 150    | 05012-00628 | PIN STRAIGHT         | 1    |         |     |         | 0.006        | 0.0132      |
| 160    | 31353-43343 | PINION DIFF.         | 2    |         |     |         | 0.1          | 0.22        |
| 170    | 67121-56670 | COLLAR PINION THRUST | 2    |         |     |         | 0.006        | 0.0132      |
| 180    | 31353-43353 | GEAR DIFF.SIDE       | 2    |         |     |         | 0.19         | 0.418       |
| 190    | 67211-15160 | SHIM                 | 2    |         |     | 1.0mm   | 0.01         | 0.022       |
| 190    | 67211-15170 | SHIM                 | 2    |         |     | 0.8mm   | 0.008        | 0.0176      |
| 190    | 67211-15180 | SHIM                 | 2    |         |     | 1.2mm   | 0.01         | 0.022       |
| 190    | 31353-43360 | SHIM                 | 2    |         |     | 0.6mm   | 0.01         | 0.022       |
| 190    | 31353-43370 | SHIM                 | 2    |         |     | 0.4mm   | 0.01         | 0.022       |
| 200    | 34070-12300 | SHIM                 | 1    |         |     | 1.6mm   | 0.02         | 0.044       |
| 200    | 34070-12310 | SHIM                 | 1    |         |     | 1.8mm   | 0.03         | 0.066       |
| 200    | 34070-12320 | SHIM                 | 1    |         |     | 2.0mm   | 0.03         | 0.066       |
| 200    | 34070-12330 | SHIM                 | 1    |         |     | 2.2mm   | 0.03         | 0.066       |
| 200    | 34070-12340 | SHIM                 | 1    |         |     | 2.4mm   | 0.035        | 0.077       |






## FRONT AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-12720 | SHAFT BEVEL GEAR   | 2    |       |     |         | 0.73         | 1.606       |
| 020    | TA040-13016 | CASE FRONT GEAR RH | 1    |       |     |         | 8.75         | 19.25       |
| 030    | TA040-13026 | CASE FRONT GEAR LH | 1    |       |     |         | 8.75         | 19.25       |
| 040    | 06331-45010 | PLUG               | 2    |       |     |         | 0.02         | 0.044       |
| 050    | 04717-01000 | WASHER WITH RUBBER | 2    |       |     |         | 0.001        | 0.0022      |
| 060    | TA140-13040 | SEAL OIL           | 2    |       |     |         | 0.155        | 0.341       |
| 070    | 08101-06014 | BEARING BALL       | 2    |       |     |         | 0.6          | 1.32        |
| 080    | 04611-00800 | CIR CLIP INTERNAL  | 2    |       |     |         | 0.02         | 0.044       |
| 090    | 08101-06010 | BEARING BALL       | 2    |       |     |         | 0.262        | 0.5764      |
| 095    | TA140-12080 | SHIM               | 2    |       |     | 0.8mm   | 0.007        | 0.0154      |
| 095    | TA140-12100 | SHIM               | 2    |       |     | 1.0mm   | 0.008        | 0.0176      |
| 095    | TA140-12120 | SHIM               | 2    |       |     | 1.2mm   | 0.01         | 0.022       |
| 095    | TA140-12140 | SHIM               | 2    |       |     | 1.4mm   | 0.011        | 0.0242      |
| 095    | TA140-12160 | SHIM               | 2    |       |     | 1.6mm   | 0.013        | 0.0286      |
| 100    | 04612-00500 | CIR CLIP EXTERNAL  | 2    |       |     |         | 0.009        | 0.0198      |
| 110    | 34070-13100 | PLUG               | 2    |       |     |         | 0.03         | 0.066       |
| 120    | TA040-13200 | GEAR BEVEL         | 2    |       |     | 11T     | 0.48         | 1.056       |
| 130    | 08101-06207 | BEARING BALL       | 2    |       |     |         | 0.282        | 0.6204      |
| 140    | 37410-57160 | SHIM               | 2    |       |     | 1.0mm   | 0.01         | 0.022       |
| 140    | 37410-57170 | SHIM               | 2    |       |     | 1.2mm   | 0.011        | 0.0242      |
| 140    | 34070-12610 | SHIM               | 2    |       |     | 1.4mm   | 0.015        | 0.033       |
| 140    | 34070-12620 | SHIM               | 2    |       |     | 1.6mm   | 0.015        | 0.033       |
| 140    | 34070-12630 | SHIM               | 2    |       |     | 1.8mm   | 0.015        | 0.033       |
| 140    | 34070-12640 | SHIM               | 2    |       |     | 2.0mm   | 0.02         | 0.044       |
| 140    | 34070-12650 | SHIM               | 2    |       |     | 2.2mm   | 0.02         | 0.044       |
| 150    | 04611-00720 | CIR CLIP INTERNAL  | 2    |       |     |         | 0.018        | 0.0396      |




TA060-001-11



## DIFFERENTIAL GEAR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | T0070-12450 | SHAFT YOKE LH     | 1    |       |     | (RH)    | 1.77         | 3.894       |
| 020    | T0070-12460 | SHAFT YOKE RH     | 1    |       |     | (LH)    | 1.1          | 2.42        |
| 030    | TA140-12800 | CASE BEVEL GEAR   | 2    |       |     |         | 4.4          | 9.68        |
| 040    | 31353-43880 | PIN STRAIGHT      | 4    |       |     |         | 0.02         | 0.044       |
| 050    | 01133-51435 | BOLT              | 8    |       |     |         | 0.001        | 0.0022      |
| 060    | 04512-60140 | WASHER SPRING     | 8    |       |     |         | 0.006        | 0.0132      |
| 070    | 04811-51050 | O RING            | 2    |       |     |         | 0.003        | 0.0066      |
| 080    | TA040-12520 | GEAR BEVEL        | 2    |       |     | 11T     | 0.37         | 0.814       |
| 090    | 08101-06307 | BEARING BALL      | 2    |       |     |         | 0.44         | 0.968       |
| 100    | 04611-00800 | CIR CLIP INTERNAL | 2    |       |     |         | 0.02         | 0.044       |
| 110    | TA040-12702 | COLLAR            | 2    |       |     | T=2.6mm | 0.035        | 0.077       |
| 120    | 31353-43750 | SHIM              | 2    |       |     | 0.4mm   | 0.008        | 0.0176      |
| 120    | 31353-43760 | SHIM              | 2    |       |     | 0.6mm   | 0.01         | 0.022       |
| 120    | 31353-43770 | SHIM              | 2    |       |     | 0.8mm   | 0.015        | 0.033       |
| 120    | 31353-43780 | SHIM              | 2    |       |     | 1.0mm   | 0.014        | 0.0308      |
| 120    | 31353-43790 | SHIM              | 2    |       |     | 1.2mm   | 0.015        | 0.033       |
| 130    | TA040-12530 | GEAR BEVEL        | 2    |       |     | 16T     | 0.67         | 1.474       |
| 140    | 08101-06207 | BEARING BALL      | 2    |       |     |         | 0.282        | 0.6204      |






## FRONT AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|----------|--------------|-------------|
| 010    | 34070-13330 | AXLE FRONT       | 2    |         |     |          | 3.5          | 7.7         |
| 020    | 08101-06207 | BEARING BALL     | 2    | <=61667 |     |          | 0.282        | 0.6204      |
| 020    | TA140-13140 | BEARING BALL     | 2    | >=61668 | ≠   |          | 0.29         | 0.638       |
| 030    | 34070-13210 | GEAR BEVEL       | 2    |         |     | 42T      | 5.45         | 11.99       |
| 040    | 34070-13350 | COLLAR           | 4    |         |     |          | 0.01         | 0.022       |
| 050    | 32751-12510 | BEARING BALL     | 2    | <=61667 |     | NOT SALE | 0.36         | 0.792       |
| 050    | TA140-13150 | BEARING BALL     | 2    | >=61668 | ≠   |          | 0.37         | 0.814       |
| 060    | 34070-13370 | SEAL OIL         | 2    |         |     |          | 0.1          | 0.22        |
| 070    | TA040-13130 | COVER FRONT AXLE | 2    | <=60947 |     |          | 0            | 0           |
| 070    | TA040-13133 | COVER FRONT AXLE | 2    | >=60948 | ←   |          | 3.05         | 6.71        |
| 080    | 01123-50825 | BOLT             | 12   |         |     |          | 0.013        | 0.0286      |
| 090    | 01513-60825 | STUD             | 4    |         |     |          | 0.012        | 0.0264      |
| 100    | 04512-60080 | WASHER SPRING    | 4    |         |     |          | 0.002        | 0.0044      |
| 110    | 02156-50080 | NUT              | 4    |         |     |          | 0.004        | 0.0088      |
| 120    | 31353-44130 | O RING           | 2    |         |     |          | 0.01         | 0.022       |






**STEERING HANDLE [EXCEPT HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-43100 | COVER STEERING POST | 1    |       |     |         | 0.255        | 0.561       |
| 020    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 030    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 040    | 34070-43110 | BOLT FLANGE         | 2    |       |     |         | 0.02         | 0.044       |
| 050    | 30400-18870 | BOLT FLANGE         | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 34070-43140 | COVER HANDLE POST   | 1    |       |     |         | 0.005        | 0.011       |
| 070    | TA040-43600 | ASSY POST STEERING  | 1    |       |     |         | 1.8          | 3.96        |
| 080    | 08121-06004 | BEARING BALL        | 1    |       |     |         | 0.075        | 0.165       |
| 090    | 04611-00420 | CIR CLIP INTERNAL   | 1    |       |     |         | 0.006        | 0.0132      |
| 100    | TA040-43680 | SHAFT STEERING      | 1    |       |     |         | 0.4          | 0.88        |
| 110    | 36919-30040 | CIR-CLIP            | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 37410-41340 | BUSH POST           | 1    |       |     |         | 0.015        | 0.033       |
| 130    | 34550-43690 | COUPLING STEERING   | 1    |       |     |         | 0.103        | 0.2266      |
| 140    | 05411-00425 | PIN SPRING          | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 35080-40170 | SHAFT JOINT         | 1    |       |     |         | 0.11         | 0.242       |
| 160    | 34070-43670 | BOLT                | 1    |       |     |         | 0.02         | 0.044       |
| 170    | 02114-50080 | NUT                 | 1    |       |     |         | 0.005        | 0.011       |
| 175    | 02112-50080 | NUT                 | 1    |       |     |         | 0.003        | 0.0066      |
| 180    | 34070-43720 | LEVER TILT          | 1    |       |     |         | 0.065        | 0.143       |
| 190    | 34550-43750 | ASSY SHAFT SCREW    | 1    |       |     |         | 0.23         | 0.506       |
| 200    | 99999-99999 | BLANK               | 0    |       |     |         | 0            | 0           |
| 210    | 02172-50120 | NUT                 | 1    |       |     |         | 0.01         | 0.022       |
| 220    | 34070-43640 | HOLDER TILT         | 1    |       |     |         | 0.03         | 0.066       |
| 230    | 61023-41630 | GRIP                | 1    |       |     |         | 0.015        | 0.033       |
| 240    | 31351-16063 | ASSY WHEEL STEERING | 1    |       |     |         | 2.4          | 5.28        |
| 250    | 31351-16082 | PAD STEERING        | 1    |       |     |         | 0.07         | 0.154       |
| 260    | 04512-60120 | WASHER SPRING       | 1    |       |     |         | 0.005        | 0.011       |
| 270    | 02176-50120 | NUT                 | 1    |       |     |         | 0.01         | 0.022       |





011 TA240-9962-0

015 TA240-4991-0

020 TA241-9962-0

025 TA241-4991-0




TA140-845-10



**STEERING HANDLE [HST TYPE] [ROPS TYPE]**  
[EXCEPT TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-43100 | COVER STEERING POST  | 1    |        |     |         | 0.205        | 0.451       |
| 011    | TA240-99620 | KIT COVER STEERING(A | 1    | ≤70416 |     | ENGLISH | 0.145        | 0.319       |
| 015    | TA240-49910 | LABEL SPEED WARNING  | 1    | ≤70416 |     | ENGLISH | 0.001        | 0.0022      |
| 020    | TA241-99620 | KIT COVER STEERING(B | 1    |        |     | FRENCH  | 0.145        | 0.319       |
| 025    | TA241-49910 | LABEL SPEED WARNING  | 1    | ≤70416 |     | FRENCH  | 0.002        | 0.0044      |
| 030    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 040    | 34070-43110 | BOLT FLANGE          | 2    |        |     |         | 0.02         | 0.044       |
| 050    | 30400-18870 | BOLT FLANGE          | 1    |        |     |         | 0.01         | 0.022       |
| 060    | 34070-43140 | COVER HANDLE POST    | 1    |        |     |         | 0.005        | 0.011       |
| 065    | TA240-43150 | COVER SHUTTLE        | 1    |        |     |         | 0.015        | 0.033       |
| 070    | TA240-43600 | ASSY POST STEERING   | 1    |        |     |         | 1.725        | 3.795       |
| 080    | 08121-06004 | BEARING BALL         | 1    |        |     |         | 0.075        | 0.165       |
| 090    | 04611-00420 | CIR CLIP INTERNAL    | 1    |        |     |         | 0.006        | 0.0132      |
| 100    | TA040-43680 | SHAFT STEERING       | 1    |        |     |         | 0.4          | 0.88        |
| 110    | 36919-30040 | CIR-CLIP             | 1    |        |     |         | 0.001        | 0.0022      |
| 120    | 37410-41340 | BUSH POST            | 1    |        |     |         | 0.015        | 0.033       |
| 130    | 34550-43690 | COUPLING STEERING    | 1    |        |     |         | 0.103        | 0.2266      |
| 140    | 05411-00425 | PIN SPRING           | 1    |        |     |         | 0.001        | 0.0022      |
| 150    | 35080-40170 | SHAFT JOINT          | 1    |        |     |         | 0.11         | 0.242       |
| 160    | 34070-43670 | BOLT                 | 1    |        |     |         | 0.02         | 0.044       |
| 170    | 02114-50080 | NUT                  | 1    |        |     |         | 0.005        | 0.011       |
| 175    | 02112-50080 | NUT                  | 1    |        |     |         | 0.003        | 0.0066      |
| 180    | 34070-43720 | LEVER TILT           | 1    |        |     |         | 0.065        | 0.143       |
| 190    | 34550-43750 | ASSY SHAFT SCREW     | 1    |        |     |         | 0.23         | 0.506       |
| 200    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 210    | 02172-50120 | NUT                  | 1    |        |     |         | 0.01         | 0.022       |
| 220    | 34070-43640 | HOLDER TILT          | 1    |        |     |         | 0.03         | 0.066       |
| 230    | 61023-41630 | GRIP                 | 1    |        |     |         | 0.015        | 0.033       |
| 240    | 31351-16063 | ASSY WHEEL STEERING  | 1    |        |     |         | 2.4          | 5.28        |
| 250    | 31351-16082 | PAD STEERING         | 1    |        |     |         | 0.07         | 0.154       |
| 260    | 04512-60120 | WASHER SPRING        | 1    |        |     |         | 0.005        | 0.011       |
| 270    | 02176-50120 | NUT                  | 1    |        |     |         | 0.01         | 0.022       |



090 02156-50080

100 04512-50080




TA140-857-10



## STEERING CONTROLLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-37002 | CONTROLLER STEERING | 1    |        |     |         | 4.8          | 10.56       |
| 020    | 09500-19387 | SEAL OIL            | 1    |        |     |         | 0.012        | 0.0264      |
| 030    | 35070-40840 | PLUG                | 1    |        |     |         | 0.042        | 0.0924      |
| 040    | 04810-00150 | O RING              | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 04817-00150 | O RING              | 1    |        | ←   |         | 0            | 0           |
| 050    | 35080-40870 | COMP.VALVE RELIEF   | 1    |        |     |         | 0.018        | 0.0396      |
| 060    | 56713-28140 | ADAPTER CYLINDER    | 2    |        |     |         | 0.03         | 0.066       |
| 070    | T0180-37300 | JOINT               | 1    |        |     |         | 0.06         | 0.132       |
| 080    | 31391-66810 | JOINT PIPE          | 1    |        |     |         | 0.04         | 0.088       |
| 090    | 02156-50080 | NUT                 | 4    | ≤72758 |     |         | 0.004        | 0.0088      |
| 090    | 16429-92010 | NUT                 | 4    | ≥72759 | ←   |         | 0.007        | 0.0154      |
| 100    | 04512-60080 | WASHER SPRING       | 4    | ≤72758 |     |         | 0.002        | 0.0044      |






## STEERING LINKAGE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-13700 | ASSY ROD TIE LH     | 1    |       |     |         | 2.08         | 4.576       |
| 020    | 32580-44780 | COVER DUST          | 2    |       |     |         | 0.01         | 0.022       |
| 030    | 35270-12660 | CLIP                | 2    |       |     |         | 0.005        | 0.011       |
| 040    | 36330-62750 | NUT                 | 2    |       |     |         | 0.022        | 0.0484      |
| 050    | 05511-50328 | PIN SPLIT           | 2    |       |     |         | 0.002        | 0.0044      |
| 060    | TA040-13740 | ASSY ROD TIE RH     | 1    |       |     |         | 2            | 4.4         |
| 070    | 32580-44780 | COVER DUST          | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 35270-12660 | CLIP                | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 36330-62750 | NUT                 | 1    |       |     |         | 0.022        | 0.0484      |
| 100    | 05511-50328 | PIN SPLIT           | 1    |       |     |         | 0.002        | 0.0044      |
| 110    | 32570-44720 | ROD ADJUSTING       | 1    |       |     |         | 0.21         | 0.462       |
| 120    | 02172-50200 | NUT                 | 1    |       |     |         | 0.03         | 0.066       |
| 130    | 38630-44980 | NUT                 | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 32580-44770 | COMP.END TIE ROD RH | 1    |       |     |         | 0.49         | 1.078       |
| 150    | 36330-62750 | NUT                 | 1    |       |     |         | 0.022        | 0.0484      |
| 160    | 05511-50328 | PIN SPLIT           | 1    |       |     |         | 0.002        | 0.0044      |
| 170    | 35270-12660 | CLIP                | 1    |       |     |         | 0.005        | 0.011       |
| 180    | 32580-44780 | COVER DUST          | 1    |       |     |         | 0.01         | 0.022       |






## STEERING CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|--------------------------------------|--------------|-------------|
| 010    | TA040-37803 | ASSY CYLINDER STRG. | 1    |        |     | REFER TO L.No.1J04-L FOR COMPONENTS. | 4.85         | 10.67       |
| 020    | TA040-14310 | SUPPORT SHAFT       | 1    |        |     |                                      | 1.15         | 2.53        |
| 030    | 01133-51235 | BOLT                | 2    |        |     |                                      | 0.05         | 0.11        |
| 040    | TA040-17130 | ASSY ARM PITMAN     | 1    | ≤50013 |     |                                      | 0            | 0           |
| 040    | TA040-17132 | ASSY ARM PITMAN     | 1    | ≥50014 | ←   |                                      | 4.95         | 10.89       |
| 050    | 08511-02420 | BUSH                | 1    |        |     |                                      | 0.018        | 0.0396      |
| 060    | 38240-13160 | SEAL OIL            | 2    |        |     |                                      | 0.005        | 0.011       |
| 070    | 08511-04030 | BUSH                | 2    | ≤50013 |     |                                      | 0.06         | 0.132       |
| 070    | 52200-22430 | BUSH                | 2    | ≥50014 | ≠   |                                      | 0.05         | 0.11        |
| 080    | TA040-17200 | WASHER              | 1    |        |     |                                      | 0.01         | 0.022       |
| 090    | TA040-17210 | WASHER              | 1    |        |     |                                      | 0.03         | 0.066       |
| 100    | TA140-17100 | ASSY ARM PITMAN     | 1    |        |     |                                      | 0.6          | 1.32        |
| 110    | 08511-02420 | BUSH                | 1    |        |     |                                      | 0.018        | 0.0396      |
| 120    | 69331-11160 | PLUG                | 1    |        |     |                                      | 0.008        | 0.0176      |
| 130    | TA040-17190 | BOLT REAMER         | 2    |        |     |                                      | 0.035        | 0.077       |
| 140    | 04512-60100 | WASHER SPRING       | 2    |        |     |                                      | 0.002        | 0.0044      |
| 150    | TA040-17160 | SHAFT PITMAN ARM    | 1    | ≤50013 |     | NOT SALE                             | 1.33         | 2.926       |
| 150    | TA040-17162 | SHAFT PITMAN ARM    | 1    | ≥50014 | ←   |                                      | 1.33         | 2.926       |
| 160    | TA040-17250 | WASHER              | 1    |        |     |                                      | 0.016        | 0.0352      |
| 165    | 06616-25010 | NIPPLE GREASE       | 1    | ≥50014 |     |                                      | 0.008        | 0.0176      |
| 170    | TA040-17262 | PLATE SHAFT         | 1    |        |     |                                      | 0.08         | 0.176       |
| 180    | 01133-51025 | BOLT                | 2    |        |     |                                      | 0.023        | 0.0506      |
| 190    | TA040-17173 | SHAFT ROD END       | 1    |        |     |                                      | 0.4          | 0.88        |
| 200    | TA040-17150 | PLATE ROD END       | 1    |        |     |                                      | 0.055        | 0.121       |
| 210    | 01123-51016 | BOLT                | 2    |        |     |                                      | 0.03         | 0.066       |




TA040-097-12



## STEERING CYLINDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-37803 | ASSY CYLINDER STRG. | 1    |       |     |         | 4.85         | 10.67       |
| 020    | TA040-37814 | ASSY ROD            | 1    |       |     |         | 1.55         | 3.41        |
| 030    | TA040-37570 | GASKET PISTON       | 1    |       |     |         | 0.002        | 0.0044      |
| 040    | 04811-00450 | O RING              | 1    |       |     |         | 0.002        | 0.0044      |
| 040    | 04816-00450 | O RING              | 1    |       | ←   |         | 0            | 0           |
| 050    | TA040-37860 | ASSY END ROD        | 1    |       |     |         | 0.7          | 1.54        |
| 060    | 08511-02820 | BUSH                | 2    |       |     |         | 0.029        | 0.0638      |
| 070    | 06613-20010 | NIPPLE GREASE       | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 03653-50610 | SCREW SET           | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | TA040-37874 | TUBE CYLINDER       | 1    |       |     |         | 1.91         | 4.202       |
| 100    | TA040-37840 | ASSY COVER CYLINDER | 2    |       |     |         | 0.365        | 0.803       |
| 110    | 08511-02512 | BUSH                | 2    |       |     |         | 0.03         | 0.066       |
| 120    | 04810-50500 | O RING              | 2    |       |     |         | 0.005        | 0.011       |
| 120    | 04817-50500 | O RING              | 2    |       | ←   |         | 0            | 0           |
| 130    | TA040-37560 | GASKET ROD          | 2    |       |     |         | 0.002        | 0.0044      |
| 140    | TA040-37580 | SEAL DUST           | 2    |       |     |         | 0.002        | 0.0044      |
| 150    | TA040-37880 | CIR-CLIP            | 2    |       |     |         | 0.005        | 0.011       |






## HYDRAULIC PUMP [EXCEPT HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description            | Q'ty | S.No.   | I/C | REMARKS                                 | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------------|------|---------|-----|-----------------------------------------|--------------|-------------|
| 010    | 34070-33610 | HOLDER PUMP            | 1    | <=61667 |     |                                         | 0            | 0           |
| 010    | 34070-33612 | HOLDER PUMP            | 1    | >=61668 | ←   |                                         | 0.375        | 0.825       |
| 020    | 35370-37820 | COLLAR                 | 1    |         |     |                                         | 0.015        | 0.033       |
| 030    | 15471-95360 | CIR CLIP EXTERNAL      | 1    |         |     |                                         | 0.004        | 0.0088      |
| 040    | 08241-05205 | BEARING BALL           | 1    |         |     |                                         | 0.177        | 0.3894      |
| 050    | 04612-00250 | CIR CLIP EXTERNAL      | 1    |         |     |                                         | 0.002        | 0.0044      |
| 060    | 04811-10850 | O RING                 | 1    |         |     |                                         | 0.002        | 0.0044      |
| 070    | 04811-10500 | O RING                 | 1    | <=73096 |     |                                         | 0.001        | 0.0022      |
| 070    | T1060-36620 | O RING                 | 1    | >=73097 | ←   |                                         | 0.001        | 0.0022      |
| 080    | 01754-50840 | BOLT FLANGE            | 2    |         |     |                                         | 0.02         | 0.044       |
| 090    | 01754-50820 | BOLT FLANGE            | 1    |         |     |                                         | 0.015        | 0.033       |
| 100    | 38240-36330 | STUD                   | 1    |         |     |                                         | 0.008        | 0.0176      |
| 110    | 02156-50080 | NUT                    | 3    |         |     |                                         | 0.004        | 0.0088      |
| 120    | 04512-60080 | WASHER SPRING          | 2    |         |     |                                         | 0.002        | 0.0044      |
| 130    | 01513-60820 | STUD                   | 1    |         |     |                                         | 0.015        | 0.033       |
| 140    | 01123-50835 | BOLT                   | 1    |         |     |                                         | 0.02         | 0.044       |
| 150    | 31391-76520 | GEAR                   | 1    |         |     | 17T                                     | 0.16         | 0.352       |
| 160    | 31391-37810 | GEAR                   | 1    |         |     | 34T                                     | 0.33         | 0.726       |
| 170    | 34550-36400 | ASSY PUMP<br>HYDRAULIC | 1    |         |     | REFER TO L.No.1J05-R FOR<br>COMPONENTS. | 3.5          | 7.7         |






## HYDRAULIC PUMP [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|--------------------------------------|--------------|-------------|
| 010    | 34070-33610 | HOLDER PUMP         | 1    | <=61667 |     |                                      | 0            | 0           |
| 010    | 34070-33612 | HOLDER PUMP         | 1    | >=61668 | ←   |                                      | 0.375        | 0.825       |
| 020    | 35370-37820 | COLLAR              | 1    |         |     |                                      | 0.015        | 0.033       |
| 030    | 15471-95360 | CIR CLIP EXTERNAL   | 1    |         |     |                                      | 0.004        | 0.0088      |
| 040    | 08241-05205 | BEARING BALL        | 1    |         |     |                                      | 0.177        | 0.3894      |
| 050    | 04612-00250 | CIR CLIP EXTERNAL   | 1    |         |     |                                      | 0.002        | 0.0044      |
| 060    | 04811-10850 | O RING              | 1    |         |     |                                      | 0.002        | 0.0044      |
| 070    | 04811-10500 | O RING              | 1    | <=73096 |     |                                      | 0.001        | 0.0022      |
| 070    | T1060-36620 | O RING              | 1    | >=73097 | ←   |                                      | 0.001        | 0.0022      |
| 080    | 01754-50840 | BOLT FLANGE         | 2    |         |     |                                      | 0.02         | 0.044       |
| 090    | 01754-50820 | BOLT FLANGE         | 1    |         |     |                                      | 0.015        | 0.033       |
| 100    | 38240-36330 | STUD                | 1    |         |     |                                      | 0.008        | 0.0176      |
| 110    | 02156-50080 | NUT                 | 3    |         |     |                                      | 0.004        | 0.0088      |
| 120    | 04512-60080 | WASHER SPRING       | 2    |         |     |                                      | 0.002        | 0.0044      |
| 130    | 01513-60820 | STUD                | 1    |         |     |                                      | 0.015        | 0.033       |
| 140    | 01123-50835 | BOLT                | 1    |         |     |                                      | 0.02         | 0.044       |
| 150    | 31391-76520 | GEAR                | 1    |         |     | 17T                                  | 0.16         | 0.352       |
| 160    | 31391-37810 | GEAR                | 1    |         |     | 34T                                  | 0.33         | 0.726       |
| 170    | TA240-36400 | ASSY PUMP HYDRAULIC | 1    |         |     | REFER TO L.No.1J06-L FOR COMPONENTS. | 3.4          | 7.48        |






HYDRAULIC PUMP [COMPONENT PARTS] [EXCEPT HST TYPE]  
[EXCEPTE TYPE HST]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34550-36400 | ASSY PUMP HYDRAULIC | 1    |       |     |         | 3.5          | 7.7         |
| 020    | 31391-76302 | COMP.GEAR HYD.PUMP  | 1    |       |     |         | 0.51         | 1.122       |
| 030    | 35080-76500 | COMP.GEAR HYD.PUMP  | 1    |       |     |         | 0.29         | 0.638       |
| 040    | 38180-76172 | SQUARE RING         | 8    |       |     |         | 0.002        | 0.0044      |
| 050    | 31381-76390 | SEAL OIL            | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 37410-76470 | COUPLING            | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 01754-51090 | BOLT FLANGE         | 4    |       |     |         | 0.05         | 0.11        |
| 080    | 04611-00300 | CIR CLIP INTERNAL   | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 05012-00612 | PIN STRAIGHT        | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 04810-50550 | O RING              | 2    |       |     |         | 0.002        | 0.0044      |
| 110    | 04811-00220 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 04817-00220 | O RING              | 2    |       | ←   |         | 0.005        | 0.011       |







## HYDRAULIC PUMP [COMPONENT PARTS] [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-36400 | ASSY PUMP HYDRAULIC | 1    |       |     |         | 3.4          | 7.48        |
| 020    | 31391-76302 | COMP.GEAR HYD.PUMP  | 1    |       |     |         | 0.51         | 1.122       |
| 030    | 35080-76500 | COMP.GEAR HYD.PUMP  | 1    |       |     |         | 0.29         | 0.638       |
| 040    | 38180-76172 | SQUARE RING         | 8    |       |     |         | 0.002        | 0.0044      |
| 050    | 31381-76390 | SEAL OIL            | 1    |       |     |         | 0.01         | 0.022       |
| 060    | 37410-76470 | COUPLING            | 1    |       |     |         | 0.01         | 0.022       |
| 070    | 01754-51090 | BOLT FLANGE         | 4    |       |     |         | 0.05         | 0.11        |
| 080    | 04611-00300 | CIR CLIP INTERNAL   | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 05012-00612 | PIN STRAIGHT        | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 04810-50550 | O RING              | 2    |       |     |         | 0.002        | 0.0044      |
| 110    | 04811-00220 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 110    | 04817-00220 | O RING              | 2    |       | ←   |         | 0.005        | 0.011       |




040 01123-50845



TA150-823-10




| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA040-66010 | ASSY VALVE REGULATOR | 1    |         |     |         | 1.73         | 3.806       |
| 020    | 66591-36250 | JOINT                | 1    |         |     |         | 0.08         | 0.176       |
| 030    | 67111-37180 | GASKET               | 2    |         |     |         | 0.003        | 0.0066      |
| 040    | 01123-50845 | BOLT                 | 2    | <=73439 |     |         | 0.02         | 0.044       |
| 040    | 01754-50840 | BOLT FLANGE          | 2    | >=73440 | ←   |         | 0.02         | 0.044       |
| 050    | 04811-00200 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 050    | 04817-00200 | O RING               | 1    |         | ←   |         | 0            | 0           |





| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-33212 | BRACKET FILTER       | 1    |       |     |         | 0.525        | 1.155       |
| 020    | 01774-61020 | BOLT FLANGE          | 2    |       |     |         | 0.022        | 0.0484      |
| 030    | T0070-37710 | CARTRIDGE OIL FILTER | 1    |       |     |         | 0.725        | 1.595       |
| 040    | TA040-33362 | PIPE INLET           | 1    |       |     |         | 0.42         | 0.924       |
| 050    | 04811-07230 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 04817-07230 | O RING               | 2    |       | ←   |         | 0            | 0           |
| 060    | 01754-50812 | BOLT FLANGE          | 1    |       |     |         | 0.01         | 0.022       |
| 070    | TA040-33320 | PIPE INLET           | 1    |       |     |         | 0.46         | 1.012       |
| 080    | 04810-07230 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-07230 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 090    | 01754-50816 | BOLT FLANGE          | 2    |       |     |         | 0.011        | 0.0242      |
| 100    | TA040-33340 | HOSE INLET           | 1    |       |     |         | 0.103        | 0.2266      |
| 110    | 31351-38180 | BAND PIPE            | 2    |       |     |         | 0.02         | 0.044       |






## HYDRAULIC OIL LINE(INLET) [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-33212 | BRACKET FILTER       | 1    |       |     |         | 0.525        | 1.155       |
| 020    | 01774-61020 | BOLT FLANGE          | 2    |       |     |         | 0.022        | 0.0484      |
| 030    | T0070-37710 | CARTRIDGE OIL FILTER | 1    |       |     |         | 0.725        | 1.595       |
| 040    | TA240-56310 | PIPE INLET HST       | 1    |       |     |         | 0.43         | 0.946       |
| 050    | 04810-07230 | RING                 | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 04817-07230 | O RING               | 2    |       | ←   |         | 0            | 0           |
| 060    | 01754-50812 | BOLT FLANGE          | 1    |       |     |         | 0.01         | 0.022       |
| 070    | TA240-56320 | PIPE INLET HST       | 1    |       |     |         | 0.47         | 1.034       |
| 080    | 04810-07230 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-07230 | O RING               | 1    |       | ←   |         | 0            | 0           |
| 090    | 01754-50816 | BOLT FLANGE          | 2    |       |     |         | 0.011        | 0.0242      |
| 100    | TA040-33340 | HOSE INLET           | 1    |       |     |         | 0.103        | 0.2266      |
| 110    | 31351-38180 | BAND PIPE            | 2    |       |     |         | 0.02         | 0.044       |




TA040-102-12



## HYDRAULIC OIL LINE(DELIVERY) [EXCEPT HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-33412 | COMP.PIPE DELIVERY | 1    |       |     |         | 0.555        | 1.221       |
| 020    | 04810-00180 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 020    | 04817-00180 | O RING             | 1    |       | ←   |         | 0.003        | 0.0066      |
| 030    | 01123-50820 | BOLT               | 2    |       |     |         | 0.011        | 0.0242      |
| 040    | 66591-36250 | JOINT              | 1    |       |     |         | 0.08         | 0.176       |
| 050    | 67111-37180 | GASKET             | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 67401-36720 | GASKET             | 1    |       |     |         | 0.005        | 0.011       |
| 070    | TA040-33422 | COMP.PIPE DELIVERY | 1    |       |     |         | 0.525        | 1.155       |
| 080    | 04810-00180 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-00180 | O RING             | 1    |       | ←   |         | 0.003        | 0.0066      |
| 090    | 01123-50820 | BOLT               | 2    |       |     |         | 0.011        | 0.0242      |
| 100    | 66591-36250 | JOINT              | 1    |       |     |         | 0.08         | 0.176       |
| 110    | 67111-37180 | GASKET             | 1    |       |     |         | 0.003        | 0.0066      |
| 120    | 67401-36720 | GASKET             | 1    |       |     |         | 0.005        | 0.011       |




TA140-091-12



## HYDRAULIC OIL LINE(DELIVERY) [HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-56360 | COMP.PIPE DELIVERY | 1    | ≤70416 |     |         | 0            | 0           |
| 010    | TA240-56362 | COMP.PIPE DELIVERY | 1    | ≥70417 | ←   |         | 0.69         | 1.518       |
| 020    | 04810-00180 | O RING             | 1    |        |     |         | 0.001        | 0.0022      |
| 020    | 04817-00180 | O RING             | 1    |        | ←   |         | 0.003        | 0.0066      |
| 030    | 01123-50820 | BOLT               | 2    |        |     |         | 0.011        | 0.0242      |
| 040    | 66591-36250 | JOINT              | 1    |        |     |         | 0.08         | 0.176       |
| 050    | 67111-37180 | GASKET             | 1    |        |     |         | 0.003        | 0.0066      |
| 060    | 67401-36720 | GASKET             | 1    |        |     |         | 0.005        | 0.011       |
| 070    | TA240-56370 | COMP.PIPE DELIVERY | 1    | ≤51354 |     |         | 0            | 0           |
| 070    | TA240-56373 | COMP.PIPE DELIVERY | 1    | ≥51355 | ←   |         | 0.56         | 1.232       |
| 080    | 04810-00180 | O RING             | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 04817-00180 | O RING             | 1    |        | ←   |         | 0.003        | 0.0066      |
| 090    | 01123-50820 | BOLT               | 2    |        |     |         | 0.011        | 0.0242      |
| 100    | 66591-36250 | JOINT              | 1    |        |     |         | 0.08         | 0.176       |
| 110    | 67111-37180 | GASKET             | 1    |        |     |         | 0.003        | 0.0066      |
| 120    | 67401-36720 | GASKET             | 1    |        |     |         | 0.005        | 0.011       |







## HYDRAULIC OIL LINE(PS) [EXCEPT HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | T0150-33510 | HOSE DELIVERY        | 1    |        |     |         | 0.45         | 0.99        |
| 020    | 66591-36250 | JOINT                | 1    |        |     |         | 0.08         | 0.176       |
| 030    | 67111-37180 | GASKET               | 1    |        |     |         | 0.003        | 0.0066      |
| 035    | TA040-37180 | GASKET               | 1    |        |     |         | 0.004        | 0.0088      |
| 040    | TA040-33524 | HOSE DELIVERY        | 2    |        |     |         | 0.26         | 0.572       |
| 050    | 56713-28130 | ADAPTER CYLINDER     | 1    |        |     |         | 0.052        | 0.1144      |
| 060    | 31301-10850 | JOINT                | 1    |        |     |         | 0            | 0           |
| 060    | 06014-51022 | JOINT                | 1    | ≤72866 | ↔   |         | 0.031        | 0.0682      |
| 060    | 06014-51023 | JOINT                | 1    | ≥72867 | ≠   |         | 0.06         | 0.132       |
| 070    | TA040-33560 | COMP.PIPE POWER STRG | 1    |        |     |         | 0            | 0           |
| 070    | TA040-33563 | COMP.PIPE POWER STRG | 1    | ≤72858 | ↔   |         | 0.095        | 0.209       |
| 070    | TA040-33564 | COMP.PIPE POWER STRG | 1    | ≥72859 | ≠   |         | 0            | 0           |
| 080    | TA040-33280 | HOLDER HOSE          | 1    |        |     |         | 0.019        | 0.0418      |
| 090    | TA040-33290 | COLLAR               | 1    |        |     |         | 0.005        | 0.011       |
| 100    | 01754-50830 | BOLT FLANGE          | 1    |        |     |         | 0.01         | 0.022       |
| 110    | TA040-33300 | HOLDER HOSE          | 1    |        |     |         | 0.027        | 0.0594      |
| 120    | 01123-60814 | BOLT                 | 1    | ≤72961 |     |         | 0.008        | 0.0176      |
| 120    | 01123-50816 | BOLT                 | 1    | ≥72962 | ←   |         | 0.011        | 0.0242      |
| 130    | 55311-41260 | BAND CORD            | 1    |        |     |         | 0.007        | 0.0154      |
| 140    | 34030-33530 | ASSY HOSE RETURN     | 1    |        |     |         | 0.29         | 0.638       |
| 150    | 15109-73360 | BAND PIPE            | 2    |        |     |         | 0.01         | 0.022       |
| 160    | 31351-45330 | SPRING PROTECTOR     | 1    |        |     |         | 0.055        | 0.121       |
| 170    | 34070-36910 | JOINT                | 1    |        |     |         | 0.07         | 0.154       |



140 TA240-3353-0




TA140-852-10



## HYDRAULIC OIL LINE(PS) [HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA220-33510 | HOSE DELIVERY        | 1    |        |     |         | 0.435        | 0.957       |
| 020    | 66591-36250 | JOINT                | 1    |        |     |         | 0.08         | 0.176       |
| 030    | 67111-37180 | GASKET               | 2    |        |     |         | 0.003        | 0.0066      |
| 040    | TA040-33524 | HOSE DELIVERY        | 2    |        |     |         | 0.26         | 0.572       |
| 050    | 56713-28130 | ADAPTER CYLINDER     | 1    |        |     |         | 0.052        | 0.1144      |
| 060    | 31301-10850 | JOINT                | 1    |        |     |         | 0            | 0           |
| 060    | 06014-51022 | JOINT                | 1    | ≤72866 | ↔   |         | 0.031        | 0.0682      |
| 060    | 06014-51023 | JOINT                | 1    | ≥72867 | ≠   |         | 0.06         | 0.132       |
| 070    | TA040-33560 | COMP.PIPE POWER STRG | 1    |        |     |         | 0            | 0           |
| 070    | TA040-33563 | COMP.PIPE POWER STRG | 1    | ≤72858 | ↔   |         | 0.095        | 0.209       |
| 070    | TA040-33564 | COMP.PIPE POWER STRG | 1    | ≥72859 | ≠   |         | 0            | 0           |
| 080    | TA040-33280 | HOLDER HOSE          | 1    |        |     |         | 0.019        | 0.0418      |
| 090    | TA040-33290 | COLLAR               | 1    |        |     |         | 0.005        | 0.011       |
| 100    | 01754-50830 | BOLT FLANGE          | 1    |        |     |         | 0.01         | 0.022       |
| 110    | TA040-33300 | HOLDER HOSE          | 1    |        |     |         | 0.027        | 0.0594      |
| 120    | 01123-60814 | BOLT                 | 1    | ≤72961 |     |         | 0.008        | 0.0176      |
| 120    | 01123-50816 | BOLT                 | 1    | ≥72962 | ←   |         | 0.011        | 0.0242      |
| 130    | 55311-41260 | BAND CORD            | 1    |        |     |         | 0.007        | 0.0154      |
| 140    | TA240-33530 | ASSY HOSE RETURN     | 1    | ≤61868 |     |         | 0.235        | 0.517       |
| 140    | TA240-33533 | ASSY HOSE RETURN     | 1    | ≥70001 | ←   |         | 0.235        | 0.517       |
| 150    | 15109-73360 | BAND PIPE            | 2    |        |     |         | 0.01         | 0.022       |
| 160    | 31351-45330 | SPRING PROTECTOR     | 1    |        |     |         | 0.055        | 0.121       |
| 170    | 34030-33530 | ASSY HOSE RETURN     | 1    |        |     |         | 0.29         | 0.638       |
| 180    | 15109-73360 | BAND PIPE            | 2    |        |     |         | 0.01         | 0.022       |
| 190    | 31351-45330 | SPRING PROTECTOR     | 1    |        |     |         | 0.055        | 0.121       |
| 200    | TA240-33550 | PIPE                 | 1    |        |     |         | 0.04         | 0.088       |
| 210    | TA240-36910 | JOINT                | 1    |        |     |         | 0.06         | 0.132       |



TA040-118-10








PTO HYDRAULIC OIL LINE [GST TYPE] [WITH IND-PTO]  
[AVEC TYPE DE PDF IND]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-69402 | ASSY BOLT       | 1    |       |     |         | 0.045        | 0.099       |
| 020    | 04714-00200 | GASKET          | 2    |       |     |         | 0.002        | 0.0044      |
| 030    | TA040-66530 | COMP.PIPE GST   | 1    |       |     |         | 0.25         | 0.55        |
| 040    | 34076-66590 | BOLT JOINT      | 1    |       |     |         | 0.05         | 0.11        |
| 050    | 04714-00200 | GASKET          | 2    |       |     |         | 0.002        | 0.0044      |
| 060    | TA040-66570 | COMP.PIPE GST   | 1    |       |     |         | 0.205        | 0.451       |
| 070    | 34076-66590 | BOLT JOINT      | 1    |       |     |         | 0.05         | 0.11        |
| 080    | 04714-00200 | GASKET          | 2    |       |     |         | 0.002        | 0.0044      |
| 090    | TA040-69950 | COMP.PIPE I-PTO | 1    |       |     |         | 0.165        | 0.363       |
| 100    | 67955-36230 | CLAMP           | 2    |       |     |         | 0.023        | 0.0506      |
| 110    | 31351-45270 | PIPE RUBBER     | 2    |       |     |         | 0.005        | 0.011       |




TA040-114-12



## HYDRAULIC OUTLET BLOCK [EXCEPT HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-37500 | ASSY BLOCK FRONT HYD | 1    |       |     |         | 1.545        | 3.399       |
| 020    | TA040-37520 | SPOOL                | 1    |       |     |         | 0.067        | 0.1474      |
| 030    | 04810-06100 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 030    | 04817-06100 | O RING               | 2    |       | ←   |         | 0            | 0           |
| 040    | 04612-00140 | CIR CLIP EXTERNAL    | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 05411-00320 | PIN SPRING           | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 05411-00310 | PIN SPRING           | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 06312-10030 | PLUG                 | 3    |       |     |         | 0.029        | 0.0638      |
| 080    | 31351-37910 | PLUG                 | 1    |       |     |         | 0.06         | 0.132       |
| 090    | 31351-37920 | SPRING RELIEF        | 1    |       |     |         | 0.02         | 0.044       |
| 100    | 31351-37930 | SEAT RELIEF VALVE    | 1    |       |     |         | 0.02         | 0.044       |
| 110    | 31351-37940 | POPPET               | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 31351-37950 | SHIM                 | 5    |       |     | 0.4mm   | 0.001        | 0.0022      |
| 120    | 31351-37960 | SHIM                 | 2    |       |     | 0.2mm   | 0.001        | 0.0022      |
| 120    | 31351-37970 | SHIM                 | 2    |       |     | 0.1mm   | 0.001        | 0.0022      |
| 130    | 04013-60050 | WASHER PLAIN         | 2    |       |     |         | 0.001        | 0.0022      |
| 140    | 04811-10160 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | TA040-37590 | CUSHION              | 2    |       |     |         | 0.006        | 0.0132      |
| 160    | 01123-50828 | BOLT                 | 2    |       |     |         | 0.014        | 0.0308      |
| 170    | TA040-37600 | COLLAR               | 2    |       |     |         | 0.009        | 0.0198      |
| 180    | 04015-60080 | WASHER PLAIN         | 2    |       |     |         | 0.01         | 0.022       |
| 190    | TA040-37550 | PIPE RETURN          | 1    |       |     |         | 0.052        | 0.1144      |
| 200    | 04811-00110 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 200    | 04817-00110 | O RING               | 2    |       | ←   |         | 0.001        | 0.0022      |
| 210    | TA040-37544 | STAY HYD.BLOCK       | 1    |       |     |         | 1.175        | 2.585       |
| 220    | 01133-51035 | BOLT                 | 1    |       |     |         | 0.03         | 0.066       |
| 230    | 01133-51240 | BOLT                 | 1    |       |     |         | 0.05         | 0.11        |




TA140-083-12

010 TA040-3750-0  
 190 TA240-5646-0  
 200 01754-50608  
 210 04811-00110



190 TA250-5646-0




TA140-825-11



## HYDRAULIC OUTLET BLOCK [HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-37500 | ASSY BLOCK FRONT HYD | 1    | ≤61868 |     |         | 1.545        | 3.399       |
| 010    | TA250-37500 | ASSY BLOCK FRONT HYD | 1    | ≥70001 | ≠   |         | 1.535        | 3.377       |
| 010    | TA250-37500 | ASSY BLOCK FRONT HYD | 1    |        | ↔   |         | 1.535        | 3.377       |
| 020    | TA040-37520 | SPOOL                | 1    |        |     |         | 0.067        | 0.1474      |
| 030    | 04810-06100 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 030    | 04817-06100 | O RING               | 2    |        | ←   |         | 0            | 0           |
| 040    | 04612-00140 | CIR CLIP EXTERNAL    | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 05411-00320 | PIN SPRING           | 1    |        |     |         | 0.001        | 0.0022      |
| 060    | 05411-00310 | PIN SPRING           | 2    |        |     |         | 0.001        | 0.0022      |
| 070    | 06312-10030 | PLUG                 | 3    |        |     |         | 0.029        | 0.0638      |
| 080    | 31351-37910 | PLUG                 | 1    |        |     |         | 0.06         | 0.132       |
| 090    | 31351-37920 | SPRING RELIEF        | 1    |        |     |         | 0.02         | 0.044       |
| 100    | 31351-37930 | SEAT RELIEF VALVE    | 1    |        |     |         | 0.02         | 0.044       |
| 110    | 31351-37940 | POPPET               | 1    |        |     |         | 0.005        | 0.011       |
| 120    | 31351-37950 | SHIM                 | 5    |        |     | 0.4mm   | 0.001        | 0.0022      |
| 120    | 31351-37960 | SHIM                 | 2    |        |     | 0.2mm   | 0.001        | 0.0022      |
| 120    | 31351-37970 | SHIM                 | 2    |        |     | 0.1mm   | 0.001        | 0.0022      |
| 130    | 04013-60050 | WASHER PLAIN         | 2    |        |     |         | 0.001        | 0.0022      |
| 140    | 04811-10160 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 150    | TA040-37590 | CUSHION              | 2    |        |     |         | 0.006        | 0.0132      |
| 160    | 01123-50828 | BOLT                 | 2    |        |     |         | 0.014        | 0.0308      |
| 170    | TA040-37600 | COLLAR               | 2    |        |     |         | 0.009        | 0.0198      |
| 180    | 04015-60080 | WASHER PLAIN         | 2    |        |     |         | 0.01         | 0.022       |
| 190    | TA240-56460 | PIPE RETURN          | 1    | ≤61868 |     |         | 0.09         | 0.198       |
| 190    | TA250-56460 | PIPE RETURN          | 1    | ≥70001 | ≠   |         | 0            | 0           |
| 190    | TA250-56462 | PIPE RETURN          | 1    | ≥71290 | ←   |         | 0.48         | 1.056       |
| 200    | 01754-50608 | BOLT FLANGE          | 1    | ≤61868 |     |         | 0.005        | 0.011       |
| 210    | 04811-00110 | O RING               | 2    | ≤61868 |     |         | 0.001        | 0.0022      |
| 210    | 06015-51533 | JOINT                | 1    | ≥70001 | ≠   |         | 0            | 0           |
| 220    | TA240-55210 | BRACKET HYD.BLOCK    | 1    |        |     |         | 0.94         | 2.068       |
| 230    | 06012-51533 | JOINT PIPE           | 1    | ≥70001 |     |         | 0.066        | 0.1452      |
| 240    | 04811-00140 | O RING               | 2    | ≥70001 |     |         | 0.001        | 0.0022      |
| 240    | 04817-00140 | O RING               | 2    |        | ←   |         | 0            | 0           |



TA140-072-11








**OIL COOLER [HST TYPE] [OLD TYPE]**  
[S.No.;<=51700]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA240-55370 | COOLER OIL           | 1    |         |     |         | 0.72         | 1.584       |
| 020    | 01153-50814 | BOLT                 | 2    |         |     |         | 0.009        | 0.0198      |
| 030    | 02114-50080 | NUT                  | 2    |         |     |         | 0.005        | 0.011       |
| 040    | 04512-60080 | WASHER SPRING        | 2    |         |     |         | 0.002        | 0.0044      |
| 050    | 99999-99999 | BLANK                | 0    |         |     |         | 0            | 0           |
| 060    | TA240-21110 | COMP.PIPE OIL COOLER | 1    |         |     |         | 0.58         | 1.276       |
| 070    | TA240-21120 | COMP.PIPE OIL COOLER | 1    |         |     |         | 0.51         | 1.122       |
| 080    | TA240-21140 | COMP.PIPE OIL COOLER | 1    |         |     |         | 0.59         | 1.298       |
| 090    | 06013-51503 | JOINT PIPE           | 1    |         |     |         | 0.062        | 0.1364      |
| 100    | 34550-33290 | TUBE                 | 1    |         |     |         | 0.01         | 0.022       |
| 110    | 06015-51543 | JOINT                | 1    |         |     |         | 0.15         | 0.33        |
| 120    | 04810-00180 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 130    | TA240-21150 | HOSE OIL COOLER      | 2    |         |     |         | 0.08         | 0.176       |
| 140    | 66204-36280 | BAND PIPE            | 2    |         |     |         | 0.02         | 0.044       |
| 150    | TA240-21130 | COMP.PIPE OIL COOLER | 1    |         |     |         | 0.415        | 0.913       |
| 160    | 06013-51503 | JOINT PIPE           | 1    |         |     |         | 0.062        | 0.1364      |
| 170    | 34550-33290 | TUBE                 | 1    |         |     |         | 0.01         | 0.022       |
| 180    | 3A011-82930 | JOINT PIPE           | 1    |         |     |         | 0.09         | 0.198       |
| 190    | 04810-00180 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 200    | 66204-36280 | BAND PIPE            | 2    |         |     |         | 0.02         | 0.044       |
| 210    | TA240-55470 | HOLDER OIL COOLER    | 1    |         |     |         | 0.033        | 0.0726      |
| 220    | 01754-50830 | BOLT FLANGE          | 1    |         |     |         | 0.01         | 0.022       |
| 230    | TA240-21910 | HOLDER OIL COOLER    | 1    |         |     |         | 0.05         | 0.11        |
| 240    | TA240-21920 | HOLDER OIL COOLER    | 1    |         |     |         | 0.059        | 0.1298      |
| 250    | 01754-50835 | BOLT FLANGE          | 1    |         |     |         | 0.019        | 0.0418      |
| 260    | 31351-34320 | RUBBER PROTECTOR     | 2    | >=50014 |     |         | 0.003        | 0.0066      |







**OIL COOLER [HST TYPE] [NEW TYPE]**  
[S.No.;>=51701]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA240-55370 | COOLER OIL           | 1    |         |     |         | 0.72         | 1.584       |
| 020    | 01153-50814 | BOLT                 | 2    |         |     |         | 0.009        | 0.0198      |
| 030    | 02114-50080 | NUT                  | 2    |         |     |         | 0.005        | 0.011       |
| 040    | 04512-60080 | WASHER SPRING        | 2    |         |     |         | 0.002        | 0.0044      |
| 050    | 99999-99999 | BLANK                | 0    |         |     |         | 0            | 0           |
| 060    | TA240-21113 | COMP.PIPE OIL COOLER | 1    | <=70789 |     |         | 0.78         | 1.716       |
| 060    | TA240-21115 | COMP.PIPE OIL COOLER | 1    | >=70790 | ←   |         | 0.78         | 1.716       |
| 070    | 99999-99999 | BLANK                | 0    |         |     |         | 0            | 0           |
| 080    | 99999-99999 | BLANK                | 0    |         |     |         | 0            | 0           |
| 090    | 99999-99999 | BLANK                | 0    |         |     |         | 0            | 0           |
| 100    | 34550-33290 | TUBE                 | 1    |         |     |         | 0.01         | 0.022       |
| 110    | 06015-51543 | JOINT                | 1    |         |     |         | 0.15         | 0.33        |
| 120    | 04810-00180 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 120    | 04817-00180 | O RING               | 1    |         | ←   |         | 0.003        | 0.0066      |
| 130    | TA240-21150 | HOSE OIL COOLER      | 2    |         |     |         | 0.08         | 0.176       |
| 140    | 66204-36280 | BAND PIPE            | 2    |         |     |         | 0.02         | 0.044       |
| 150    | TA240-21133 | COMP.PIPE OIL COOLER | 1    | <=70789 |     |         | 0.415        | 0.913       |
| 150    | TA240-21135 | COMP.PIPE OIL COOLER | 1    | >=70790 | ←   |         | 0.78         | 1.716       |
| 160    | 99999-99999 | BLANK                | 0    |         |     |         | 0            | 0           |
| 170    | 34550-33290 | TUBE                 | 1    |         |     |         | 0.01         | 0.022       |
| 180    | 3A011-82930 | JOINT PIPE           | 1    |         |     |         | 0.09         | 0.198       |
| 190    | 04810-00180 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 190    | 04817-00180 | O RING               | 1    |         | ←   |         | 0.003        | 0.0066      |
| 200    | 66204-36280 | BAND PIPE            | 2    |         |     |         | 0.02         | 0.044       |
| 210    | TA240-55473 | HOLDER OIL COOLER    | 1    |         |     |         | 0.033        | 0.0726      |
| 220    | 01754-50630 | BOLT FLANGE          | 1    |         |     |         | 0.01         | 0.022       |
| 230    | TA240-21910 | HOLDER OIL COOLER    | 1    |         |     |         | 0.05         | 0.11        |
| 240    | TA240-21920 | HOLDER OIL COOLER    | 1    |         |     |         | 0.059        | 0.1298      |
| 250    | 01123-50840 | BOLT                 | 1    |         |     |         | 0.018        | 0.0396      |
| 260    | 31351-34320 | RUBBER PROTECTOR     | 2    |         |     |         | 0.003        | 0.0066      |




010 TA040-3411-4



010 TA150-9935-0

010 TA150-9935-3



010 { A  
040  
FIG.No.H320  
090•100


TA140-840-11



## HYDRAULIC CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|--------------------------|--------------|-------------|
| 010    | TA040-34114 | CASE HYD.CYLINDER    | 1    | ≤71328 |     | NOT SALE                 | 21.3         | 46.86       |
| 010    | TA150-99350 | ASSY CASE HYD.CYLIN. | 1    | ≥71329 | ←   |                          | 0            | 0           |
| 010    | TA150-99353 | CASE HYD.CYLINDER    | 1    | ≥72952 | ←   |                          | 0            | 0           |
| 010    | TC050-99360 | ASSY CASE CYLINDER   | 1    | ≥73550 | ←   |                          | 0            | 0           |
| 020    | 37150-36730 | PLUG                 | 1    |        |     |                          | 0.03         | 0.066       |
| 030    | 37150-36720 | GASKET               | 1    |        |     |                          | 0.01         | 0.022       |
| 040    | 31351-37150 | PLUG                 | 2    |        |     |                          | 0.007        | 0.0154      |
| 050    | 36200-21610 | BREATHER             | 1    |        |     |                          | 0.008        | 0.0176      |
| 060    | 31351-37140 | BREATHER             | 1    |        |     |                          | 0.01         | 0.022       |
| 070    | 38240-21410 | PLUG                 | 1    |        |     |                          | 0.015        | 0.033       |
| 080    | 04811-50300 | O RING               | 1    |        |     |                          | 0.001        | 0.0022      |
| 080    | 04817-50300 | O RING               | 1    |        | ←   |                          | 0.001        | 0.0022      |
| 090    | 01574-51245 | STUD                 | 1    |        |     |                          | 0.051        | 0.1122      |
| 100    | 01574-51245 | STUD                 | 1    |        |     |                          | 0.051        | 0.1122      |
| 110    | 01133-51245 | BOLT                 | 4    |        |     |                          | 0.055        | 0.121       |
| 120    | 02176-50120 | NUT                  | 2    |        |     |                          | 0.01         | 0.022       |
| 130    | 04512-60120 | WASHER SPRING        | 2    |        |     |                          | 0.005        | 0.011       |
| 140    | 01133-51260 | BOLT                 | 2    |        |     |                          | 0.06         | 0.132       |
| 150    | 01133-51255 | BOLT                 | 2    |        |     |                          | 0.08         | 0.176       |
| 160    | 66591-51130 | PLUG                 | 2    |        |     | W/O DRAFT                | 0.001        | 0.0022      |
| 170    | TA040-36620 | ASSY COVER CYLINDER  | 1    |        |     | W/O REMOTE CONTROL VALVE | 0.3          | 0.66        |
| 180    | 31351-37150 | PLUG                 | 1    |        |     | W/O REMOTE CONTROL VALVE | 0.007        | 0.0154      |
| 190    | 04810-00140 | O RING               | 1    |        |     | W/O REMOTE CONTROL VALVE | 0.001        | 0.0022      |
| 190    | 04817-00140 | O RING               | 1    |        | ←   | W/O REMOTE CONTROL VALVE | 0            | 0           |
| 200    | 04810-00100 | O RING               | 2    |        |     | W/O REMOTE CONTROL VALVE | 0.001        | 0.0022      |
| 200    | 04817-00100 | O RING               | 2    |        | ←   | W/O REMOTE CONTROL VALVE | 0            | 0           |
| 210    | 01123-50835 | BOLT                 | 3    |        |     | W/O REMOTE CONTROL VALVE | 0.02         | 0.044       |
| 220    | TA040-36650 | PLUG                 | 1    |        |     | W/O REMOTE CONTROL VALVE | 0.005        | 0.011       |
| 230    | 13816-67580 | CLAMP CORD           | 1    |        |     | W/O REMOTE CONTROL VALVE | 0.004        | 0.0088      |






## LIFT ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS                      | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|------------------------------|--------------|-------------|
| 010    | 34070-34210 | PISTON HYD.        | 1    | ≤60947 |     |                              | 0            | 0           |
| 010    | 34070-34213 | PISTON HYD.        | 1    | ≥60948 | ←   |                              | 0            | 0           |
| 010    | 34070-34214 | PISTON HYD.        | 1    | ≥71329 | ←   |                              | 0            | 0           |
| 020    | 04810-00800 | O RING             | 1    |        |     |                              | 0.009        | 0.0198      |
| 030    | 31391-37330 | RING BACK UP       | 1    |        |     |                              | 0.005        | 0.011       |
| 040    | 31351-37320 | ROD HYD.           | 1    |        |     |                              | 0.605        | 1.331       |
| 050    | 04810-00240 | O RING             | 1    |        |     |                              | 0.001        | 0.0022      |
| 050    | 04817-00240 | O RING             | 1    |        | ←   |                              | 0            | 0           |
| 060    | 05411-00656 | PIN SPRING         | 1    |        |     |                              | 0.006        | 0.0132      |
| 065    | TA150-37420 | ASSY SHAFT HYD.ARM | 1    | ≥72962 |     |                              | 2.3          | 5.06        |
| 070    | 31321-37430 | SHAFT HYD.ARM      | 1    | ≤71140 |     |                              | 2.22         | 4.884       |
| 070    | TA150-37430 | SHAFT HYD.ARM      | 1    | ≥71141 | ←   |                              | 2.2          | 4.84        |
| 070    | TA150-37434 | SHAFT HYD.ARM      | 1    | ≥72962 | ≠   | NOT SALE ORDER BY REF.No.065 | 0            | 0           |
| 080    | TA040-34232 | ARM HYDRAULIC      | 1    | ≤72782 |     | NOT SALE                     | 1.94         | 4.268       |
| 080    | TA040-34234 | ARM HYDRAULIC      | 1    | ≥72783 | ←   |                              | 0            | 0           |
| 090    | 30400-37450 | BUSH               | 1    |        |     |                              | 0.09         | 0.198       |
| 100    | 30400-37460 | BUSH               | 1    |        |     |                              | 0.065        | 0.143       |
| 110    | 34150-37490 | COLLAR             | 1    |        |     |                              | 0.002        | 0.0044      |
| 120    | 34150-37480 | COLLAR             | 1    |        |     |                              | 0.005        | 0.011       |
| 130    | 04811-06400 | O RING             | 1    |        |     |                              | 0.001        | 0.0022      |
| 130    | 04817-06400 | O RING             | 1    |        | ←   |                              | 0            | 0           |
| 140    | 04811-50450 | O RING             | 1    |        |     |                              | 0.002        | 0.0044      |
| 140    | 04817-50450 | O RING             | 1    |        | ←   |                              | 0            | 0           |
| 150    | TA040-34610 | ARM LIFT           | 2    |        |     |                              | 2.22         | 4.884       |
| 160    | 04612-00400 | CIR CLIP EXTERNAL  | 1    |        |     |                              | 0.005        | 0.011       |
| 170    | T0070-36010 | LINK CONTROL       | 1    | ≤71961 |     |                              | 0.07         | 0.154       |
| 170    | TA150-37720 | LINK CONTROL       | 1    | ≥72962 | ≠   |                              | 0.035        | 0.077       |
| 180    | 01754-50812 | BOLT FLANGE        | 2    |        |     |                              | 0.01         | 0.022       |
| 190    | 30442-37690 | PIN LIFT ROD       | 2    |        |     |                              | 0.205        | 0.451       |
| 200    | 04011-50180 | WASHER PLAIN       | 2    |        |     |                              | 0.012        | 0.0264      |
| 210    | 04512-60160 | WASHER SPRING      | 2    |        |     |                              | 0.01         | 0.022       |
| 220    | 02174-50160 | NUT                | 2    |        |     |                              | 0.022        | 0.0484      |
| 230    | 34150-37640 | PIN SET            | 2    |        |     |                              | 0.06         | 0.132       |



TA040-113-16

060 31351-3765-0

090 01123-60816




TA049-870-10




## FEED BACK LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67531-38280 | JOINT SPOOL       | 1    |         |     |         | 0.17         | 0.374       |
| 020    | 37150-36420 | JOINT SPOOL       | 1    |         |     |         | 0.02         | 0.044       |
| 030    | 02112-50080 | NUT               | 1    |         |     |         | 0.003        | 0.0066      |
| 040    | 04613-50060 | CIR CLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 050    | 31351-37640 | LEVER SPOOL DRIVE | 1    |         |     |         | 0.05         | 0.11        |
| 060    | 31351-37650 | ARM CONTROL       | 1    | <=71508 |     |         | 0.16         | 0.352       |
| 060    | TA140-37650 | ARM CONTROL       | 1    | >=71509 | ≠   |         | 0            | 0           |
| 070    | 04811-00140 | O RING            | 1    |         |     |         | 0.001        | 0.0022      |
| 070    | 04817-00140 | O RING            | 1    |         | ←   |         | 0            | 0           |
| 080    | 31351-37660 | SET PLATE         | 1    | <=71508 |     |         | 0.01         | 0.022       |
| 080    | 31351-37660 | SET PLATE         | 2    | >=71509 |     |         | 0.01         | 0.022       |
| 090    | 01123-50816 | BOLT              | 1    | <=71508 |     |         | 0.011        | 0.0242      |
| 090    | 01123-50830 | BOLT              | 1    | >=71509 | ≠   |         | 0.015        | 0.033       |
| 100    | 04013-60140 | WASHER PLAIN      | 2    |         |     |         | 0.01         | 0.022       |
| 110    | 34260-36880 | SPRING PLATE      | 2    |         |     |         | 0.006        | 0.0132      |
| 120    | 02174-50140 | NUT               | 1    |         |     |         | 0.014        | 0.0308      |
| 130    | 02172-50140 | NUT               | 1    |         |     |         | 0.01         | 0.022       |
| 140    | 31351-37750 | SHAFT BACK LEVER  | 1    |         |     |         | 0.1          | 0.22        |
| 150    | 04811-00120 | O RING            | 1    |         |     |         | 0.001        | 0.0022      |
| 150    | 04816-00120 | O RING            | 1    |         | ←   |         | 0            | 0           |
| 160    | 38240-36890 | SET PLATE         | 1    |         |     |         | 0.013        | 0.0286      |
| 170    | 01123-50816 | BOLT              | 1    |         |     |         | 0.011        | 0.0242      |
| 180    | 31351-37760 | LEVER FEED BACK   | 1    |         |     |         | 0.08         | 0.176       |
| 190    | 05411-00525 | PIN SPRING        | 1    |         |     |         | 0.002        | 0.0044      |
| 200    | 31321-37770 | ROD FEED BACK     | 1    |         |     |         | 0.12         | 0.264       |
| 210    | 31351-37780 | ROD CONTROL       | 1    |         |     |         | 0.03         | 0.066       |
| 220    | 02114-50080 | NUT               | 2    |         |     |         | 0.005        | 0.011       |
| 230    | 04013-60080 | WASHER PLAIN      | 1    |         |     |         | 0.002        | 0.0044      |
| 240    | 05511-50218 | PIN SPLIT         | 1    |         |     |         | 0.001        | 0.0022      |
| 250    | 04013-60080 | WASHER PLAIN      | 1    |         |     |         | 0.002        | 0.0044      |
| 260    | 05511-50215 | PIN SPLIT         | 1    |         |     |         | 0.001        | 0.0022      |
| 270    | TA040-99800 | ASSY JOINT        | 1    |         |     | OPTION  | 0.019        | 0.0418      |
| 280    | TA140-36900 | SPACER            | 1    | >=71509 |     |         | 0            | 0           |
| 290    | 05411-00528 | PIN SPRING        | 1    | >=71509 |     |         | 0.003        | 0.0066      |
| 300    | TA140-36920 | PLATE FRICTION    | 1    | >=71509 |     |         | 0            | 0           |
| 310    | TA140-36930 | SPACER            | 1    | >=71509 |     |         | 0            | 0           |



160 31351-3960-3




TA040-918-10



## CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|--------------------------------------|--------------|-------------|
| 010    | TA040-34500 | ASSY VALVE         | 1    |         |     |                                      | 0.215        | 0.473       |
| 015    | 31351-37210 | COVER CYL.FRONT    | 1    |         |     |                                      | 0.315        | 0.693       |
| 020    | 04810-00220 | O RING             | 1    |         |     |                                      | 0.001        | 0.0022      |
| 020    | 04817-00220 | O RING             | 1    |         | ←   |                                      | 0.005        | 0.011       |
| 030    | 04810-06250 | O RING             | 1    |         |     |                                      | 0.001        | 0.0022      |
| 030    | 04817-06250 | O RING             | 1    |         | ←   |                                      | 0            | 0           |
| 040    | 38240-37250 | COLLAR ADJUSTING   | 1    |         |     |                                      | 0.01         | 0.022       |
| 050    | 04611-00160 | CIR CLIP INTERNAL  | 1    |         |     |                                      | 0.001        | 0.0022      |
| 060    | T0070-34510 | SHAFT              | 1    |         |     |                                      | 0.04         | 0.088       |
| 070    | TA040-34570 | PIPE               | 1    |         |     |                                      | 0.035        | 0.077       |
| 080    | 05411-00414 | PIN SPRING         | 1    |         |     |                                      | 0.001        | 0.0022      |
| 090    | 05511-50425 | PIN SPLIT          | 1    |         |     |                                      | 0.003        | 0.0066      |
| 100    | 04810-00100 | O RING             | 2    |         |     |                                      | 0.001        | 0.0022      |
| 100    | 04817-00100 | O RING             | 2    |         | ←   |                                      | 0            | 0           |
| 110    | T0070-34560 | GRIP               | 1    |         |     |                                      | 0.011        | 0.0242      |
| 120    | 34150-37260 | CIR CLIP INTERNAL  | 1    |         |     |                                      | 0.001        | 0.0022      |
| 130    | 04012-50080 | WASHER PLAIN       | 2    |         |     |                                      | 0.001        | 0.0022      |
| 140    | 30812-37360 | SPRING             | 1    |         |     |                                      | 0.005        | 0.011       |
| 150    | 01123-50825 | BOLT               | 2    |         |     |                                      | 0.013        | 0.0286      |
| 160    | 31351-39603 | ASSY VALVE CONTROL | 1    | ≤=71804 |     | REFER TO L.No.1J16-L FOR COMPONENTS. | 1.9          | 4.18        |
| 160    | 31351-39604 | ASSY VALVE CONTROL | 1    | ≥=71805 | ←   | REFER TO L.No.1J16-L FOR COMPONENTS. | 0            | 0           |
| 170    | 99999-99999 | BLANK              | 0    |         |     |                                      | 0            | 0           |
| 180    | TA040-36400 | BOLT               | 3    |         |     |                                      | 0.02         | 0.044       |
| 190    | 04810-00120 | O RING             | 2    |         |     |                                      | 0.001        | 0.0022      |
| 190    | 04817-00120 | O RING             | 2    |         | ←   |                                      | 0            | 0           |
| 200    | 31351-39700 | ASSY BOLT C/V      | 1    | ≤=71804 |     | OPTION                               | 0            | 0           |
| 200    | 31351-39702 | ASSY BOLT C/V      | 1    | ≥=71805 | ←   | OPTION                               | 0            | 0           |
| 210    | TC050-39000 | ASSY VALVE SAFETY  | 1    | ≥=73550 |     |                                      | 0            | 0           |
| 220    | 04810-00160 | O RING             | 1    | ≥=73550 |     |                                      | 0.001        | 0.0022      |
| 220    | 04817-00160 | O RING             | 1    |         | ←   |                                      | 0            | 0           |
| 230    | 04815-06280 | O RING             | 1    | ≥=73550 |     |                                      | 0.001        | 0.0022      |
| 230    | 04817-06280 | O RING             | 1    |         | ←   |                                      | 0            | 0           |
| 240    | 33770-94040 | RING BACK UP       | 1    | ≥=73550 |     |                                      | 0.002        | 0.0044      |




**CONTROL VALVE [COMPONENT PARTS] [OLD TYPE]**

S.No.;&lt;=71804

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-39603 | ASSY VALVE CONTROL | 1    |       |     |         | 1.9          | 4.18        |
| 020    | 31351-39630 | SPRING SPOOL       | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 31351-39640 | HOLDER SPRING      | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 01311-10814 | BOLT HEX-SOC-HD    | 1    |       |     |         | 0.012        | 0.0264      |
| 050    | 31351-39650 | PLUG               | 1    |       |     |         | 0.04         | 0.088       |
| 060    | 31351-39150 | POPPET             | 1    |       |     |         | 0.02         | 0.044       |
| 070    | 67531-38470 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04811-00140 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 31351-39660 | PLATE              | 1    |       |     |         | 0.05         | 0.11        |
| 100    | 31351-39670 | POPPET             | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 31351-39680 | SPRING             | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 04811-00160 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 01023-50614 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 140    | 31351-39690 | PLUG               | 1    |       |     |         | 0.05         | 0.11        |
| 150    | 31391-39180 | POPPET             | 1    |       |     |         | 0.015        | 0.033       |
| 160    | 31391-39190 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 170    | 04810-00090 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 31351-39720 | PIN FULCRUM        | 1    |       |     |         | 0.025        | 0.055       |
| 190    | 04811-00080 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 31351-39730 | PLUG               | 1    |       |     |         | 0.05         | 0.11        |
| 210    | 31351-39180 | POPPET             | 1    |       |     |         | 0.025        | 0.055       |
| 220    | 31351-39190 | SPRING             | 1    |       |     |         | 0.008        | 0.0176      |
| 230    | 04810-06100 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 04811-00050 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 250    | 31351-39290 | RING BACK UP       | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 31351-39740 | RETAINER ROD       | 1    |       |     |         | 0.005        | 0.011       |
| 270    | 31351-39750 | PLATE JOINT        | 1    |       |     |         | 0.05         | 0.11        |
| 280    | 02156-50080 | NUT                | 2    |       |     |         | 0.004        | 0.0088      |
| 290    | 04111-50080 | WASHER             | 2    |       |     |         | 0.001        | 0.0022      |
| 300    | 03650-50816 | SCREW SET          | 1    |       |     |         | 0.01         | 0.022       |



TA040-108-11




# CONTROL VALVE [COMPONENT PARTS] [NEW TYPE]

S.No.;>=71805


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 31351-39604 | ASSY VALVE CONTROL | 1    |       |     |         | 0            | 0           |
| 020    | 31351-39630 | SPRING SPOOL       | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 31351-39640 | HOLDER SPRING      | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 01311-10814 | BOLT HEX-SOC-HD    | 1    |       |     |         | 0.012        | 0.0264      |
| 050    | 31351-39650 | PLUG               | 1    |       |     |         | 0.04         | 0.088       |
| 060    | 31351-39150 | POPPET             | 1    |       |     |         | 0.02         | 0.044       |
| 070    | 67531-38470 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04811-00140 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04817-00140 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 090    | 31351-39660 | PLATE              | 1    |       |     |         | 0.05         | 0.11        |
| 100    | 31351-39670 | POPPET             | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 31351-39680 | SPRING             | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 04811-00160 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 04817-00160 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 130    | 01023-50616 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 140    | 06331-35010 | PLUG               | 1    |       |     |         | 0.012        | 0.0264      |
| 150    | T0430-37600 | SLEEVE             | 1    |       |     |         | 0            | 0           |
| 160    | T0430-37580 | POPPET             | 1    |       |     |         | 0            | 0           |
| 170    | 31391-39190 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | T0430-37530 | SEAT CHECK VALVE   | 1    |       |     |         | 0            | 0           |
| 190    | 31351-37670 | PLUG               | 1    |       |     |         | 0            | 0           |
| 200    | 04811-00120 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 04817-00120 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 210    | 31351-37620 | PLUG               | 1    |       |     |         | 0            | 0           |
| 220    | T0430-37610 | POPPET             | 1    |       |     |         | 0            | 0           |
| 230    | T0430-37620 | SPRING             | 1    |       |     |         | 0            | 0           |
| 240    | 04811-05120 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 04817-05120 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 250    | 04811-05110 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 250    | 04817-05110 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 260    | 04811-00050 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 04816-00050 | O RING             | 1    |       | ←   |         | 0            | 0           |
| 270    | 31351-39290 | RING BACK UP       | 1    |       |     |         | 0.001        | 0.0022      |
| 280    | 31351-39740 | RETAINER ROD       | 1    |       |     |         | 0.005        | 0.011       |
| 290    | 04613-50060 | CIR CLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 300    | 31351-39750 | PLATE JOINT        | 1    |       |     |         | 0.05         | 0.11        |
| 310    | 02014-50060 | NUT                | 1    |       |     |         | 0.003        | 0.0066      |
| 320    | 02114-50080 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 330    | 03650-50622 | SCREW SET          | 1    |       |     |         | 0.004        | 0.0088      |



TA140-078-12

100 01125-60816




TA140-865-10




**POSITION CONTROL LEVER [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|-----------|--------------|-------------|
| 010    | TA040-36110 | LEVER POSITION       | 1    | <=71508 |     | W/O DRAFT | 0.276        | 0.6072      |
| 010    | TA140-36110 | LEVER POSITION       | 1    | >=71509 | ≠   | W/O DRAFT | 0            | 0           |
| 020    | 05411-00525 | PIN SPRING           | 1    |         |     | W/O DRAFT | 0.002        | 0.0044      |
| 030    | TA040-36120 | LEVER POSITION       | 1    |         |     | W/O DRAFT | 0.21         | 0.462       |
| 040    | TA040-36130 | TUBE LEVER           | 1    | <=50035 |     | W/O DRAFT | 0            | 0           |
| 040    | TA040-36132 | TUBE LEVER           | 1    | >=50036 | ←   | W/O DRAFT | 0.01         | 0.022       |
| 050    | 01754-50616 | BOLT FLANGE          | 2    |         |     | W/O DRAFT | 0.006        | 0.0132      |
| 060    | 52300-32640 | GRIP LEVER           | 1    |         |     |           | 0.04         | 0.088       |
| 070    | TA140-47610 | ASSY GUIDE HYD.LEVER | 1    |         |     |           | 0.91         | 2.002       |
| 075    | 01754-50816 | BOLT FLANGE          | 2    |         |     |           | 0.011        | 0.0242      |
| 080    | 01754-50812 | BOLT FLANGE          | 5    |         |     |           | 0.01         | 0.022       |
| 090    | 34070-36130 | STOPPER              | 1    |         |     |           | 0.015        | 0.033       |
| 100    | 01125-60816 | BOLT                 | 1    | <=73096 |     |           | 0.01         | 0.022       |
| 100    | 01123-50816 | BOLT                 | 1    | >=73097 | ←   |           | 0.011        | 0.0242      |
| 105    | 02751-50080 | NUT FLANGE           | 1    |         |     |           | 0.006        | 0.0132      |
| 110    | 34070-36140 | STOPPER              | 1    | <=73096 |     |           | 0            | 0           |
| 110    | 34070-36140 | STOPPER              | 1    | >=73097 | ←   |           | 0            | 0           |
| 120    | 01820-50620 | BOLT KNOB            | 1    |         |     |           | 0.015        | 0.033       |
| 130    | 04512-60060 | WASHER SPRING        | 1    |         |     |           | 0.001        | 0.0022      |
| 140    | 31351-18860 | WASHER               | 1    |         |     |           | 0.002        | 0.0044      |








130 05511-50425



110 TA140-3981-0

120 04013-50120

130 67156-3434-0



TA140-827-10




### 3-POINT LINKAGE 1 (LOWER LINK) [OLD TYPE]

S.No.;<=72879

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-71312 | COMP.LINK LOWER     | 2    | <=72858 |     |         | 0            | 0           |
| 010    | TA140-71313 | COMP.LINK LOWER     | 2    | >=72859 | ←   |         | 0            | 0           |
| 020    | 34150-37640 | PIN SET             | 2    |         |     |         | 0.06         | 0.132       |
| 030    | TA140-39600 | ASSY STABILIZER     | 2    | <=70416 |     |         | 0            | 0           |
| 030    | TA140-39604 | ASSY STABILIZER     | 2    | >=70417 | ←   |         | 2.85         | 6.27        |
| 040    | TA140-39610 | COMP.STAB.FRONT     | 2    |         |     |         | 1.17         | 2.574       |
| 050    | TA140-39620 | COMP.STAB.BEAR      | 2    |         |     |         | 0.895        | 1.969       |
| 060    | TA140-39630 | COMP.JOINT          | 2    |         |     |         | 0.23         | 0.506       |
| 070    | TA140-39640 | COMP.JOINT          | 2    | <=70416 |     |         | 0            | 0           |
| 070    | TA140-39643 | COMP.JOINT          | 2    | >=70417 | ←   |         | 0.48         | 1.056       |
| 080    | 05122-51265 | PIN JOINT           | 2    |         |     |         | 0.06         | 0.132       |
| 090    | 05511-50428 | PIN SPLIT           | 2    |         |     |         | 0.004        | 0.0088      |
| 100    | 04011-50120 | WASHER PLAIN        | 2    |         |     |         | 0.005        | 0.011       |
| 110    | TA140-39810 | PIN STABILIZER      | 2    | <=70789 |     |         | 0            | 0           |
| 110    | TA140-39850 | BOLT STABILIZER     | 2    | >=70790 | ←   |         | 0.06         | 0.132       |
| 120    | 04013-60120 | WASHER PLAIN        | 2    | <=70789 |     |         | 0.01         | 0.022       |
| 130    | 05511-50425 | PIN SPLIT           | 2    | <=60079 |     |         | 0.003        | 0.0066      |
| 130    | 67156-34340 | RING SNAP           | 2    | >=60080 | ←   |         | 0.01         | 0.022       |
| 130    | 02576-50120 | NUT LOCK            | 2    | >=70790 | ≠   |         | 0.011        | 0.0242      |
| 140    | TA140-39820 | PIN STABILIZER REAR | 2    |         |     |         | 0.064        | 0.1408      |
| 150    | 04011-50120 | WASHER PLAIN        | 4    |         |     |         | 0.005        | 0.011       |
| 160    | 05511-50425 | PIN SPLIT           | 2    |         |     |         | 0.003        | 0.0066      |
| 170    | 05515-61200 | PIN SNAP            | 2    |         |     |         | 0.005        | 0.011       |

# 3-POINT LINKAGE 1 (LOWER LINK) [NEW TYPE]




**3-POINT LINKAGE 1 (LOWER LINK) [NEW TYPE]**


S.No.;&gt;=72880

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-71360 | COMP.LINK LOWER LH  | 1    |         |     |         | 7.3          | 16.06       |
| 020    | TA140-71350 | BRACKET             | 1    |         |     |         | 0.65         | 1.43        |
| 030    | 04512-60160 | WASHER SPRING       | 1    |         |     |         | 0.01         | 0.022       |
| 040    | 02074-50160 | NUT                 | 1    |         |     |         | 0.029        | 0.0638      |
| 050    | TA140-71380 | LINK LOWER REAR LH  | 1    |         |     |         | 1.85         | 4.07        |
| 060    | 05122-50645 | PIN JOINT           | 1    |         |     |         | 0.01         | 0.022       |
| 070    | 05511-51615 | PIN SPLIT           | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | TA140-71400 | PIN                 | 1    |         |     |         | 0.085        | 0.187       |
| 090    | 05511-50530 | PIN SPLIT           | 1    |         |     |         | 0.006        | 0.0132      |
| 100    | TA140-71410 | LEVER               | 1    |         |     |         | 0.34         | 0.748       |
| 110    | 33660-92170 | SPRING              | 1    |         |     |         | 0.02         | 0.044       |
| 120    | TA140-71370 | COMP.LINK LOWER RH  | 1    |         |     |         | 7.3          | 16.06       |
| 130    | TA140-71350 | BRACKET             | 1    |         |     |         | 0.65         | 1.43        |
| 140    | 04512-60160 | WASHER SPRING       | 1    |         |     |         | 0.01         | 0.022       |
| 150    | 02074-50160 | NUT                 | 1    |         |     |         | 0.029        | 0.0638      |
| 160    | TA140-71390 | LINK LOWER REAR RH  | 1    |         |     |         | 1.85         | 4.07        |
| 170    | 05122-50645 | PIN JOINT           | 1    |         |     |         | 0.01         | 0.022       |
| 180    | 05511-51615 | PIN SPLIT           | 1    |         |     |         | 0.001        | 0.0022      |
| 190    | TA140-71400 | PIN                 | 1    |         |     |         | 0.085        | 0.187       |
| 200    | 05511-50530 | PIN SPLIT           | 1    |         |     |         | 0.006        | 0.0132      |
| 210    | TA140-71410 | LEVER               | 1    |         |     |         | 0.34         | 0.748       |
| 220    | 33660-92170 | SPRING              | 1    |         |     |         | 0.02         | 0.044       |
| 230    | 34150-37640 | PIN SET             | 2    |         |     |         | 0.06         | 0.132       |
| 240    | TA140-39604 | ASSY STABILIZER     | 2    |         |     |         | 2.85         | 6.27        |
| 250    | TA140-39610 | COMP.STAB.FRONT     | 2    |         |     |         | 1.17         | 2.574       |
| 250    | TA140-39604 | ASSY STABILIZER     | 2    |         | ↔   |         | 2.85         | 6.27        |
| 260    | TA140-39620 | COMP.STAB.BEAR      | 2    |         |     |         | 0.895        | 1.969       |
| 270    | TA140-39630 | COMP.JOINT          | 2    |         |     |         | 0.23         | 0.506       |
| 280    | TA140-39643 | COMP.JOINT          | 2    |         |     |         | 0.48         | 1.056       |
| 290    | TA140-39820 | PIN STABILIZER REAR | 2    |         |     |         | 0.064        | 0.1408      |
| 300    | 05511-50428 | PIN SPLIT           | 2    |         |     |         | 0.004        | 0.0088      |
| 310    | 04011-50120 | WASHER PLAIN        | 2    |         |     |         | 0.005        | 0.011       |
| 320    | TA140-39850 | BOLT STABILIZER     | 2    |         |     |         | 0.06         | 0.132       |
| 330    | 02576-50120 | NUT LOCK            | 2    | <=73349 |     |         | 0.011        | 0.0242      |
| 330    | 02572-50120 | NUT LOCK            | 2    | >=73350 | ←   |         | 0.014        | 0.0308      |
| 340    | TA140-39820 | PIN STABILIZER REAR | 2    |         |     |         | 0.064        | 0.1408      |
| 350    | 04011-50120 | WASHER PLAIN        | 4    |         |     |         | 0.005        | 0.011       |
| 360    | 05511-50425 | PIN SPLIT           | 2    |         |     |         | 0.003        | 0.0066      |
| 370    | 05515-61200 | PIN SNAP            | 2    | <=73226 |     |         | 0.005        | 0.011       |
| 370    | TC050-51200 | PIN SNAP            | 2    | >=73227 | ←   |         | 0            | 0           |



**240 35080-7175-0**




**TA140-846-10**



### 3-POINT LINKAGE 2(LIFT ROD)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA140-39500 | ASSY ROD            | 1    |        |     |         | 3.5          | 7.7         |
| 020    | TA140-39520 | ROD LIFT LOWER      | 1    |        |     |         | 0.96         | 2.112       |
| 030    | 99999-99999 | BLANK               | 0    |        |     |         | 0            | 0           |
| 040    | 31351-71570 | JOINT GEAR CASE     | 1    |        |     |         | 0.475        | 1.045       |
| 050    | TA140-39550 | PIN LIFT ROD        | 1    |        |     |         | 0.11         | 0.242       |
| 060    | 05411-00532 | PIN SPRING          | 1    |        |     |         | 0.003        | 0.0066      |
| 070    | 31351-71710 | CASE LIFT ROD GEAR  | 1    |        |     |         | 0.85         | 1.87        |
| 080    | 31351-71660 | HANDLE LIFT ROD     | 1    |        |     |         | 0.235        | 0.517       |
| 090    | TA140-39530 | GEAR LIFT ROD       | 1    |        |     |         | 0.345        | 0.759       |
| 100    | TA140-39540 | GEAR LIFT ROD       | 1    |        |     |         | 0.1          | 0.22        |
| 110    | 31351-71670 | WASHER PLAIN        | 1    |        |     |         | 0.002        | 0.0044      |
| 120    | 05411-00622 | PIN SPRING          | 2    |        |     |         | 0.003        | 0.0066      |
| 130    | 31220-71720 | SHIM                | 3    |        |     |         | 0.001        | 0.0022      |
| 140    | 32294-71770 | BEARING THRUST BALL | 1    |        |     |         | 0.073        | 0.1606      |
| 150    | 06311-75045 | PLUG EXPANSION      | 1    |        |     |         | 0.026        | 0.0572      |
| 160    | 32244-71730 | STOPPER HANDLE      | 1    |        |     |         | 0.027        | 0.0594      |
| 170    | 06613-10675 | NIPPLE GREASE       | 2    |        |     |         | 0.003        | 0.0066      |
| 180    | 31351-71700 | PIPE                | 1    |        |     |         | 0.2          | 0.44        |
| 190    | 01202-50612 | BOLT                | 1    |        |     |         | 0.005        | 0.011       |
| 200    | 05411-00320 | PIN SPRING          | 1    |        |     |         | 0.001        | 0.0022      |
| 210    | 35080-71540 | ROD LIFT LH         | 1    |        |     |         | 1.6          | 3.52        |
| 220    | 38747-71582 | PIN LIFT ROD        | 2    |        |     |         | 0.1          | 0.22        |
| 230    | 67156-34340 | RING SNAP           | 2    |        |     |         | 0.01         | 0.022       |
| 240    | 35080-71750 | COMP.RUBBER         | 1    | ≤50013 |     |         | 0.065        | 0.143       |



TA140-098-11

030 01176-51430  
040 04512-60140




TA150-815-10



## DRAWBAR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|-----------|--------------|-------------|
| 010    | 35070-29710 | DRAWBAR            | 1    |        |     |           | 6.7          | 14.74       |
| 020    | TA040-29730 | FRAME DRAWBAR      | 1    |        |     |           | 6.2          | 13.64       |
| 030    | 01176-51430 | BOLT               | 4    | ≤72782 |     |           | 0.052        | 0.1144      |
| 030    | 01138-51430 | BOLT               | 4    | ≥72783 | ←   |           | 0            | 0           |
| 040    | 04512-60140 | WASHER SPRING      | 4    | ≤72782 |     |           | 0.006        | 0.0132      |
| 050    | 05122-52070 | PIN JOINT          | 1    |        |     |           | 0.186        | 0.4092      |
| 060    | 05515-51600 | PIN SNAP           | 1    |        |     |           | 0.007        | 0.0154      |
| 070    | 01133-51230 | BOLT               | 2    |        |     |           | 0.04         | 0.088       |
| 080    | TA040-39410 | PIN LOWER LINK     | 2    | ≤72871 |     |           | 0.25         | 0.55        |
| 080    | TA040-39412 | PIN LOWER LINK     | 2    | ≥72872 | ←   |           | 0            | 0           |
| 090    | 01133-51020 | BOLT               | 2    |        |     |           | 0.02         | 0.044       |
| 100    | 99571-22140 | HOLDER TOP LINK RH | 1    |        |     | W/O DRAFT | 0.99         | 2.178       |
| 110    | 99571-22150 | HOLDER TOP LINK LH | 1    |        |     | W/O DRAFT | 0.99         | 2.178       |
| 120    | 01133-51230 | BOLT               | 6    |        |     | W/O DRAFT | 0.04         | 0.088       |






## PTO PROTECTOR [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-99570 | KIT COVER PTO (A) | 1    |       |     | ENGLISH | 2.1          | 4.62        |
| 015    | TA141-99570 | KIT COVER PTO (B) | 1    |       |     | FRENCH  | 2.1          | 4.62        |
| 020    | TA040-23752 | STAY              | 1    |       |     |         | 0.19         | 0.418       |
| 030    | TA040-23762 | STAY              | 1    |       |     |         | 0.19         | 0.418       |
| 040    | 01173-51025 | BOLT              | 2    |       |     |         | 0.021        | 0.0462      |
| 050    | 04013-60100 | WASHER PLAIN      | 2    |       |     |         | 0.004        | 0.0088      |
| 060    | 62151-42412 | SPRING PLATE      | 4    |       |     |         | 0.002        | 0.0044      |
| 070    | 02116-50100 | NUT               | 2    |       |     |         | 0.004        | 0.0088      |
| 080    | 01133-51225 | BOLT              | 2    |       |     |         | 0.038        | 0.0836      |
| 090    | TA040-49590 | LABEL PTO WARNING | 1    |       |     | ENGLISH | 0.002        | 0.0044      |
| 100    | TA041-49590 | LABEL PTO WARNING | 1    |       |     | FRENCH  | 0.005        | 0.011       |

## FRONT GRILLE







## FRONT GRILLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-40642 | SPONGE             | 1    |       |     |         | 0.01         | 0.022       |
| 020    | T0270-41014 | GRILLE FRONT       | 1    |       |     |         | 2.8          | 6.16        |
| 030    | 36330-83120 | CUSHION            | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 66591-54580 | RUBBER RELEASE ROD | 2    |       |     |         | 0.003        | 0.0066      |
| 050    | TA040-41062 | COVER FRONT        | 1    |       |     |         | 0.25         | 0.55        |
| 060    | TA040-41070 | NET                | 1    |       |     |         | 0.115        | 0.253       |
| 070    | 55611-44190 | NUT                | 14   |       |     |         | 0.004        | 0.0088      |
| 080    | 01125-60816 | BOLT               | 4    |       |     |         | 0.01         | 0.022       |
| 090    | TA140-41830 | GRILLE RADIATOR    | 1    |       |     |         | 0.62         | 1.364       |
| 100    | 02751-50060 | NUT FLANGE         | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 38240-29250 | NUT SPRING         | 2    |       |     |         | 0.005        | 0.011       |
| 120    | 30400-19060 | BOLT FLANGE        | 3    |       |     |         | 0.006        | 0.0132      |
| 130    | 01754-50612 | BOLT FLANGE        | 2    |       |     |         | 0.005        | 0.011       |
| 140    | T0270-41910 | SPACER             | 2    |       |     |         | 0.006        | 0.0132      |
| 150    | 01754-50670 | BOLT FLANGE        | 2    |       |     |         | 0.015        | 0.033       |




010 TA140-4001-2



020 01123-50820

030 04012-50080




TA140-828-11


**FRONT GRILLE SUPPORT [EXCEPT HST TYPE]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-40012 | SUPPORT FRONT | 1    | <=60079 |     |         | 0            | 0           |
| 010    | TA140-40016 | SUPPORT FRONT | 1    | >=60080 | ←   |         | 0            | 0           |
| 010    | TA140-40017 | SUPPORT FRONT | 1    | >=70417 | ←   |         | 0            | 0           |
| 010    | TA140-40018 | SUPPORT FRONT | 1    | >=70790 | ←   |         | 4.4          | 9.68        |
| 020    | 01123-50820 | BOLT          | 2    | <=72849 |     |         | 0.011        | 0.0242      |
| 020    | 01754-50820 | BOLT FLANGE   | 2    | >=72850 | ←   |         | 0.015        | 0.033       |
| 030    | 04012-50080 | WASHER PLAIN  | 1    | <=72849 |     |         | 0.001        | 0.0022      |
| 040    | TA040-40024 | SHUTTER       | 1    |         |     |         | 0.25         | 0.55        |
| 050    | TA040-40033 | SPRING        | 2    |         |     |         | 0.005        | 0.011       |
| 060    | TA040-14213 | SUPPORT       | 1    |         |     |         | 1.3          | 2.86        |
| 070    | 01123-50820 | BOLT          | 4    |         |     |         | 0.011        | 0.0242      |




010 TA240-4001-2



020 01123-50820

030 04012-50080




TA140-829-11



**FRONT GRILLE SUPPORT [HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA240-40012 | SUPPORT FRONT | 1    | <=60079 |     |         | 0            | 0           |
| 010    | TA240-40016 | SUPPORT FRONT | 1    | >=60080 | ←   |         | 0            | 0           |
| 010    | TA240-40017 | SUPPORT FRONT | 1    | >=70417 | ←   |         | 0            | 0           |
| 020    | 01123-50820 | BOLT          | 2    | <=72849 |     |         | 0.011        | 0.0242      |
| 020    | 01754-50820 | BOLT FLANGE   | 2    | >=72850 | ←   |         | 0.015        | 0.033       |
| 030    | 04012-50080 | WASHER PLAIN  | 1    | <=72849 |     |         | 0.001        | 0.0022      |
| 040    | TA040-40024 | SHUTTER       | 1    |         |     |         | 0.25         | 0.55        |
| 050    | TA040-40033 | SPRING        | 2    |         |     |         | 0.005        | 0.011       |
| 060    | TA040-14213 | SUPPORT       | 1    |         |     |         | 1.3          | 2.86        |
| 070    | 01123-50820 | BOLT          | 4    |         |     |         | 0.011        | 0.0242      |






## HOOD(BONNET) [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 34070-41210 | STRIKER FRONT GRILLE | 1    |       |     |         | 0.05         | 0.11        |
| 020    | 01125-60816 | BOLT                 | 2    |       |     |         | 0.01         | 0.022       |
| 025    | 33740-83290 | SUSPENDER            | 1    |       |     |         | 0.03         | 0.066       |
| 030    | TA040-41313 | COMP.BONNET          | 1    |       |     |         | 5.9          | 12.98       |
| 040    | TA040-18620 | CUSHION              | 4    |       |     |         | 0.01         | 0.022       |
| 050    | 34070-41463 | COVER BONNET         | 2    |       |     |         | 0.21         | 0.462       |
| 051    | 30400-94080 | SPRING BONNET COVER  | 2    |       |     |         | 0.012        | 0.0264      |
| 052    | 30400-94092 | SPRING BONNET COVER  | 1    |       |     |         | 0.015        | 0.033       |
| 053    | 01754-50616 | BOLT FLANGE          | 4    |       |     |         | 0.006        | 0.0132      |
| 060    | 36330-83120 | CUSHION              | 4    |       |     |         | 0.001        | 0.0022      |
| 070    | T0070-41560 | HANDLE MASCOT        | 1    |       |     |         | 0.085        | 0.187       |
| 080    | 33251-83850 | WASHER HANDLE        | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 33251-83950 | WASHER SPRING        | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 34070-41220 | LOCK FRONT GRILLE    | 1    |       |     |         | 0.05         | 0.11        |
| 110    | 04012-50080 | WASHER PLAIN         | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 02114-50080 | NUT                  | 2    |       |     |         | 0.005        | 0.011       |
| 130    | 36330-83420 | SPRING LOCK          | 1    |       |     |         | 0.006        | 0.0132      |
| 140    | 34070-41610 | NUT CUSHION          | 2    |       |     |         | 0.01         | 0.022       |
| 150    | 01754-50820 | BOLT FLANGE          | 4    |       |     |         | 0.015        | 0.033       |
| 160    | 34070-41630 | CUSHION RUBBER       | 2    |       |     |         | 0.005        | 0.011       |
| 170    | 02751-50080 | NUT FLANGE           | 2    |       |     |         | 0.006        | 0.0132      |






## HOOD(BONNET) SIDE RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | T0070-40250 | HOLDER            | 1    |        |     |         | 0.053        | 0.1166      |
| 020    | 34070-41162 | BOLT              | 1    |        |     |         | 0.01         | 0.022       |
| 030    | 04012-50080 | WASHER PLAIN      | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 04512-60080 | WASHER SPRING     | 1    |        |     |         | 0.002        | 0.0044      |
| 050    | 02114-50080 | NUT               | 1    |        |     |         | 0.005        | 0.011       |
| 060    | T0070-40260 | GRIP HANDLE       | 1    |        |     |         | 0.075        | 0.165       |
| 070    | 34550-40270 | HOOK BONNET       | 1    | ≤50258 |     |         | 0.06         | 0.132       |
| 070    | T0270-40270 | HOOK BONNET       | 1    | ≥50259 | ←   |         | 0.055        | 0.121       |
| 080    | 33251-83950 | WASHER SPRING     | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 04012-50080 | WASHER PLAIN      | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 33251-83850 | WASHER HANDLE     | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04512-60080 | WASHER SPRING     | 1    |        |     |         | 0.002        | 0.0044      |
| 120    | 02114-50080 | NUT               | 1    |        |     |         | 0.005        | 0.011       |
| 130    | T0320-41320 | BONNET SIDE RH    | 1    |        |     |         | 5            | 11          |
| 140    | TA140-40680 | SHIELD SIDE COVER | 1    |        |     |         | 0.017        | 0.0374      |
| 150    | TA140-41890 | GLILLE RH         | 1    |        |     |         | 0.51         | 1.122       |
| 160    | 55611-44190 | NUT               | 8    |        |     |         | 0.004        | 0.0088      |
| 170    | 30400-65040 | PLATE WASHER      | 8    |        |     |         | 0.001        | 0.0022      |







## HOOD(BONNET) SIDE LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | T0320-40250 | HOLDER             | 1    |        |     |         | 0.08         | 0.176       |
| 020    | 34070-41162 | BOLT               | 1    |        |     |         | 0.01         | 0.022       |
| 030    | 04012-50080 | WASHER PLAIN       | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 04512-60080 | WASHER SPRING      | 1    |        |     |         | 0.002        | 0.0044      |
| 050    | 02114-50080 | NUT                | 1    |        |     |         | 0.005        | 0.011       |
| 060    | T0070-40260 | GRIP HANDLE        | 1    |        |     |         | 0.075        | 0.165       |
| 070    | 34550-40280 | HOOK BONNET        | 1    | ≤50258 |     |         | 0.06         | 0.132       |
| 070    | T0270-40280 | HOOK BONNET        | 1    | ≥50259 | ←   |         | 0.055        | 0.121       |
| 080    | 33251-83950 | WASHER SPRING      | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 04012-50080 | WASHER PLAIN       | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 33251-83850 | WASHER HANDLE      | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04512-60080 | WASHER SPRING      | 1    |        |     |         | 0.002        | 0.0044      |
| 120    | 02114-50080 | NUT                | 1    |        |     |         | 0.005        | 0.011       |
| 130    | T0120-40530 | COVER MUFFLER PIPE | 1    |        |     |         | 0.14         | 0.308       |
| 140    | 01023-50610 | BOLT               | 2    |        |     |         | 0.005        | 0.011       |
| 150    | T0320-41330 | BONNET SIDE LH     | 1    |        |     |         | 5            | 11          |
| 160    | TA140-40680 | SHIELD SIDE COVER  | 1    |        |     |         | 0.017        | 0.0374      |
| 170    | TA140-41880 | GLILLE LH          | 1    |        |     |         | 0.51         | 1.122       |
| 180    | 55611-44190 | NUT                | 8    |        |     |         | 0.004        | 0.0088      |
| 190    | 30400-65040 | PLATE WASHER       | 8    |        |     |         | 0.001        | 0.0022      |




010 TA140-4136-0




TA140-831-10





070 34070-4211-0

070 34070-4211-5




TA147-804-10



## SHUTTER PLATE [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                      | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|------------------------------|--------------|-------------|
| 010    | TA140-42130 | SUPPORT BONNET REAR | 1    | <=51700 |     |                              | 4.6          | 10.12       |
| 010    | TA140-42135 | SUPPORT BONNET REAR | 1    | >=51701 | ≠   |                              | 4.6          | 10.12       |
| 020    | T0270-42140 | SPACER              | 4    |         |     |                              | 0.056        | 0.1232      |
| 030    | 01779-51060 | BOLT UBS            | 2    |         |     |                              | 0.005        | 0.011       |
| 040    | 01774-51060 | BOLT FLANGE         | 2    |         |     |                              | 0.04         | 0.088       |
| 050    | TA140-42160 | SUPPORT             | 1    |         |     |                              | 0.275        | 0.605       |
| 060    | 01754-50816 | BOLT FLANGE         | 2    |         |     |                              | 0.011        | 0.0242      |
| 065    | TA040-94400 | KIT FUEL TANK       | 1    | <=71951 |     |                              | 0            | 0           |
| 070    | 34070-42110 | PLATE SHUTTER       | 1    | <=50258 |     | NOT SALE ORDER BY REF.No.065 | 0            | 0           |
| 070    | 34070-42115 | PLATE SHUTTER       | 1    | >=50259 | ←   | NOT SALE ORDER BY REF.No.065 | 3            | 6.6         |
| 070    | 34070-42116 | PLATE SHUTTER       | 1    | >=71952 | ←   |                              | 0            | 0           |
| 080    | 04015-60080 | WASHER PLAIN        | 4    |         |     |                              | 0.01         | 0.022       |
| 090    | 01754-50812 | BOLT FLANGE         | 4    |         |     |                              | 0.01         | 0.022       |
| 100    | 34070-42260 | CUSHION             | 4    |         |     |                              | 0.005        | 0.011       |
| 110    | 34070-42270 | CUSHION             | 4    |         |     |                              | 0.005        | 0.011       |
| 120    | 34070-42220 | SHIELD              | 1    | <=51700 |     |                              | 0            | 0           |
| 120    | 34070-42223 | SHIELD              | 1    | >=51701 | ←   |                              | 0.33         | 0.726       |



110 TA040-7369-0

120 03014-50608

125 02751-50060




TA127-802-10



PANEL FRAME [EXCEPT HST TYPE] [ROPS TYPE]  
[EXCEPT TYPE CABINE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 34070-43010 | BONNET              | 1    |         |     |         | 2            | 4.4         |
| 020    | 34070-99160 | NUT SPRING          | 4    |         |     |         | 0.005        | 0.011       |
| 030    | 37410-54930 | NUT SPRING          | 2    |         |     |         | 0.025        | 0.055       |
| 040    | 30400-18870 | BOLT FLANGE         | 5    |         |     |         | 0.01         | 0.022       |
| 050    | 01754-50816 | BOLT FLANGE         | 1    |         |     |         | 0.011        | 0.0242      |
| 060    | 34070-43032 | COVER PANEL UNDER   | 1    |         |     |         | 0.28         | 0.616       |
| 070    | 30400-18870 | BOLT FLANGE         | 1    |         |     |         | 0.01         | 0.022       |
| 080    | 30400-19060 | BOLT FLANGE         | 2    |         |     |         | 0.006        | 0.0132      |
| 090    | TA140-43200 | ASSY FRAME PANEL    | 1    |         |     |         | 24           | 52.8        |
| 100    | 34070-44360 | BEARING NEEDLE      | 2    |         |     |         | 0.012        | 0.0264      |
| 110    | TA040-73690 | STAY RELAY          | 1    | <=51880 |     |         | 0.035        | 0.077       |
| 120    | 03014-50608 | SCREW PAN-HEAD      | 1    | <=51880 |     |         | 0.002        | 0.0044      |
| 125    | 02751-50060 | NUT FLANGE          | 1    | <=51880 |     |         | 0.005        | 0.011       |
| 130    | 34070-44140 | SEAL OIL            | 2    |         |     |         | 0.005        | 0.011       |
| 140    | 01754-50812 | BOLT FLANGE         | 8    |         |     |         | 0.01         | 0.022       |
| 150    | 34550-43240 | BRACKET PANEL COVER | 1    |         |     |         | 0.135        | 0.297       |
| 160    | 35880-04570 | CAP                 | 1    |         |     |         | 0.01         | 0.022       |
| 170    | 01123-50816 | BOLT                | 2    |         |     |         | 0.011        | 0.0242      |
| 180    | 38240-29570 | PLUG                | 6    |         |     |         | 0.001        | 0.0022      |
| 190    | 34550-43335 | GROMMET             | 1    |         |     |         | 0.06         | 0.132       |
| 200    | 34070-43280 | COVER PANEL FRAME   | 1    |         |     |         | 0.12         | 0.264       |
| 210    | TA140-33590 | CUSHION P/STRG HOSE | 1    | >=71329 |     |         | 0.125        | 0.275       |



120 TA040-7369-0

130 03014-50608




TA140-847-10



# PANEL FRAME [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 34070-43010 | BONNET              | 1    |        |     |         | 2            | 4.4         |
| 020    | 34070-99160 | NUT SPRING          | 4    |        |     |         | 0.005        | 0.011       |
| 030    | 37410-54930 | NUT SPRING          | 2    |        |     |         | 0.025        | 0.055       |
| 040    | 30400-18870 | BOLT FLANGE         | 5    |        |     |         | 0.01         | 0.022       |
| 050    | 01754-50816 | BOLT FLANGE         | 1    |        |     |         | 0.011        | 0.0242      |
| 060    | 34070-43032 | COVER PANEL UNDER   | 1    |        |     |         | 0.28         | 0.616       |
| 070    | 30400-18870 | BOLT FLANGE         | 1    |        |     |         | 0.01         | 0.022       |
| 080    | 30400-19060 | BOLT FLANGE         | 2    |        |     |         | 0.006        | 0.0132      |
| 090    | TA240-43200 | ASSY FRAME PANEL    | 1    | ≤61868 |     |         | 0            | 0           |
| 090    | TA240-43203 | ASSY FRAME PANEL    | 1    | ≥70001 | ←   |         | 0            | 0           |
| 100    | 34070-44360 | BEARING NEEDLE      | 2    |        |     |         | 0.012        | 0.0264      |
| 110    | 34070-44140 | SEAL OIL            | 2    |        |     |         | 0.005        | 0.011       |
| 120    | TA040-73690 | STAY RELAY          | 1    | ≤51880 |     |         | 0.035        | 0.077       |
| 130    | 03014-50608 | SCREW PAN-HEAD      | 1    | ≤51880 |     |         | 0.002        | 0.0044      |
| 140    | T0270-43230 | STAY.PANEL FRAME    | 1    |        |     |         | 0.063        | 0.1386      |
| 150    | 01754-50816 | BOLT FLANGE         | 2    |        |     |         | 0.011        | 0.0242      |
| 160    | 01754-50812 | BOLT FLANGE         | 8    |        |     |         | 0.01         | 0.022       |
| 170    | 34550-43240 | BRACKET PANEL COVER | 1    |        |     |         | 0.135        | 0.297       |
| 180    | 35880-04570 | CAP                 | 1    |        |     |         | 0.01         | 0.022       |
| 190    | 01123-50816 | BOLT                | 2    |        |     |         | 0.011        | 0.0242      |
| 200    | 38240-29570 | PLUG                | 6    |        |     |         | 0.001        | 0.0022      |
| 210    | 34550-43335 | GROMMET             | 1    |        |     |         | 0.06         | 0.132       |
| 220    | 34070-43280 | COVER PANEL FRAME   | 1    |        |     |         | 0.12         | 0.264       |
| 230    | TA140-33590 | CUSHION P/STRG HOSE | 1    | ≥71329 |     |         | 0.125        | 0.275       |



060 34070-4706-0

070 34070-4707-0

080 31351-9355-0




TA140-863-10



## FENDER [MANUAL T/M TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA140-99510 | KIT FENDER RH (A)  | 1    |        |     | ENGLISH | 10           | 22          |
| 015    | TA141-99510 | KIT FENDER RH (B)  | 1    |        |     | FRENCH  | 10           | 22          |
| 020    | TA140-99530 | KIT FENDER LH(A)   | 1    |        |     | ENGLISH | 10           | 22          |
| 025    | TA141-99530 | KIT FENDER LH(B)   | 1    |        |     | FRENCH  | 10           | 22          |
| 030    | 01754-50812 | BOLT FLANGE        | 28   | ≤72985 |     |         | 0.01         | 0.022       |
| 030    | T1060-47370 | BOLT               | 28   | ≥72986 | ←   |         | 0.011        | 0.0242      |
| 040    | 02751-50080 | NUT FLANGE         | 2    |        |     |         | 0.006        | 0.0132      |
| 050    | 32150-29180 | CAP RUBBER         | 2    |        |     |         | 0.002        | 0.0044      |
| 060    | 34070-47060 | PLATE FENDER LH    | 1    | ≤73226 |     |         | 0.025        | 0.055       |
| 070    | 34070-47070 | PLATE FENDER RH    | 1    | ≤73226 |     |         | 0.025        | 0.055       |
| 080    | 31351-93550 | NUT                | 4    | ≤73226 |     |         | 0.001        | 0.0022      |
| 090    | 30810-29170 | PLUG               | 2    |        |     |         | 0.003        | 0.0066      |
| 100    | T0270-29442 | GRIP               | 2    |        |     |         | 0.3          | 0.66        |
| 110    | 04013-60100 | WASHER PLAIN       | 2    |        |     |         | 0.004        | 0.0088      |
| 120    | 02771-60100 | NUT FLANGE         | 2    |        |     |         | 0.01         | 0.022       |
| 130    | T0180-83590 | BOLT FLANGE        | 2    |        |     |         | 0.022        | 0.0484      |
| 140    | 02771-60100 | NUT FLANGE         | 2    |        |     |         | 0.01         | 0.022       |
| 150    | TA040-49320 | LABEL ROPS WARNING | 1    |        |     | ENGLISH | 0.001        | 0.0022      |
| 160    | TA140-49330 | LABEL SHUTTLE      | 1    |        |     | ENGLISH | 0.005        | 0.011       |
| 170    | TA040-49150 | LABEL ROPS WARNING | 1    |        |     | FRENCH  | 0.003        | 0.0066      |
| 180    | TA141-49330 | LABEL SHUTTLE      | 1    |        |     | FRENCH  | 0.005        | 0.011       |
| 190    | 35260-34913 | LABEL SAFETY       | 1    |        |     | ENGLISH | 0.005        | 0.011       |
| 200    | TA041-65700 | LABEL SAFETY       | 1    |        |     | FRENCH  | 0.01         | 0.022       |
| 210    | 34040-68990 | PLATE FENDER RH    | 1    | ≥73227 |     |         | 0.025        | 0.055       |
| 220    | 34040-68980 | PLATE FENDER LH    | 1    | ≥73227 |     |         | 0.02         | 0.044       |



060 34070-4706-0

070 34070-4707-0

080 31351-9355-0




TA140-863-10



## FENDER [GST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA140-99520 | KIT FENDER RH(A)   | 1    |        |     | ENGLISH | 10           | 22          |
| 015    | TA141-99520 | KIT FENDER RH(B)   | 1    |        |     | FRENCH  | 10           | 22          |
| 020    | TA140-99530 | KIT FENDER LH(A)   | 1    |        |     | ENGLISH | 10           | 22          |
| 025    | TA141-99530 | KIT FENDER LH(B)   | 1    |        |     | FRENCH  | 10           | 22          |
| 030    | 01754-50812 | BOLT FLANGE        | 28   |        |     |         | 0.01         | 0.022       |
| 040    | 02751-50080 | NUT FLANGE         | 2    |        |     |         | 0.006        | 0.0132      |
| 050    | 32150-29180 | CAP RUBBER         | 2    |        |     |         | 0.002        | 0.0044      |
| 060    | 34070-47060 | PLATE FENDER LH    | 1    | ≤73226 |     |         | 0.025        | 0.055       |
| 070    | 34070-47070 | PLATE FENDER RH    | 1    | ≤73226 |     |         | 0.025        | 0.055       |
| 080    | 31351-93550 | NUT                | 4    | ≤73226 |     |         | 0.001        | 0.0022      |
| 090    | 30810-29170 | PLUG               | 2    |        |     |         | 0.003        | 0.0066      |
| 100    | T0270-29442 | GRIP               | 2    |        |     |         | 0.3          | 0.66        |
| 110    | 04013-60100 | WASHER PLAIN       | 2    |        |     |         | 0.004        | 0.0088      |
| 120    | 02771-60100 | NUT FLANGE         | 2    |        |     |         | 0.01         | 0.022       |
| 130    | T0180-83590 | BOLT FLANGE        | 2    |        |     |         | 0.022        | 0.0484      |
| 140    | 02771-60100 | NUT FLANGE         | 2    |        |     |         | 0.01         | 0.022       |
| 150    | TA040-49320 | LABEL ROPS WARNING | 1    |        |     | ENGLISH | 0.001        | 0.0022      |
| 160    | TA140-49920 | LABEL SHUTTLE      | 1    |        |     | ENGLISH | 0.005        | 0.011       |
| 170    | TA040-49150 | LABEL ROPS WARNING | 1    |        |     | FRENCH  | 0.003        | 0.0066      |
| 180    | TA141-49920 | LABEL SHUTTLE      | 1    |        |     | FRENCH  | 0.005        | 0.011       |
| 190    | 35260-34913 | LABEL SAFETY       | 1    |        |     | ENGLISH | 0.005        | 0.011       |
| 200    | TA041-65700 | LABEL SAFETY       | 1    |        |     | FRENCH  | 0.01         | 0.022       |
| 210    | 34040-68990 | PLATE FENDER RH    | 1    | ≥73227 |     |         | 0.025        | 0.055       |
| 220    | 34040-68980 | PLATE FENDER LH    | 1    | ≥73227 |     |         | 0.02         | 0.044       |



060 34070-4706-0

070 34070-4707-0

080 31351-9355-0




TA140-863-10



## FENDER [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-99510 | KIT FENDER RH(A)     | 1    |        |     | ENGLISH | 10           | 22          |
| 015    | TA241-99510 | KIT FENDER RH(B)     | 1    |        |     | FRENCH  | 10           | 22          |
| 020    | TA140-99530 | KIT FENDER LH(A)     | 1    |        |     | ENGLISH | 10           | 22          |
| 025    | TA141-99530 | KIT FENDER LH(B)     | 1    |        |     | FRENCH  | 10           | 22          |
| 030    | 01754-50812 | BOLT FLANGE          | 28   |        |     |         | 0.01         | 0.022       |
| 040    | 02751-50080 | NUT FLANGE           | 2    |        |     |         | 0.006        | 0.0132      |
| 050    | 32150-29180 | CAP RUBBER           | 2    |        |     |         | 0.002        | 0.0044      |
| 060    | 34070-47060 | PLATE FENDER LH      | 1    | ≤73226 |     |         | 0.025        | 0.055       |
| 070    | 34070-47070 | PLATE FENDER RH      | 1    | ≤73226 |     |         | 0.025        | 0.055       |
| 080    | 31351-93550 | NUT                  | 4    | ≤73226 |     |         | 0.001        | 0.0022      |
| 090    | 30810-29170 | PLUG                 | 2    |        |     |         | 0.003        | 0.0066      |
| 100    | T0270-29442 | GRIP                 | 2    |        |     |         | 0.3          | 0.66        |
| 110    | 04013-60100 | WASHER PLAIN         | 2    |        |     |         | 0.004        | 0.0088      |
| 120    | 02771-60100 | NUT FLANGE           | 2    |        |     |         | 0.01         | 0.022       |
| 130    | T0180-83590 | BOLT FLANGE          | 2    |        |     |         | 0.022        | 0.0484      |
| 140    | 02771-60100 | NUT FLANGE           | 2    |        |     |         | 0.01         | 0.022       |
| 150    | TA040-49320 | LABEL ROPS WARNING   | 1    |        |     | ENGLISH | 0.001        | 0.0022      |
| 160    | TA240-49330 | LABEL PARKING        | 1    |        |     | ENGLISH | 0.005        | 0.011       |
| 170    | TA040-49150 | LABEL ROPS WARNING   | 1    |        |     | FRENCH  | 0.003        | 0.0066      |
| 180    | TA241-49330 | LABEL PARKING WARNIN | 1    |        |     | FRENCH  | 0.005        | 0.011       |
| 190    | 35260-34913 | LABEL SAFETY         | 1    |        |     | ENGLISH | 0.005        | 0.011       |
| 200    | TA041-65700 | LABEL SAFETY         | 1    |        |     | FRENCH  | 0.01         | 0.022       |
| 210    | 34040-68990 | PLATE FENDER RH      | 1    | ≥73227 |     |         | 0.025        | 0.055       |
| 220    | 34040-68980 | PLATE FENDER LH      | 1    | ≥73227 |     |         | 0.02         | 0.044       |







**FLOOR SEAT [EXCEPT HST TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-99540 | KIT FLOOR SEAT(A)    | 1    |         |     | ENGLISH | 8.85         | 19.47       |
| 015    | TA141-99540 | KIT FLOOR SEAT(B)    | 1    |         |     | FRENCH  | 8.85         | 19.47       |
| 020    | 01754-50816 | BOLT FLANGE          | 5    |         |     |         | 0.011        | 0.0242      |
| 030    | TA140-99580 | KIT FLOOR SEAT R.(A) | 1    |         |     | ENGLISH | 3.15         | 6.93        |
| 035    | TA141-99580 | KIT FLOOR SEAT R.(B) | 1    |         |     | FRENCH  | 3.15         | 6.93        |
| 040    | 01754-50812 | BOLT FLANGE          | 5    |         |     |         | 0.01         | 0.022       |
| 050    | 34070-47260 | COVER TOOLS BOX      | 1    |         |     |         | 0.77         | 1.694       |
| 060    | 01754-50812 | BOLT FLANGE          | 2    |         |     |         | 0.01         | 0.022       |
| 070    | 50400-51210 | SPRING CORD STRAIGHT | 1    |         |     |         | 0.015        | 0.033       |
| 080    | 36330-83120 | CUSHION              | 3    |         |     |         | 0.001        | 0.0022      |
| 090    | 34070-47280 | COVER FLOOR SEAT     | 1    |         |     |         | 1.14         | 2.508       |
| 100    | 01754-50812 | BOLT FLANGE          | 4    |         |     |         | 0.01         | 0.022       |
| 110    | TA040-29420 | HOLDER               | 1    |         |     |         | 0.043        | 0.0946      |
| 120    | 04015-60080 | WASHER PLAIN         | 2    |         |     |         | 0.01         | 0.022       |
| 130    | 02114-50080 | NUT                  | 1    |         |     |         | 0.005        | 0.011       |
| 140    | 02112-50080 | NUT                  | 1    |         |     |         | 0.003        | 0.0066      |
| 150    | 01754-50825 | BOLT FLANGE          | 1    |         |     |         | 0.01         | 0.022       |
| 160    | 04512-60080 | WASHER SPRING        | 1    |         |     |         | 0.002        | 0.0044      |
| 170    | TA040-29430 | BRACKET SMV          | 1    |         |     |         | 0.25         | 0.55        |
| 180    | 01123-50816 | BOLT                 | 2    |         |     |         | 0.011        | 0.0242      |
| 190    | TA047-29450 | STAY WORKING LIGHT   | 1    |         |     |         | 0.035        | 0.077       |
| 200    | TA040-47210 | SUPPORT FLOOR SEAT   | 1    |         |     |         | 1.55         | 3.41        |
| 210    | TA040-47220 | SUPPORT FLOOR SEAT   | 1    |         |     |         | 1.55         | 3.41        |
| 220    | 01133-51230 | BOLT                 | 4    |         |     |         | 0.04         | 0.088       |
| 230    | T0270-47310 | CUSHION              | 2    |         |     |         | 0.131        | 0.2882      |
| 240    | 34070-47320 | WASHER               | 2    |         |     |         | 0.015        | 0.033       |
| 250    | 01173-51660 | BOLT                 | 2    |         |     |         | 0.114        | 0.2508      |
| 260    | 04512-60160 | WASHER SPRING        | 2    |         |     |         | 0.01         | 0.022       |
| 270    | 02176-50160 | NUT                  | 2    |         |     |         | 0.021        | 0.0462      |
| 280    | TA040-49340 | LABEL M-PTO WARNING  | 1    | <=72858 |     | ENGLISH | 0.001        | 0.0022      |
| 280    | TA040-49342 | LABEL M-PTO WARNING  | 1    | >=72859 | ←   | ENGLISH | 0            | 0           |
| 290    | TA041-49340 | LABEL M-PTO WARNING  | 1    | <=72858 |     | FRENCH  | 0.003        | 0.0066      |
| 290    | TA041-49342 | LABEL M-PTO WARNING  | 1    | >=72859 | ←   | FRENCH  | 0            | 0           |
| 300    | TA040-49350 | LABEL DRAWBAR        | 1    |         |     | ENGLISH | 0.002        | 0.0044      |
| 310    | TA041-49350 | LABEL DRAWBAR        | 1    |         |     | FRENCH  | 0.003        | 0.0066      |



210 TA240-4722-0




TA140-832-10



## FLOOR SEAT [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA240-99550 | KIT FLOOR SEAT(A)    | 1    |        |     | ENGLISH | 7.7          | 16.94       |
| 015    | TA241-99550 | KIT FLOOR SEAT(B)    | 1    |        |     | FRENCH  | 0            | 0           |
| 020    | 01754-50816 | BOLT FLANGE          | 5    |        |     |         | 0.011        | 0.0242      |
| 030    | TA140-99580 | KIT FLOOR SEAT R.(A) | 1    |        |     | ENGLISH | 3.15         | 6.93        |
| 035    | TA141-99580 | KIT FLOOR SEAT R.(B) | 1    |        |     | FRENCH  | 3.15         | 6.93        |
| 040    | 01754-50812 | BOLT FLANGE          | 5    |        |     |         | 0.01         | 0.022       |
| 050    | 34070-47260 | COVER TOOLS BOX      | 1    |        |     |         | 0.77         | 1.694       |
| 060    | 01754-50812 | BOLT FLANGE          | 2    |        |     |         | 0.01         | 0.022       |
| 070    | 50400-51210 | SPRING CORD STRAIGHT | 1    |        |     |         | 0.015        | 0.033       |
| 080    | 36330-83120 | CUSHION              | 3    |        |     |         | 0.001        | 0.0022      |
| 090    | 34070-47280 | COVER FLOOR SEAT     | 1    |        |     |         | 1.14         | 2.508       |
| 100    | 01754-50812 | BOLT FLANGE          | 4    |        |     |         | 0.01         | 0.022       |
| 110    | TA040-29420 | HOLDER               | 1    |        |     |         | 0.043        | 0.0946      |
| 120    | 04015-60080 | WASHER PLAIN         | 2    |        |     |         | 0.01         | 0.022       |
| 130    | 02114-50080 | NUT                  | 1    |        |     |         | 0.005        | 0.011       |
| 140    | 02112-50080 | NUT                  | 1    |        |     |         | 0.003        | 0.0066      |
| 150    | 01754-50825 | BOLT FLANGE          | 1    |        |     |         | 0.01         | 0.022       |
| 160    | 04512-60080 | WASHER SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 170    | TA040-29430 | BRACKET SMV          | 1    |        |     |         | 0.25         | 0.55        |
| 180    | 01123-50816 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 190    | TA047-29450 | STAY WORKING LIGHT   | 1    |        |     |         | 0.035        | 0.077       |
| 200    | TA040-47210 | SUPPORT FLOOR SEAT   | 1    |        |     |         | 1.55         | 3.41        |
| 210    | TA240-47220 | SUPPORT FLOOR SEAT   | 1    | ≤61868 |     |         | 1.67         | 3.674       |
| 210    | TA040-47220 | SUPPORT FLOOR SEAT   | 1    | ≥70001 | ≠   |         | 1.55         | 3.41        |
| 220    | 01133-51230 | BOLT                 | 4    |        |     |         | 0.04         | 0.088       |
| 230    | T0270-47310 | CUSHION              | 2    |        |     |         | 0.131        | 0.2882      |
| 240    | 34070-47320 | WASHER               | 2    |        |     |         | 0.015        | 0.033       |
| 250    | 01173-51660 | BOLT                 | 2    |        |     |         | 0.114        | 0.2508      |
| 260    | 04512-60160 | WASHER SPRING        | 2    |        |     |         | 0.01         | 0.022       |
| 270    | 02176-50160 | NUT                  | 2    |        |     |         | 0.021        | 0.0462      |
| 280    | TA040-49340 | LABEL M-PTO WARNING  | 1    | ≤72858 |     | ENGLISH | 0.001        | 0.0022      |
| 280    | TA040-49342 | LABEL M-PTO WARNING  | 1    | ≥72859 | ←   | ENGLISH | 0            | 0           |
| 290    | TA041-49340 | LABEL M-PTO WARNING  | 1    | ≤72858 |     | FRENCH  | 0.003        | 0.0066      |
| 290    | TA041-49342 | LABEL M-PTO WARNING  | 1    | ≥72859 | ←   | FRENCH  | 0            | 0           |
| 300    | TA040-49350 | LABEL DRAWBAR        | 1    |        |     | ENGLISH | 0.002        | 0.0044      |
| 310    | TA041-49350 | LABEL DRAWBAR        | 1    |        |     | FRENCH  | 0.003        | 0.0066      |






## SEAT [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description             | Q'ty | S.No.  | I/C | REMARKS                              | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------------|------|--------|-----|--------------------------------------|--------------|-------------|
| 010    | TA140-47700 | ASSY SEAT               | 1    |        |     |                                      | 9.6          | 21.12       |
| 020    | TA140-47710 | CUSHION SEAT            | 1    |        |     |                                      | 3.9          | 8.58        |
| 030    | TA140-47720 | BACK SEAT               | 1    |        |     |                                      | 3.85         | 8.47        |
| 040    | TA140-47730 | HINGE                   | 1    |        |     |                                      | 1.03         | 2.266       |
| 050    | TA140-47740 | HINGE                   | 1    |        |     |                                      | 0.305        | 0.671       |
| 060    | TA140-47750 | KNOB                    | 1    |        |     |                                      | 0.02         | 0.044       |
| 070    | TA140-47760 | SCREW                   | 1    |        |     |                                      | 0.002        | 0.0044      |
| 080    | TA140-47770 | BOLT                    | 8    |        |     |                                      | 0.01         | 0.022       |
| 090    | TA140-47780 | CUSHION                 | 2    |        |     |                                      | 0.043        | 0.0946      |
| 100    | TA140-47790 | SCREW                   | 2    |        |     |                                      | 0.01         | 0.022       |
| 110    | TA140-47800 | BRACKET SEAT            | 1    |        |     |                                      | 0.185        | 0.407       |
| 120    | TA140-47810 | BOLT                    | 2    |        |     |                                      | 0.01         | 0.022       |
| 130    | 56811-35462 | PIN                     | 1    |        |     |                                      | 0.1          | 0.22        |
| 140    | 05525-50800 | PIN SNAP                | 1    |        |     |                                      | 0.001        | 0.0022      |
| 150    | TA140-11800 | ASSY SUSPENSION         | 1    |        |     | REFER TO L.No.1L01-R FOR COMPONENTS. | 9.4          | 20.68       |
| 160    | 01754-50820 | BOLT FLANGE             | 4    |        |     |                                      | 0.015        | 0.033       |
| 170    | 6C040-72252 | ASSY BELT SEAT          | 1    | ≤73226 |     | NOT SALE                             | 0.9          | 1.98        |
| 170    | 6C040-72253 | ASSY BELT SEAT          | 1    | ≥73227 | ←   |                                      | 0.9          | 1.98        |
| 180    | TA140-18482 | BRACKET SEAT<br>BELT RH | 1    |        |     |                                      | 0.16         | 0.352       |
| 190    | TA140-18492 | BRACKET SEAT<br>BELT LH | 1    |        |     |                                      | 0.175        | 0.385       |
| 200    | 02763-50080 | NUT FLANGE              | 2    |        |     |                                      | 0.005        | 0.011       |
| 210    | 01774-51025 | BOLT FLANGE             | 2    |        |     |                                      | 0.02         | 0.044       |
| 220    | 02116-50100 | NUT                     | 2    |        |     |                                      | 0.004        | 0.0088      |







## SEAT SUSPENSION [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA140-11800 | ASSY SUSPENSION   | 1    |       |     |         | 9.4          | 20.68       |
| 020    | TA140-11810 | ASSY SUSPENSION   | 1    |       |     |         | 5.5          | 12.1        |
| 030    | TA140-11820 | FRAME SUSPENSION  | 1    |       |     |         | 2.7          | 5.94        |
| 040    | TA140-11830 | COMP.LINK         | 2    |       |     |         | 0.62         | 1.364       |
| 050    | TA140-11840 | SPACER SUSPENSION | 4    |       |     |         | 0.005        | 0.011       |
| 060    | TA140-11990 | SHAFT             | 1    |       |     |         | 0.23         | 0.506       |
| 070    | TA140-11860 | SPRING SUSPENSION | 2    |       |     |         | 0.24         | 0.528       |
| 080    | TA140-11870 | BOLT              | 4    |       |     |         | 0.015        | 0.033       |
| 090    | TA140-11880 | NUT ADJUST        | 1    |       |     |         | 0.095        | 0.209       |
| 100    | TA140-11890 | KNOB ADJUST       | 1    |       |     |         | 0.105        | 0.231       |
| 110    | TA140-11900 | LABEL ADJUST      | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | TA140-11910 | PIN SPRING        | 2    |       |     |         | 0.001        | 0.0022      |
| 130    | TA140-11920 | CUSHION           | 2    |       |     |         | 0.006        | 0.0132      |
| 140    | TA140-11930 | WASHER PLAIN      | 1    |       |     |         | 0.01         | 0.022       |
| 150    | TA140-11940 | SHIM              | 4    |       |     |         | 0.001        | 0.0022      |
| 160    | TA140-11950 | PIN SPRING        | 1    |       |     |         | 0.002        | 0.0044      |
| 170    | TA140-11960 | BUSH SUSPENSION   | 4    |       |     |         | 0.003        | 0.0066      |
| 180    | TA140-11980 | PLATE             | 2    |       |     |         | 0.205        | 0.451       |
| 190    | TA140-11710 | BUSH PLATE        | 4    |       |     |         | 0.003        | 0.0066      |
| 200    | TA140-11720 | SCREW             | 4    |       |     |         | 0.006        | 0.0132      |
| 210    | TA140-18370 | PLATE             | 2    |       |     |         | 0.395        | 0.869       |
| 220    | 99999-99999 | BLANK             | 0    |       |     |         | 0            | 0           |
| 230    | TA140-18310 | NUT FLANGE        | 6    |       |     |         | 0.006        | 0.0132      |
| 240    | TA140-18320 | BOLT FLANGE       | 4    |       |     |         | 0.012        | 0.0264      |
| 250    | TA140-18330 | RAIL RH           | 1    |       |     |         | 1.38         | 3.036       |
| 260    | TA140-18340 | RAIL LH           | 1    |       |     |         | 0.925        | 2.035       |
| 270    | TA140-18350 | BRACKET           | 1    |       |     |         | 0.725        | 1.595       |
| 280    | TA140-18390 | SPACER            | 4    |       |     |         | 0.009        | 0.0198      |
| 290    | TA140-18410 | BUSH              | 4    |       |     |         | 0.006        | 0.0132      |



105 TA140-4746-0




TA140-848-10




## STEP [EXCEPT HST TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | T0270-47310 | CUSHION           | 2    |        |     |         | 0.131        | 0.2882      |
| 020    | 34070-47320 | WASHER            | 2    |        |     |         | 0.015        | 0.033       |
| 030    | 01173-51660 | BOLT              | 2    |        |     |         | 0.114        | 0.2508      |
| 040    | 04512-60160 | WASHER SPRING     | 2    |        |     |         | 0.01         | 0.022       |
| 050    | 02176-50160 | NUT               | 2    |        |     |         | 0.021        | 0.0462      |
| 060    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 070    | TA040-47403 | STEP              | 1    |        |     |         | 16           | 35.2        |
| 080    | TA140-47470 | STEP AID LH       | 1    |        |     |         | 0.985        | 2.167       |
| 090    | 01754-50812 | BOLT FLANGE       | 4    | ≤70416 |     |         | 0.01         | 0.022       |
| 090    | 01754-50816 | BOLT FLANGE       | 4    | ≥70417 | ←   |         | 0.011        | 0.0242      |
| 100    | TA140-47450 | MAT STEP          | 1    |        |     |         | 1.3          | 2.86        |
| 105    | TA140-47460 | NUT               | 4    | ≤50013 |     |         | 0.002        | 0.0044      |
| 110    | 37410-42760 | COVER PEDAL       | 1    |        |     |         | 0.025        | 0.055       |
| 120    | 30400-17980 | RUBBER BLOCK      | 2    |        |     |         | 0.01         | 0.022       |
| 125    | TA140-47480 | CLAMP STEP MAT    | 2    |        |     |         | 0.05         | 0.11        |
| 126    | 01754-50816 | BOLT FLANGE       | 4    |        |     |         | 0.011        | 0.0242      |
| 130    | TA040-47410 | BRACKET STEP RH   | 1    |        |     |         | 1.15         | 2.53        |
| 140    | TA040-47420 | BRACKET STEP LH   | 1    |        |     |         | 1.15         | 2.53        |
| 150    | 01133-51230 | BOLT              | 3    |        |     |         | 0.04         | 0.088       |
| 160    | 01073-51030 | BOLT              | 2    |        |     |         | 0.028        | 0.0616      |
| 170    | 34070-47490 | CUSHION           | 2    |        |     |         | 0.005        | 0.011       |
| 180    | 02118-50100 | NUT               | 2    |        |     |         | 0.005        | 0.011       |
| 190    | TA150-47490 | CLAMP STEP MAT LH | 1    | ≥70001 |     |         | 0.155        | 0.341       |
| 200    | 02751-50080 | NUT FLANGE        | 2    | ≥70001 |     |         | 0.006        | 0.0132      |



110 TA140-4746-0




TA140-849-10




## STEP [HST TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | T0270-47310 | CUSHION           | 2    |        |     |         | 0.131        | 0.2882      |
| 020    | 34070-47320 | WASHER            | 2    |        |     |         | 0.015        | 0.033       |
| 030    | 01173-51660 | BOLT              | 2    |        |     |         | 0.114        | 0.2508      |
| 040    | 04512-60160 | WASHER SPRING     | 2    |        |     |         | 0.01         | 0.022       |
| 050    | 02176-50160 | NUT               | 2    |        |     |         | 0.021        | 0.0462      |
| 060    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 070    | TA240-47400 | STEP              | 1    | ≤61868 |     |         | 0            | 0           |
| 070    | TA240-47405 | STEP              | 1    | ≥70001 | ←   |         | 0            | 0           |
| 080    | TA140-47470 | STEP AID LH       | 1    |        |     |         | 0.985        | 2.167       |
| 090    | 01754-50812 | BOLT FLANGE       | 4    | ≤70416 |     |         | 0.01         | 0.022       |
| 090    | 01754-50816 | BOLT FLANGE       | 4    | ≥70417 | ←   |         | 0.011        | 0.0242      |
| 100    | TA240-47450 | MAT               | 1    |        |     |         | 1.55         | 3.41        |
| 110    | TA140-47460 | NUT               | 4    | ≤50013 |     |         | 0.002        | 0.0044      |
| 120    | 30400-17980 | RUBBER BLOCK      | 2    |        |     |         | 0.01         | 0.022       |
| 125    | TA140-47480 | CLAMP STEP MAT    | 2    |        |     |         | 0.05         | 0.11        |
| 126    | 01754-50816 | BOLT FLANGE       | 4    |        |     |         | 0.011        | 0.0242      |
| 130    | TA240-47410 | BRACKET STEP RH   | 1    |        |     |         | 1.05         | 2.31        |
| 140    | TA240-47420 | BRACKET STEP LH   | 1    |        |     |         | 1.05         | 2.31        |
| 150    | 01133-51230 | BOLT              | 2    |        |     |         | 0.04         | 0.088       |
| 155    | 01133-51240 | BOLT              | 2    |        |     |         | 0.05         | 0.11        |
| 160    | 01073-51030 | BOLT              | 2    |        |     |         | 0.028        | 0.0616      |
| 170    | 34070-47490 | CUSHION           | 2    |        |     |         | 0.005        | 0.011       |
| 180    | 02118-50100 | NUT               | 2    |        |     |         | 0.005        | 0.011       |
| 190    | TA150-47490 | CLAMP STEP MAT LH | 1    | ≥70001 |     |         | 0.155        | 0.341       |
| 200    | 02751-50080 | NUT FLANGE        | 2    | ≥70001 |     |         | 0.006        | 0.0132      |





| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-48012 | ASSY ROPS       | 1    |       |     |         | 0            | 0           |
| 020    | 99999-99999 | COMP.FRAME LH   | 1    |       |     |         | 0            | 0           |
| 030    | 99999-99999 | COMP.FRAME RH   | 1    |       |     |         | 0            | 0           |
| 040    | 01176-51430 | BOLT            | 12   |       |     |         | 0.052        | 0.1144      |
| 050    | 75599-33016 | WASHER SPRING   | 12   |       |     |         | 0.08         | 0.176       |
| 060    | 01173-51230 | BOLT            | 2    |       |     |         | 0.037        | 0.0814      |
| 070    | 04512-60120 | WASHER SPRING   | 2    |       |     |         | 0.005        | 0.011       |
| 080    | 99999-99999 | CONNECTOR ROPS  | 1    |       |     |         | 0            | 0           |
| 090    | 75599-04625 | HEX.BOLT        | 2    |       |     |         | 0            | 0           |
| 100    | 75599-33016 | WASHER SPRING   | 2    |       |     |         | 0.08         | 0.176       |
| 110    | TA140-48493 | MANUAL ASSEMBLY | 1    |       |     |         | 0            | 0           |




TA140-224-20




**ROPS [ROPS TYPE] [NEW TYPE]**  
[TYPE NOUVEAU]S.No.;>=72189

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|----------|--------------|-------------|
| 010    | TA140-48442 | KIT ROPS REPLACEMENT | 1    | <=73226 |     |          | 0            | 0           |
| 010    | TA140-48442 | KIT ROPS REPLACEMENT | 1    | >=73227 | ←   |          | 0            | 0           |
| 020    | 99999-99999 | COMP.FRAME LH        | 1    |         |     |          | 0            | 0           |
| 030    | 99999-99999 | COMP.FRAME RH        | 1    |         |     |          | 0            | 0           |
| 040    | 01176-51430 | BOLT                 | 12   |         |     |          | 0.052        | 0.1144      |
| 050    | 0Y450-50090 | WASHER SPRING        | 12   |         |     |          | 0            | 0           |
| 060    | 01073-51230 | BOLT                 | 2    |         |     |          | 0.041        | 0.0902      |
| 070    | 04512-60120 | WASHER SPRING        | 2    |         |     |          | 0.005        | 0.011       |
| 080    | 04013-60120 | WASHER PLAIN         | 2    |         |     |          | 0.01         | 0.022       |
| 090    | 99999-99999 | PLATE                | 1    |         |     |          | 0            | 0           |
| 100    | 0Y109-50920 | BOLT                 | 2    |         |     |          | 0            | 0           |
| 110    | 0Y450-50090 | WASHER SPRING        | 2    |         |     |          | 0            | 0           |
| 120    | 99999-99999 | MANUAL INSTRUCTION   | 1    |         |     |          | 0            | 0           |
| 130    | 6C140-47460 | LABEL ROPS WARNING   | 1    |         |     | ENGLISH  | 0.001        | 0.0022      |
| 130    | 6C141-47460 | LABEL ROPS WARNING   | 1    |         |     | FRENCH   | 0            | 0           |
| 140    | TA040-49320 | LABEL ROPS WARNING   | 1    |         |     | ENGLISH  | 0.001        | 0.0022      |
| 140    | TA040-49150 | LABEL ROPS WARNING   | 1    |         |     | FRENCH   | 0.003        | 0.0066      |
| 150    | 6C140-54990 | REFLECTOR LABEL      | 2    | >=73227 |     |          | 0            | 0           |
| 160    | 6C040-72252 | ASSY BELT SEAT       | 1    | <=73226 |     | NOT SALE | 0.9          | 1.98        |
| 160    | 6C040-72253 | ASSY BELT SEAT       | 1    | >=73227 | ←   |          | 0.9          | 1.98        |
| 170    | 01774-51025 | BOLT FLANGE          | 2    |         |     |          | 0.02         | 0.044       |
| 180    | 02116-50100 | NUT                  | 2    |         |     |          | 0.004        | 0.0088      |








**FRONT WHEEL (8.3-16)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66434-17610 | ASSY TIRE     | 1    |        |     |         | 0            | 0           |
| 020    | 66434-17620 | ASSY TIRE LH  | 1    |        |     |         | 0            | 0           |
| 030    | 66434-17640 | WHEEL         | 1    |        |     |         | 0            | 0           |
| 040    | 66434-17650 | TIRE          | 1    |        |     |         | 0            | 0           |
| 050    | 66434-17660 | LABEL TIRE LH | 1    |        |     |         | 0            | 0           |
| 060    | 66434-17630 | ASSY TIRE RH  | 1    |        |     |         | 0            | 0           |
| 070    | 66434-17640 | WHEEL         | 1    |        |     |         | 0            | 0           |
| 080    | 66434-17650 | TIRE          | 1    |        |     |         | 0            | 0           |
| 090    | 66434-17670 | LABEL TIRE RH | 1    |        |     |         | 0            | 0           |
| 100    | 35450-49160 | STUD          | 12   | ≤71289 |     |         | 0.05         | 0.11        |
| 100    | TA150-49160 | STUD WHEEL    | 12   | ≥71290 | ≠   |         | 0            | 0           |
| 110    | 35340-11390 | NUT           | 12   |        |     |         | 0.03         | 0.066       |




**FRONT WHEEL (10-16.5)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-10900 | ASSY FRONT WHEEL    | 1    |        |     |         | 0            | 0           |
| 020    | TA040-10910 | ASSY FRONT WHEEL RH | 1    |        |     |         | 0            | 0           |
| 030    | 35080-11930 | TIRE                | 1    |        |     |         | 0            | 0           |
| 040    | TA040-42420 | WHEEL               | 1    |        |     |         | 0            | 0           |
| 050    | TA040-10950 | LABEL TIRE RH       | 1    |        |     |         | 0            | 0           |
| 060    | TA040-10920 | ASSY FRONT WHEEL LH | 1    |        |     |         | 0            | 0           |
| 070    | 35080-11930 | TIRE                | 1    |        |     |         | 0            | 0           |
| 080    | TA040-42420 | WHEEL               | 1    |        |     |         | 0            | 0           |
| 090    | TA040-10960 | LABEL TIRE LH       | 1    |        |     |         | 0            | 0           |
| 100    | 35450-49160 | STUD                | 12   | ≤71289 |     |         | 0.05         | 0.11        |
| 100    | TA150-49160 | STUD WHEEL          | 12   | ≥71290 | ≠   |         | 0            | 0           |
| 110    | 35340-11390 | NUT                 | 12   |        |     |         | 0.03         | 0.066       |

















240 01073-51630  
270 04512-60160




TA120-826-10




# REAR WHEEL (13.6-24)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35070-27800 | ASSY REAR WHEEL    | 1    |        |     |         | 0            | 0           |
| 020    | 35070-27810 | ASSY REAR WHEEL RH | 1    |        |     |         | 0            | 0           |
| 030    | 35070-27870 | ASSY REAR WHEEL    | 1    |        |     |         | 0            | 0           |
| 040    | 35070-27820 | TIRE               | 1    |        |     |         | 0            | 0           |
| 050    | 35070-27830 | TUBE               | 1    |        |     |         | 0            | 0           |
| 060    | 35070-27850 | RIM                | 1    |        |     |         | 0            | 0           |
| 070    | 35070-27650 | ASSY DISK          | 1    |        |     |         | 0            | 0           |
| 080    | 35080-27660 | DISK               | 1    |        |     |         | 0            | 0           |
| 090    | 31220-27680 | BOLT               | 4    |        |     |         | 0.09         | 0.198       |
| 100    | 04512-60160 | WASHER SPRING      | 4    |        |     |         | 0.01         | 0.022       |
| 110    | 02174-50160 | NUT                | 4    |        |     |         | 0.022        | 0.0484      |
| 120    | 35070-27980 | LABEL TIRE RH      | 1    |        |     |         | 0            | 0           |
| 130    | 35070-27910 | ASSY REAR WHEEL LH | 1    |        |     |         | 0            | 0           |
| 140    | 35070-27870 | ASSY REAR WHEEL    | 1    |        |     |         | 0            | 0           |
| 150    | 35070-27820 | TIRE               | 1    |        |     |         | 0            | 0           |
| 160    | 35070-27830 | TUBE               | 1    |        |     |         | 0            | 0           |
| 170    | 35070-27850 | RIM                | 1    |        |     |         | 0            | 0           |
| 180    | 35070-27650 | ASSY DISK          | 1    |        |     |         | 0            | 0           |
| 190    | 35080-27660 | DISK               | 1    |        |     |         | 0            | 0           |
| 200    | 31220-27680 | BOLT               | 4    |        |     |         | 0.09         | 0.198       |
| 210    | 04512-60160 | WASHER SPRING      | 4    |        |     |         | 0.01         | 0.022       |
| 220    | 02174-50160 | NUT                | 4    |        |     |         | 0.022        | 0.0484      |
| 230    | 35070-27970 | LABEL TIRE LH      | 1    |        |     |         | 0            | 0           |
| 240    | 01073-51630 | BOLT               | 8    | ≤72188 |     |         | 0.079        | 0.1738      |
| 240    | 01033-51630 | BOLT               | 8    | ≥72189 | ←   |         | 0            | 0           |
| 250    | 02076-50160 | NUT                | 4    |        |     |         | 0.03         | 0.066       |
| 260    | 01517-51632 | STUD               | 4    | ≤72961 |     |         | 0.076        | 0.1672      |
| 260    | 01517-51635 | STUD               | 4    | ≥72962 | ←   |         | 0.08         | 0.176       |
| 270    | 04512-60160 | WASHER SPRING      | 12   | ≤72188 |     |         | 0.01         | 0.022       |
| 270    | 04512-60160 | WASHER SPRING      | 4    | ≥72189 |     |         | 0.01         | 0.022       |



180 01073-51630  
210 04512-60160




TA140-855-10




# REAR WHEEL (14.9-24)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-27802 | ASSY FRONT WHEEL    | 1    |        |     |         | 0            | 0           |
| 020    | TA040-27812 | ASSY FRONT WHEEL RH | 1    |        |     |         | 0            | 0           |
| 030    | 32550-40410 | ASSY TIRE           | 1    |        |     |         | 0            | 0           |
| 040    | 35070-27850 | RIM                 | 1    |        |     |         | 0            | 0           |
| 050    | 35080-27660 | DISK                | 1    |        |     |         | 0            | 0           |
| 060    | 31220-27680 | BOLT                | 4    | ≤72188 |     |         | 0.09         | 0.198       |
| 060    | T1150-27680 | BOLT                | 4    | ≥72189 | ←   |         | 0            | 0           |
| 070    | 04512-60160 | WASHER SPRING       | 4    |        |     |         | 0.01         | 0.022       |
| 080    | 02174-50160 | NUT                 | 4    |        |     |         | 0.022        | 0.0484      |
| 090    | TA040-27980 | LABEL TIRE RH       | 1    |        |     |         | 0            | 0           |
| 100    | TA040-27912 | ASSY FRONT WHEEL LH | 1    |        |     |         | 0            | 0           |
| 110    | 32550-40410 | ASSY TIRE           | 1    |        |     |         | 0            | 0           |
| 120    | 35070-27850 | RIM                 | 1    |        |     |         | 0            | 0           |
| 130    | 35080-27660 | DISK                | 1    |        |     |         | 0            | 0           |
| 140    | 31220-27680 | BOLT                | 4    | ≤72188 |     |         | 0.09         | 0.198       |
| 140    | T1150-27680 | BOLT                | 4    | ≥72189 | ←   |         | 0            | 0           |
| 150    | 04512-60160 | WASHER SPRING       | 4    |        |     |         | 0.01         | 0.022       |
| 160    | 02174-50160 | NUT                 | 4    |        |     |         | 0.022        | 0.0484      |
| 170    | TA040-27970 | LABEL TIRE LH       | 1    |        |     |         | 0            | 0           |
| 180    | 01073-51630 | BOLT                | 8    | ≤72188 |     |         | 0.079        | 0.1738      |
| 180    | 01033-51630 | BOLT                | 8    | ≥72189 | ←   |         | 0            | 0           |
| 190    | 02076-50160 | NUT                 | 4    |        |     |         | 0.03         | 0.066       |
| 200    | 01517-51632 | STUD                | 4    | ≤72961 |     |         | 0.076        | 0.1672      |
| 200    | 01517-51635 | STUD                | 4    | ≤72961 | ←   |         | 0.08         | 0.176       |
| 210    | 04512-60160 | WASHER SPRING       | 12   | ≤72188 |     |         | 0.01         | 0.022       |
| 210    | 04512-60160 | WASHER SPRING       | 4    | ≥72189 |     |         | 0.01         | 0.022       |



180 01073-51630  
210 04512-60160




TA140-855-10



# REAR WHEEL (17.5-24)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-27700 | ASSY REAR WHEEL    | 1    |        |     |         | 0            | 0           |
| 020    | TA040-27710 | ASSY REAR WHEEL RH | 1    |        |     |         | 0            | 0           |
| 030    | TA040-27730 | TIRE               | 1    |        |     |         | 0            | 0           |
| 040    | 35060-27840 | RIM                | 1    |        |     |         | 0            | 0           |
| 050    | 35080-27660 | DISK               | 1    |        |     |         | 0            | 0           |
| 060    | 75599-07760 | HEXAGONE BOLT      | 4    |        |     |         | 0            | 0           |
| 070    | 70070-02009 | WASHER             | 4    |        |     |         | 0            | 0           |
| 080    | 75599-31013 | HEX.NUT            | 4    |        |     |         | 0            | 0           |
| 090    | TA040-27750 | LABEL TIRE RH      | 1    |        |     |         | 0            | 0           |
| 100    | TA040-27720 | ASSY REAR WHEEL LH | 1    |        |     |         | 0            | 0           |
| 110    | TA040-27730 | TIRE               | 1    |        |     |         | 0            | 0           |
| 120    | 35060-27840 | RIM                | 1    |        |     |         | 0            | 0           |
| 130    | 35080-27660 | DISK               | 1    |        |     |         | 0            | 0           |
| 140    | 75599-07760 | HEXAGONE BOLT      | 4    |        |     |         | 0            | 0           |
| 150    | 70070-02009 | WASHER             | 4    |        |     |         | 0            | 0           |
| 160    | 75599-31013 | HEX.NUT            | 4    |        |     |         | 0            | 0           |
| 170    | TA040-27760 | LABEL TIRE LH      | 1    |        |     |         | 0            | 0           |
| 180    | 01073-51630 | BOLT               | 8    | ≤72188 |     |         | 0.079        | 0.1738      |
| 180    | 01033-51630 | BOLT               | 8    | ≥72189 | ←   |         | 0            | 0           |
| 190    | 02076-50160 | NUT                | 4    |        |     |         | 0.03         | 0.066       |
| 200    | 01517-51632 | STUD               | 4    | ≤72961 |     |         | 0.076        | 0.1672      |
| 200    | 01517-51635 | STUD               | 4    | ≥72962 | ←   |         | 0.08         | 0.176       |
| 210    | 04512-60160 | WASHER SPRING      | 12   | ≤72188 |     |         | 0.01         | 0.022       |
| 210    | 04512-60160 | WASHER SPRING      | 4    | ≥72189 |     |         | 0.01         | 0.022       |



060 01073-51630

090 04512-60160





TA120-828-10


**REAR WHEEL (41\*14.00-20)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|--------|-----|---------|--------------|-------------|
| 010    | 35080-27900 | ASSY REAR WHEEL | 1    |        |     |         | 0            | 0           |
| 020    | 35080-27910 | ASSY REAR WHEEL | 2    |        |     |         | 0            | 0           |
| 030    | 35998-01880 | ASSY TIRE REAR  | 2    |        |     |         | 0            | 0           |
| 040    | 35080-27950 | WHEEL           | 2    |        |     |         | 0            | 0           |
| 050    | 35080-27870 | LABEL TIRE      | 2    |        |     |         | 0            | 0           |
| 060    | 01073-51630 | BOLT            | 8    | ≤72188 |     |         | 0.079        | 0.1738      |
| 060    | 01033-51630 | BOLT            | 8    | ≥72189 | ←   |         | 0            | 0           |
| 070    | 02076-50160 | NUT             | 4    |        |     |         | 0.03         | 0.066       |
| 080    | 01517-51632 | STUD            | 4    | ≤72961 |     |         | 0.076        | 0.1672      |
| 080    | 01517-51632 | STUD            | 4    | ≥72962 | ←   |         | 0.076        | 0.1672      |
| 090    | 04512-60160 | WASHER SPRING   | 12   | ≤72188 |     |         | 0.01         | 0.022       |
| 090    | 04512-60160 | WASHER SPRING   | 4    | ≥72189 |     |         | 0.01         | 0.022       |




[illegible]



050 01073-51630

080 04512-60160




TA120-827-10



**REAR WHEEL (21.5L-16.1) [NEW TYPE]**  
S.No.;>=52080

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA140-27700 | ASSY TIRE     | 2    |         |     |         | 0            | 0           |
| 020    | 32550-42510 | ASSY TIRE     | 2    |         |     |         | 0            | 0           |
| 030    | 35080-27720 | WHEEL         | 2    |         |     |         | 0            | 0           |
| 040    | 35080-27730 | LABEL TIRE    | 2    |         |     |         | 0            | 0           |
| 050    | 01073-51630 | BOLT          | 8    | <=72188 |     |         | 0.079        | 0.1738      |
| 050    | 01033-51630 | BOLT          | 8    | >=72189 | ←   |         | 0            | 0           |
| 060    | 02076-50160 | NUT           | 4    |         |     |         | 0.03         | 0.066       |
| 070    | 01517-51632 | STUD          | 4    | <=72961 |     |         | 0.076        | 0.1672      |
| 070    | 01517-51635 | STUD          | 4    | <=72961 | ←   |         | 0.08         | 0.176       |
| 080    | 04512-60160 | WASHER SPRING | 12   | <=72188 |     |         | 0.01         | 0.022       |
| 080    | 04512-60160 | WASHER SPRING | 4    | >=72189 |     |         | 0.01         | 0.022       |






**LABEL 1 [A] [MANUAL T/M TYPE] [ROPS TYPE]**  
[EXCEPT TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-------------------|--------------|-------------|
| 010    | T0270-65240 | LABEL FRONT GRILLE   | 2    |        |     |                   | 0.002        | 0.0044      |
| 020    | TA040-30150 | LABEL BATTERY        | 1    |        |     |                   | 0.002        | 0.0044      |
| 030    | TA040-49650 | LABEL START CAUTION  | 1    |        |     |                   | 0.004        | 0.0088      |
| 040    | 35080-65280 | LABEL KEY STOP       | 1    |        |     |                   | 0.001        | 0.0022      |
| 050    | TA040-49570 | LABEL FAN WARNING    | 2    | ≤50258 |     |                   | 0.002        | 0.0044      |
| 050    | 32751-49580 | LABEL FAN BELT       | 2    | ≥50259 | ≠   |                   | 0.001        | 0.0022      |
| 060    | TA040-49580 | LABEL MUFFLER        | 1    |        |     |                   | 0.001        | 0.0022      |
| 070    | TA040-49562 | LABEL FUEL           | 1    |        |     |                   | 0.002        | 0.0044      |
| 080    | TA040-49390 | LABEL SHUTTLE        | 1    |        |     |                   | 0.001        | 0.0022      |
| 090    | TA040-49440 | MARK HANDLE          | 2    |        |     |                   | 0.001        | 0.0022      |
| 100    | 99999-99999 | NAME PLATE           | 1    |        |     | NOT SALE          | 0            | 0           |
| 110    | TA140-49400 | ASSY LACE RH         | 1    |        |     |                   | 0.27         | 0.594       |
| 120    | TA140-49410 | ASSY LACE LH         | 1    |        |     |                   | 0.27         | 0.594       |
| 130    | 30400-65040 | PLATE WASHER         | 14   |        |     |                   | 0.001        | 0.0022      |
| 140    | 55611-44190 | NUT                  | 14   |        |     |                   | 0.004        | 0.0088      |
| 150    | TA140-49420 | MARK MODEL           | 2    |        |     |                   | 0.003        | 0.0066      |
| 160    | TA140-49360 | MARK MAIN SWITCH     | 1    |        |     |                   | 0.002        | 0.0044      |
| 170    | TA040-49450 | MARK TILT            | 1    |        |     |                   | 0.001        | 0.0022      |
| 180    | TA040-49290 | MARK SHUTTLE         | 1    |        |     |                   | 0.001        | 0.0022      |
| 180    | T1060-49290 | MARK SHUTTLE         | 1    |        | ↔   |                   | 0.001        | 0.0022      |
| 190    | TA040-49540 | MARK NEUTRAL         | 1    |        |     |                   | 0.001        | 0.0022      |
| 200    | TA040-49460 | LABEL PARKING        | 1    |        |     |                   | 0.001        | 0.0022      |
| 210    | TA040-49370 | MARK ACCEL.GRIP      | 1    |        |     |                   | 0.001        | 0.0022      |
| 220    | TA040-49380 | MARK SHUTTLE GRIP    | 1    |        |     |                   | 0.001        | 0.0022      |
| 230    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |        |     |                   | 0.06         | 0.132       |
| 240    | TA240-49910 | LABEL SPEED WARNING  | 1    |        |     | NOT SHOWN IN FIG. | 0.001        | 0.0022      |






**LABEL 1 [CA] [MANUAL T/M TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------------------------|--------------|-------------|
| 010    | T0270-65240 | LABEL FRONT GRILLE   | 2    |        |     |                           | 0.002        | 0.0044      |
| 020    | TA040-30150 | LABEL BATTERY        | 1    |        |     | ENGLISH                   | 0.002        | 0.0044      |
| 020    | TA041-30150 | LABEL BATTERY        | 1    |        |     | FRENCH                    | 0.005        | 0.011       |
| 030    | TA040-49650 | LABEL START CAUTION  | 1    |        |     | ENGLISH                   | 0.004        | 0.0088      |
| 030    | TA041-49650 | LABEL START CAUTION  | 1    |        |     | FRENCH                    | 0.004        | 0.0088      |
| 040    | 35080-65280 | LABEL KEY STOP       | 1    |        |     | ENGLISH                   | 0.001        | 0.0022      |
| 040    | 35081-65280 | LABEL KEY STOP       | 1    |        |     | FRENCH                    | 0.02         | 0.044       |
| 050    | TA040-49570 | LABEL FAN WARNING    | 2    | ≤50258 |     |                           | 0.002        | 0.0044      |
| 050    | 32751-49580 | LABEL FAN BELT       | 2    | ≥50259 | ≠   |                           | 0.001        | 0.0022      |
| 060    | TA040-49580 | LABEL MUFFLER        | 1    |        |     |                           | 0.001        | 0.0022      |
| 070    | TA040-49562 | LABEL FUEL           | 1    |        |     |                           | 0.002        | 0.0044      |
| 080    | TA040-49390 | LABEL SHUTTLE        | 1    |        |     |                           | 0.001        | 0.0022      |
| 090    | TA040-49440 | MARK HANDLE          | 2    |        |     |                           | 0.001        | 0.0022      |
| 100    | 99999-99999 | NAME PLATE           | 1    |        |     | NOT SALE                  | 0            | 0           |
| 110    | TA140-49400 | ASSY LACE RH         | 1    |        |     |                           | 0.27         | 0.594       |
| 120    | TA140-49410 | ASSY LACE LH         | 1    |        |     |                           | 0.27         | 0.594       |
| 130    | 30400-65040 | PLATE WASHER         | 14   |        |     |                           | 0.001        | 0.0022      |
| 140    | 55611-44190 | NUT                  | 14   |        |     |                           | 0.004        | 0.0088      |
| 150    | TA140-49420 | MARK MODEL           | 2    |        |     |                           | 0.003        | 0.0066      |
| 160    | TA140-49360 | MARK MAIN SWITCH     | 1    |        |     |                           | 0.002        | 0.0044      |
| 170    | TA040-49450 | MARK TILT            | 1    |        |     |                           | 0.001        | 0.0022      |
| 180    | TA040-49290 | MARK SHUTTLE         | 1    |        |     |                           | 0.001        | 0.0022      |
| 180    | T1060-49290 | MARK SHUTTLE         | 1    |        | ↔   |                           | 0.001        | 0.0022      |
| 190    | TA040-49540 | MARK NEUTRAL         | 1    |        |     |                           | 0.001        | 0.0022      |
| 200    | TA040-49460 | LABEL PARKING        | 1    |        |     |                           | 0.001        | 0.0022      |
| 210    | TA040-49370 | MARK ACCEL.GRIP      | 1    |        |     |                           | 0.001        | 0.0022      |
| 220    | TA040-49380 | MARK SHUTTLE GRIP    | 1    |        |     |                           | 0.001        | 0.0022      |
| 230    | TA140-30430 | LABEL FUSE           | 1    |        |     | FRENCH                    | 0.001        | 0.0022      |
| 240    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |        |     | ENGLISH                   | 0.06         | 0.132       |
| 240    | TA141-99500 | KIT LABEL SAFETY (B) | 1    |        |     | FRENCH                    | 0.04         | 0.088       |
| 250    | TA240-49910 | LABEL SPEED WARNING  | 1    |        |     | ENGLISH NOT SHOWN IN FIG. | 0.001        | 0.0022      |
| 250    | TA241-49910 | LABEL SPEED WARNING  | 1    |        |     | FRENCH NOT SHOWN IN FIG.  | 0.002        | 0.0044      |






# LABEL 1 [A] [GST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-------------------|--------------|-------------|
| 010    | T0270-65240 | LABEL FRONT GRILLE   | 2    |        |     |                   | 0.002        | 0.0044      |
| 020    | TA040-30150 | LABEL BATTERY        | 1    |        |     |                   | 0.002        | 0.0044      |
| 030    | TA040-49650 | LABEL START CAUTION  | 1    |        |     |                   | 0.004        | 0.0088      |
| 040    | 35080-65280 | LABEL KEY STOP       | 1    |        |     |                   | 0.001        | 0.0022      |
| 050    | TA040-49570 | LABEL FAN WARNING    | 2    | ≤50258 |     |                   | 0.002        | 0.0044      |
| 050    | 32751-49580 | LABEL FAN BELT       | 2    | ≥50259 | ≠   |                   | 0.001        | 0.0022      |
| 060    | TA040-49580 | LABEL MUFFLER        | 1    |        |     |                   | 0.001        | 0.0022      |
| 070    | TA040-49562 | LABEL FUEL           | 1    |        |     |                   | 0.002        | 0.0044      |
| 080    | TA040-49390 | LABEL SHUTTLE        | 1    |        |     |                   | 0.001        | 0.0022      |
| 090    | TA040-49440 | MARK HANDLE          | 2    |        |     |                   | 0.001        | 0.0022      |
| 100    | 99999-99999 | NAME PLATE           | 1    |        |     | NOT SALE          | 0            | 0           |
| 110    | TA140-49400 | ASSY LACE RH         | 1    |        |     |                   | 0.27         | 0.594       |
| 120    | TA140-49410 | ASSY LACE LH         | 1    |        |     |                   | 0.27         | 0.594       |
| 130    | 30400-65040 | PLATE WASHER         | 14   |        |     |                   | 0.001        | 0.0022      |
| 140    | 55611-44190 | NUT                  | 14   |        |     |                   | 0.004        | 0.0088      |
| 150    | TA140-49420 | MARK MODEL           | 2    |        |     |                   | 0.003        | 0.0066      |
| 160    | TA140-49360 | MARK MAIN SWITCH     | 1    |        |     |                   | 0.002        | 0.0044      |
| 170    | TA040-49450 | MARK TILT            | 1    |        |     |                   | 0.001        | 0.0022      |
| 180    | TA040-49290 | MARK SHUTTLE         | 1    |        |     |                   | 0.001        | 0.0022      |
| 180    | T1060-49290 | MARK SHUTTLE         | 1    |        | ↔   |                   | 0.001        | 0.0022      |
| 190    | TA040-49540 | MARK NEUTRAL         | 1    |        |     |                   | 0.001        | 0.0022      |
| 200    | TA040-49460 | LABEL PARKING        | 1    |        |     |                   | 0.001        | 0.0022      |
| 210    | TA040-49370 | MARK ACCEL.GRIP      | 1    |        |     |                   | 0.001        | 0.0022      |
| 220    | TA040-49380 | MARK SHUTTLE GRIP    | 1    |        |     |                   | 0.001        | 0.0022      |
| 230    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |        |     |                   | 0.06         | 0.132       |
| 240    | TA240-49910 | LABEL SPEED WARNING  | 1    |        |     | NOT SHOWN IN FIG. | 0.001        | 0.0022      |







# LABEL 1 [CA] [GST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------------------------|--------------|-------------|
| 010    | T0270-65240 | LABEL FRONT GRILLE   | 2    |        |     |                           | 0.002        | 0.0044      |
| 020    | TA040-30150 | LABEL BATTERY        | 1    |        |     | ENGLISH                   | 0.002        | 0.0044      |
| 020    | TA041-30150 | LABEL BATTERY        | 1    |        |     | FRENCH                    | 0.005        | 0.011       |
| 030    | TA040-49650 | LABEL START CAUTION  | 1    |        |     | ENGLISH                   | 0.004        | 0.0088      |
| 030    | TA041-49650 | LABEL START CAUTION  | 1    |        |     | FRENCH                    | 0.004        | 0.0088      |
| 040    | 35080-65280 | LABEL KEY STOP       | 1    |        |     | ENGLISH                   | 0.001        | 0.0022      |
| 040    | 35081-65280 | LABEL KEY STOP       | 1    |        |     | FRENCH                    | 0.02         | 0.044       |
| 050    | TA040-49570 | LABEL FAN WARNING    | 2    | ≤50258 |     |                           | 0.002        | 0.0044      |
| 050    | 32751-49580 | LABEL FAN BELT       | 2    | ≥50259 | ≠   |                           | 0.001        | 0.0022      |
| 060    | TA040-49580 | LABEL MUFFLER        | 1    |        |     |                           | 0.001        | 0.0022      |
| 070    | TA040-49562 | LABEL FUEL           | 1    |        |     |                           | 0.002        | 0.0044      |
| 080    | TA040-49390 | LABEL SHUTTLE        | 1    |        |     |                           | 0.001        | 0.0022      |
| 090    | TA040-49440 | MARK HANDLE          | 2    |        |     |                           | 0.001        | 0.0022      |
| 100    | 99999-99999 | NAME PLATE           | 1    |        |     | NOT SALE                  | 0            | 0           |
| 110    | TA140-49400 | ASSY LACE RH         | 1    |        |     |                           | 0.27         | 0.594       |
| 120    | TA140-49410 | ASSY LACE LH         | 1    |        |     |                           | 0.27         | 0.594       |
| 130    | 30400-65040 | PLATE WASHER         | 14   |        |     |                           | 0.001        | 0.0022      |
| 140    | 55611-44190 | NUT                  | 14   |        |     |                           | 0.004        | 0.0088      |
| 150    | TA140-49420 | MARK MODEL           | 2    |        |     |                           | 0.003        | 0.0066      |
| 160    | TA140-49360 | MARK MAIN SWITCH     | 1    |        |     |                           | 0.002        | 0.0044      |
| 170    | TA040-49450 | MARK TILT            | 1    |        |     |                           | 0.001        | 0.0022      |
| 180    | TA040-49290 | MARK SHUTTLE         | 1    |        |     |                           | 0.001        | 0.0022      |
| 180    | T1060-49290 | MARK SHUTTLE         | 1    |        | ↔   |                           | 0.001        | 0.0022      |
| 190    | TA040-49540 | MARK NEUTRAL         | 1    |        |     |                           | 0.001        | 0.0022      |
| 200    | TA040-49460 | LABEL PARKING        | 1    |        |     |                           | 0.001        | 0.0022      |
| 210    | TA040-49370 | MARK ACCEL.GRIP      | 1    |        |     |                           | 0.001        | 0.0022      |
| 220    | TA040-49380 | MARK SHUTTLE GRIP    | 1    |        |     |                           | 0.001        | 0.0022      |
| 230    | TA140-30430 | LABEL FUSE           | 1    |        |     | FRENCH                    | 0.001        | 0.0022      |
| 240    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |        |     | ENGLISH                   | 0.06         | 0.132       |
| 240    | TA141-99500 | KIT LABEL SAFETY (B) | 1    |        |     | FRENCH                    | 0.04         | 0.088       |
| 250    | TA240-49910 | LABEL SPEED WARNING  | 1    |        |     | ENGLISH NOT SHOWN IN FIG. | 0.001        | 0.0022      |
| 250    | TA241-49910 | LABEL SPEED WARNING  | 1    |        |     | FRENCH NOT SHOWN IN FIG.  | 0.002        | 0.0044      |



200 TA240-4991-0




TA140-838-10



# LABEL 1 [A] [HST TYPE] [ROPS TYPE]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | T0270-65240 | LABEL FRONT GRILLE   | 2    |        |     |          | 0.002        | 0.0044      |
| 020    | TA040-30150 | LABEL BATTERY        | 1    |        |     |          | 0.002        | 0.0044      |
| 030    | TA040-49650 | LABEL START CAUTION  | 1    |        |     |          | 0.004        | 0.0088      |
| 040    | 35080-65280 | LABEL KEY STOP       | 1    |        |     |          | 0.001        | 0.0022      |
| 050    | TA040-49570 | LABEL FAN WARNING    | 2    | ≤50258 |     |          | 0.002        | 0.0044      |
| 050    | 32751-49580 | LABEL FAN BELT       | 2    | ≥50259 | ≠   |          | 0.001        | 0.0022      |
| 060    | TA040-49580 | LABEL MUFFLER        | 1    |        |     |          | 0.001        | 0.0022      |
| 070    | TA040-49562 | LABEL FUEL           | 1    |        |     |          | 0.002        | 0.0044      |
| 080    | TA040-49440 | MARK HANDLE          | 2    |        |     |          | 0.001        | 0.0022      |
| 090    | 99999-99999 | NAME PLATE           | 1    |        |     | NOT SALE | 0            | 0           |
| 100    | TA140-49400 | ASSY LACE RH         | 1    |        |     |          | 0.27         | 0.594       |
| 110    | TA140-49410 | ASSY LACE LH         | 1    |        |     |          | 0.27         | 0.594       |
| 120    | 30400-65040 | PLATE WASHER         | 14   |        |     |          | 0.001        | 0.0022      |
| 130    | 55611-44190 | NUT                  | 14   |        |     |          | 0.004        | 0.0088      |
| 140    | TA140-49420 | MARK MODEL           | 2    |        |     |          | 0.003        | 0.0066      |
| 150    | TA140-49360 | MARK MAIN SWITCH     | 1    |        |     |          | 0.002        | 0.0044      |
| 160    | TA040-49450 | MARK TILT            | 1    |        |     |          | 0.001        | 0.0022      |
| 170    | TA040-49460 | LABEL PARKING        | 1    |        |     |          | 0.001        | 0.0022      |
| 180    | TA040-49370 | MARK ACCEL.GRIP      | 1    |        |     |          | 0.001        | 0.0022      |
| 190    | 6C050-47310 | LABEL HST            | 1    | ≤72692 |     |          | 0.001        | 0.0022      |
| 190    | 6C050-47312 | LABEL HST            | 1    | ≥72693 | ←   |          | 0            | 0           |
| 200    | TA240-49910 | LABEL SPEED WARNING  | 1    | ≤70416 |     |          | 0.001        | 0.0022      |
| 210    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |        |     |          | 0.06         | 0.132       |



**200 TA240-4991-0**

**200 TA241-4991-0**




**TA140-850-10**



# LABEL 1 [CA] [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS  | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------|--------------|-------------|
| 010    | T0270-65240 | LABEL FRONT GRILLE   | 2    |        |     |          | 0.002        | 0.0044      |
| 020    | TA040-30150 | LABEL BATTERY        | 1    |        |     | ENGLISH  | 0.002        | 0.0044      |
| 020    | TA041-30150 | LABEL BATTERY        | 1    |        |     | FRENCH   | 0.005        | 0.011       |
| 030    | TA040-49650 | LABEL START CAUTION  | 1    |        |     | ENGLISH  | 0.004        | 0.0088      |
| 030    | TA041-49650 | LABEL START CAUTION  | 1    |        |     | FRENCH   | 0.004        | 0.0088      |
| 040    | 35080-65280 | LABEL KEY STOP       | 1    |        |     | ENGLISH  | 0.001        | 0.0022      |
| 040    | 35081-65280 | LABEL KEY STOP       | 1    |        |     | FRENCH   | 0.02         | 0.044       |
| 050    | TA040-49570 | LABEL FAN WARNING    | 2    | ≤50258 |     |          | 0.002        | 0.0044      |
| 050    | 32751-49580 | LABEL FAN BELT       | 2    | ≥50259 | ≠   |          | 0.001        | 0.0022      |
| 060    | TA040-49580 | LABEL MUFFLER        | 1    |        |     |          | 0.001        | 0.0022      |
| 070    | TA040-49562 | LABEL FUEL           | 1    |        |     |          | 0.002        | 0.0044      |
| 080    | TA040-49440 | MARK HANDLE          | 2    |        |     |          | 0.001        | 0.0022      |
| 090    | 99999-99999 | NAME PLATE           | 1    |        |     | NOT SALE | 0            | 0           |
| 100    | TA140-49400 | ASSY LACE RH         | 1    |        |     |          | 0.27         | 0.594       |
| 110    | TA140-49410 | ASSY LACE LH         | 1    |        |     |          | 0.27         | 0.594       |
| 120    | 30400-65040 | PLATE WASHER         | 14   |        |     |          | 0.001        | 0.0022      |
| 130    | 55611-44190 | NUT                  | 14   |        |     |          | 0.004        | 0.0088      |
| 140    | TA140-49420 | MARK MODEL           | 2    |        |     |          | 0.003        | 0.0066      |
| 150    | TA140-49360 | MARK MAIN SWITCH     | 1    |        |     |          | 0.002        | 0.0044      |
| 160    | TA040-49450 | MARK TILT            | 1    |        |     |          | 0.001        | 0.0022      |
| 170    | TA040-49460 | LABEL PARKING        | 1    |        |     |          | 0.001        | 0.0022      |
| 180    | TA040-49370 | MARK ACCEL.GRIP      | 1    |        |     |          | 0.001        | 0.0022      |
| 190    | 6C050-47310 | LABEL HST            | 1    | ≤72692 |     |          | 0.001        | 0.0022      |
| 190    | 6C050-47312 | LABEL HST            | 1    | ≥72693 | ←   |          | 0            | 0           |
| 200    | TA240-49910 | LABEL SPEED WARNING  | 1    | ≤70416 |     | ENGLISH  | 0.001        | 0.0022      |
| 200    | TA241-49910 | LABEL SPEED WARNING  | 1    | ≤70416 |     | FRENCH   | 0.002        | 0.0044      |
| 210    | TA140-30430 | LABEL FUSE           | 1    |        |     | FRENCH   | 0.001        | 0.0022      |
| 220    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |        |     | ENGLISH  | 0.06         | 0.132       |
| 220    | TA141-99500 | KIT LABEL SAFETY (B) | 1    |        |     | FRENCH   | 0.04         | 0.088       |






**LABEL 2 [A] [MANUAL T/M TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|-------------------|--------------|-------------|
| 010    | TA040-49500 | MARK POSITION        | 1    |       |     |                   | 0.002        | 0.0044      |
| 020    | 99999-99999 | BLANK                | 0    |       |     |                   | 0            | 0           |
| 030    | 99999-99999 | BLANK                | 0    |       |     |                   | 0            | 0           |
| 040    | 99999-99999 | BLANK                | 0    |       |     |                   | 0            | 0           |
| 050    | TA040-49320 | LABEL ROPS WARNING   | 1    |       |     |                   | 0.001        | 0.0022      |
| 060    | TA040-49350 | LABEL DRAWBAR        | 1    |       |     |                   | 0.002        | 0.0044      |
| 070    | 35260-34913 | LABEL SAFETY         | 1    |       |     |                   | 0.005        | 0.011       |
| 080    | TA040-49590 | LABEL PTO WARNING    | 1    |       |     |                   | 0.002        | 0.0044      |
| 090    | TA140-49330 | LABEL SHUTTLE        | 1    |       |     |                   | 0.005        | 0.011       |
| 100    | TA040-49230 | MARK RANGE SHIFT     | 1    |       |     |                   | 0.001        | 0.0022      |
| 110    | TA040-49302 | LABEL I-PTO CAUTION  | 1    |       |     |                   | 0.001        | 0.0022      |
| 120    | TA140-48470 | MARK FENDER LINE RH  | 1    |       |     |                   | 0.009        | 0.0198      |
| 130    | TA140-48480 | MARK FENDER LINE LH  | 1    |       |     |                   | 0.009        | 0.0198      |
| 140    | TA040-49550 | MARK 4WD             | 1    |       |     |                   | 0.001        | 0.0022      |
| 150    | TA040-49760 | MARK DIFF.LOCK       | 1    |       |     |                   | 0.001        | 0.0022      |
| 160    | TA040-49510 | MARK HYD.ADJUST.     | 1    |       |     |                   | 0.001        | 0.0022      |
| 170    | 32430-65790 | LABEL HYD.BLOCK      | 1    |       |     |                   | 0.01         | 0.022       |
| 180    | TA040-49160 | MARK REAR PTO        | 1    |       |     |                   | 0.001        | 0.0022      |
| 190    | TA040-49260 | MARK CREEP           | 1    |       |     | WITH CREEP        | 0.001        | 0.0022      |
| 200    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |       |     |                   | 0.06         | 0.132       |
| 210    | TA140-49920 | LABEL SHUTTLE        | 1    |       |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 220    | TA240-49330 | LABEL PARKING        | 1    |       |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 230    | TA040-49020 | LABEL CAB WARNING    | 1    |       |     | NOT SHOWN IN FIG. | 0.002        | 0.0044      |






**LABEL 2 [CA] [MANUAL T/M TYPE] [ROPS TYPE]**  
[EXCEPTE TYPE CABINE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS                   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------------------------|--------------|-------------|
| 010    | TA040-49500 | MARK POSITION        | 1    |       |     |                           | 0.002        | 0.0044      |
| 020    | 99999-99999 | BLANK                | 0    |       |     |                           | 0            | 0           |
| 030    | 99999-99999 | BLANK                | 0    |       |     |                           | 0            | 0           |
| 040    | 99999-99999 | BLANK                | 0    |       |     |                           | 0            | 0           |
| 050    | TA040-49320 | LABEL ROPS WARNING   | 1    |       |     | ENGLISH                   | 0.001        | 0.0022      |
| 050    | TA040-49150 | LABEL ROPS WARNING   | 1    |       |     | FRENCH                    | 0.003        | 0.0066      |
| 060    | TA040-49350 | LABEL DRAWBAR        | 1    |       |     | ENGLISH                   | 0.002        | 0.0044      |
| 060    | TA041-49350 | LABEL DRAWBAR        | 1    |       |     | FRENCH                    | 0.003        | 0.0066      |
| 070    | 35260-34913 | LABEL SAFETY         | 1    |       |     | ENGLISH                   | 0.005        | 0.011       |
| 070    | TA041-65700 | LABEL SAFETY         | 1    |       |     | FRENCH                    | 0.01         | 0.022       |
| 080    | TA040-49590 | LABEL PTO WARNING    | 1    |       |     | ENGLISH                   | 0.002        | 0.0044      |
| 080    | TA041-49590 | LABEL PTO WARNING    | 1    |       |     | FRENCH                    | 0.005        | 0.011       |
| 090    | TA140-49330 | LABEL SHUTTLE        | 1    |       |     | ENGLISH                   | 0.005        | 0.011       |
| 090    | TA141-49330 | LABEL SHUTTLE        | 1    |       |     | FRENCH                    | 0.005        | 0.011       |
| 100    | TA040-49230 | MARK RANGE SHIFT     | 1    |       |     |                           | 0.001        | 0.0022      |
| 110    | TA040-49302 | LABEL I-PTO CAUTION  | 1    |       |     |                           | 0.001        | 0.0022      |
| 120    | TA140-48470 | MARK FENDER LINE RH  | 1    |       |     |                           | 0.009        | 0.0198      |
| 130    | TA140-48480 | MARK FENDER LINE LH  | 1    |       |     |                           | 0.009        | 0.0198      |
| 140    | TA040-49550 | MARK 4WD             | 1    |       |     |                           | 0.001        | 0.0022      |
| 150    | TA040-49760 | MARK DIFF.LOCK       | 1    |       |     |                           | 0.001        | 0.0022      |
| 160    | TA040-49510 | MARK HYD.ADJUST.     | 1    |       |     |                           | 0.001        | 0.0022      |
| 170    | 32430-65790 | LABEL HYD.BLOCK      | 1    |       |     |                           | 0.01         | 0.022       |
| 180    | TA040-49160 | MARK REAR PTO        | 1    |       |     |                           | 0.001        | 0.0022      |
| 190    | TA040-49260 | MARK CREEP           | 1    |       |     | WITH CREEP                | 0.001        | 0.0022      |
| 200    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |       |     | ENGLISH                   | 0.06         | 0.132       |
| 200    | TA141-99500 | KIT LABEL SAFETY (B) | 1    |       |     | FRENCH                    | 0.04         | 0.088       |
| 210    | TA140-49920 | LABEL SHUTTLE        | 1    |       |     | NOT SHOWN IN FIG.         | 0.005        | 0.011       |
| 210    | TA141-49920 | LABEL SHUTTLE        | 1    |       |     | NOT SHOWN IN FIG.         | 0.005        | 0.011       |
| 220    | TA240-49330 | LABEL PARKING        | 1    |       |     | NOT SHOWN IN FIG.         | 0.005        | 0.011       |
| 220    | TA241-49330 | LABEL PARKING WARNIN | 1    |       |     | NOT SHOWN IN FIG.         | 0.005        | 0.011       |
| 230    | TA040-49020 | LABEL CAB WARNING    | 1    |       |     | ENGLISH NOT SHOWN IN FIG. | 0.002        | 0.0044      |
| 230    | TA043-49020 | LABEL CAB WARNING    | 1    |       |     | FRENCH NOT SHOWN IN FIG.  | 0.005        | 0.011       |






# LABEL 2 [A] [GST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|-------------------|--------------|-------------|
| 010    | TA040-49500 | MARK POSITION        | 1    |       |     |                   | 0.002        | 0.0044      |
| 020    | 99999-99999 | BLANK                | 0    |       |     |                   | 0            | 0           |
| 030    | 99999-99999 | BLANK                | 0    |       |     |                   | 0            | 0           |
| 040    | 99999-99999 | BLANK                | 0    |       |     |                   | 0            | 0           |
| 050    | TA040-49320 | LABEL ROPS WARNING   | 1    |       |     |                   | 0.001        | 0.0022      |
| 060    | TA040-49350 | LABEL DRAWBAR        | 1    |       |     |                   | 0.002        | 0.0044      |
| 070    | 35260-34913 | LABEL SAFETY         | 1    |       |     |                   | 0.005        | 0.011       |
| 080    | TA040-49590 | LABEL PTO WARNING    | 1    |       |     |                   | 0.002        | 0.0044      |
| 090    | TA140-49920 | LABEL SHUTTLE        | 1    |       |     |                   | 0.005        | 0.011       |
| 100    | TA040-49212 | MARK SHIFT           | 1    |       |     |                   | 0.005        | 0.011       |
| 110    | TA040-49302 | LABEL I-PTO CAUTION  | 1    |       |     | WITH IND-PTO      | 0.001        | 0.0022      |
| 120    | TA140-49470 | MARK GST RH          | 1    |       |     |                   | 0.01         | 0.022       |
| 130    | TA140-49480 | MARK GST LH          | 1    |       |     |                   | 0.01         | 0.022       |
| 140    | TA040-49550 | MARK 4WD             | 1    |       |     |                   | 0.001        | 0.0022      |
| 150    | TA040-49760 | MARK DIFF.LOCK       | 1    |       |     |                   | 0.001        | 0.0022      |
| 160    | TA040-49510 | MARK HYD.ADJUST.     | 1    |       |     |                   | 0.001        | 0.0022      |
| 170    | 32430-65790 | LABEL HYD.BLOCK      | 1    |       |     |                   | 0.01         | 0.022       |
| 180    | TA040-49160 | MARK REAR PTO        | 1    |       |     |                   | 0.001        | 0.0022      |
| 190    | TA040-49260 | MARK CREEP           | 1    |       |     | WITH CREEP        | 0.001        | 0.0022      |
| 200    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |       |     |                   | 0.06         | 0.132       |
| 210    | TA140-49330 | LABEL SHUTTLE        | 1    |       |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 220    | TA240-49330 | LABEL PARKING WARNIN | 1    |       |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 230    | TA040-49020 | LABEL CAB WARNING    | 1    |       |     | NOT SHOWN IN FIG. | 0.002        | 0.0044      |






# LABEL 2 [CA] [GST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS                   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------------------------|--------------|-------------|
| 010    | TA040-49500 | MARK POSITION        | 1    |       |     |                           | 0.002        | 0.0044      |
| 020    | 99999-99999 | BLANK                | 0    |       |     |                           | 0            | 0           |
| 030    | 99999-99999 | BLANK                | 0    |       |     |                           | 0            | 0           |
| 040    | 99999-99999 | BLANK                | 0    |       |     |                           | 0            | 0           |
| 050    | TA040-49320 | LABEL ROPS WARNING   | 1    |       |     | ENGLISH                   | 0.001        | 0.0022      |
| 050    | TA040-49150 | LABEL ROPS WARNING   | 1    |       |     | FRENCH                    | 0.003        | 0.0066      |
| 060    | TA040-49350 | LABEL DRAWBAR        | 1    |       |     | ENGLISH                   | 0.002        | 0.0044      |
| 060    | TA041-49350 | LABEL DRAWBAR        | 1    |       |     | FRENCH                    | 0.003        | 0.0066      |
| 070    | 35260-34913 | LABEL SAFETY         | 1    |       |     | ENGLISH                   | 0.005        | 0.011       |
| 070    | TA041-65700 | LABEL SAFETY         | 1    |       |     | FRENCH                    | 0.01         | 0.022       |
| 080    | TA040-49590 | LABEL PTO WARNING    | 1    |       |     | ENGLISH                   | 0.002        | 0.0044      |
| 080    | TA041-49590 | LABEL PTO WARNING    | 1    |       |     | FRENCH                    | 0.005        | 0.011       |
| 090    | TA140-49920 | LABEL SHUTTLE        | 1    |       |     | ENGLISH                   | 0.005        | 0.011       |
| 090    | TA141-49920 | LABEL SHUTTLE        | 1    |       |     | FRENCH                    | 0.005        | 0.011       |
| 100    | TA040-49212 | MARK SHIFT           | 1    |       |     |                           | 0.005        | 0.011       |
| 110    | TA040-49302 | LABEL I-PTO CAUTION  | 1    |       |     | WITH IND-PTO              | 0.001        | 0.0022      |
| 120    | TA140-49470 | MARK GST RH          | 1    |       |     |                           | 0.01         | 0.022       |
| 130    | TA140-49480 | MARK GST LH          | 1    |       |     |                           | 0.01         | 0.022       |
| 140    | TA040-49550 | MARK 4WD             | 1    |       |     |                           | 0.001        | 0.0022      |
| 150    | TA040-49760 | MARK DIFF.LOCK       | 1    |       |     |                           | 0.001        | 0.0022      |
| 160    | TA040-49510 | MARK HYD.ADJUST.     | 1    |       |     |                           | 0.001        | 0.0022      |
| 170    | 32430-65790 | LABEL HYD.BLOCK      | 1    |       |     |                           | 0.01         | 0.022       |
| 180    | TA040-49160 | MARK REAR PTO        | 1    |       |     |                           | 0.001        | 0.0022      |
| 190    | TA040-49260 | MARK CREEP           | 1    |       |     | WITH CREEP                | 0.001        | 0.0022      |
| 200    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |       |     | ENGLISH                   | 0.06         | 0.132       |
| 200    | TA141-99500 | KIT LABEL SAFETY (B) | 1    |       |     | FRENCH                    | 0.04         | 0.088       |
| 210    | TA140-49330 | LABEL SHUTTLE        | 1    |       |     | ENGLISH NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 210    | TA141-49330 | LABEL SHUTTLE        | 1    |       |     | FRENCH NOT SHOWN IN FIG.  | 0.005        | 0.011       |
| 220    | TA240-49330 | LABEL PARKING        | 1    |       |     | ENGLISH NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 220    | TA241-49330 | LABEL PARKING WARNIN | 1    |       |     | FRENCH NOT SHOWN IN FIG.  | 0.005        | 0.011       |
| 230    | TA040-49020 | LABEL CAB WARNING    | 1    |       |     | ENGLISH NOT SHOWN IN FIG. | 0.002        | 0.0044      |
| 230    | TA043-49020 | LABEL CAB WARNING    | 1    |       |     | FRENCH NOT SHOWN IN FIG.  | 0.005        | 0.011       |






# LABEL 2 [A] [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|-------------------|--------------|-------------|
| 040    | TA040-49500 | MARK POSITION        | 1    |         |     |                   | 0.002        | 0.0044      |
| 045    | 34550-49700 | LABEL                | 1    |         |     |                   | 0.001        | 0.0022      |
| 050    | TA040-49320 | LABEL ROPS WARNING   | 1    |         |     |                   | 0.001        | 0.0022      |
| 060    | TA040-49350 | LABEL DRAWBAR        | 1    |         |     |                   | 0.002        | 0.0044      |
| 070    | 35260-34913 | LABEL SAFETY         | 1    |         |     |                   | 0.005        | 0.011       |
| 080    | TA040-49590 | LABEL PTO WARNING    | 1    |         |     |                   | 0.002        | 0.0044      |
| 090    | TA240-49330 | LABEL PARKING        | 1    |         |     |                   | 0.005        | 0.011       |
| 100    | TA240-49210 | MARK HST CHANGE      | 1    |         |     |                   | 0.02         | 0.044       |
| 110    | TA040-49310 | LABEL PTO CAUTION    | 1    |         |     |                   | 0.002        | 0.0044      |
| 120    | TA240-48470 | MARK HST RH          | 1    |         |     |                   | 0.01         | 0.022       |
| 130    | TA240-48480 | MARK HST LH          | 1    |         |     |                   | 0.01         | 0.022       |
| 140    | TA040-49550 | MARK 4WD             | 1    |         |     |                   | 0.001        | 0.0022      |
| 150    | TA040-49760 | MARK DIFF.LOCK       | 1    |         |     |                   | 0.001        | 0.0022      |
| 160    | TA040-49510 | MARK HYD.ADJUST.     | 1    |         |     |                   | 0.001        | 0.0022      |
| 170    | 32430-65790 | LABEL HYD.BLOCK      | 1    |         |     |                   | 0.01         | 0.022       |
| 180    | TA040-49160 | MARK REAR PTO        | 1    |         |     |                   | 0.001        | 0.0022      |
| 190    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |         |     |                   | 0.06         | 0.132       |
| 200    | TA140-49330 | LABEL SHUTTLE        | 1    |         |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 210    | TA140-49920 | LABEL SHUTTLE        | 1    |         |     | NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 220    | TA040-49020 | LABEL CAB WARNING    | 1    |         |     | NOT SHOWN IN FIG. | 0.002        | 0.0044      |
| 230    | 6C070-47332 | LABEL                | 1    | >=60163 |     |                   | 0.001        | 0.0022      |
| 230    | TA240-49350 | LABEL                | 1    | >=72693 | ←   |                   | 0            | 0           |






# LABEL 2 [CA] [HST TYPE] [ROPS TYPE]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS                   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------------------------|--------------|-------------|
| 040    | TA040-49500 | MARK POSITION        | 1    |         |     |                           | 0.002        | 0.0044      |
| 045    | 34550-49700 | LABEL                | 1    |         |     |                           | 0.001        | 0.0022      |
| 050    | TA040-49320 | LABEL ROPS WARNING   | 1    |         |     | ENGLISH                   | 0.001        | 0.0022      |
| 050    | TA040-49150 | LABEL ROPS WARNING   | 1    |         |     | FRENCH                    | 0.003        | 0.0066      |
| 060    | TA040-49350 | LABEL DRAWBAR        | 1    |         |     | ENGLISH                   | 0.002        | 0.0044      |
| 060    | TA041-49350 | LABEL DRAWBAR        | 1    |         |     | FRENCH                    | 0.003        | 0.0066      |
| 070    | 35260-34913 | LABEL SAFETY         | 1    |         |     | ENGLISH                   | 0.005        | 0.011       |
| 070    | TA041-65700 | LABEL SAFETY         | 1    |         |     | FRENCH                    | 0.01         | 0.022       |
| 080    | TA040-49590 | LABEL PTO WARNING    | 1    |         |     | ENGLISH                   | 0.002        | 0.0044      |
| 080    | TA041-49590 | LABEL PTO WARNING    | 1    |         |     | FRENCH                    | 0.005        | 0.011       |
| 090    | TA240-49330 | LABEL PARKING        | 1    |         |     | ENGLISH                   | 0.005        | 0.011       |
| 090    | TA241-49330 | LABEL PARKING WARNIN | 1    |         |     | FRENCH                    | 0.005        | 0.011       |
| 100    | TA240-49210 | MARK HST CHANGE      | 1    |         |     |                           | 0.02         | 0.044       |
| 110    | TA040-49310 | LABEL PTO CAUTION    | 1    |         |     |                           | 0.002        | 0.0044      |
| 120    | TA240-48470 | MARK HST RH          | 1    |         |     |                           | 0.01         | 0.022       |
| 130    | TA240-48480 | MARK HST LH          | 1    |         |     |                           | 0.01         | 0.022       |
| 140    | TA040-49550 | MARK 4WD             | 1    |         |     |                           | 0.001        | 0.0022      |
| 150    | TA040-49760 | MARK DIFF.LOCK       | 1    |         |     |                           | 0.001        | 0.0022      |
| 160    | TA040-49510 | MARK HYD.ADJUST.     | 1    |         |     |                           | 0.001        | 0.0022      |
| 170    | 32430-65790 | LABEL HYD.BLOCK      | 1    |         |     |                           | 0.01         | 0.022       |
| 180    | TA040-49160 | MARK REAR PTO        | 1    |         |     |                           | 0.001        | 0.0022      |
| 190    | TA140-99500 | KIT LABEL SAFETY (A) | 1    |         |     | ENGLISH                   | 0.06         | 0.132       |
| 190    | TA141-99500 | KIT LABEL SAFETY (B) | 1    |         |     | FRENCH                    | 0.04         | 0.088       |
| 200    | TA140-49330 | LABEL SHUTTLE        | 1    |         |     | ENGLISH NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 200    | TA141-49330 | LABEL SHUTTLE        | 1    |         |     | FRENCH NOT SHOWN IN FIG.  | 0.005        | 0.011       |
| 210    | TA140-49920 | LABEL SHUTTLE        | 1    |         |     | ENGLISH NOT SHOWN IN FIG. | 0.005        | 0.011       |
| 210    | TA141-49920 | LABEL SHUTTLE        | 1    |         |     | FRENCH NOT SHOWN IN FIG.  | 0.005        | 0.011       |
| 220    | TA040-49020 | LABEL CAB WARNING    | 1    |         |     | ENGLISH NOT SHOWN IN FIG. | 0.002        | 0.0044      |
| 220    | TA043-49020 | LABEL CAB WARNING    | 1    |         |     | FRENCH NOT SHOWN IN FIG.  | 0.005        | 0.011       |
| 230    | 6C070-47332 | LABEL                | 1    | >=60163 |     |                           | 0.001        | 0.0022      |
| 230    | TA240-49350 | LABEL                | 1    | >=72693 | ←   |                           | 0            | 0           |


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS         | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-----------------|--------------|-------------|
| 010    | TA140-19715 | MANUAL INSTRUCTION   | 1    |        |     | ENGLISH         | 0.15         | 0.33        |
| 010    | TA140-19723 | MANUAL INSTRUCTION   | 1    |        |     | FRENCH          | 0            | 0           |
| 015    | 1G511-89810 | STATEMENT WARRANTY   | 1    |        |     |                 | 0.01         | 0.022       |
| 030    | 35260-31852 | ASSY KEY MAIN SWITCH | 1    |        |     | ROPS TYPE       | 0.02         | 0.044       |
| 040    | 01073-51630 | BOLT                 | 8    | ≤72188 |     | FOR REAR WHEEL  | 0.079        | 0.1738      |
| 040    | 01033-51630 | BOLT                 | 8    | ≥72189 | ←   | FOR REAR WHEEL  | 0            | 0           |
| 050    | 02076-50160 | NUT                  | 4    |        |     | FOR REAR WHEEL  | 0.03         | 0.066       |
| 060    | 01517-51632 | STUD                 | 4    | ≤30657 |     | FOR REAR WHEEL  | 0.076        | 0.1672      |
| 060    | 01517-51635 | STUD                 | 4    | ≤30657 | ←   | FOR REAR WHEEL  | 0.08         | 0.176       |
| 070    | 04512-60160 | WASHER SPRING        | 12   | ≤72188 |     | FOR REAR WHEEL  | 0.01         | 0.022       |
| 070    | 04512-60160 | WASHER SPRING        | 4    | ≥72189 |     | FOR REAR WHEEL  | 0.01         | 0.022       |
| 080    | 35450-49160 | STUD                 | 12   | ≤71289 |     | FOR FRONT WHEEL | 0.05         | 0.11        |
| 080    | TA150-49160 | STUD WHEEL           | 12   | ≥71290 | ≠   | FOR FRONT WHEEL | 0            | 0           |
| 090    | 35340-11390 | NUT                  | 12   |        |     | FOR FRONT WHEEL | 0.03         | 0.066       |



TA140-207-10






**SWITCH KIT [OPTION]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight<br>(kgf) | Weight<br>(lb) |
|--------|-------------|--------------------|------|-------|-----|---------|-----------------|----------------|
| 010    | TA240-98330 | KIT NEUTRAL SWITCH | 1    |       |     |         | 0               | 0              |
| 020    | TA240-53900 | SWITCH SAFETY      | 1    |       |     |         | 0.062           | 0.1364         |
| 030    | 67111-55830 | NUT SAFETY SWITCH  | 1    |       |     |         | 0.035           | 0.077          |
| 040    | 67111-55840 | CAP SAFETY SWITCH  | 1    |       |     |         | 0.002           | 0.0044         |
| 050    | TA240-55504 | ASSY ARM           | 1    |       |     |         | 0               | 0              |
| 060    | 08511-01215 | BUSH               | 2    |       |     |         | 0.005           | 0.011          |
| 070    | TA240-55190 | ARM HOLDER         | 1    |       |     |         | 0.14            | 0.308          |
| 080    | 66204-43572 | BUSH               | 1    |       |     |         | 0.003           | 0.0066         |
| 090    | TA240-55173 | BRACKET HST        | 1    |       |     |         | 1.09            | 2.398          |
| 100    | 37150-32240 | SWITCH SAFETY      | 1    |       |     |         | 0.12            | 0.264          |
| 110    | TA240-44050 | COMP.PEDAL CLUTCH  | 1    |       |     |         | 1.56            | 3.432          |
| 120    | 08511-02520 | BUSH               | 2    |       |     |         | 0.02            | 0.044          |
| 130    | 34070-44140 | SEAL OIL           | 2    |       |     |         | 0.005           | 0.011          |
| 140    | 99999-99999 | BLANK              | 0    |       |     |         | 0               | 0              |
| 150    | 01025-50614 | BOLT               | 2    |       |     |         | 0.005           | 0.011          |
| 160    | 02056-50060 | NUT                | 2    |       |     |         | 0.002           | 0.0044         |
| 170    | TA240-90410 | HARNESS SAFETY SW. | 1    |       |     |         | 0               | 0              |
| 180    | 55311-41260 | BAND CORD          | 2    |       |     |         | 0.007           | 0.0154         |
| 190    | 99999-99999 | MANUAL INSTRUCTION | 1    |       |     |         | 0               | 0              |



030 01173-51435

050 04512-60140




TA120-836-10




## FRONT GUARD STAY KIT [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-99610 | STAY FRONT GUARD LH | 1    |        |     |         | 3.4          | 7.48        |
| 020    | TA040-99620 | STAY FRONT GUARD RH | 1    |        |     |         | 3.4          | 7.48        |
| 030    | 01173-51435 | BOLT                | 6    | ≤72782 |     |         | 0.056        | 0.1232      |
| 030    | 01133-51435 | BOLT                | 6    | ≥72783 | ←   |         | 0.001        | 0.0022      |
| 040    | 01173-51445 | BOLT                | 2    | ≤52078 |     |         | 0.067        | 0.1474      |
| 040    | 01173-51450 | BOLT                | 2    | ≥52079 | ←   |         | 0.075        | 0.165       |
| 050    | 04512-60140 | WASHER SPRING       | 8    | ≤72782 |     |         | 0.006        | 0.0132      |
| 050    | 04512-60140 | WASHER SPRING       | 2    | ≥72783 |     |         | 0.006        | 0.0132      |
| 060    | 02174-50140 | NUT                 | 8    |        |     |         | 0.014        | 0.0308      |
| 070    | TA040-99642 | MANUAL INSTRUCTION  | 1    |        |     |         | 0            | 0           |



010 TA040-3831-2




TA129-805-11



**POSITION CONTROL LEVER (WITH DRAFT) [OPTION]**  
(AVEC TYPE D'EFFORT) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-38312 | LINK CONTROL      | 1    | ≤71647 |     |         | 0.15         | 0.33        |
| 010    | TA140-38310 | LINK CONTROL      | 1    | ≥71648 | ≠   |         | 0            | 0           |
| 020    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 030    | 05411-00525 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 08511-01615 | BUSH              | 1    |        |     |         | 0.01         | 0.022       |
| 050    | TA040-38122 | SHAFT DRAFT       | 1    |        |     |         | 0.14         | 0.308       |
| 060    | 04013-60140 | WASHER PLAIN      | 2    |        |     |         | 0.01         | 0.022       |
| 070    | 34260-36880 | SPRING PLATE      | 2    |        |     |         | 0.006        | 0.0132      |
| 080    | 02174-50140 | NUT               | 1    |        |     |         | 0.014        | 0.0308      |
| 090    | 02172-50140 | NUT               | 1    |        |     |         | 0.01         | 0.022       |
| 100    | TA040-38142 | LINK DRAFT        | 1    |        |     |         | 0.065        | 0.143       |
| 110    | 05411-00525 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 115    | 04714-00300 | GASKET            | 1    |        |     |         | 0.002        | 0.0044      |
| 120    | TA040-38150 | LINK DRAFT        | 1    |        |     |         | 0.065        | 0.143       |
| 130    | 08511-01612 | BUSH              | 1    |        |     |         | 0.005        | 0.011       |
| 140    | TA040-38160 | LINK DRAFT        | 1    |        |     |         | 0.07         | 0.154       |
| 150    | 08511-01612 | BUSH              | 1    |        |     |         | 0.005        | 0.011       |
| 160    | 04011-60160 | WASHER PLAIN      | 1    |        |     |         | 0.01         | 0.022       |
| 170    | 04612-00160 | CIR CLIP EXTERNAL | 1    |        |     |         | 0.001        | 0.0022      |
| 180    | TA040-38170 | LINK DRAFT        | 1    |        |     |         | 0.095        | 0.209       |
| 190    | 04012-50080 | WASHER PLAIN      | 1    |        |     |         | 0.001        | 0.0022      |
| 200    | 05511-50215 | PIN SPLIT         | 1    |        |     |         | 0.001        | 0.0022      |
| 210    | TA040-38190 | COLLAR            | 1    |        |     |         | 0.02         | 0.044       |
| 220    | 04011-50100 | WASHER PLAIN      | 2    |        |     |         | 0.002        | 0.0044      |
| 230    | 05511-50320 | PIN SPLIT         | 1    |        |     |         | 0.002        | 0.0044      |
| 240    | TA040-38212 | LEVER POSITION    | 1    |        |     |         | 0.13         | 0.286       |
| 250    | 05411-00525 | PIN SPRING        | 1    |        |     |         | 0.002        | 0.0044      |
| 260    | TA040-38322 | ROD CONTROL       | 1    |        |     |         | 0.045        | 0.099       |
| 270    | 05525-50800 | PIN SNAP          | 2    |        |     |         | 0.001        | 0.0022      |
| 280    | 36919-27830 | SPRING            | 1    |        |     |         | 0.01         | 0.022       |
| 290    | TA040-38262 | HOLDER            | 1    |        |     |         | 0.06         | 0.132       |
| 300    | 99999-99999 | BLANK             | 0    |        |     |         | 0            | 0           |
| 310    | TA040-38282 | ROD DRAFT         | 1    |        |     |         | 0.145        | 0.319       |
| 320    | 04012-50080 | WASHER PLAIN      | 3    |        |     |         | 0.001        | 0.0022      |
| 330    | 05525-50800 | PIN SNAP          | 2    |        |     |         | 0.001        | 0.0022      |
| 340    | TA040-38230 | LEVER POSITION    | 1    |        |     |         | 0.18         | 0.396       |
| 350    | 52300-32640 | GRIP LEVER        | 1    |        |     |         | 0.04         | 0.088       |
| 360    | 01754-50612 | BOLT FLANGE       | 2    |        |     |         | 0.005        | 0.011       |
| 370    | TA040-36132 | TUBE LEVER        | 1    |        |     |         | 0.01         | 0.022       |
| 380    | 99999-99999 | MANUAL ASSEMBLY   | 1    |        |     |         | 0            | 0           |




TA040-110-12



# DRAFT CONTROL LEVER (WITH DRAFT) [OPTION] [OPTION]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description  | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA040-38114 | STAY         | 1    |       |     |         | 0.255        | 0.561       |
| 020    | 01123-50822 | BOLT         | 2    |       |     |         | 0.012        | 0.0264      |
| 030    | 08511-01615 | BUSH         | 2    |       |     |         | 0.01         | 0.022       |
| 040    | TA040-38132 | SHAFT DRAFT  | 1    |       |     |         | 0.22         | 0.484       |
| 050    | 04714-00300 | GASKET       | 1    |       |     |         | 0.002        | 0.0044      |
| 060    | 04013-60140 | WASHER PLAIN | 2    |       |     |         | 0.01         | 0.022       |
| 070    | 34260-36880 | SPRING PLATE | 2    |       |     |         | 0.006        | 0.0132      |
| 080    | 02174-50140 | NUT          | 1    |       |     |         | 0.014        | 0.0308      |
| 090    | 02172-50140 | NUT          | 1    |       |     |         | 0.01         | 0.022       |
| 100    | TA040-38182 | LEVER CAM    | 1    |       |     |         | 0.085        | 0.187       |
| 110    | 04012-50080 | WASHER PLAIN | 2    |       |     |         | 0.001        | 0.0022      |
| 120    | 05511-50215 | PIN SPLIT    | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | TA040-38222 | LEVER DRAFT  | 1    |       |     |         | 0.095        | 0.209       |
| 140    | 05411-00525 | PIN SPRING   | 1    |       |     |         | 0.002        | 0.0044      |
| 150    | TA040-49520 | MARK DRAFT   | 1    |       |     |         | 0.003        | 0.0066      |
| 160    | TA040-38240 | LEVER DRAFT  | 1    |       |     |         | 0.16         | 0.352       |
| 170    | 37410-43560 | GRIP LEVER   | 1    |       |     |         | 0.025        | 0.055       |
| 180    | 01754-50612 | BOLT FLANGE  | 2    |       |     |         | 0.005        | 0.011       |
| 190    | TA040-36132 | TUBE LEVER   | 1    |       |     |         | 0.01         | 0.022       |



060 04012-50080

070 05511-50218




TA150-819-10



**TOP LINK HOLDER (WITH DRAFT) [OPTION]**  
(AVEC TYPE DE D'EFFORT) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-38360 | ROD DRAFT            | 1    |        |     |         | 0.192        | 0.4224      |
| 020    | TA040-38350 | HOLDER               | 1    |        |     |         | 0.033        | 0.0726      |
| 030    | 02116-50100 | NUT                  | 2    |        |     |         | 0.004        | 0.0088      |
| 040    | 05525-50800 | PIN SNAP             | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 05122-50818 | PIN JOINT            | 1    |        |     |         | 0.008        | 0.0176      |
| 060    | 04012-50080 | WASHER PLAIN         | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 05511-50218 | PIN SPLIT            | 1    | ≤73349 |     |         | 0.001        | 0.0022      |
| 070    | 05525-50800 | PIN SNAP             | 1    | ≥73350 | ≠   |         | 0.001        | 0.0022      |
| 080    | 35080-41400 | COMP HOLDER TOP LINK | 1    |        |     |         | 6.85         | 15.07       |
| 090    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 100    | 99999-99999 | BLANK                | 0    |        |     |         | 0            | 0           |
| 110    | 37300-41440 | PIN STRAIGHT         | 2    |        |     |         | 0.055        | 0.121       |
| 120    | 06613-10010 | NIPPLE GREASE        | 2    |        |     |         | 0.006        | 0.0132      |
| 130    | 37300-41450 | BUSH                 | 3    |        |     |         | 0.03         | 0.066       |
| 140    | 01133-51230 | BOLT                 | 6    |        |     |         | 0.04         | 0.088       |



TA040-131-11

020 01176-51430

030 04512-60140




TA150-807-10



# SWINGING DRAWBAR/CLEVIS DRAWBAR [OPTION] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | TA040-29830 | FRAME SWING DRAWBAR | 1    | <=72961 |     |         | 7.9          | 17.38       |
| 010    | TA040-29832 | FRAME SWING DRAWBAR | 1    | >=72962 | ←   |         | 7.9          | 17.38       |
| 020    | 01176-51430 | BOLT                | 4    | <=72782 |     |         | 0.052        | 0.1144      |
| 020    | 01138-51430 | BOLT                | 4    | >=72783 | ←   |         | 0            | 0           |
| 030    | 04512-60140 | WASHER SPRING       | 4    | <=72782 |     |         | 0.006        | 0.0132      |
| 040    | 05122-52070 | PIN JOINT           | 3    |         |     |         | 0.186        | 0.4092      |
| 050    | 05515-51600 | PIN SNAP            | 3    |         |     |         | 0.007        | 0.0154      |
| 060    | 01133-51230 | BOLT                | 2    |         |     |         | 0.04         | 0.088       |
| 070    | TA040-98520 | MANUAL ASSEMBLY     | 1    |         |     |         | 0.005        | 0.011       |
| 080    | 35080-29710 | DRAWBAR             | 1    |         |     |         | 7            | 15.4        |
| 090    | 35080-29720 | HITCH DRAWBAR       | 1    |         |     |         | 2.8          | 6.16        |
| 100    | 99533-78250 | PIN                 | 1    |         |     |         | 0.61         | 1.342       |
| 110    | 70515-16330 | PIN SPRING          | 1    |         |     |         | 0.028        | 0.0616      |
| 120    | 01170-51680 | BOLT                | 2    |         |     |         | 0.14         | 0.308       |
| 130    | 04512-60160 | WASHER SPRING       | 2    |         |     |         | 0.01         | 0.022       |
| 140    | 02174-50160 | NUT                 | 2    |         |     |         | 0.022        | 0.0484      |






**REMOTE CONTROL VALVE LEVER 1 [ROPS TYPE] [OPTION]**  
**[EXCEPT TYPE CABINE] [OPTION]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-96500 | ASSY VALVE AUX.CON.  | 1    |        |     |         | 3.3          | 7.26        |
| 020    | TA040-96122 | COVER AUX.CON.VALVE  | 1    | ≤73439 |     |         | 0.475        | 1.045       |
| 020    | TA040-96123 | COVER AUX.CON.VALVE  | 1    | ≥73440 | ←   |         | 0.475        | 1.045       |
| 030    | TA040-96142 | ASSY PIPE CONT.VALVE | 1    |        |     |         | 1.4          | 3.08        |
| 040    | 04811-50400 | O RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 04817-50400 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 050    | 01153-50870 | BOLT                 | 3    |        |     |         | 0.026        | 0.0572      |
| 060    | 04512-60080 | WASHER SPRING        | 3    |        |     |         | 0.002        | 0.0044      |
| 070    | 04810-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 04817-00140 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 080    | 04810-00100 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 04817-00100 | O RING               | 2    |        | ←   |         | 0            | 0           |
| 090    | 01123-50835 | BOLT                 | 3    |        |     |         | 0.02         | 0.044       |
| 100    | TA040-96150 | PIPE RETURN          | 1    |        |     |         | 0.045        | 0.099       |
| 110    | 04811-00110 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04817-00110 | O RING               | 2    |        | ←   |         | 0.001        | 0.0022      |
| 120    | TA040-96220 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.11         | 0.242       |
| 130    | TA040-96250 | TUBE LEVER           | 1    |        |     |         | 0.007        | 0.0154      |
| 140    | 68021-32790 | PIN                  | 2    |        |     |         | 0.004        | 0.0088      |
| 150    | 04012-50050 | WASHER PLAIN         | 4    |        |     |         | 0.001        | 0.0022      |
| 160    | 05511-51210 | PIN SPLIT            | 2    |        |     |         | 0.001        | 0.0022      |
| 170    | 31355-82290 | GRIP LEVER           | 1    |        |     |         | 0.015        | 0.033       |
| 180    | TA040-96160 | STAY AUX.CONT.VALVE  | 1    |        |     |         | 0.25         | 0.55        |
| 190    | 01123-50820 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 200    | 01133-51235 | BOLT                 | 2    |        |     |         | 0.05         | 0.11        |
| 210    | TA040-49610 | MARK AUX.CONT.VALVE  | 1    |        |     |         | 0.001        | 0.0022      |
| 220    | TA040-98140 | MANUAL ASSEMBLY      | 1    | ≤73349 |     |         | 0.015        | 0.033       |
| 220    | TA040-98142 | MANUAL ASSEMBLY      | 1    | ≥73350 | ←   |         | 0.015        | 0.033       |






REMOTE CONTROL VALVE LEVER 2 [ROPS TYPE] [OPTION]  
[EXCEPT TYPE CABINE] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-96102 | ASSY VALVE AUX.CON.  | 1    |        |     |         | 4.7          | 10.34       |
| 020    | TA040-96122 | COVER AUX.CON.VALVE  | 1    | ≤73439 |     |         | 0.475        | 1.045       |
| 020    | TA040-96123 | COVER AUX.CON.VALVE  | 1    | ≥73440 | ←   |         | 0.475        | 1.045       |
| 030    | TA040-96142 | ASSY PIPE CONT.VALVE | 1    |        |     |         | 1.4          | 3.08        |
| 040    | 04811-50400 | O RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 04817-50400 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 050    | 01153-50800 | BOLT                 | 3    |        |     |         | 0.036        | 0.0792      |
| 060    | 04512-60080 | WASHER SPRING        | 3    |        |     |         | 0.002        | 0.0044      |
| 070    | 04810-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 04817-00140 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 080    | 04810-00100 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 04817-00100 | O RING               | 2    |        | ←   |         | 0            | 0           |
| 090    | 01123-50835 | BOLT                 | 3    |        |     |         | 0.02         | 0.044       |
| 100    | TA040-96150 | PIPE RETURN          | 1    |        |     |         | 0.045        | 0.099       |
| 110    | 04811-00110 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04817-00110 | O RING               | 2    |        | ←   |         | 0.001        | 0.0022      |
| 120    | TA040-96220 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.11         | 0.242       |
| 130    | TA040-96234 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.1          | 0.22        |
| 140    | TA040-96250 | TUBE LEVER           | 2    |        |     |         | 0.007        | 0.0154      |
| 150    | 68021-32790 | PIN                  | 4    |        |     |         | 0.004        | 0.0088      |
| 160    | 04012-50050 | WASHER PLAIN         | 8    |        |     |         | 0.001        | 0.0022      |
| 170    | 05511-51210 | PIN SPLIT            | 4    |        |     |         | 0.001        | 0.0022      |
| 180    | 31355-82290 | GRIP LEVER           | 2    |        |     |         | 0.015        | 0.033       |
| 190    | TA040-96160 | STAY AUX.CONT.VALVE  | 1    |        |     |         | 0.25         | 0.55        |
| 200    | 01123-50820 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 210    | 01133-51235 | BOLT                 | 2    |        |     |         | 0.05         | 0.11        |
| 220    | TA040-49610 | MARK AUX.CONT.VALVE  | 1    |        |     |         | 0.001        | 0.0022      |
| 230    | TA040-98140 | MANUAL ASSEMBLY      | 1    | ≤73349 |     |         | 0.015        | 0.033       |
| 230    | TA040-98142 | MANUAL ASSEMBLY      | 1    | ≥73350 | ←   |         | 0.015        | 0.033       |






**REMOTE CONTROL VALVE LEVER 3 [ROPS TYPE] [OPTION]**  
[EXCEPT TYPE CABINE] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | TA040-96300 | ASSY VALVE AUX.CON.  | 1    |        |     |         | 6.1          | 13.42       |
| 020    | TA040-96122 | COVER AUX.CON.VALVE  | 1    | ≤73439 |     |         | 0.475        | 1.045       |
| 020    | TA040-96123 | COVER AUX.CON.VALVE  | 1    | ≥73440 | ←   |         | 0.475        | 1.045       |
| 030    | TA040-96142 | ASSY PIPE CONT.VALVE | 1    |        |     |         | 1.4          | 3.08        |
| 040    | 04811-50400 | O RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 040    | 04817-50400 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 050    | 45404-95180 | BOLT                 | 3    |        |     |         | 0.05         | 0.11        |
| 060    | 04512-60080 | WASHER SPRING        | 3    |        |     |         | 0.002        | 0.0044      |
| 070    | 04810-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 04817-00140 | O RING               | 1    |        | ←   |         | 0            | 0           |
| 080    | 04810-00100 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 04817-00100 | O RING               | 2    |        | ←   |         | 0            | 0           |
| 090    | 01123-50835 | BOLT                 | 3    |        |     |         | 0.02         | 0.044       |
| 100    | TA040-96150 | PIPE RETURN          | 1    |        |     |         | 0.045        | 0.099       |
| 110    | 04811-00110 | O RING               | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04817-00110 | O RING               | 2    |        | ←   |         | 0.001        | 0.0022      |
| 120    | TA040-96220 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.11         | 0.242       |
| 130    | TA040-96234 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.1          | 0.22        |
| 140    | TA040-96240 | LEVER AUX.CON.VALVE  | 1    |        |     |         | 0.105        | 0.231       |
| 150    | TA040-96250 | TUBE LEVER           | 3    |        |     |         | 0.007        | 0.0154      |
| 160    | 68021-32790 | PIN                  | 6    |        |     |         | 0.004        | 0.0088      |
| 170    | 04012-50050 | WASHER PLAIN         | 12   |        |     |         | 0.001        | 0.0022      |
| 180    | 05511-51210 | PIN SPLIT            | 6    |        |     |         | 0.001        | 0.0022      |
| 190    | 31355-82290 | GRIP LEVER           | 3    |        |     |         | 0.015        | 0.033       |
| 200    | TA040-96160 | STAY AUX.CONT.VALVE  | 1    |        |     |         | 0.25         | 0.55        |
| 210    | 01123-50820 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 220    | 01133-51235 | BOLT                 | 2    |        |     |         | 0.05         | 0.11        |
| 230    | TA040-49610 | MARK AUX.CONT.VALVE  | 1    |        |     |         | 0.001        | 0.0022      |
| 240    | TA040-49630 | MARK AUX.CONT.VALVE  | 1    |        |     |         | 0.001        | 0.0022      |
| 250    | TA040-98140 | MANUAL ASSEMBLY      | 1    | ≤73349 |     |         | 0.015        | 0.033       |
| 250    | TA040-98142 | MANUAL ASSEMBLY      | 1    | ≥73350 | ←   |         | 0.015        | 0.033       |




TA04D-124-11



## REMOTE CONTROL VALVE COUPLER 1 [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 70726-61130 | ADAPTER             | 2    |       |     |         | 0.055        | 0.121       |
| 020    | 04811-00140 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 020    | 04817-00140 | O RING              | 2    |       | ←   |         | 0            | 0           |
| 030    | TA040-96410 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.308        | 0.6776      |
| 040    | TA040-96420 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.314        | 0.6908      |
| 050    | 99063-93410 | ADAPTER             | 2    |       |     |         | 0.07         | 0.154       |
| 060    | 35861-82032 | ASSY COUPLER FEMALE | 2    |       |     |         | 0.32         | 0.704       |
| 070    | 35861-94510 | O RING              | 2    |       |     |         | 0.002        | 0.0044      |
| 080    | 35861-94520 | PLUG COUPLER        | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 35893-82610 | SUPPORT COUPLER     | 1    |       |     |         | 0.715        | 1.573       |
| 100    | 04611-00380 | CIR CLIP INTERNAL   | 2    |       |     |         | 0.004        | 0.0088      |
| 110    | 01153-50865 | BOLT                | 2    |       |     |         | 0.025        | 0.055       |
| 120    | 02156-50080 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 130    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 140    | 35861-82190 | ASSY COUPLER MALE   | 2    |       |     |         | 0.086        | 0.1892      |
| 145    | 35861-94530 | CAP                 | 2    |       |     |         | 0.007        | 0.0154      |
| 150    | TA040-96480 | STAY COUPLER        | 1    |       |     |         | 1.12         | 2.464       |
| 160    | TA040-96490 | STAY COUPLER        | 1    |       |     |         | 0.073        | 0.1606      |
| 170    | 01123-50820 | BOLT                | 4    |       |     |         | 0.011        | 0.0242      |
| 180    | 02114-50080 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 190    | TA040-49670 | MARK COUPLER        | 1    |       |     |         | 0.001        | 0.0022      |






## REMOTE CONTROL VALVE COUPLER 2 [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 70726-61130 | ADAPTER             | 4    |       |     |         | 0.055        | 0.121       |
| 020    | 04811-00140 | O RING              | 4    |       |     |         | 0.001        | 0.0022      |
| 020    | 04817-00140 | O RING              | 4    |       | ←   |         | 0            | 0           |
| 030    | TA040-96410 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.308        | 0.6776      |
| 040    | TA040-96420 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.314        | 0.6908      |
| 050    | TA040-96430 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.295        | 0.649       |
| 060    | TA040-96440 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.302        | 0.6644      |
| 070    | 99063-93410 | ADAPTER             | 4    |       |     |         | 0.07         | 0.154       |
| 080    | 35861-82032 | ASSY COUPLER FEMALE | 4    |       |     |         | 0.32         | 0.704       |
| 090    | 35861-94510 | O RING              | 4    |       |     |         | 0.002        | 0.0044      |
| 100    | 35861-94520 | PLUG COUPLER        | 4    |       |     |         | 0.005        | 0.011       |
| 110    | 35893-82610 | SUPPORT COUPLER     | 2    |       |     |         | 0.715        | 1.573       |
| 120    | 04611-00380 | CIR CLIP INTERNAL   | 4    |       |     |         | 0.004        | 0.0088      |
| 130    | 01153-50802 | BOLT                | 2    |       |     |         | 0.045        | 0.099       |
| 140    | 02156-50080 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 150    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 160    | 35861-82190 | ASSY COUPLER MALE   | 4    |       |     |         | 0.086        | 0.1892      |
| 165    | 35861-94530 | CAP                 | 4    |       |     |         | 0.007        | 0.0154      |
| 170    | TA040-96480 | STAY COUPLER        | 1    |       |     |         | 1.12         | 2.464       |
| 180    | TA040-96490 | STAY COUPLER        | 1    |       |     |         | 0.073        | 0.1606      |
| 190    | 01123-50820 | BOLT                | 4    |       |     |         | 0.011        | 0.0242      |
| 200    | 02114-50080 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 210    | TA040-49620 | MARK COUPLER        | 1    |       |     |         | 0.001        | 0.0022      |






# REMOTE CONTROL VALVE COUPLER 3 [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 70726-61130 | ADAPTER             | 6    |       |     |         | 0.055        | 0.121       |
| 020    | 04811-00140 | O RING              | 6    |       |     |         | 0.001        | 0.0022      |
| 020    | 04817-00140 | O RING              | 6    |       | ←   |         | 0            | 0           |
| 030    | 99063-93410 | ADAPTER             | 6    |       |     |         | 0.07         | 0.154       |
| 040    | TA040-96410 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.308        | 0.6776      |
| 050    | TA040-96420 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.314        | 0.6908      |
| 060    | TA040-96430 | HOSE AUX.CONT.VALVE | 2    |       |     |         | 0.295        | 0.649       |
| 070    | TA040-96440 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.302        | 0.6644      |
| 080    | TA040-96450 | HOSE AUX.CONT.VALVE | 1    |       |     |         | 0.3          | 0.66        |
| 090    | 35861-82032 | ASSY COUPLER FEMALE | 6    |       |     |         | 0.32         | 0.704       |
| 100    | 35861-94510 | O RING              | 6    |       |     |         | 0.002        | 0.0044      |
| 110    | 35861-94520 | PLUG COUPLER        | 6    |       |     |         | 0.005        | 0.011       |
| 120    | 35893-82610 | SUPPORT COUPLER     | 3    |       |     |         | 0.715        | 1.573       |
| 130    | 04611-00380 | CIR CLIP INTERNAL   | 6    |       |     |         | 0.004        | 0.0088      |
| 140    | 35340-99540 | BOLT                | 2    |       |     |         | 0.06         | 0.132       |
| 150    | 02156-50080 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 160    | 04512-60080 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 170    | 35861-82190 | ASSY COUPLER MALE   | 6    |       |     |         | 0.086        | 0.1892      |
| 175    | 35861-94530 | CAP                 | 6    |       |     |         | 0.007        | 0.0154      |
| 180    | TA040-96480 | STAY COUPLER        | 1    |       |     |         | 1.12         | 2.464       |
| 190    | TA040-96490 | STAY COUPLER        | 1    |       |     |         | 0.073        | 0.1606      |
| 200    | 01123-50820 | BOLT                | 4    |       |     |         | 0.011        | 0.0242      |
| 210    | 02114-50080 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 220    | TA040-49640 | MARK COUPLER        | 1    |       |     |         | 0.002        | 0.0044      |






ROPS [ROPS TYPE] [OPTION] [OLD TYPE]  
[OPTION][TYPE VIEUX] S.No.;<=72188

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | TA240-48012 | ASSY ROPS          | 1    |       |     |         | 0            | 0           |
| 020    | 99999-99999 | COMP.FRAME LH      | 1    |       |     |         | 0            | 0           |
| 030    | 99999-99999 | COMP.FRAME RH      | 1    |       |     |         | 0            | 0           |
| 040    | 99999-99999 | COMP UPPER FRAME   | 1    |       |     |         | 0            | 0           |
| 050    | 01176-51430 | BOLT               | 12   |       |     |         | 0.052        | 0.1144      |
| 060    | 75599-33016 | WASHER SPRING      | 12   |       |     |         | 0.08         | 0.176       |
| 070    | 01173-51230 | BOLT               | 2    |       |     |         | 0.037        | 0.0814      |
| 080    | 04512-60120 | WASHER SPRING      | 2    |       |     |         | 0.005        | 0.011       |
| 090    | TA240-48464 | ASSY BOLT SET      | 2    |       |     |         | 0            | 0           |
| 100    | 04013-60160 | WASHER PLAIN       | 2    |       |     |         | 0.01         | 0.022       |
| 110    | TA240-48362 | NUT                | 2    |       |     |         | 0            | 0           |
| 120    | 75599-53194 | PIN COTTER         | 2    |       |     |         | 0            | 0           |
| 130    | 99999-99999 | BLANK              | 0    |       |     |         | 0            | 0           |
| 140    | 99999-99999 | BLANK              | 0    |       |     |         | 0            | 0           |
| 150    | TA240-48495 | MANUAL INSTRUCTION | 1    |       |     |         | 0            | 0           |
| 160    | 75599-32015 | WASHER PLAIN       | 2    |       |     |         | 0            | 0           |
| 170    | 3A111-95540 | LABEL ROPS CAUTION | 1    |       |     |         | 0            | 0           |
| 180    | 75599-32017 | WASHER PLAIN       | 4    |       |     |         | 0            | 0           |
| 190    | TA240-98480 | LABEL ROPS WARNING | 1    |       |     |         | 0.001        | 0.0022      |





↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS    | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|------------|--------------|-------------|
| 010    | TA240-48442 | KIT ROPS REPLACEMENT | 1    | <=73226 |     |            | 0            | 0           |
| 010    | TA240-48442 | KIT ROPS REPLACEMENT | 1    | >=73227 | ←   |            | 0            | 0           |
| 020    | 99999-99999 | COMP.FRAME LH        | 1    |         |     |            | 0            | 0           |
| 030    | 99999-99999 | COMP.FRAME RH        | 1    |         |     |            | 0            | 0           |
| 040    | 99999-99999 | PLATE                | 1    |         |     |            | 0            | 0           |
| 050    | 01176-51430 | BOLT                 | 12   |         |     |            | 0.052        | 0.1144      |
| 060    | 0Y450-50090 | WASHER SPRING        | 12   |         |     |            | 0            | 0           |
| 070    | 01073-51230 | BOLT                 | 2    |         |     |            | 0.041        | 0.0902      |
| 080    | 04512-60120 | WASHER SPRING        | 2    |         |     |            | 0.005        | 0.011       |
| 090    | 04013-60120 | WASHER PLAIN         | 2    |         |     |            | 0.01         | 0.022       |
| 100    | TA240-48750 | SET BOLT             | 2    | <=72692 |     | NOT SALE   | 0.435        | 0.957       |
| 100    | TA240-48752 | SET BOLT             | 2    | >=72693 | ←   |            | 0            | 0           |
| 110    | 04013-60160 | WASHER PLAIN         | 2    |         |     |            | 0.01         | 0.022       |
| 120    | 02254-50160 | NUT                  | 2    |         |     |            | 0.04         | 0.088       |
| 130    | 04013-60160 | WASHER PLAIN         | 4    |         |     |            | 0.01         | 0.022       |
| 140    | 05511-50430 | PIN SPLIT            | 2    |         |     |            | 0.004        | 0.0088      |
| 150    | 99999-99999 | MANUAL INSTRUCTION   | 1    |         |     |            | 0            | 0           |
| 160    | 3A111-95540 | LABEL ROPS CAUTION   | 1    |         |     | ENGLISH    | 0            | 0           |
| 160    | 3A112-95540 | LABEL ROPS CAUTION   | 1    |         |     | FRENCH     | 0.003        | 0.0066      |
| 170    | TA240-98480 | LABEL ROPS WARNING   | 1    |         |     | ENGLISH    | 0.001        | 0.0022      |
| 170    | 3A112-98480 | LABEL ROPS WARNING   | 1    |         |     | FRENCH     | 0.004        | 0.0088      |
| 180    | 6C140-54990 | REFLECTOR LABEL      | 1    | >=73227 |     |            | 0            | 0           |
| 190    | 6C040-72252 | ASSY BELT SEAT       | 1    | <=73226 |     | NOT SALE   | 0.9          | 1.98        |
| 190    | 6C040-72253 | ASSY BELT SEAT       | 1    | >=73227 | ←   |            | 0.9          | 1.98        |
| 190    | TA040-18503 | ASSY BELT SEAT       | 1    |         |     | OUT OF USE | 0.825        | 1.815       |
| 200    | 01774-51025 | BOLT FLANGE          | 2    |         |     |            | 0.02         | 0.044       |
| 210    | 02116-50100 | NUT                  | 2    |         |     |            | 0.004        | 0.0088      |
| 220    | TA240-48680 | MANUAL INSTRUCTION   | 1    |         |     |            | 0.025        | 0.055       |