

Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

REF.No → The number referring to the part on the picture page of the parts book.

Part No. → The number assigned to this part at the time of printing the parts book.

Description → Discription of part.

Q'ty → Quantity of part used on that page.

S.No. → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

I/C → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

The part shown is not interchangeable with the other serial number.

← new for old

→ old for new

Remarks → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

Symbol	Country
A	United States of America
CA	Canada
FR	France
GR	Greece
PO	Portugal
AU	Australia

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.

ALL PRODUCT INDEX
M9000DT-CAB



Item	Part No.	Description	Book
ENGINE	010001	CRANKCASE	100K0546
	010002	OIL PAN	100K0546
	010003	CYLINDER HEAD	100K0546
	010004	GEAR CASE	100K0546
	010005	HEAD COVER	100K0546
	010101	CAMSHAFT AND IDLE GEAR SHAFT	100K0546
	010102	PISTON AND CRANKSHAFT	100K0546
	010103	FLYWHEEL	100K0546
	010106	BALANCER	100K0546
	010202	INJECTION PUMP	100K0546
	010203	INJECTION PUMP [COMPONENT PARTS]	100K0546
	010204	GOVERNOR	100K0546
	010206	NOZZLE HOLDER AND GLOW PLUG	100K0546
	010207	NOZZLE HOLDER [COMPONENT PARTS]	100K0546
	010209	PUMP HOUSING	100K0546
	010212	FORK LEVER (GOVERNOR)	100K0546
	010300	FUEL FILTER	100K0546
	010500	WATER FLANGE AND THERMOSTAT	100K0546
	010501	WATER PUMP	100K0546
	010600	VALVE AND ROCKER ARM	100K0546
	010601	INLET MANIFOLD	100K0546
	010602	EXHAUST MANIFOLD	100K0546
	01060802	TURBO CHARGER	100K0546
	010610	ACTUATOR	100K0546
	010611	OIL PIPE(TURBO CHARGER)	100K0546
	01070202	HYDRAULIC PUMP BASE [A]	100K0546
	01070203	HYDRAULIC PUMP BASE [CA]	100K0546
	010705	OIL COOLER	100K0546
	010906	UPPER GASKET KIT	100K0546
	010907	LOWER GASKET KIT	100K0546
	01060301	AIR CLEANER [A]	100K0546
	01060302	AIR CLEANER [CA]	100K0546
	010604	AIR CLEANER [COMPONENT PARTS]	100K0546
	010607	MUFFLER	100K0546
	010612	INTERCOOLER	100K0546
	01A010	HAND ACCELERATOR LEVER	100K0546
	01A030	ACCELERATOR PEDAL	100K0546
	01A060	ENGINE STOP WIRE	100K0546
FUEL SYSTEM	01A120	FUEL TANK RH	100K0546
	01A130	FUEL TANK LH	100K0546
	01A140	FUEL PIPE	100K0546
	01A151	SEPARATOR	100K0546
COOLING WATER SYSTEM	01A161	SEPARATOR [COMPONENT PARTS]	100K0546
	01A41002	FAN	100K0546
	01A420	WATER PIPE	100K0546
	01A43002	RADIATOR	100K0546
ELECTRICAL SYSTEM	01A450	RESERVE TANK	100K0546
	01A54001	ALTERNATOR [A]	100K0546
	01A54002	ALTERNATOR [CA]	100K0546
	01A55001	ALTERNATOR [COMPONENT PARTS] [A]	100K0546
	01A55002	ALTERNATOR [COMPONENT PARTS] [CA]	100K0546
	01A560	STARTER	100K0546

Item	Part No.	Description	Book
ELECTRICAL SYSTEM	01A570	STARTER [COMPONENT PARTS]	100K0546
	01A580	BATTERY	100K0546
	01B020	SWITCH/SENSOR	100K0546
	01B105	SWITCH(PANEL BOARD)	100K0546
	01B11001	SWITCH [A]	100K0546
	01B11002	SWITCH [CA]	100K0546
	01B13001	RELAY [A]	100K0546
	01B13002	RELAY [CA]	100K0546
	01B131	RELAY	100K0546
	01B140	PANEL BOARD	100K0546
	01B150	PANEL BOARD [COMPONENT PARTS]	100K0546
	01B320	LIGHT	100K0546
	01B332	HAZARD LIGHT	100K0546
	01B35001	WORK LIGHT [A]	100K0546
	01B35002	WORK LIGHT [CA]	100K0546
	01B360	REAR COMBINATION LIGHT	100K0546
	01B410	ROOM LIGHT	100K0546
	01B43001	WASHER TANK [A]	100K0546
	01B43002	WASHER TANK [CA]	100K0546
	01B44001	WIPER [A]	100K0546
	01B44002	WIPER [CA]	100K0546
	01B51001	ELECTRICAL WIRING [A]	100K0546
	01B51002	ELECTRICAL WIRING [CA]	100K0546
	01B52001	ELECTRICAL WIRING [A]	100K0546
	01B52002	ELECTRICAL WIRING [CA]	100K0546
TRANSMISSION/CLUTCH/REAR AXLE	01C11002	CLUTCH HOUSING	100K0546
	01C115	BEARING HOLDER	100K0546
	01C14002	TRANSMISSION CASE	100K0546
	01C150	TRANSMISSION CASE REAR COVER	100K0546
	01C170	REAR AXLE CASE	100K0546
	01C210	CLUTCH [A]	100K0546
	01C21001	CLUTCH [CA]	100K0546
	01C230	CLUTCH RELEASE FORK	100K0546
	01C240	CLUTCH PEDAL	100K0546
	01D215	INPUT SHAFT	100K0546
	01D225	FIRST SHAFT	100K0546
	01D240	COUNTERSHAFT [OLD TYPE]	100K0546
	01D24001	COUNTERSHAFT [NEW TYPE]	100K0546
	01D241	BACK IDLE SHAFT	100K0546
	01D25002	RANGE GEAR SHAFT [A]	100K0546
	01D25003	RANGE GEAR SHAFT/CREEP GEAR SHAFT [CA]	100K0546
	01D260	BEVEL GEAR	100K0546
	01D262	DIFFERENTIAL REAR	100K0546
	01D265	PTO PROPELLER SHAFT	100K0546
	01D266	PTO CLUTCH	100K0546
	01D267	PTO CLUTCH [COMPONENT PARTS]	100K0546
	01D268	PTO CLUTCH VALVE	100K0546
	01D269	PTO CLUTCH VALVE [COMPONENT PARTS]	100K0546
	01D275	PTO SHAFT	100K0546
	01D410	MAIN GEAR SHIFT FORK	100K0546
	01D420	SHUTTLE GEAR SHIFT FORK	100K0546
	01D43001	RANGE GEAR SHIFT FORK [A]	100K0546
	01D43002	RANGE GEAR SHIFT FORK/CREEP SHIFT FORK [CA]	100K0546


Item	Part No.	Description	Book
TRANSMISSION/CLUTCH/REAR AXLE	01D467	REAR DIFFERENTIAL LOCK PEDAL	100K0546
	01D495	REAR AXLE	100K0546
SPEED CHANGE LEVER/BRAKE	01E110	BRAKE	100K0546
	01E120	BRAKE ROD 1	100K0546
	01E130	BRAKE ROD 2	100K0546
	01F110	MAIN GEAR SHIFT LEVER	100K0546
	01F115	MAIN GEAR SHIFT ROD	100K0546
	01F120	MAIN GEAR SHIFT LEVER SHAFT	100K0546
	01F125	SHUTTLE SHIFT LEVER	100K0546
	01F13501	RANGE GEAR SHIFT LEVER [A]	100K0546
	01F13502	RANGE GEAR SHIFT LEVER [CA]	100K0546
	01F145	PTO CLUTCH LEVER	100K0546
	01F153	FRONT WHEEL DRIVE LEVER	100K0546
	01F210	BRAKE PEDAL	100K0546
FRONT AXLE/CHASSIS	01G10502	FRONT AXLE FRAME	100K0546
	01G11002	FRONT AXLE BRACKET	100K0546
	01G14002	FRONT PROPELLER SHAFT	100K0546
	01G150	FRONT DIFFERENTIAL CASE	100K0546
	01G160	BEVEL GEAR (FRONT)	100K0546
	01G170	DIFFERENTIAL FRONT	100K0546
	01G215	FRONT DIFFERENTIAL LOCK CLUTCH	100K0546
	01G220	BEVEL GEAR CASE	100K0546
	01G225	FRONT AXLE CASE	100K0546
	01G23002	DIFFERENTIAL GEAR SHAFT	100K0546
	01G240	FRONT AXLE	100K0546
STEERING	01H110	STEERING HANDLE	100K0546
	01H130	STEERING JOINT	100K0546
	01H140	STEERING CONTROLLER	100K0546
	01H150	STEERING CONTROLLER [COMPONENT PARTS]	100K0546
	01J12002	STEERING LINKAGE	100K0546
	01J12502	STEERING CYLINDER [COMPONENT PARTS]	100K0546
HYDRAULIC SYSTEM	01J13002	HYDRAULIC PUMP [A]	100K0546
	01J13003	HYDRAULIC PUMP [CA]	100K0546
	01J13501	HYDRAULIC PUMP [COMPONENT PARTS]	100K0546
	01J13502	HYDRAULIC PUMP [COMPONENT PARTS] [A]	100K0546
	01J13503	HYDRAULIC PUMP [COMPONENT PARTS] [CA]	100K0546
	01J21002	HYDRAULIC PIPE (SUCTION) [A]	100K0546
	01J21003	HYDRAULIC PIPE (SUCTION) [CA]	100K0546
	01J22002	HYDRAULIC PIPE (DELIVERY) [A]	100K0546
	01J22003	HYDRAULIC PIPE (DELIVERY) [CA]	100K0546
	01J27502	HYDRAULIC OIL LINE (STEERING/PTO) [A]	100K0546
	01J27503	HYDRAULIC OIL LINE (STEERING/PTO) [CA]	100K0546
	01J28002	STEERING HOSE (DELIVERY)	100K0546
	01J310	HYDRAULIC CYLINDER	100K0546
	01J315	HYDRAULIC LIFT ARM	100K0546
	01J320	HYDRAULIC CYLINDER COVER	100K0546
	01J355	CONTROL VALVE	100K0546
	01J356	CONTROL VALVE [COMPONENT PARTS]	100K0546

Item	Part No.	Description	Book
HYDRAULIC SYSTEM	01J380	DRAFT AND POSITION CONTROL LEVER 1	100K0546
	01J381	DRAFT AND POSITION CONTROL LEVER 2	100K0546
	01J382	POSITION AND DRAFT SHAFT	100K0546
	01J384	POSITION CAM	100K0546
	01J386	DRAFT CAM	100K0546
	01J44501	AUXILIARY CONTROL VALVE (SCD) [A]	100K0546
	01J44502	AUXILIARY CONTROL VALVE (SCD/FD) [CA]	100K0546
	01J44701	AUXILIARY CONTROL VALVE (SCD) [COMPONENT PARTS]	100K0546
	01J44702	AUXILIARY CONTROL VALVE (FD)[COMPONENT PARTS] [CA]	100K0546
	01J45501	AUXILIARY CONTOROL VALVE LEVER [A]	100K0546
	01J45502	AUXILIARY CONTOROL VALVE LEVER [CA]	100K0546
	01K105	TOP LINK BRACKET	100K0546
	01K110	TOP LINK	100K0546
	01K125	LOWER LINK	100K0546
	01K140	LIFT ROD RH	100K0546
	01K143	LIFT ROD LH	100K0546
HITCH/DRAWBAR	01L110	SWINGING DRAWBAR	100K0546
	01L170	PTO SHAFT PROTECTOR	100K0546
HOOD(BONNET)/CAB	01M115	HOOD(BONNET) FRONT	100K0546
	01M12002	HOOD(BONNET) UPPER	100K0546
	01M125	HOOD(BONNET) SIDE	100K0546
	01M127	HOOD(BONNET) SIDE COVER	100K0546
	01M140	BONNET SUPPORT	100K0546
	01N110	CAB FRAME	100K0546
	01N115	PANEL FRAME	100K0546
	01N120	FRONT GLASS	100K0546
	01N125	DOOR RH	100K0546
	01N130	DOOR LH	100K0546
	01N135	DOOR LOCK RH	100K0546
	01N140	DOOR LOCK LH	100K0546
	01N14501	SIDE WINDOW [A]	100K0546
	01N14502	SIDE WINDOW [CA]	100K0546
	01N15001	REAR WINDOW [A]	100K0546
	01N15002	REAR WINDOW [CA]	100K0546
	01N155	REAR WINDOW	100K0546
	01N158	REARVIEW MIRROR	100K0546
	01N16001	INNER ROOF [A]	100K0546
	01N16002	INNER ROOF [CA]	100K0546
	01N165	OUTER ROOF	100K0546
	01N170	SEAT	100K0546
	01N175	FLOOR MAT	100K0546
	01N180	INSPECTION PLATE	100K0546
	01N210	FENDER COVER RH	100K0546
	01N215	FENDER COVER LH	100K0546
	01N220	PILLAR COVER	100K0546
	01N225	FENDER RH	100K0546
	01N230	FENDER LH	100K0546
	01N240	CAB BRACKET FRONT	100K0546
	01N245	CAB BRACKET REAR	100K0546


Item	Part No.	Description	Book
HOOD(BONNET)/CAB	01N250	TOOL BOX	100K0546
	01N280	SMV EMBLEM	100K0546
AIR CONDITIONER	01P115	AIR CONDITIONER [A]	100K0546
	01P11501	AIR CONDITIONER [CA]	100K0546
	01P150	HEATER HOSE	100K0546
	01P15503	CONDENSER [A]	100K0546
	01P15504	CONDENSER [CA]	100K0546
	01P160	COMPRESSOR [A]	100K0546
	01P16001	COMPRESSOR [A]	100K0546
	01P16002	COMPRESSOR [CA]	100K0546
	01P165	COMPRESSOR BRACKET [A]	100K0546
	01P16501	COMPRESSOR BRACKET [CA]	100K0546
FRONT WHEEL/REAR WHEEL	01R11004	FRONT WHEEL (12.4-24)	100K0546
	01R12003	REAR WHEEL (18.4-30)	100K0546
	01R12004	REAR WHEEL (18.4-30)	100K0546
	01R12005	REAR WHEEL (16.9-34)	100K0546
	01R12006	REAR WHEEL (16.9-34)	100K0546
LABELS	01S12001	LABEL 1 [A]	100K0546
	01S12002	LABEL 1 [CA]	100K0546
	01S13001	LABEL 2 [A]	100K0546
	01S13002	LABEL 2 [CA]	100K0546
ACCESSORIES OPTION	01T110	ACCESSORIES AND SERVICE PARTS	100K0546
	01U113	WORKING LIGHT KIT [OPTION]	100K0546
	01U114	LEVER JOINT STAY KIT [OPTION]	100K0546
	01U116	TRAILER SOCKET KIT [OPTION]	100K0546
	01U117	RADIO CASSETTE KIT [OPTION]	100K0546
	01U119	REAR WIPER KIT [OPTION]	100K0546
	01U12301	PTO(540/1000) CONVERSION KIT 1 [OPTION]	100K0546
	01U12302	PTO(540/1000) CONVERSION KIT 2 [OPTION]	100K0546
	01U125	FRONT WEIGHT BUMPER KIT [OPTION]	100K0546
	01U126	FRONT BUMPER KIT [OPTION]	100K0546
	01U134	UNIVERSAL JOINT SUPPORT KIT [OPTION]	100K0546
	01U13701	AUXILIARY CONTROL VALVE KIT (SCD) [OPTION]	100K0546
	01U13702	AUXILIARY CONTROL VALVE KIT (FD) [OPTION]	100K0546
	01U13703	AUXILIARY CONTROL VALVE KIT (SCD/FC) [OPTION]	100K0546
	01U13704	AUXILIARY CONTROL VALVE KIT (FC) [OPTION]	100K0546
	01U13801	AUXILIARY CONTROL VALVE (SCD) [COMPONENT PARTS]	100K0546
	01U13802	AUXILIARY CONTROL VALVE (FD) [COMPONENT PARTS]	100K0546
	01U13803	AUXILIARY CONTROL VALVE (SCD/FC) [COMPONENT PARTS]	100K0546
	01U13804	AUXILIARY CONTROL VALVE (FC) [COMPONENT PARTS]	100K0546
	01U14001	AUXILIARY CONTROL VALVE LEVER KIT (2ND) [OPTION]	100K0546
	01U14002	AUXILIARY CONTROL VALVE LEVER KIT (3RD) [OPTION]	100K0546
	01U157	DRAWBAR/HITCH [OPTION]	100K0546

Item	Part No.	Description	Book
OPTION	01U201	REARVIEW MIRROR KIT [OPTION]	100K0546

CRANKCASE



140 15221-3370-0



1G511-842-10




CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C011-01010	COMP.CRANKCASE	1				66	145.2
020	15521-96020	PLUG	2				0.003	0.0066
030	1C010-96010	PLUG	1				0.012	0.0264
040	16683-96020	PLUG	1				0.47	1.034
050	15261-03370	CAP SEALING	4				0.005	0.011
060	15221-03380	CAP SEALING	9				0.017	0.0374
070	15221-03390	CAP SEALING	1				0.03	0.066
080	06311-75055	PLUG EXPANSION	1	<=YD1856			0.022	0.0484
080	1C010-96160	PLUG EXPANSION	1	>=YE1403	←		0.05	0.11
090	05012-00822	PIN STRAIGHT	1				0.01	0.022
100	05012-01020	PIN STRAIGHT	2				0.02	0.044
110	15221-33650	PIN PIPE	2				0.004	0.0088
120	1C010-33640	PIN GEAR CASE	1				0.019	0.0418
130	1C010-04560	BOLT BEARING CASE	10				0.13	0.286
140	15221-33700	O RING	1	<=YX0940			0.001	0.0022
150	1C040-33210	PIPE OIL	1				0.025	0.055
160	99999-99999	BLANK	0				0	0
170	99999-99999	BLANK	0				0	0
180	1C010-37110	JOINT WATER PIPE	2				0.02	0.044
190	99999-99999	BLANK	0				0	0
200	1C011-01120	CRANKCASE	1				44	96.8
210	1C010-33650	PIN GEAR CASE	1				0.037	0.0814
220	15852-33140	PLUG OIL FILLER	1				0.038	0.0836
230	04811-50300	O RING	1				0.001	0.0022
240	15602-33110	FLANGE OIL FILLER	1				0.1	0.22
250	15625-32890	GASKET	1				0.001	0.0022
260	01754-50820	BOLT FLANGE	2				0.015	0.033

OIL PAN



1C041-011-11




OIL PAN


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1G511-01500	COMP.OIL PAN	1				2.28	5.016
020	16541-33750	PLUG DRAIN	2				0.074	0.1628
020	15707-33750	PLUG DRAIN	2		↔		0	0
030	15451-96670	GASKET	2				0.003	0.0066
040	1C011-91010	BOLT FLANGE	20				0.1	0.22
050	01774-51014	BOLT FLANGE	6				0.1	0.22
060	1C011-32110	FILTER OIL	1				0.28	0.616
070	04814-00220	O RING	1				0.001	0.0022
080	01754-50814	BOLT FLANGE	2				0.005	0.011
090	1C010-36422	GUIDE OIL GAUGE	1				0.014	0.0308
100	1C010-36412	GAUGE OIL	1				0.04	0.088
110	15451-96300	CAP SEALING	1				0.002	0.0044


CYLINDER HEAD



130 1C010-0331-0



140 1C010-0300-0



1G541-801-10




CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15471-01740	HOOK ENGINE	1				0.18	0.396
020	01754-50814	BOLT FLANGE	2				0.005	0.011
030	15221-91530	STUD	1				0.011	0.0242
040	99999-99999	BLANK	0				0	0
050	12234-67580	CLAMP CORD	1				0.015	0.033
060	1C010-03020	ASSY CYLINDER HEAD	1	<=XJ8312			0	0
060	1C010-03023	ASSY CYLINDER HEAD	1	>=XL1150	←		25	55
070	15221-03370	CAP SEALING	5				0.01	0.022
080	15221-03490	CAP SEALING	1				0.02	0.044
090	15261-96010	PLUG	4				0.002	0.0044
100	15521-96020	PLUG	1				0.003	0.0066
110	99999-99999	BLANK	0				0	0
120	1C010-03450	BOLT CYLINDER HEAD	18				0.1	0.22
130	1C010-03310	GASKET CYL.HEAD	1	<=YX0940			0.16	0.352
130	1C020-03310	GASKET CYL.HEAD	1	>=YY0471	≠		0	0
130	1C020-03600	GASKET CYL.HEAD	1			SUITABILITY	0	0
130	1C020-03610	GASKET CYL.HEAD	1			SUITABILITY	0	0
140	1C010-03000	KIT CYLINDER HEAD	1	<=YX0940		OPTION	29	63.8
140	1C010-03004	KIT CYLINDER HEAD	1	>=YY0471	≠	OPTION	0	0

GEAR CASE






GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1G511-04010	ASSY CASE GEAR	1				5.15	11.33
020	1C010-36950	SPRING	1				0.014	0.0308
030	1C010-36920	VALVE RELIEF	1				0.031	0.0682
040	15451-96670	GASKET	1				0.003	0.0066
050	1C010-36960	PLUG	1				0.05	0.11
060	1C010-35070	ASSY ROTOR OIL PUMP	1				0.6	1.32
070	1C010-35130	COVER OIL PUMP	1				0.13	0.286
080	03016-50616	SCREW CSK-HD	8				0.003	0.0066
090	1C010-96020	PLUG	3				0.022	0.0484
100	06331-35020	PLUG	1				0.068	0.1496
110	04724-00200	GASKET	1				0.003	0.0066
120	1C010-04140	SEAL OIL	1				0.05	0.11
120	1C020-04140	SEAL OIL	1		↔		0	0
130	04814-00200	O RING	1				0.01	0.022
140	04814-00240	O RING	1				0.001	0.0022
150	1C010-04130	GASKET CRANKCASE	1				0.02	0.044
160	1C010-04162	PLATE GEAR CASE	1				4.1	9.02
170	01754-50855	BOLT FLANGE	13				0.02	0.044
180	01754-50875	BOLT FLANGE	2				0.03	0.066
190	58417-25950	ASSY GEAR CASE H/M	1				0.29	0.638
200	01754-50616	BOLT FLANGE	2	<=XZ0718			0.006	0.0132
200	1C011-91020	BOLT	2	>=YA1317	←		0.008	0.0176
210	16264-88130	GASKET H/METER UNIT	1				0.002	0.0044

HEAD COVER






HEAD COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-14500	ASSY COVER CYL.HEAD	1				2.05	4.51
020	1C010-05670	ELEMENT BREATHER	3				0.007	0.0154
030	1C010-05370	SHIELD BREATHER	3				0.003	0.0066
040	1C010-05140	PLATE B/THER ELEMENT	3				0.001	0.0022
050	1C010-05150	PLATE B/THER ELEMENT	3				0.004	0.0088
060	03054-50408	SCREW PAN-HEAD	6				0.001	0.0022
070	16241-05550	JOINT BREATHER PIPE	1				0.02	0.044
080	1C010-14520	GASKET HEAD COVER	1				0.05	0.11
090	1C010-05200	COMP.VALVE BREATHER	1				0.013	0.0286
100	1C010-05120	COVER BREATHER	1				0.045	0.099
110	03054-50508	SCREW PAN-HEAD	6				0.002	0.0044
120	06311-85016	CAP SEALING	2				0.003	0.0066
130	15852-33140	PLUG OIL FILLER	1				0.038	0.0836
140	04811-50300	O RING	1				0.001	0.0022
150	1C010-91020	BOLT	10				0.017	0.0374
160	15667-05510	PIPE BREATHER	1				0.1	0.22
170	16241-33510	BAND PIPE	1				0.005	0.011
180	15667-05050	ASSY PIPE BREATHER	1				0.12	0.264

CAMSHAFT AND IDLE GEAR SHAFT






CAMSHAFT AND IDLE GEAR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15601-15550	TAPPET	8				0.08	0.176
020	1C010-15110	PUSH ROD	8				0.054	0.1188
030	1C010-16012	ASSY CAMSHAFT	1				4.1	9.02
040	07715-01605	BALL	1				0.003	0.0066
050	1C010-16512	GEAR CAM	1				1	2.2
060	05712-00520	KEY FEATHER	1				0.004	0.0088
070	1C010-16270	STOPPER CAMSHAFT	1				0.08	0.176
080	01754-50816	BOLT FLANGE	2				0.011	0.0242
090	1C010-24250	SHAFT IDLE GEAR	2				0.43	0.946
095	1C010-24520	PIN GEAR IDLE	2	>=1J0406			0	0
100	1C010-24360	COLLAR IDLE GEAR	2				0.034	0.0748
110	1C010-24370	COLLAR IDLE GEAR	2				0.089	0.1958
120	01754-50855	BOLT FLANGE	6				0.02	0.044
130	1C010-24012	COMP.GEAR IDLE	1				1.59	3.498
140	1C010-24982	BUSH IDLE GEAR	1				0.06	0.132
150	1C010-24022	COMP.GEAR IDLE	1				0.93	2.046
160	1C010-24982	BUSH IDLE GEAR	1				0.06	0.132

PISTON AND CRANKSHAFT



1G542-003-12

080 1C010-2231-0

080 1C010-2233-0

080 1C010-2296-0


080 1C010-2297-0

090 1C010-2232-0

090 1C010-2234-0

090 1C010-2298-0

090 1C010-2299-0



1G542-800-10




PISTON AND CRANKSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C040-21110	PISTON	4	≤YX0940		STD	0.78	1.716
010	1C041-21110	PISTON	4	≥YY0471	≠	STD	0	0
010	1C040-21910	PISTON	4	≤YX0940		+0.5mm	0.8	1.76
010	1C041-21910	PISTON	4	≥YY0471	≠	+0.5mm	0	0
020	1C010-21050	ASSY PISTON RING	4	≤YX0940		STD	0.06	0.132
020	1C011-21050	ASSY PISTON RING	4	≥YY0471	≠	STD	0	0
020	1C010-21090	ASSY PISTON RING	4	≤YX0940		+0.5mm	0.1	0.22
020	1C011-21090	ASSY PISTON RING	4	≥YY0471	≠	+0.5mm	0	0
030	1C010-21310	PIN PISTON	4				0.31	0.682
040	04611-00300	CIR CLIP INTERNAL	8				0.004	0.0088
050	1C020-22010	ASSY ROD CONNECTING	4	≤YK0069			1.23	2.706
050	1C020-22010	ASSY ROD CONNECTING	4	≥YL0486	←		1.23	2.706
050	1C020-22014	ASSY ROD CONNECTING	4	≥1S0344	←		0	0
060	1C010-21980	BUSH PISTON PIN	8				0.016	0.0352
070	1C010-22140	BOLT CONNECTING ROD	8				0.046	0.1012
080	1C010-22310	METAL CRANKPIN	4			STD/BLUE	0	0
080	1C020-22310	METAL CRANKPIN	4	≤1Q7998	↔	STD/BLUE/SET	0.022	0.0484
080	1C020-22312	METAL CRANKPIN	4	≥1S0344	←	STD/BLUE/SET	0	0
080	1C010-22330	METAL CRANKPIN	4			STD/YELLOW	0	0
080	1C020-22330	METAL CRANKPIN	4	≤1Q7998	↔	STD/YELLOW/SET	0.022	0.0484
080	1C020-22332	METAL CRANKPIN	4	≥1S0344	←	STD/YELLOW/SET	0	0
080	1C010-22960	METAL CRANKPIN	4			-0.2mm	0.05	0.11
080	1C020-22960	METAL CRANKPIN	4	≤1Q7998	↔	-0.2mm/GREEN/SET	0.06	0.132
080	1C020-22962	METAL CRANKPIN	4	≥1S0344	←	-0.2mm/GREEN/SET	0	0
080	1C010-22970	METAL CRANKPIN	4			-0.4mm	0.05	0.11
080	1C020-22970	METAL CRANKPIN	4	≤1Q7998	↔	-0.4mm/RED/SET	0.062	0.1364
080	1C020-22972	METAL CRANKPIN	4	≥1S0344	←	-0.4mm/RED/SET	0	0
090	1C010-22320	METAL CRANKPIN	4	≤YK0069		STD/BLUE	0	0
090	1C010-22340	METAL CRANKPIN	4	≤YK0069		STD/YELLOW	0	0
090	1C010-22980	METAL CRANKPIN	4	≤YK0069		-0.2mm	0.05	0.11
090	1C010-22990	METAL CRANKPIN	4	≤YK0069		-0.4mm	0.05	0.11
100	1C010-23012	COMP.CRANKSHAFT	1				0	0
100	1C020-23010	COMP.CRANKSHAFT	1	≤1N8361	↔		28	61.6
100	1C020-23012	COMP.CRANKSHAFT	1	≥1Q0368	←		0	0
110	07715-00401	BALL	4				0.001	0.0022
120	1C010-23300	SLEEVE CRANKSHAFT	1				0.12	0.264
130	1C010-24112	GEAR CRANKSHAFT	1				0.39	0.858
140	05712-00515	KEY FEATHER	1				0.003	0.0066
150	1C010-35630	GEAR OIL PUMP DRIVE	1				0.16	0.352
160	1C010-23470	METAL CRANKSHAFT	5			STD SET	0	0
160	1C020-23470	METAL CRANKSHAFT	5		↔	STD SET	0	0
160	1C010-23910	METAL CRANKSHAFT	5			-0.2mm SET	0.03	0.066
160	1C020-23910	METAL CRANKSHAFT	5		↔	-0.2mm SET	0	0
160	1C010-23920	METAL CRANKSHAFT	5			-0.4mm SET	0.108	0.2376
160	1C020-23920	METAL CRANKSHAFT	5		↔	-0.4mm SET	0	0
170	1C010-23530	METAL SIDE	2			STD	0.018	0.0396
170	1C010-23950	METAL SIDE	2			+0.2mm	0.017	0.0374
170	1C010-23960	METAL SIDE	2			+0.4mm	0.019	0.0418
180	1C010-23540	METAL SIDE	2			STD	0.019	0.0418
180	1C010-23970	METAL SIDE	2			+0.2mm	0.02	0.044
180	1C010-23980	METAL SIDE	2			+0.4mm	0.02	0.044
190	07916-28990	KIT RING PISTON	4	≤YX0940		STD	0	0
190	07916-28992	KIT RING PISTON	4	≥YY0471	≠	STD	0	0
190	07916-24810	KIT RING PISTON	4	≤YX0940		+0.5mm	0	0
190	07916-24812	KIT RING PISTON	4	≥YY0471	≠	+0.5mm	0	0
200	07916-28940	KIT METAL ENGINE	1			STD	0	0

FLYWHEEL



1G541-007-10

BALANCER






BALANCER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C011-26300	ASSY SHAFT BALANCER	1				3.67	8.074
020	07715-00401	BALL	2				0.001	0.0022
030	05712-00415	KEY FEATHER	1				0.002	0.0044
040	1C011-26400	ASSY SHAFT BALANCER	1				19.63	43.186
050	07715-00401	BALL	2				0.001	0.0022
060	05712-00415	KEY FEATHER	1				0.002	0.0044
070	01754-50816	BOLT FLANGE	4				0.011	0.0242
080	1C011-26970	METAL BALANCER	2				0.1	0.22
090	1C011-26980	METAL BALANCER	2				0.1	0.22
100	1C011-26990	METAL BALANCER	2				0.1	0.22

INJECTION PUMP




1G541-020-10



INJECTION PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-51010	ASSY PUMP INJECTION	1			REFER TO L.No.C06-R FOR COMPONENTS.	2.88	6.336
020	1C010-52110	SHIM INJECTION PUMP	1				0.009	0.0198
030	01754-50825	BOLT FLANGE	3				0.01	0.022
040	02751-50080	NUT FLANGE	3				0.006	0.0132
050	15401-95690	JOINT EYE	1				0.04	0.088
060	14311-60504	ASSY COCK JET START	1				0.034	0.0748
070	1C010-52032	ASSY PUMP FUEL	1				0.13	0.286
080	16264-52140	GASKET FUEL PUMP	1				0.001	0.0022
090	02751-50060	NUT FLANGE	2				0.005	0.011






INJECTION PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-51010	ASSY PUMP INJECTION	1				2.88	6.336
020	1C010-51050	PLUNGER PUMP	4				0.043	0.0946
030	15221-51030	VALVE DELIVERY	4				0.012	0.0264
040	16454-51230	SPRING DELIV.VALVE	4				0.005	0.011
050	15221-51240	GASKET DELIV.VALVE	4				0.001	0.0022
060	16415-51220	HOLDER DELIV.VALVE	4				0.07	0.154
070	16475-51610	ASSY PLATE LOCK	2				0.06	0.132
080	15221-51070	ASSY TAPPET	4				0.039	0.0858
090	14611-51250	PIN TAPPET GUIDE	4				0.003	0.0066
100	14611-51440	PLATE	2				0.005	0.011
110	15221-51280	SPRING PLUNGER	4				0.015	0.033
120	15221-51270	SEAT SPRING UPPER	4				0.004	0.0088
130	15221-51290	SEAT SPRING LOWER	4				0.01	0.022
140	14109-51300	PLATE SHIM	4			0.60mm	0.001	0.0022
150	1C010-51060	RACK CONTROL	1				0.06	0.132
160	15221-51382	SLEEVE CONTROL	4				0.011	0.0242
170	1C010-51320	SCREW FOLLOW	1				0.04	0.088
180	15401-96650	GASKET	2				0.001	0.0022
190	14611-51200	O RING	4				0.001	0.0022
200	14601-98300	KIT SHIM ADJUST(P)	4			OPTION	0.1	0.22
210	14601-98310	SHIM ADJUST	4			0.10mm	0.002	0.0044
210	14601-98320	SHIM ADJUST	4			0.20mm	0.001	0.0022
210	14601-98330	SHIM ADJUST	4			0.25mm	0.002	0.0044
210	14601-98340	SHIM ADJUST	4			0.30mm	0.002	0.0044
210	14601-98350	SHIM ADJUST	4			0.35mm	0.002	0.0044
210	15221-51490	SHIM ADJUST	4			0.40mm	0.002	0.0044
210	14601-98370	SHIM ADJUST	4			0.45mm	0.003	0.0066
210	14601-98380	SHIM ADJUST	4			0.50mm	0.003	0.0066
210	14601-98390	SHIM ADJUST	4			0.55mm	0.002	0.0044
210	14109-51300	SHIM ADJUST	4			0.60mm	0.001	0.0022
210	14601-98410	SHIM ADJUST	4			0.65mm	0.003	0.0066
210	14601-98420	SHIM ADJUST	4			0.70mm	0.002	0.0044
210	14601-98430	SHIM ADJUST	4			0.80mm	0.002	0.0044
210	14601-98440	SHIM ADJUST	4			0.90mm	0.002	0.0044
210	14601-98450	SHIM ADJUST	4			1.00mm	0.002	0.0044
210	14601-98460	SHIM ADJUST	4			1.10mm	0.003	0.0066
210	14601-98470	SHIM ADJUST	4			1.20mm	0.003	0.0066
210	14601-98480	SHIM ADJUST	4			1.30mm	0.004	0.0088
210	14601-98490	SHIM ADJUST	4			1.40mm	0.004	0.0088

GOVERNOR






GOVERNOR


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-56750	COVER GOVERNOR ROD	1				0.007	0.0154
020	1C010-55050	ASSY WEIGHT GOVERNOR	1				0.2	0.44
030	02771-50120	NUT FLANGE	1				0.018	0.0396
040	1C010-55450	SLEEVE GOVERNOR	1				0.05	0.11
040	1C020-55450	SLEEVE GOVERNOR	1	<=YZ0503	↔		0	0
040	1C020-55452	SLEEVE GOVERNOR	1	>=1A0444	≠		0	0
050	1C010-55100	HOUSING GOVERNOR	1				0.65	1.43
060	1C010-56023	ASSY LEVER(GOVERNOR)	1				0.08	0.176
070	04811-10070	O RING	1	<=1G8637			0.001	0.0022
070	04811-10070	O RING	2	>=1J0406			0.001	0.0022
080	1C010-60150	LEVER STOP	1				0.016	0.0352
090	04613-50120	CIR CLIP EXTERNAL	1				0.001	0.0022
100	15221-14430	WASHER R-ARM.SHAFT	1				0.002	0.0044
110	1C010-57510	SPRING	1				0.009	0.0198
120	1C010-57150	LEVER SPEED CONTROL	1				0.05	0.11
130	05411-00416	PIN SPRING	1				0.001	0.0022
140	1C010-57700	ASSY LEVER ENG.STOP	1				0.053	0.1166
150	04811-10070	O RING	1				0.001	0.0022
160	15471-57920	SPRING RETURN	1				0.005	0.011
170	1C010-57620	LEVER ENGINE STOP	1				0.044	0.0968
180	05411-00416	PIN SPRING	1				0.001	0.0022
190	16221-56280	PIN START SPRING	1				0.005	0.011
190	15221-56280	PIN START SPRING	1		↔		0.006	0.0132
200	1C040-54610	SHAFT BOOST	1				0.005	0.011
210	05012-00520	PIN STRAIGHT	1	<=1Q7998			0.003	0.0066
210	1C010-94510	PIN STRAIGHT	1	>=1S0344	←		0	0
220	15707-33360	JOINT UNION	1				0.022	0.0484
230	1C010-33320	ASSY PIPE I.P OIL	1				0.06	0.132
240	17371-95800	BOLT EYE JOINT	1				0.025	0.055
250	15471-96650	GASKET	2				0.002	0.0044
260	1C010-51620	BRACKET PUMP	1				0.232	0.5104
270	3G700-10450	HOLDER WIRE	1				0.2	0.44
280	01754-50816	BOLT FLANGE	2				0.011	0.0242
290	02751-50080	NUT FLANGE	2				0.006	0.0132

NOZZLE HOLDER AND GLOW PLUG



210 04013-60040



1G511-839-10




NOZZLE HOLDER AND GLOW PLUG

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-42500	ASSY PIPE OVER FLOW	1				0.06	0.132
020	1C010-42400	ASSY PIPE OVER FLOW	1				0.01	0.022
030	09661-40170	TUBE FUEL	1				0.009	0.0198
040	14971-42750	CLIP PIPE	2				0.001	0.0022
050	1C010-53900	KIT HOLDER NOZZLE	1			REFER TO L.No.CO9-L FOR COMPONENTS.	0.16	0.352
060	1C010-53000	ASSY HOLDER NOZZLE	4				0.15	0.33
070	1C010-53010	S-ASSY HOLDER NOZZLE	4				0.13	0.286
080	1C010-53610	PIECE NOZZLE	4				0.27	0.594
090	15841-53622	GASKET	4				0.002	0.0044
100	19077-53650	SEAL HEAT	4				0.005	0.011
110	1C010-53710	PIPE INJECTION	1				0.13	0.286
120	1C010-53720	PIPE INJECTION	1				0.13	0.286
130	1C010-53730	PIPE INJECTION	1				0.13	0.286
140	1C010-53740	PIPE INJECTION	1				0.13	0.286
150	15841-53850	CLAMP PIPE	3				0.01	0.022
160	15841-53860	CLAMP PIPE	3				0.009	0.0198
170	03024-50520	SCREW WITH WASHER	3				0.004	0.0088
180	16415-65510	GLOW PLUG	4				0.03	0.066
190	1C010-65560	CORD GLOW PLUG	1				0.02	0.044
200	02761-50040	NUT FLANGE	4				0.002	0.0044
210	04013-60040	WASHER PLAIN	4	←XN9836			0.002	0.0044
220	99999-99999	BLANK	0				0	0
230	1C010-42040	ASSY PIPE OVER FLOW	2				0.005	0.011
240	09661-40070	TUBE FUEL	2				0.003	0.0066
250	14971-42750	CLIP PIPE	4				0.001	0.0022
260	1C010-42460	VALVE FUEL CHACK	1				0.006	0.0132
270	15101-42570	JOINT PIPE	1				0.006	0.0132
280	1C011-42012	ASSY TUBE FUEL	1				0.066	0.1452
290	14911-42750	CLIP PIPE	2				0.002	0.0044
300	09661-70525	TUBE FUEL	1				0.07	0.154

NOZZLE HOLDER [COMPONENT PARTS]






NOZZLE HOLDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
005	1C010-53900	KIT HOLDER NOZZLE	4				0.16	0.352
010	1C010-53000	ASSY HOLDER NOZZLE	4				0.15	0.33
015	1C010-53010	S-ASSY HOLDER NOZZLE	4				0.13	0.286
020	15841-92030	NUT	4				0.005	0.011
030	15841-53230	WASHER ADJUSTING	4			0.900mm	0.001	0.0022
040	1C010-53170	SPRING NOZZLE	4				0.003	0.0066
050	15841-53350	PIECE DISTANCE	4				0.004	0.0088
060	15841-53160	PUSH ROD	4				0.001	0.0022
070	16475-53280	NUT NOZZLE	4				0.03	0.066
080	15841-94040	WASHER	4				0.001	0.0022
090	1C010-53610	PIECE NOZZLE	4				0.27	0.594
100	15841-98100	ASSY WASHER ADJUST	4			OPTION	0.043	0.0946
110	15841-53230	WASHER ADJUSTING	4			0.900mm	0.001	0.0022
110	15841-98510	WASHER ADJUSTING	4			0.925mm	0.001	0.0022
110	15841-98520	WASHER ADJUSTING	4			0.950mm	0.001	0.0022
110	15841-98530	WASHER ADJUSTING	4			0.975mm	0.001	0.0022
110	15841-98540	WASHER ADJUSTING	4			1.000mm	0.001	0.0022
110	15841-98550	WASHER ADJUSTING	4			1.025mm	0.001	0.0022
110	15841-98560	WASHER ADJUSTING	4			1.050mm	0.001	0.0022
110	15841-98570	WASHER ADJUSTING	4			1.075mm	0.001	0.0022
110	15841-98580	WASHER ADJUSTING	4			1.100mm	0.001	0.0022
110	15841-98590	WASHER ADJUSTING	4			1.125mm	0.001	0.0022
110	15841-98600	WASHER ADJUSTING	4			1.150mm	0.001	0.0022
110	15841-98610	WASHER ADJUSTING	4			1.175mm	0.001	0.0022
110	15841-98620	WASHER ADJUSTING	4			1.200mm	0.001	0.0022
110	15841-98630	WASHER ADJUSTING	4			1.225mm	0.001	0.0022
110	15841-98640	WASHER ADJUSTING	4			1.250mm	0.001	0.0022
110	15841-98650	WASHER ADJUSTING	4			1.275mm	0.001	0.0022
110	15841-98660	WASHER ADJUSTING	4			1.300mm	0.001	0.0022
110	15841-98670	WASHER ADJUSTING	4			1.325mm	0.001	0.0022
110	15841-98680	WASHER ADJUSTING	4			1.350mm	0.001	0.0022
110	15841-98690	WASHER ADJUSTING	4			1.375mm	0.001	0.0022
110	15841-98700	WASHER ADJUSTING	4			1.400mm	0.001	0.0022
110	15841-98710	WASHER ADJUSTING	4			1.425mm	0.001	0.0022
110	15841-98720	WASHER ADJUSTING	4			1.450mm	0.001	0.0022
110	15841-98730	WASHER ADJUSTING	4			1.475mm	0.001	0.0022
110	15841-98740	WASHER ADJUSTING	4			1.500mm	0.001	0.0022
110	15841-98750	WASHER ADJUSTING	4			1.525mm	0.001	0.0022
110	15841-98760	WASHER ADJUSTING	4			1.550mm	0.001	0.0022
110	15841-98770	WASHER ADJUSTING	4			1.575mm	0.001	0.0022
110	15841-98780	WASHER ADJUSTING	4			1.600mm	0.002	0.0044
110	15841-98790	WASHER ADJUSTING	4			1.625mm	0.001	0.0022
110	15841-98800	WASHER ADJUSTING	4			1.650mm	0.001	0.0022
110	15841-98810	WASHER ADJUSTING	4			1.675mm	0.004	0.0088
110	15841-98820	WASHER ADJUSTING	4			1.700mm	0.001	0.0022
110	15841-98830	WASHER ADJUSTING	4			1.725mm	0.001	0.0022
110	15841-98840	WASHER ADJUSTING	4			1.750mm	0.001	0.0022
110	15841-98850	WASHER ADJUSTING	4			1.775mm	0.001	0.0022
110	15841-98860	WASHER ADJUSTING	4			1.800mm	0.001	0.0022
110	15841-98870	WASHER ADJUSTING	4			1.825mm	0.001	0.0022
110	15841-98880	WASHER ADJUSTING	4			1.850mm	0.001	0.0022
110	15841-98890	WASHER ADJUSTING	4			1.875mm	0.001	0.0022
110	15841-98900	WASHER ADJUSTING	4			1.900mm	0.001	0.0022
110	15841-98910	WASHER ADJUSTING	4			1.925mm	0.001	0.0022
110	15841-98920	WASHER ADJUSTING	4			1.950mm	0.001	0.0022
120	15841-53622	GASKET	4				0.002	0.0044

PUMP HOUSING






PUMP HOUSING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-51170	BASE INJECTION PUMP	1				1.16	2.552
020	01513-60825	STUD	3				0.012	0.0264
030	1C010-51180	GASKET I/P BASE	1				0.006	0.0132
040	05012-00614	PIN STRAIGHT	1				0.004	0.0088
050	01754-50816	BOLT FLANGE	3				0.011	0.0242
060	01754-50825	BOLT FLANGE	1				0.01	0.022
070	99999-99999	BLANK	0				0	0
080	01754-50875	BOLT FLANGE	5				0.03	0.066
090	01754-50614	BOLT FLANGE	3				0.005	0.011
100	1C010-51650	COVER INJ.PUMP	1				0.36	0.792
110	1C010-51660	GASKET I/P COVER	1				0.003	0.0066
120	99999-99999	BLANK	0				0	0
130	99999-99999	BLANK	0				0	0
140	99999-99999	BLANK	0				0	0
150	1G571-50050	PUMP INJECTION UNIT	1				8.25	18.15
160	1C010-50800	ASSY HOUSING I/P	1				1.18	2.596
170	01513-50616	STUD	2				0.004	0.0088
180	01513-50818	STUD	3				0.009	0.0198
190	05012-00609	PIN STRAIGHT	2				0.003	0.0066
200	1C010-55140	PLUG I/P HOUSING	1				0.05	0.11
210	05012-00512	PIN STRAIGHT	2				0.002	0.0044
220	1C010-16170	CAMSHAFT FUEL	1				0.97	2.134
230	08153-06304	BEARING BALL	1				0.15	0.33
240	08101-06203	BEARING BALL	1				0.063	0.1386
250	04612-00200	CIR CLIP EXTERNAL	1				0.001	0.0022
260	12331-95230	KEY WOODRUFF	1				0.01	0.022
270	1C010-16320	STOPPER FUEL C/SHAFT	1				0.17	0.374
270	1C020-16320	STOPPER FUEL C/SHAFT	1		↔		0	0
280	03016-50616	SCREW CSK-HD	4				0.003	0.0066
290	03651-50830	SCREW SET	2				0.02	0.044
300	1C010-16210	COVER FUEL CAMSHAFT	1				0.09	0.198
310	1C010-16220	GASKET SHAFT COVER	1				0.001	0.0022
320	13901-91020	BOLT	4				0.005	0.011
330	1C010-52130	GASKET INJ.PUMP	1				0.001	0.0022
340	1C010-51152	GEAR INJECTION PUMP	1				1.07	2.354
350	02776-50140	NUT UBS	1				0.03	0.066
360	02751-50080	NUT FLANGE	3				0.006	0.0132
370	01754-50812	BOLT FLANGE	2				0.01	0.022
380	15021-33660	GASKET	2				0.001	0.0022

FORK LEVER (GOVERNOR)



1C541-008-1 1




FORK LEVER (GOVERNOR)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-56030	ASSY LEVER FORK	1				0.21	0.462
020	04013-60050	WASHER PLAIN	1				0.001	0.0022
030	04613-50040	CIR CLIP EXTERNAL	1				0.001	0.0022
040	04613-50050	CIR CLIP EXTERNAL	2				0.001	0.0022
050	04613-50030	CIR CLIP EXTERNAL	1				0.001	0.0022
060	1C010-56150	SHAFT FORK LEVER	1				0.023	0.0506
070	1C010-56412	SPRING GOVERNOR	1				0.005	0.011
080	1C010-56480	SPRING START	1				0.001	0.0022
090	1C010-57920	SPRING STOP LEVER	1				0.001	0.0022
100	99999-99999	BLANK	0				0	0
110	99999-99999	BLANK	0				0	0
120	01518-50820	STUD	2				0.012	0.0264
130	1C010-55770	GASKET GOV.HOUSING	1				0.001	0.0022
140	01754-50618	BOLT FLANGE	7				0.01	0.022
145	15272-67580	CLAMP CORD	1				0.021	0.0462
150	02556-50050	NUT LOCK	1				0.002	0.0044
160	1C010-54150	BOLT ADJUSTING	1				0.005	0.011
170	99999-99999	BLANK	0				0	0
180	1C010-54120	BOLT ADJUSTING	2				0.008	0.0176
190	15841-54122	BOLT ADJUSTING	1				0.008	0.0176
195	15531-54120	BOLT ADJUSTING	1				0.009	0.0198
200	15841-92020	NUT	3				0.004	0.0088
205	1G031-54210	NUT LOCK	2				0.003	0.0066
210	15841-92330	NUT	3				0.006	0.0132
220	15601-96650	GASKET	10				0.001	0.0022
230	15108-57280	STOPPER	1				0.008	0.0176
240	02056-50060	NUT	1				0.002	0.0044
245	16221-54420	CAP	2				0.001	0.0022
250	15841-54100	ASSY BOLT ADJUSTING	1				0.009	0.0198
260	15841-54260	SPRING	1				0.001	0.0022
270	15261-92020	NUT	1				0.004	0.0088
280	15841-54220	NUT	1				0.006	0.0132
290	15021-33660	GASKET	2				0.001	0.0022
300	15841-92330	NUT	1				0.006	0.0132
310	15841-92330	NUT	1				0.006	0.0132
320	16221-54420	CAP	1				0.001	0.0022
330	15841-54270	CAP	1				0.001	0.0022
340	1G511-54290	PIPE LOCK	2				0.005	0.011

FUEL FILTER




1G511-011-12

**FUEL FILTER**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G700-04700	ASSY TUBE FUEL	1				0.06	0.132
020	09661-70460	TUBE FUEL	1				0	0
030	14911-42750	CLIP PIPE	2				0.002	0.0044
040	99999-99999	BLANK	0				0	0
050	1C011-43013	ASSY FILTER FUEL	1				0.78	1.716
060	1C011-43330	GASKET	1				0.002	0.0044
070	16631-43560	ELEMENT FUEL FILTER	1				0.37	0.814
080	01774-51030	BOLT FLANGE	2				0.02	0.044
090	15841-51360	SCREW AIR BREEDER	1				0.008	0.0176
100	15601-96650	GASKET	1				0.001	0.0022
110	1C011-42400	ASSY PIPE OVER FLOW	1				0.009	0.0198
120	09661-40150	TUBE FUEL	1				0.008	0.0176
130	14971-42750	CLIP PIPE	2				0.001	0.0022

WATER FLANGE AND THERMOSTAT






WATER FLANGE AND THERMOSTAT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-73350	PIPE WATER RETURN	1				0.02	0.044
020	09318-88200	CLAMP HOSE	2				0.004	0.0088
030	15451-73260	COVER THERMOSTAT	1				0.132	0.2904
040	1C010-73270	GASKET	1				0.004	0.0088
050	01754-50825	BOLT FLANGE	3				0.01	0.022
060	1C011-72700	COMP FLANGE WATER	1				1.09	2.398
070	1C010-72810	COVER WATER FLANGE	1				0.24	0.528
080	1C010-72922	GASKET WATER FLANGE	1				0.01	0.022
090	01754-50816	BOLT FLANGE	4				0.011	0.0242
100	1C010-37110	JOINT WATER PIPE	1				0.02	0.044
110	99999-99999	BLANK	0				0	0
120	1C010-72820	GASKET WATER FLANGE	1				0.001	0.0022
130	1C011-73010	ASSY THERMOSTAT	1				0.09	0.198
140	16241-96020	PLUG	2				0.015	0.033
150	15109-33630	PLUG DRAIN	1				0.025	0.055
160	15109-33660	GASKET	1				0.001	0.0022
170	01754-50850	BOLT FLANGE	1				0.02	0.044
180	01754-50825	BOLT FLANGE	3				0.01	0.022

WATER PUMP



VALVE AND ROCKER ARM






VALVE AND ROCKER ARM


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16241-13540	GUIDE INLET VALVE	8				0.02	0.044
020	17321-13560	GUIDE EXHAUST VALVE	4				0.02	0.044
030	1C010-13110	VALVE INLET	8				0.05	0.11
040	1C010-13120	VALVE EXHAUST	4				0.08	0.176
050	1C010-13240	SPRING VALVE	8				0.02	0.044
060	15221-13240	SPRING VALVE	4				0.036	0.0792
070	16241-13330	RETAINER VALVE SP.	8				0.012	0.0264
080	15221-13330	RETAINER VALVE SP.	4				0.03	0.066
090	15261-13360	COLLET VALVE SPRING	8			SET	0.004	0.0088
100	15221-13980	COLLET	4			SET	0.005	0.011
110	1C010-13150	SEAL VALVE STEM	8				0.002	0.0044
120	1C010-13160	SEAL VALVE STEM	4				0.002	0.0044
125	1C010-13480	SHAFT VALVE	4	≤XJ8312			0	0
125	1C010-13482	SHAFT VALVE	4	≥XL1150	←		0.001	0.0022
130	1C010-14050	ASSY SHAFT R-ARM	1				0.51	1.122
135	03410-00808	SCREW SET	2				0.002	0.0044
140	1C010-14350	BRACKET ROCKER ARM	4				0.063	0.1386
150	05411-00532	PIN SPRING	1	≤YX0940			0.003	0.0066
150	05411-00528	PIN SPRING	1	≥YY0471	←		0.003	0.0066
160	1C010-14430	WASHER	2				0.002	0.0044
170	04612-00160	CIR CLIP EXTERNAL	2				0.001	0.0022
180	1C010-14310	SPRING	3	≤YP0470			0.01	0.022
180	1C020-14310	SPRING	3	≥YQ0501	←		0	0
190	1C010-14020	ASSY ROCKER ARM IN.	4				0.12	0.264
200	15521-14230	SCREW ADJUSTING	4				0.009	0.0198
210	15021-14240	NUT	4				0.003	0.0066
220	1C010-14150	ASSY ROCKER ARM EXH.	4				0.11	0.242
230	15521-14230	SCREW ADJUSTING	4				0.009	0.0198
240	15021-14240	NUT	4				0.003	0.0066
250	01774-51060	BOLT FLANGE	4				0.04	0.088
260	1C010-13462	ASSY ARM VALVE	4				0.057	0.1254
260	1C020-13460	ASSY ARM VALVE	4		↔		0	0
270	1C010-14280	SCREW ADJUSTMENT	4				0.005	0.011
280	16241-14240	NUT	4				0.004	0.0088
290	1C010-13490	PAD	4				0.003	0.0066
300	15221-13280	CAP VALVE	4				0.006	0.0132
310	1C010-03020	ASSY CYLINDER HEAD	1	≤XJ8312			0	0
310	1C010-03023	ASSY CYLINDER HEAD	1	≥XL1150	←		25	55


INLET MANIFOLD



EXHAUST MANIFOLD




TURBO CHARGER



1G541-004-12

050 01754-50820




1G541-800-10



TURBO CHARGER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C041-17010	ASSY TURBO CHARGER	1				4.2	9.24
020	1C041-17200	ASSY HOSE	1				0.01	0.022
030	17371-17220	CLAMP HOSE	2				0.001	0.0022
040	1C040-17100	GASKET	1				0.012	0.0264
050	01754-50820	BOLT FLANGE	2	≤1Q8637			0.015	0.033
050	01513-60820	STUD	2	≥1J0406	≠		0.015	0.033
055	02751-50080	NUT FLANGE	2	≥1J0406			0.006	0.0132
060	01754-50875	BOLT FLANGE	2				0.03	0.066
070	1C041-12320	FLANGE MUFFLER	1				1.8	3.96
080	1C040-17110	GASKET	1				0.008	0.0176
090	01754-50870	BOLT FLANGE	2				0.028	0.0616
100	01754-50835	BOLT FLANGE	2				0.019	0.0418
110	01754-50825	BOLT FLANGE	2				0.01	0.022






ACTUATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C040-54070	ASSY ACTUATOR BOOST	1				0.098	0.2156
020	04811-00160	O RING	1				0.001	0.0022
030	1C040-54620	SPACER BOOST ARM	1				0.005	0.011
040	1C040-54580	ARM BOOST	1				0.01	0.022
050	1C040-54590	ARM BOOST	1				0.009	0.0198
060	1C040-54750	SPRING BOOST	1				0.002	0.0044
070	04613-50040	CIR CLIP EXTERNAL	1				0.001	0.0022
080	1C040-54050	ASSY PIPE BOOST	1				0.012	0.0264
090	09661-40210	TUBE FUEL	1				0.01	0.022
100	14971-42750	CLIP PIPE	2				0.001	0.0022
110	1C040-53870	CLAMP PIPE	1				0.001	0.0022

OIL PIPE(TURBO CHARGER)






OIL PIPE(TURBO CHARGER)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C040-33040	COMP.PIPE OIL	1				0.09	0.198
020	17371-95800	BOLT EYE JOINT	1				0.025	0.055
030	15471-96650	GASKET	2				0.002	0.0044
040	15471-95790	BOLT EYE JOINT	1				0.02	0.044
050	15021-33660	GASKET	2				0.001	0.0022
060	1C040-33060	COMP.PIPE OIL	1				0.2	0.44
070	16299-33670	GASKET	1				0.003	0.0066
080	01754-50618	BOLT FLANGE	2				0.01	0.022
090	15471-33240	PIPE OIL	1				0.04	0.088
100	09318-88230	CLAMP HOSE	2				0.008	0.0176
110	33430-82760	PIN BAND	1				0.004	0.0088
120	67111-53770	BAND PIPE	1				0.01	0.022




1G541-011-11



HYDRAULIC PUMP BASE [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1G511-83120	BASE HYD.PUMP	1				1.66	3.652
020	1G511-83190	GEAR HYD.PUMP DRIVE	1				0.71	1.562
030	12545-23450	BEARING BALL	2				0.1	0.22
040	04611-00620	CIR CLIP INTERNAL	1				0.011	0.0242
050	04612-00250	CIR CLIP EXTERNAL	1				0.002	0.0044
060	04815-06710	O RING	1	<=1F1360			0.01	0.022
060	1C010-96960	O RING	1	>=1G0422	←		0	0
070	1G571-83130	BASE HYD.PUMP	1				0.84	1.848
080	04815-06710	O RING	1	<=YV0561			0.01	0.022
080	1C010-96960	O RING	1	>=YW0491	←		0	0
090	01754-50870	BOLT FLANGE	2				0.028	0.0616



1G541-011-11




HYDRAULIC PUMP BASE [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1G511-83120	BASE HYD.PUMP	1				1.66	3.652
020	1G511-83190	GEAR HYD.PUMP DRIVE	1				0.71	1.562
030	12545-23450	BEARING BALL	2				0.1	0.22
040	04611-00620	CIR CLIP INTERNAL	1				0.011	0.0242
050	04612-00250	CIR CLIP EXTERNAL	1				0.002	0.0044
060	04815-06710	O RING	1	<=1F1360			0.01	0.022
060	1C010-96960	O RING	1	>=1G0422	←		0	0
070	1G571-83130	BASE HYD.PUMP	1				0.84	1.848
080	04815-06710	O RING	1	<=YV0561			0.01	0.022
080	1C010-96960	O RING	1	>=YW0491	←		0	0
090	01754-50870	BOLT FLANGE	2				0.028	0.0616

OIL COOLER






OIL COOLER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15852-33140	PLUG OIL FILLER	1				0.038	0.0836
020	04811-50300	O RING	1				0.001	0.0022
030	1C010-37010	ASSY COOLER OIL	1				0.83	1.826
040	15484-32280	NUT	1				0.027	0.0594
040	1C010-32280	NUT	1		↔		0	0
050	15484-32290	JOINT	1				0.14	0.308
050	1C010-32290	JOINT	1		↔		0.13	0.286
060	1C010-37150	PIPE OIL COOLER	1				0.025	0.055
070	1C010-37160	PIPE OIL COLLER	1				0.12	0.264
080	1C010-37172	PIPE OIL COLLER	1				0.024	0.0528
090	1C010-37182	PIPE OIL COLLER	1				0.023	0.0506
100	09318-88200	CLAMP HOSE	6				0.004	0.0088
110	01754-50812	BOLT FLANGE	1				0.01	0.022
120	1C010-32430	CARTRIDGE OIL FILTER	1				0	0
120	1C020-32430	CARTRIDGE OIL FILTER	1		↔		2	4.4


UPPER GASKET KIT



020 15221-3370-0



030 1C010-0331-0



1G511-844-11




UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	07916-27325	KIT GASKET UPPER	1	<=YX0940			0	0
010	07916-27326	KIT GASKET UPPER	1	>=YY0471	≠		0.56	1.232
020	15221-33700	O RING	1	<=YX0940			0.001	0.0022
030	1C010-03310	GASKET CYL.HEAD	1	<=YX0940			0.16	0.352
030	1C020-03310	GASKET CYL.HEAD	1	>=YY0471	≠		0	0
040	1C010-13150	SEAL VALVE STEM	8				0.002	0.0044
050	1C010-13160	SEAL VALVE STEM	4				0.002	0.0044
060	1C010-14520	GASKET HEAD COVER	1				0.05	0.11
070	04811-50300	O RING	1				0.001	0.0022
080	15841-53622	GASKET	4				0.002	0.0044
090	19077-53650	SEAL HEAT	4				0.005	0.011
100	1C010-11820	GASKET IN-MANIFOLD	1				0.01	0.022
110	15601-96650	GASKET	1				0.001	0.0022
120	1C010-12350	GASKET EX-MANIFOLD	1	<=XU9802			0	0
120	1C010-12352	GASKET EX-MANIFOLD	1	>=XW1357	←		0.001	0.0022
130	1C011-12230	GASKET MUFFLER	1				0.014	0.0308
140	1C040-17100	GASKET	1				0.012	0.0264
150	1C040-17110	GASKET	1				0.008	0.0176
160	15471-96650	GASKET	2				0.002	0.0044
170	15021-33660	GASKET	2				0.001	0.0022
180	16299-33670	GASKET	1				0.003	0.0066
190	15601-96650	GASKET	1				0.001	0.0022
200	1C010-73270	GASKET	1				0.004	0.0088
210	1C010-72922	GASKET WATER FLANGE	1				0.01	0.022
220	1C010-72820	GASKET WATER FLANGE	1				0.001	0.0022
230	15109-33660	GASKET	1				0.001	0.0022

LOWER GASKET KIT




1G511-024-10




LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	07916-27335	KIT GASKET LOWER	1	<=YV0561			0	0
010	07916-27336	KIT GASKET LOWER	1	>=YW0491	≠		0.34	0.748
020	15021-33660	GASKET	1				0.001	0.0022
030	15451-96670	GASKET	2				0.003	0.0066
040	15451-96670	GASKET	1				0.003	0.0066
050	04724-00200	GASKET	1				0.003	0.0066
060	1C010-04140	SEAL OIL	1				0.05	0.11
060	1C020-04140	SEAL OIL	1		↔		0	0
070	04814-00200	O RING	1				0.01	0.022
080	04814-00240	O RING	1				0.001	0.0022
090	1C010-04130	GASKET CRANKCASE	1				0.02	0.044
100	1C010-51180	GASKET I/P BASE	1				0.006	0.0132
110	1C010-16220	GASKET SHAFT COVER	1				0.001	0.0022
120	1C010-51660	GASKET I/P COVER	1				0.003	0.0066
130	1C010-52130	GASKET INJ.PUMP	1				0.001	0.0022
140	1C010-04460	SEAL OIL	1				0.07	0.154
150	04814-00220	O RING	1				0.001	0.0022
160	15471-96650	GASKET	2				0.002	0.0044
170	04811-50300	O RING	2				0.001	0.0022
180	15625-32890	GASKET	1				0.001	0.0022
190	1C011-43330	GASKET	1				0.002	0.0044
200	04811-10070	O RING	2				0.001	0.0022
210	04811-00160	O RING	1				0.001	0.0022
220	1C010-55770	GASKET GOV.HOUSING	1				0.001	0.0022
230	15601-96650	GASKET	18				0.001	0.0022
240	15021-33660	GASKET	4				0.001	0.0022
250	16264-52140	GASKET FUEL PUMP	1				0.001	0.0022
260	1C010-73430	GASKET WATER PUMP	1				0.003	0.0066
270	04814-00420	O RING	1				0.002	0.0044
280	04815-06710	O RING	2	<=YV0561			0.01	0.022
280	1C010-96960	O RING	2	>=YW0491	←		0	0
290	16264-88130	GASKET H/METER UNIT	1				0.002	0.0044









AIR CLEANER [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-19100	ASSY CLEANER AIR	1			REFER TO L.No.C16-R FOR COMPONENTS.	2.8	6.16
020	01123-50820	BOLT	4				0.011	0.0242
030	3A751-19350	HOSE INLET	1				1.32	2.904
040	3A151-74470	CLAMP HOSE	1				0.04	0.088
050	15401-11720	BAND PIPE	1				0.05	0.11
060	3A751-19110	SUPPORT AIR CLEANER	1				5.5	12.1
070	01133-51025	BOLT	4				0.023	0.0506
080	3A752-19390	GUARD SNOW	1				0.355	0.781
090	36960-74470	BAND PIPE	1				0.03	0.066




MUFFLER



040 3A751-1211-0



100 3A111-1212-0



3A750-823-10




MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	01517-61025	STUD	4				0.02	0.044
020	3A111-12200	STAY MUFFLER	1	<=50724			0	0
020	3A111-12202	STAY MUFFLER	1	>=50725	←		0.5	1.1
030	01774-61020	BOLT FLANGE	2				0.022	0.0484
040	3A751-12110	MUFFLER	1	<=52555			6.2	13.64
040	3A751-12112	MUFFLER	1	>=52556	≠		6.8	14.96
050	1C011-12230	GASKET MUFFLER	1				0.014	0.0308
060	04512-60100	WASHER SPRING	4				0.002	0.0044
070	02176-50100	NUT	4				0.005	0.011
080	3A111-12152	COVER MUFFLER	1				0.125	0.275
090	30400-19060	BOLT FLANGE	1				0.006	0.0132
100	3A111-12120	PIPE MUFFLER	1	<=52555		NOT SALE	0	0
100	3A111-97180	PIPE MUFFLER	1	<=52555	←	OPTION	0	0
100	3A111-12122	PIPE MUFFLER	1	>=52556	≠		0	0
110	15416-12130	BAND MUFFLER PIPE	1				0.1	0.22
120	35999-02550	COLLAR	1				0.01	0.022
130	01754-50835	BOLT FLANGE	1				0.019	0.0418
140	02751-50080	NUT FLANGE	1				0.006	0.0132
150	01754-50816	BOLT FLANGE	2				0.011	0.0242

INTERCOOLER






INTERCOOLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-19360	HOSE	1				1	2.2
020	15401-11720	BAND PIPE	2				0.05	0.11
030	1G571-17500	ASSY INTERCOOLER	1				2.2	4.84
040	01754-50614	BOLT FLANGE	2				0.005	0.011
050	01754-50816	BOLT FLANGE	2				0.011	0.0242
060	3A151-15100	NET INTERCOOLER	1				0.15	0.33
070	01811-50610	BOLT WING	1				0.014	0.0308
080	3A751-19370	HOSE	1				1.63	3.586
090	15401-11720	BAND PIPE	1				0.05	0.11
100	68811-42270	BAND PIPE	1				0.04	0.088

HAND ACCELERATOR LEVER






HAND ACCELERATOR LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-94760	LEVER ACCEL.PEDAL	1				0.12	0.264
020	08511-01210	BUSH	2				0.005	0.011
030	04011-50120	WASHER PLAIN	1				0.005	0.011
040	05515-61200	PIN SNAP	1				0.005	0.011
050	3A751-10220	LEVER HAND ACCEL.	1				0.37	0.814
060	TA040-49873	GRIP	1				0.024	0.0528
070	3A111-10380	PLATE ACCEL.LEVER	1				0.021	0.0462
080	3F740-10300	PLATE	1				0.014	0.0308
090	3A751-10370	STUD	1				0.053	0.1166
100	04011-50180	WASHER PLAIN	1				0.012	0.0264
110	04013-60120	WASHER PLAIN	2				0.01	0.022
120	33251-10320	SPRING ACCEL.LEVER	1				0.012	0.0264
130	33251-10270	CAP SPRING	1				0.01	0.022
140	02576-50120	NUT LOCK	1				0.011	0.0242
150	02174-50120	NUT	1				0.01	0.022
160	3A751-10160	WIRE HAND ACCEL.	1				0.19	0.418
170	04013-60060	WASHER PLAIN	2				0.001	0.0022
180	05525-60600	PIN SNAP	2				0.001	0.0022

ACCELERATOR PEDAL







ACCELERATOR PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-94750	PEDAL ACCEL.	1				0.51	1.122
020	37410-42760	COVER PEDAL	1				0.025	0.055
030	04011-50120	WASHER PLAIN	1				0.005	0.011
040	05411-00425	PIN SPRING	1				0.001	0.0022
050	01173-51050	BOLT	1				0.035	0.077
060	02118-50100	NUT	1				0.005	0.011
070	3G710-62330	SPRING ACCEL.	1				0.05	0.11
080	01053-60650	BOLT	1				0.012	0.0264
090	02014-50060	NUT	1				0.003	0.0066
100	3A751-10750	WIRE ACCEL.	1				0.1	0.22
110	3A751-10760	ELEMENT	1				0.002	0.0044
120	36919-10332	HOLDER WIRE	1				0.01	0.022
130	02054-50050	NUT	1				0.002	0.0044
140	04013-60060	WASHER PLAIN	1				0.001	0.0022
150	05525-60600	PIN SNAP	1				0.001	0.0022
160	3A011-32870	PIN SNAP	1				0.001	0.0022

ENGINE STOP WIRE








FUEL TANK RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-04130	TANK FUEL RH	1				12	26.4
020	01774-51616	BOLT FLANGE	1				0.07	0.154
030	04717-01600	WASHER WITH RUBBER	1				0.003	0.0066
040	3A151-04183	STAY FUEL TANK	1				2.1	4.62
050	01173-51635	BOLT	2				0.078	0.1716
060	04512-60160	WASHER SPRING	2				0.01	0.022
070	3A751-04360	BAND FUEL TANK	1				0.79	1.738
080	3A751-04380	BAND FUEL TANK	1				0.9	1.98
090	02574-50100	NUT LOCK	4				0.007	0.0154
100	04013-60100	WASHER PLAIN	4				0.004	0.0088
110	3A111-04660	CUSHION TANK	2	<=52490			0.087	0.1914
110	3A111-04663	CUSHION TANK	2	>=52491	←		0	0
120	3A751-04682	CUSHION TANK	2	<=54038			0	0

FUEL TANK LH






FUEL TANK LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-04140	TANK FUEL LH	1				14.7	32.34
020	01774-51616	BOLT FLANGE	1				0.07	0.154
030	04717-01600	WASHER WITH RUBBER	1				0.003	0.0066
040	3A751-04290	ASSY CAP FUEL TANK	1				0.081	0.1782
050	61191-54740	GASKET TANK CAP	1				0.01	0.022
060	3A151-04183	STAY FUEL TANK	1				2.1	4.62
070	01173-51635	BOLT	2				0.078	0.1716
080	04512-60160	WASHER SPRING	2				0.01	0.022
090	3A751-04370	BAND FUEL TANK	1				0.855	1.881
100	3A751-04390	BAND FUEL TANK	1				0.745	1.639
110	02574-50100	NUT LOCK	4				0.007	0.0154
120	04013-60100	WASHER PLAIN	4				0.004	0.0088
130	3A111-04660	CUSHION TANK	1	<=52490			0.087	0.1914
130	3A111-04663	CUSHION TANK	1	>=52491	←		0	0
140	3A151-04660	CUSHION TANK	1				0.1	0.22
150	3A111-04670	CUSHION TANK	2	<=54025			0.07	0.154
150	3A111-04674	CUSHION TANK	2	>=54026	←		0	0
160	3A751-04560	FILLER FUEL	1				0.43	0.946
170	30400-19060	BOLT FLANGE	2				0.006	0.0132
180	3A751-04570	HOSE FUEL	1				0.77	1.694
190	36919-04590	CLIP HOSE	2				0.05	0.11

FUEL PIPE






FUEL PIPE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-04510	HOSE FUEL TANK	1				0.21	0.462
020	36200-82720	CLAMP	2				0.025	0.055
030	3A151-04480	ASSY TUBE FUEL	2				0.113	0.2486
040	3A151-04410	TUBE BREATHER	2				0.105	0.231
050	09318-88130	CLAMP HOSE	4				0.002	0.0044
060	3A751-04490	ASSY TUBE FUEL	2				0.115	0.253
070	3A111-04420	TUBE BREATHER	2				0.18	0.396
080	09318-88130	CLAMP HOSE	2				0.002	0.0044
090	53581-64150	BAND CORD	2				0.002	0.0044
100	12234-67580	CLAMP CORD	1				0.015	0.033
110	3A151-04580	COVER FUEL PIPE	1				1.205	2.651
120	01133-51225	BOLT	2				0.038	0.0836
130	04013-60120	WASHER PLAIN	2				0.01	0.022
140	01754-50812	BOLT FLANGE	2				0.01	0.022
150	3A151-04460	ASSY TUBE FUEL	1				0.19	0.418
160	09661-81250	TUBE FUEL	1				0.147	0.3234
170	14911-42750	CLIP PIPE	2				0.002	0.0044
180	3A151-04550	TUBE	1				0.037	0.0814
190	3A481-04470	ASSY TUBE FUEL	1				0.03	0.066
200	09661-40550	TUBE FUEL	1				0.03	0.066
210	14971-42750	CLIP PIPE	2				0.001	0.0022
220	3A111-04430	ASSY TUBE FUEL	1	<=52555			0.11	0.242
220	3A151-04440	ASSY TUBE FUEL	1	>=52556	←		0	0
230	09661-80750	TUBE FUEL	1	<=52555			0.085	0.187
230	09661-70750	TUBE FUEL	1	>=52556	←		0	0
240	14911-42750	CLIP PIPE	2				0.002	0.0044
250	3A111-04540	TUBE	1				0.02	0.044
260	15272-67580	CLAMP CORD	1				0.021	0.0462

SEPARATOR



3A110-005-10




SEPARATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16541-43350	SEPARATOR	1			REFER TO L.No.D10-R FOR COMPONENTS.	0.285	0.627
020	01123-50865	BOLT	1				0.028	0.0616
030	04013-60080	WASHER PLAIN	1				0.002	0.0044

SEPARATOR [COMPONENT PARTS]







SEPARATOR [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16541-43350	SEPARATOR	1				0.285	0.627
020	15831-43100	ASSY CUP FILTER	1				0.028	0.0616
030	16271-43580	CUP FILTER	1				0.045	0.099
035	15831-87462	LABEL	1				0.001	0.0022
040	16271-43590	RING RETAINING	1				0.075	0.165
050	16271-43570	O RING FILTER CUP	1				0.001	0.0022
060	15831-43380	ELEMENT	1				0.04	0.088
070	15831-43930	SPRING	1				0.005	0.011
080	15831-43250	FLOAT	1				0.001	0.0022
090	14301-43522	LEVER COCK	1				0.024	0.0528
100	16541-43820	SPRING VALVE	1				0.001	0.0022
110	14301-43840	O RING LEVER	1				0.001	0.0022
120	14301-43830	SCREW SET	1				0.001	0.0022



WATER PIPE



RADIATOR







RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-17100	ASSY RADIATOR	1				5.5	12.1
020	3A111-17110	ASSY CAP RADIATOR	1				0.07	0.154
030	3A111-17130	ASSY PLUG RADIATOR	1				0.001	0.0022
040	3A111-17290	TRIM SASH	1				0.006	0.0132
050	3A751-17290	TRIM SASH	2				0.003	0.0066
060	3A151-17290	TRIM SASH	2				0.004	0.0088
070	01025-50612	BOLT	4				0.005	0.011
080	33760-50220	CLAMP HOSE	2				0.022	0.0484
090	01025-50612	BOLT	2				0.005	0.011
100	3A111-17410	NET RADIATOR	1				0.22	0.484
110	3A111-17420	NET RADIATOR LOWER	1				0.22	0.484
120	01811-50610	BOLT WING	1				0.014	0.0308
130	34070-16030	RUBBER	4				0.015	0.033
140	3A151-17190	SPONGE SIDE	2				0.011	0.0242
150	3A111-83050	GUIDE LH	1				0.145	0.319
160	3A011-83044	GUIDE RH	1				0.145	0.319
170	01025-50612	BOLT	4				0.005	0.011
180	3A751-97350	KIT SHROUD FAN(A)	1				29.01	63.822
190	32751-49580	LABEL FAN BELT	2				0.001	0.0022

RESERVE TANK





070 1G541-7402-0



3A150-834-10




ALTERNATOR [A]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C011-64010	ASSY DYNAMO	1			REFER TO L.No.D15-L FOR COMPONENTS.	3.97	8.734
020	1C010-64420	STAY DYNAMO	1				0.16	0.352
030	04015-60080	WASHER PLAIN	1				0.01	0.022
040	01754-50825	BOLT FLANGE	1				0.01	0.022
050	3A111-17390	BOLT FLANGE	1				0.055	0.121
055	04013-60100	WASHER PLAIN	1				0.004	0.0088
056	04512-60100	WASHER SPRING	1				0.002	0.0044
060	02076-50100	NUT	1				0.006	0.0132
070	1G541-74020	ASSY PULLEY FAN DRI.	1	≤53558			2.58	5.676
070	1C010-74282	PULLEY FAN DRIVE	1	≥53559	←		0	0
080	17121-91010	BOLT	1	≤53047		←	0.26	0.572
080	1C010-91010	BOLT	1	≥53048			0.19	0.418
090	04512-60060	WASHER SPRING	1				0.001	0.0022
100	02056-50060	NUT	1				0.002	0.0044
110	52200-41160	CLAMP CORD	1				0.01	0.022
120	3A111-77320	CLAMP CORD	1				0.046	0.1012
130	01754-50880	BOLT FLANGE	1				0.03	0.066
140	02751-50080	NUT FLANGE	1				0.006	0.0132

ALTERNATOR [CA]



070 1G541-7402-0




3A150-834-10



ALTERNATOR [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1G541-64010	ASSY DYNAMO	1			REFER TO L.No.B15-R FOR COMPONENTS.	4	8.8
020	1C010-64420	STAY DYNAMO	1				0.16	0.352
030	04015-60080	WASHER PLAIN	1				0.01	0.022
040	01754-50825	BOLT FLANGE	1				0.01	0.022
050	3A111-17390	BOLT FLANGE	1				0.055	0.121
055	04013-60100	WASHER PLAIN	1				0.004	0.0088
056	04512-60100	WASHER SPRING	1				0.002	0.0044
060	02076-50100	NUT	1				0.006	0.0132
070	1G541-74020	ASSY PULLEY FAN DRI.	1	≤53558			2.58	5.676
070	1C010-74282	PULLEY FAN DRIVE	1	≥53559	←		0	0
080	17121-91010	BOLT	1	≤53558		←	0.26	0.572
080	1C010-91010	BOLT	1	≥53559			0.19	0.418
090	04512-60060	WASHER SPRING	1				0.001	0.0022
100	02056-50060	NUT	1				0.002	0.0044
110	52200-41160	CLAMP CORD	1				0.01	0.022
120	3A111-77320	CLAMP CORD	1				0.046	0.1012
130	01754-50880	BOLT FLANGE	1				0.03	0.066
140	02751-50080	NUT FLANGE	1				0.006	0.0132






ALTERNATOR [COMPONENT PARTS] [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C011-64010	ASSY DYNAMO	1				3.97	8.734
020	1C010-92010	NUT	1				0.02	0.044
030	1C010-91050	SET BOLT	1				0.04	0.088
040	1C011-64020	ASSY BRACKET FRONT	1				0.46	1.012
050	1C010-93010	SET BOLT	1				0.013	0.0286
060	1C010-64780	BEARING	1				0.061	0.1342
070	1C011-64120	ASSY ROTOR	1				1.93	4.246
080	1C010-64770	BEARING	1				0.024	0.0528
090	1C011-64080	ASSY STATOR	1				0.81	1.782
100	1C011-64060	ASSY BRACKET REAR	1				0.46	1.012
110	1C011-64850	ASSY RECTIFIER	1				0.11	0.242
120	1K011-92030	SET NUT	1				0.007	0.0154
130	1C011-64600	SET REGULATOR	1				0.1	0.22
140	1C010-64310	SET BRUSH	1				0.003	0.0066
150	1C010-64110	ASSY PULLEY	1				0.23	0.506




**ALTERNATOR [COMPONENT PARTS] [CA]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1G541-64010	ASSY DYNAMO	1				4	8.8
020	1C010-92010	NUT	1				0.02	0.044
030	1C010-91050	SET BOLT	1				0.04	0.088
040	1C011-64020	ASSY BRACKET FRONT	1				0.46	1.012
050	1C010-93010	SET BOLT	1				0.013	0.0286
060	1C010-64780	BEARING	1				0.061	0.1342
070	1C011-64120	ASSY ROTOR	1				1.93	4.246
080	1C010-64770	BEARING	1				0.024	0.0528
090	1G541-64080	ASSY STATOR	1				0	0
100	1G541-64060	ASSY BRACKET REAR	1				0.475	1.045
110	1G541-64850	ASSY RECTIFIER	1				0	0
120	1K011-92030	SET NUT	1				0.007	0.0154
130	1C011-64600	SET REGULATOR	1				0.1	0.22
140	1C010-64310	SET BRUSH	1				0.003	0.0066
150	1C010-64110	ASSY PULLEY	1				0.23	0.506

STARTER






STARTER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-63010	ASSY STARTER	1			REFER TO L.No.D16-R FOR COMPONENTS.	6	13.2
020	01774-51035	BOLT FLANGE	1				0.03	0.066
030	01517-61030	STUD	1				0.021	0.0462
040	02771-60100	NUT FLANGE	1				0.01	0.022
050	99999-99999	BLANK	0				0	0
060	16429-92010	NUT	1				0.007	0.0154

STARTER [COMPONENT PARTS]






STARTER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-63010	ASSY STARTER	1				6	13.2
020	1C010-63030	ASSY BRACKET FRONT	1				0.81	1.782
030	1C010-63240	SET BEARING	1				0.07	0.154
040	1C010-63040	ASSY SHAFT CLUTCH	1				1.02	2.244
050	1C010-63210	ASSY SHAFT GEAR	1				0.24	0.528
060	1C010-63410	SET WASHER	1				0.012	0.0264
070	1C010-63260	SET INTERNAL GEAR	1				0.11	0.242
080	1C010-63330	CLUTCH OVER RUNNING	1				0.6	1.32
090	1C010-63270	ASSY GEAR	4				0.015	0.033
100	1C010-63050	ASSY LEVER SET	1				0.08	0.176
110	1C010-63280	SET PINION	1				0.07	0.154
120	1C010-63170	SET STOPPER	1				0.006	0.0132
130	1C010-63020	ASSY SWITCH MAGNETIC	1				1.04	2.288
140	1C010-63760	SET SCREW	1				0.027	0.0594
150	6C040-82690	BALL	1				0.001	0.0022
160	1C010-63520	SET PACKING	1				0.06	0.132
170	1C010-63070	ASSY ARMATURE	1				0.96	2.112
180	1C010-63250	BEARING	1				0.02	0.044
190	1C010-63080	ASSY YOKE	1				1.17	2.574
200	1C010-63380	ASSY HOLDER BRUSH	1				0.09	0.198
210	1C010-63390	BRUSH SPRING	4				0.004	0.0088
220	1C010-63370	BRUSH	2				0.043	0.0946
230	1C010-63200	ASSY BRACKET REAR	1				0.13	0.286
240	1C010-63320	SET BOLT	1				0.05	0.11

BATTERY






BATTERY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-12730	BATTERY	1			12V CCA1000A	0	0
020	3A111-77110	CORD BATTERY	1				0.935	2.057
030	3A111-97150	CAP BATTERY CORD	1				0.015	0.033
040	3A111-77120	CORD BATTERY	1				0.27	0.594
050	01754-50814	BOLT FLANGE	1				0.005	0.011
060	3A111-77310	COVER HARNESS	1				0.61	1.342
070	01754-50816	BOLT FLANGE	2				0.011	0.0242
080	3A111-77330	CLAMP CORD	1				0.001	0.0022
090	3A751-21730	SUPPORT BATTERY	1				6.2	13.64
100	01133-51020	BOLT	4				0.02	0.044
110	3A111-74340	CUSHION BATTERY	2				0.12	0.264
120	3A751-21740	COVER SUPP.BATTERY	2				0.28	0.616
130	01811-50812	BOLT WING	4				0.03	0.066
140	3A111-74360	BOLT HOOK(BATTERY)	2				0.032	0.0704
150	02014-50060	NUT	4				0.003	0.0066
160	04015-60060	WASHER PLAIN	2				0.005	0.011
170	36230-74350	RETAINER BATTERY	1				0.41	0.902
170	3A211-74350	RETAINER BATTERY	1		↔		0	0
180	38430-29670	CUSHION	2				0.01	0.022






SWITCH/SENSOR


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	TA040-43900	SWITCH LEVER	1				0.008	0.0176
020	03024-50414	SCREW WITH WASHER	1				0.002	0.0044
030	3A151-75100	SWITCH	1				0.035	0.077
040	04717-01400	WASHER WITH RUBBER	1				0.003	0.0066
050	15841-39010	SWITCH OIL	1				0.03	0.066
060	31351-32830	SENSOR THERMO	1				0.02	0.044
070	3A751-75300	SENSOR FUEL GAUGE	1				0.305	0.671
080	04512-60050	WASHER SPRING	5				0.002	0.0044
090	02054-50050	NUT	5				0.002	0.0044
100	36330-75310	GASKET	1				0.005	0.011
110	3F760-81740	LIGHTER CIGARETTE	1				0.073	0.1606
120	1C010-60010	SOLENOID STOP	1	<=51913			0	0
120	1C010-60013	SOLENOID STOP	1	>=51914	←		0	0
120	1C010-60014	SOLENOID STOP	1	>=53058	←		0	0
130	01311-10616	BOLT HEX-SOC-HD	2				0.005	0.011

SWITCH(PANEL BOARD)




SWITCH [A]





RELAY [A]






RELAY [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3F740-75030	RELAY	5	≤54965			0.04	0.088
010	3F740-75030	RELAY	6	≥54966			0.04	0.088
020	3G710-75060	RELAY INTERMITTENT	1				0.06	0.132
030	3G710-71140	BOLT	2				0.005	0.011
040	3F240-75430	UNIT FLASHER	1				0.06	0.132
050	13824-67590	CLAMP CORD	1				0.002	0.0044
060	35593-75210	RELAY GLOW PLUG	1				0.088	0.1936
070	3A111-75080	RELAY KEY STOP	1				0.07	0.154
080	T0070-31410	TIMER KEY STOP	1				0.065	0.143
090	01754-50612	BOLT FLANGE	4	≤53384			0.005	0.011
090	3G710-71140	BOLT	4	≥53385	←		0.005	0.011




**RELAY [CA]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
020	3G710-75060	RELAY INTERMITTENT	1				0.06	0.132
030	3G710-71140	BOLT	2				0.005	0.011
040	3F240-75430	UNIT FLASHER	1				0.06	0.132
050	13824-67590	CLAMP CORD	1				0.002	0.0044
060	35593-75210	RELAY GLOW PLUG	1				0.088	0.1936
070	3A111-75080	RELAY KEY STOP	1				0.07	0.154
080	T0070-31410	TIMER KEY STOP	1				0.065	0.143
090	01754-50612	BOLT FLANGE	4	<=53384			0.005	0.011
090	3G710-71140	BOLT	4	>=53385	←		0.005	0.011





PANEL BOARD [COMPONENT PARTS]







PANEL BOARD [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-77500	ASSY PANEL	1				2.9	6.38
020	T0272-43020	HOOD PANEL	1				1.1	2.42
030	3A751-76370	ASSY TACHOMETER	1				0.22	0.484
040	3G710-76380	ASSY METER FUEL	1				0.08	0.176
050	3G710-76390	ASSY THERMOMETER	1				0.07	0.154
060	3A751-76400	CASE	1				0	0
070	34070-30260	GLASS	1				0.485	1.067
080	3A751-76440	ASSY PLATE	1				0.125	0.275
090	38240-31460	ASSY LAMP ELECTRIC	4				0.015	0.033
100	38240-31470	BULB	4				0.01	0.022
110	38240-31480	SOCKET	4				0.001	0.0022
120	38070-31460	ASSY LAMP ELECTRIC	1				0.015	0.033
130	38070-31470	BULB	1				0.02	0.044
140	38070-31480	SOCKET	1				0.001	0.0022
150	T0070-31460	ASSY LAMP ELECTRIC	2			NOT SALE	0	0
160	T0070-31470	BULB	2				0.005	0.011
170	T0070-31480	SOCKET	2				0.002	0.0044
180	3G710-76140	PLATE WINDOW	1				0.21	0.462
190	34070-30170	LENS	2				0.005	0.011
200	66426-81100	WASHER PLAIN	5				0.001	0.0022
210	04512-60040	WASHER SPRING	5				0.002	0.0044
220	02054-50040	NUT	5				0.001	0.0022
230	32530-94900	SCREW WITH WASHER	2				0.002	0.0044
240	03514-50425	SCREW TAPPING	10				0.001	0.0022
250	35533-76230	SCREW WITH WASHER	1				0.002	0.0044
260	34070-30290	SCREW TAPPING	2				0.01	0.022



HAZARD LIGHT







HAZARD LIGHT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	32530-33610	ASSY LIGHT HAZARD	2				0.5	1.1
020	32530-91510	LENS HAZARD LIGHT	4				0.085	0.187
030	32530-91520	SCREW TAPPING	12				0.001	0.0022
040	32530-91530	BULB LIGHT	2			27W	0.02	0.044
050	02114-50100	NUT	2				0.005	0.011
060	04411-50100	WASHER TOOTHED	2				0.001	0.0022
070	3A751-74530	BRACKET HAZARD RH	1				0.165	0.363
080	3A751-74540	BRACKET HAZARD LH	1				0.21	0.462
090	30810-18870	BOLT FLANGE	2				0.012	0.0264







3A750-028-11

070 3G710-7532-0

080 30810-1887-0

090 02763-60080



3A750-821-10




WORK LIGHT [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-75910	LIGHT WORK	4				0.37	0.814
020	3G710-75900	BULB	4			55W	0.007	0.0154
030	02763-60080	NUT FLANGE	4				0.005	0.011
040	53581-64150	BAND CORD	4				0.002	0.0044
050	3G710-75310	STAY WORKING LIGHT	4				0.1	0.22
060	02763-60080	NUT FLANGE	4				0.005	0.011
070	3G710-75320	STAY WORKING LIGHT	2	<=51527			0.044	0.0968
070	3G710-75322	STAY WORKING LIGHT	2	>=51528	←		0.05	0.11
080	30810-18870	BOLT FLANGE	2				0.012	0.0264
090	02763-60080	NUT FLANGE	2	<=51527			0.005	0.011

REAR COMBINATION LIGHT






REAR COMBINATION LIGHT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-34302	LIGHT REAR COMBI.	2				0.24	0.528
020	31301-34370	BULB	2			23/8W	0.02	0.044
030	38430-34310	BULB	2			15W	0.02	0.044
040	02552-50040	NUT LOCK	2				0	0
050	02761-50040	NUT FLANGE	2				0.002	0.0044
060	3G710-34312	BRACKET REAR COMBI.L	1				0.4	0.88
070	3G710-34322	BRACKET REAR COMBI.R	1				0.4	0.88
080	T0070-70860	BOLT FLANGE	4				0.006	0.0132
090	30442-15230	BOLT	2				0.01	0.022

ROOM LIGHT




WASHER TANK [A]



**WASHER TANK [A]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-55760	TANK DOUBLE WASHER	1				0.65	1.43
020	TA140-71200	PLUG WASHER TANK	1				0.001	0.0022
030	3A751-71170	STAY WASHER	1				0.43	0.946
040	01754-50610	BOLT FLANGE	2				0.006	0.0132
050	15241-67580	CLAMP CORD	1				0.004	0.0088
060	3A751-56720	TUBE WASHER	1				0.065	0.143
070	3F760-54180	NOZZLE WASHER	1				0.004	0.0088
080	3A751-54190	STAY WASHER NOZZLE	1				0.017	0.0374
090	36919-50390	SCREW	2				0.004	0.0088
100	13582-57820	CUSHION CHOKE ROD	1				0.002	0.0044
110	68817-41460	GROMMET	1	<=51221			0.002	0.0044
110	64531-11190	PLUG RUBBER	1	>=51222	≠		0.004	0.0088







WASHER TANK [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-55760	TANK DOUBLE WASHER	1				0.65	1.43
020	3A751-71170	STAY WASHER	1				0.43	0.946
030	01754-50610	BOLT FLANGE	2				0.006	0.0132
040	15241-67580	CLAMP CORD	1				0.004	0.0088
050	3A751-56720	TUBE WASHER	1				0.065	0.143
060	3G710-56730	TUBE WASHER	1	<=51527			0.05	0.11
060	3A751-56730	TUBE WASHER	1	>=51528	←		0	0
070	3F760-54180	NOZZLE WASHER	2				0.004	0.0088
080	3A751-54190	STAY WASHER NOZZLE	1				0.017	0.0374
090	3F760-54190	STAY WASHER NOZZLE	1				0.01	0.022
100	36919-50390	SCREW	2				0.004	0.0088
110	13582-57820	CUSHION CHOKE ROD	2				0.002	0.0044






3A750-034-11

**WIPER [CA]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T0270-71110	MOTOR FRONT WIPER	1				0.955	2.101
020	3G710-73530	BRACKET WIPER	1				0.38	0.836
030	01754-50816	BOLT FLANGE	5				0.011	0.0242
040	34070-71120	ASSY ARM WIPER	1				0.24	0.528
050	34070-71130	ASSY BLADE WIPER	1				0.105	0.231
060	3F760-55780	MOTOR REAR WIPER	1				1.02	2.244
070	3F760-57420	MOTOR BODY	1				0.96	2.112
080	3F760-57430	SEAL REAR WIPER	1				0	0
090	3F760-57440	WASHER REAR WIPER	1				0	0
100	3F760-57450	NUT REAR WIPER	1				0.009	0.0198
110	3F760-57470	CAP REAR WIPER	1				0.002	0.0044
120	3F760-57480	SEAL REAR WIPER	2				0	0
130	3F760-57490	BOLT REAR WIPER	2				0.009	0.0198
140	3F760-57500	COVER REAR WIPER	1				0.08	0.176
150	02761-50060	NUT FLANGE	2				0.003	0.0066
160	3F760-54160	ARM REAR WIPER	1				0.126	0.2772
170	02761-50060	NUT FLANGE	1				0.003	0.0066
180	3F760-54170	BLADE REAR WIPER	1				0.108	0.2376



3A750-035-11

010 3A751-7721-0

010 3A751-7721-3




3A750-834-10



ELECTRICAL WIRING [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-77210	WIRE HARNESS MAIN	1	≤52555			1.67	3.674
010	3A751-77213	WIRE HARNESS MAIN	1	≥52556	←		0	0
010	3A761-77210	WIRE HARNESS MAIN	1	≥54966	≠		1.8	3.96
020	3A751-77370	COVER FUSE CASE	1	≤54965			0	0
020	3A761-77370	COVER FUSE CASE	1	≥54966	≠		0.02	0.044
030	37410-55520	FUSE	3			5A	0.002	0.0044
040	36730-75550	FUSE	4			10A	0.001	0.0022
050	35820-75560	FUSE	9			15A	0.002	0.0044
060	36919-56650	FUSE	2	≤54965		20A	0.002	0.0044
060	56605-42150	FUSE AUTO	2	≥54966	≠	25A	0.005	0.011
070	36330-75390	DIODE	1				0.01	0.022
080	RP201-53930	DIODE	1				0.003	0.0066
090	3A751-77220	WIRE HARNESS ENGINE	1	≤52483			1.32	2.904
090	3A751-77226	WIRE HARNESS ENGINE	1	≥52484	←		0	0
090	3A761-77220	WIRE HARNESS ENGINE	1	≥54966	≠		1.7	3.74
100	33780-75550	FUSE	1			65A	0.015	0.033
110	51950-29320	FUSE	3			30A	0.005	0.011
120	36330-75390	DIODE	2				0.01	0.022
130	3A111-77230	WIRE HARNESS EARTH	1				0.004	0.0088
140	03004-50620	SCREW WITH WASHER	2				0.005	0.011
150	55311-41260	BAND CORD	2				0.007	0.0154
160	53581-64150	BAND CORD	1				0.002	0.0044
170	13824-67590	CLAMP CORD	3				0.002	0.0044







ELECTRICAL WIRING [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A752-77210	WIRE HARNESS MAIN	1	<=52555			1.88	4.136
020	3A752-77370	COVER FUSE CASE	1				0	0
030	37410-55520	FUSE	3			5A	0.002	0.0044
040	36730-75550	FUSE AUTO	4			10A	0.001	0.0022
050	35820-75560	FUSE AUTO	9			15A	0.002	0.0044
060	36919-56650	FUSE AUTO	4			20A	0.002	0.0044
070	36330-75390	DIODE	1				0.01	0.022
080	RP201-53930	DIODE	1				0.003	0.0066
090	3A752-77220	WIRE HARNESS ENGINE	1		<=52483		0	0
100	36929-75550	FUSE	1			75A	0.01	0.022
110	51950-29320	FUSE	4			30A	0.005	0.011
120	36330-75390	DIODE	2				0.01	0.022
130	3A111-77230	WIRE HARNESS EARTH	1				0.004	0.0088
140	03004-50620	SCREW WITH WASHER	2				0.005	0.011
150	55311-41260	BAND CORD	2				0.007	0.0154
160	53581-64150	BAND CORD	1				0.002	0.0044
170	13824-67590	CLAMP CORD	3				0.002	0.0044




010 3A751-7724-0



3A750-835-10



CLUTCH HOUSING



3A750-040-16




CLUTCH HOUSING


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-21103	ASSY HOUSING CLUTCH	1				139	305.8
020	08511-02225	BUSH	2				0.02	0.044
030	05012-01020	PIN STRAIGHT	2				0.02	0.044
040	06331-35020	PLUG	1				0.068	0.1496
050	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
060	01574-61235	STUD	2				0.04	0.088
070	01133-51255	BOLT	1				0.08	0.176
080	01133-51245	BOLT	6				0.055	0.121
090	32430-27360	STUD	2				0.12	0.264
100	01133-51275	BOLT	1				0.02	0.044
110	04512-60120	WASHER SPRING	4				0.005	0.011
120	02176-50120	NUT	4				0.01	0.022
130	3A751-21630	PIPE BREATHER	2				0.01	0.022
140	36330-21200	PIPE BREATHER	1				0.05	0.11
150	11486-05510	TUBE BREATHER	1				0.05	0.11
160	36330-21290	PLUG	4				0.002	0.0044
170	32210-27580	PLUG	4				0.001	0.0022
180	3A751-21250	COVER GEAR SHIFT	1				4.5	9.9
190	01123-50825	BOLT	10				0.013	0.0286
200	3A151-28760	HOLDER BEARING	1				0.71	1.562
210	05012-00818	PIN STRAIGHT	2				0.008	0.0176
220	01123-50825	BOLT	4				0.013	0.0286
230	3A151-32310	HOLDER BEARING	1	<=53136			0	0
230	3A151-32312	HOLDER BEARING	1	>=53137	←		0	0
240	05012-01018	PIN STRAIGHT	2				0.012	0.0264
250	01133-51240	BOLT	6				0.05	0.11
260	34076-60470	PLUG	1			WITHOUT CREEP	0.005	0.011

BEARING HOLDER



TRANSMISSION CASE






TRANSMISSION CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-21310	CASE TRANSMISSION	1	≤53057			0	0
010	3A151-21312	CASE TRANSMISSION	1	≥53058	←		0	0
020	05012-01325	PIN STRAIGHT	2				0.028	0.0616
030	06311-85028	CAP SEALING	1				0.012	0.0264
040	06331-35020	PLUG	1				0.068	0.1496
050	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
060	36340-43563	PLUG	1				0.095	0.209
070	04717-02400	WASHER WITH RUBBER	1				0.005	0.011
080	01133-51245	BOLT	10				0.055	0.121
090	3A111-21330	STUD	2				0.045	0.099
100	04512-60120	WASHER SPRING	2				0.005	0.011
110	35340-27360	NUT	2				0.015	0.033
120	33300-90910	PLUG	4				0.002	0.0044

TRANSMISSION CASE REAR COVER






TRANSMISSION CASE REAR COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-21410	CASE GEAR	1				15.1	33.22
020	05012-01018	PIN STRAIGHT	2				0.012	0.0264
030	33960-21520	GUIDE OIL GAUGE	1				0.01	0.022
040	15512-96010	PLUG DRAIN	1				0.101	0.2222
050	04717-02150	WASHER WITH RUBBER	1				0.004	0.0088
060	01133-51240	BOLT	6				0.05	0.11
070	01574-61235	STUD	2				0.04	0.088
080	01133-51255	BOLT	2				0.08	0.176
090	04512-60120	WASHER SPRING	2				0.005	0.011
100	02174-50120	NUT	2				0.01	0.022
110	3A151-21510	GAUGE OIL	1				0.029	0.0638

REAR AXLE CASE



040 01173-61405

060 04512-60140




3A150-824-10




REAR AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-48110	CASE REAR AXLE	2				46.5	102.3
020	05012-01325	PIN STRAIGHT	4				0.028	0.0616
030	01138-51245	BOLT	2				0.051	0.1122
040	01173-51405	BOLT	18	≤54170			0.155	0.341
040	01133-51405	BOLT	18	≥54171	←		0	0
050	36200-48170	STUD	6				0.15	0.33
060	04512-60140	WASHER SPRING	24	≤54170			0.006	0.0132
060	04512-60140	WASHER SPRING	6	≥54171			0.006	0.0132
070	02176-50140	NUT	6				0.014	0.0308




3A150-014-20




3A150-014-20

110 52300-3413-0



120 3A751-2697-0



3A750-802-10



CLUTCH RELEASE FORK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-26310	HUB CLUTCH RELEASE	1				0.58	1.276
020	3A111-26320	COLLAR THRUST	1				0.05	0.11
030	TA040-20700	BEARING RELEASE	1				0.28	0.616
040	32590-14720	FORK CLUTCH RELEASE	1				0.56	1.232
050	3A111-26350	BOLT SET	1				0.045	0.099
060	99999-99999	WIRE	1			NOT SALE	0	0
070	3A751-26210	LEVER CLUTCH RELEASE	1				1.235	2.717
080	3A751-26180	ROD CLUTCH	1				0.27	0.594
090	38430-15790	PIN JOINT	2				0.02	0.044
100	04013-60100	WASHER PLAIN	2				0.004	0.0088
110	52300-34130	PIN SNAP	2	≤52119			0.004	0.0088
110	05511-50318	PIN SPLIT	2	≥52120	←		0.001	0.0022
120	3A751-26970	LEVER CLUTCH	1	≤52483		NOT SALE	0.84	1.848
120	3A751-26972	LEVER CLUTCH	1	≥52484	≠		0	0
130	34070-44890	BUSH	1				0.035	0.077
140	3A751-26950	SHAFT BRAKE LH	1	≤53047			0	0
140	3A751-26952	SHAFT BRAKE LH	1	≥53048	←		0	0
150	04011-50200	WASHER PLAIN	2				0.015	0.033
160	04612-00200	CIR CLIP EXTERNAL	1				0.001	0.0022

010 3A751-2652-0

070 3G710-2614-0

080 01754-50612

090 3A751-2613-2



3A750-803-11




CLUTCH PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-26520	CABLE CLUTCH	1	≤52555			0.335	0.737
010	3A752-26520	CABLE CLUTCH	1	≥52556	←		0	0
020	02156-50080	NUT	1				0.004	0.0088
030	35828-68540	U-JOINT	1				0.08	0.176
040	38430-15790	PIN JOINT	1				0.02	0.044
050	04011-50100	WASHER PLAIN	1				0.002	0.0044
060	05511-50320	PIN SPLIT	1				0.002	0.0044
070	3G710-26140	PLATE PIN CLUTCH	1	≤52483			0.017	0.0374
070	3A751-26140	PLATE PIN CLUTCH	1	≥52484	≠		0	0
080	01754-50612	BOLT FLANGE	1	≤52483			0.005	0.011
080	01754-50620	BOLT FLANGE	1	≥52484	≠		0.007	0.0154
090	3A751-26130	PIN LINK CLUTCH	1	≤52119			0.085	0.187
090	3A751-26132	PIN LINK CLUTCH	1	≥52120	←		0	0
090	3A752-26130	PIN LINK CLUTCH	1	≥52556	≠		0	0
095	3A651-75130	SHIM	2	≥52556			0.001	0.0022
100	02156-50080	NUT	2				0.004	0.0088
110	37410-44120	COVER PEDAL	1				0.08	0.176
120	3G710-44040	PEDAL CLUTCH	1				1.3	2.86
130	08511-02520	BUSH	2				0.02	0.044
140	34070-44140	SEAL OIL	2				0.005	0.011
150	34070-44160	SPRING	1				0.115	0.253
160	3G710-26490	LINK	1				0.16	0.352
170	08511-01010	BUSH	1				0.003	0.0066
180	04013-60100	WASHER PLAIN	1				0.004	0.0088
190	05515-61000	PIN SNAP	1				0.003	0.0066
200	36919-26500	ASSY LINK	1				0.08	0.176
210	68221-35180	BUSH	1				0.003	0.0066
220	33740-26130	PIN JOINT	1				0.02	0.044
230	04013-60100	WASHER PLAIN	2				0.004	0.0088
240	05515-61000	PIN SNAP	2				0.003	0.0066
250	33980-26160	SPRING	1				0.086	0.1892
260	01073-51040	BOLT	1				0.034	0.0748
270	02116-50100	NUT	1				0.004	0.0088
280	34070-47490	CUSHION	1	≤51527			0.005	0.011
280	T0270-47490	CUSHION	1	≥51528	←		0.002	0.0044
290	3A752-99640	KIT CABLE CLUTCH	1	≤52555			0	0

INPUT SHAFT






INPUT SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-28200	ASSY SHAFT INPUT	1				1.76	3.872
020	E3131-23550	SEAL OIL	1				0.009	0.0198
030	08511-02520	BUSH	1				0.02	0.044
040	68811-13660	CIR CLIP EXTERNAL	1				0.002	0.0044
050	3A151-24780	COLLAR	1			4.0mm	0.012	0.0264
060	3A151-28340	BEARING NEEDLE	2				0.04	0.088
070	33860-17880	CIR CLIP INTERNAL	1				0.001	0.0022
080	3A151-23330	GEAR	1			28T	0.815	1.793
090	33750-44280	CIR CLIP EXTERNAL	1				0.025	0.055
100	08101-06011	BEARING BALL	2				0.376	0.8272
110	3A012-24630	CIR-CLIP INTERNAL	1				0.023	0.0506

FIRST SHAFT






FIRST SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-28110	SHAFT	1				1.755	3.861
020	36730-28043	CIR-CLIP EXTERNAL	1				0.009	0.0198
030	3A151-28430	COLLAR	1	≤54170		5.9mm	0.013	0.0286
030	3A151-28440	COLLAR	1	≥54171	≠	6.2mm	0.015	0.033
030	3A151-28420	COLLAR	1			5.8mm	0.014	0.0308
030	3A151-28413	COLLAR	1			6.0mm	0.015	0.033
040	3A012-28550	BEARING BALL	1				0.034	0.0748
050	3A161-23340	HOLDER	1				0.305	0.671
		SYNCHRONIZER						
060	3A161-23650	COUPLING	1				0.475	1.045
070	3A161-34700	ASSY SYNCHRONIZER	1				1.96	4.312
080	3A161-34730	ASSY SLEEVE	1				0	0
090	36602-34810	RETAINER	2				0.1	0.22
100	36602-34820	PIN SYNCHRONIZER	6				0.01	0.022
110	36602-34830	PIN SYNCHRONIZER	4				0.015	0.033
120	36602-34840	SPRING	6				0.002	0.0044
130	07715-00401	BALL	6				0.001	0.0022
140	3A161-23390	GEAR	1			26T	1.095	2.409
150	3A031-34260	BEARING NEEDLE	1				0.05	0.11
160	33550-30380	RING INNER	1				0.1	0.22
170	32590-21860	COLLAR THRUST	1				0.04	0.088
180	3A151-28240	GEAR	1			30T	1.29	2.838
190	32530-21820	RACE INNER	2				0.09	0.198
200	3A151-28402	COUPLING-SHIFTER	1	≤54170		NOT SALE ORDER BY REF.No.310	0.535	1.177
200	3A152-28400	COUPLING-SHIFTER	1	≥54171	←	NOT SALE ORDER BY REF.No.310	0.55	1.21
210	34076-62253	SHIFTER	1				0.235	0.517
220	3F740-28450	RING SYNCHRONIZER	2				0.05	0.11
230	32430-21440	KEY SYNCHRONIZER	3				0.004	0.0088
240	38360-21780	SPRING	2				0.005	0.011
250	3A151-28230	GEAR	1			26T	1.075	2.365
260	3A151-28220	GEAR	1			20T	0.805	1.771
270	3A151-28210	GEAR	1			15T	0.55	1.21
280	3A151-28810	BEARING BALL	1				0.61	1.342
290	3A151-28820	CIR CLIP EXTERNAL	1				0.024	0.0528
300	36730-28043	CIR-CLIP EXTERNAL	1				0.009	0.0198
310	3A152-97020	KIT COUPLING SHIFTER	1				0	0

COUNTERSHAFT [OLD TYPE]




**COUNTERSHAFT [OLD TYPE]**

S.No.;<=51913

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-28162	GEAR-SHAFT COUNTER	1			18T	3.65	8.03
020	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154
030	7F712-51620	BEARING BALL	1				0.45	0.99
040	36280-41150	WASHER THRUST	1				0.04	0.088
050	3A151-23370	GEAR	1			25-23T	1.84	4.048
060	3A151-23230	BEARING NEEDLE	2				0.035	0.077
070	3A151-23380	COLLAR	1			35.2mm	0.08	0.176
080	3A151-23420	BEARING THRUST	1				0.035	0.077
090	3A151-23430	COLLAR THRUST	1				0.04	0.088
100	36730-28043	CIR-CLIP EXTERNAL	1				0.009	0.0198
110	3A151-28290	GEAR	1			23T	0.915	2.013
120	3A151-28280	GEAR	1			27T	1.23	2.706
130	3A151-28270	GEAR	1			32T	1.5	3.3
140	32530-21870	RACE INNER	1				0.11	0.242
150	3A151-28460	COUPLING	1				0.505	1.111
160	3A011-34750	SHIFTER	1				0.34	0.748
170	3A011-34860	ASSY SYNCHRO	2				0.24	0.528
180	3A011-34820	KEY SYNCHRONIZER	3				0.005	0.011
190	34550-62350	SPRING SYNCHRONIZER	2				0.01	0.022
200	3A151-28260	GEAR	1			37T	2.2	4.84
210	3A151-28310	RACE INNER	1			40.5mm	0.255	0.561
220	36602-28550	COLLAR THRUST	1				0.09	0.198
230	3A151-28830	BEARING BALL	1				0.622	1.3684
240	3A151-28820	CIR CLIP EXTERNAL	1				0.024	0.0528

COUNTERSHAFT [NEW TYPE]




**COUNTERSHAFT [NEW TYPE]**

S.No.;>=51914


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-28162	GEAR-SHAFT COUNTER	1			18T	3.65	8.03
020	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154
030	7F712-51620	BEARING BALL	1				0.45	0.99
040	36280-41150	WASHER THRUST	1				0.04	0.088
050	3A151-23370	GEAR	1			25-23T	1.84	4.048
060	3A151-23230	BEARING NEEDLE	2				0.035	0.077
070	3A151-23380	COLLAR	1			35.2mm	0.08	0.176
080	3A151-23420	BEARING THRUST	1				0.035	0.077
090	3A151-23430	COLLAR THRUST	1				0.04	0.088
100	36730-28043	CIR-CLIP EXTERNAL	1				0.009	0.0198
110	3A151-28290	GEAR	1			23T	0.915	2.013
120	3A151-28280	GEAR	1			27T	1.23	2.706
130	3A151-28270	GEAR	1			32T	1.5	3.3
140	32530-21870	RACE INNER	1				0.11	0.242
150	3A161-28502	ASSY COUPLING	1	<=54489		NOT SALE	0	0
150	3A162-28500	ASSY COUPLING	1	>=54490	←		0.93	2.046
160	3F870-28394	SHIFTER	1				0.35	0.77
170	3F870-34820	KEY SYNCHRONIZER	3				0.005	0.011
180	34550-62350	SPRING SYNCHRONIZER	2				0.01	0.022
190	3F870-34862	ASSY SYNCHRONIZER	2				0.215	0.473
200	3A151-28260	GEAR	1			37T	2.2	4.84
210	3A151-28310	RACE INNER	1			40.5mm	0.255	0.561
220	36602-28550	COLLAR THRUST	1				0.09	0.198
230	3A151-28830	BEARING BALL	1				0.622	1.3684
240	3A151-28820	CIR CLIP EXTERNAL	1				0.024	0.0528

BACK IDLE SHAFT



RANGE GEAR SHAFT [A]






RANGE GEAR SHAFT [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-31200	ASSY SHAFT	1				1.02	2.244
020	08511-02520	BUSH	1				0.02	0.044
030	45623-75140	BEARING	1				0.1	0.22
040	3A151-32060	GEAR	1			38T	1.445	3.179
050	3A151-32070	GEAR	1			19T	0.61	1.342
060	08101-06208	BEARING BALL	1				0.355	0.781
070	04611-00800	CIR CLIP INTERNAL	1				0.02	0.044
080	3A161-32010	COUPLING	1				0.43	0.946
090	33740-31290	SHIFTER	1				0.4	0.88
100	3A151-32330	SHAFT RANGE SHIFT	1				2.01	4.422
110	35593-48350	BEARING NEEDLE	1				0.08	0.176
120	33740-23540	CIR-CLIP NEEDLE	1				0.003	0.0066
130	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154
140	3A011-28450	BOSS SPLINE	1				0.205	0.451
150	3A011-28470	SHIFTER	1				0.275	0.605
160	3A151-31230	GEAR	1			37T	1.62	3.564
170	3A151-31220	BEARING NEEDLE	2				0.025	0.055
180	3A151-32280	COLLAR THRUST	1			3.0mm	0.026	0.0572
190	08101-06307	BEARING BALL	1				0.44	0.968
200	32530-25150	RACE INNER	1				0.11	0.242
210	3A161-41130	GEAR 4WD	1			33T	1.13	2.486
220	34550-15100	COLLAR THRUST	1				0.025	0.055
230	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154






RANGE GEAR SHAFT/CREEP GEAR SHAFT [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A131-31200	ASSY GEARSHAFT CREEP	1				1.235	2.717
020	08511-02520	BUSH	1				0.02	0.044
030	08141-06007	BEARING BALL	1				0.183	0.4026
040	3A152-32380	COLLAR THRUST	1				0.035	0.077
050	3A152-32390	GEAR	1			38-19T	2.27	4.994
060	3F740-30410	BEARING NEEDLE	2				0.07	0.154
070	3A152-31270	COLLAR	1			26mm	0.095	0.209
080	3A152-32350	COLLAR THRUST	1				0.035	0.077
090	3A151-31250	GEAR CREEP	1			43T	1.04	2.288
100	33740-30370	CIR-CLIP EXTERNAL	1				0.011	0.0242
110	08101-06208	BEARING BALL	1				0.355	0.781
120	3A152-32330	SHAFT RANGE SHIFT	1				2.065	4.543
130	35593-48350	BEARING NEEDLE	1				0.08	0.176
140	33740-23540	CIR-CLIP NEEDLE	1				0.003	0.0066
150	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154
160	3A011-28450	BOSS SPLINE	1				0.205	0.451
170	3A011-28470	SHIFTER	1				0.275	0.605
180	3A131-31230	GEAR	1			37-22T	1.9	4.18
190	3A152-31220	BEARING NEEDLE	2				0.037	0.0814
200	3A011-28470	SHIFTER	1				0.275	0.605
210	3A151-31240	GEAR CREEP	1			49T	2.02	4.444
220	3A152-31190	BEARING NEEDLE	1				0.037	0.0814
230	36280-41150	WASHER THRUST	1				0.04	0.088
240	08101-06307	BEARING BALL	1				0.44	0.968
250	32530-25150	RACE INNER	1				0.11	0.242
260	3A161-41130	GEAR 4WD	1			33T	1.13	2.486
270	34550-15100	COLLAR THRUST	1				0.025	0.055
280	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154
290	04611-00800	CIR CLIP INTERNAL	1				0.02	0.044
300	3A161-32010	COUPLING	1				0.43	0.946
310	33740-31290	SHIFTER	1				0.4	0.88

BEVEL GEAR




3A150-030-11

**BEVEL GEAR**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-32410	SHAFT BEVEL GEAR	1			8T	3.15	6.93
020	3A151-32580	NUT	1				0.085	0.187
030	36330-32570	BEARING TAPER-ROLLER	1				0.76	1.672
040	36530-32592	BEARING TAPER-ROLLER	1				1.47	3.234
050	36200-32610	COLLAR PINION ADJUST	1			2.8mm	0.023	0.0506
050	36200-32630	COLLAR PINION ADJUST	1			3.0mm	0.025	0.055
050	36200-32650	COLLAR PINION ADJUST	1			3.2mm	0.027	0.0594
050	36200-32670	COLLAR PINION ADJUST	1			3.4mm	0.029	0.0638
050	36200-32690	COLLAR PINION ADJUST	1			3.6mm	0.031	0.0682
060	3E021-32420	GEAR BEVEL	1			35T	6.25	13.75

DIFFERENTIAL REAR






DIFFERENTIAL REAR


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33740-32203	ASSY DIFFERENTIAL	1				12.8	28.16
020	33740-32712	CASE DIFFERENTIAL	1				6	13.2
030	33740-32042	COVER DIFF.CASE	1				2.5	5.5
040	33740-32720	GEAR DIFF.SIDE	2			22T	0.86	1.892
050	33740-32760	WASHER SIDE GEAR	2			1.5mm	0.025	0.055
050	33740-32780	WASHER SIDE GEAR	2			1.6mm	0.03	0.066
050	33740-32790	WASHER SIDE GEAR	2			1.7mm	0.03	0.066
060	33740-32750	PINION DIFF.	4			13T	0.3	0.66
070	33980-32810	COLLAR THRUST	4				0.02	0.044
080	33740-32770	SHAFT DIFF.PINION	1				0.62	1.364
090	33740-32820	SHAFT DIFF.PINION	2				0.045	0.099
100	05712-00512	KEY FEATHER	2				0.002	0.0044
110	36730-32092	PIN STRAIGHT	2				0.045	0.099
120	36340-43180	BOLT UBS	10				0.05	0.11
130	3A151-32850	SHIFTER DIFF.LOCK	1				0.85	1.87
140	6C040-22450	CIR CLIP INTERNAL	1				0.08	0.176
150	3A151-32180	SHIM	1			0.7mm	0.015	0.033
150	3A151-32130	SHIM	1			0.8mm	0.016	0.0352
150	3A151-32140	SHIM	1			1.0mm	0.02	0.044
150	3A151-32150	SHIM	1			1.2mm	0.024	0.0528
150	3A151-32160	SHIM	1			1.4mm	0.028	0.0616
160	08711-30213	BEARING TAPER-ROLLER	1				1.16	2.552
170	3A151-32120	SUPPORT DIFF.LH	1				0	0
180	08711-32918	BEARING TAPER-ROLLER	1				0.83	1.826
190	33740-32130	SHIM	2			0.1mm	0.01	0.022
190	33740-32140	SHIM	2			0.3mm	0.02	0.044
190	33740-32150	SHIM	2			0.5mm	0.04	0.088
200	01133-51035	BOLT	4				0.03	0.066
210	01517-61022	STUD	2				0.019	0.0418
220	04512-60100	WASHER SPRING	2				0.002	0.0044
230	02118-50100	NUT	2				0.005	0.011

PTO PROPELLER SHAFT



PTO CLUTCH






PTO CLUTCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A152-27000	ASSY CLUTCH PTO	1			REFER TO L.No.F09-L FOR COMPONENTS.	7.4	16.28
020	TA040-69150	DISK BRAKE	1				0.41	0.902
030	3G700-27372	RING SEAL	3				0.001	0.0022
040	TA040-69160	BEARING	1				0.029	0.0638
050	3A151-79120	SHAFT	1				2.1	4.62
060	33860-24390	PROPELLER	1				0.14	0.308
070	3A152-97010	COUPLING PTO KIT CLUTCH PTO	1				7.15	15.73

PTO CLUTCH [COMPONENT PARTS]



3A150-036-13

130 3A152-2724-0



130

3A150-825-10




PTO CLUTCH [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A152-27000	ASSY CLUTCH PTO	1				7.4	16.28
020	3A152-27110	BODY PTO CLUTCH	1				1.7	3.74
030	3A152-27120	PISTON PTO	1				0.395	0.869
040	31501-72330	D RING OUTER	1				0.005	0.011
050	31501-72470	D RING INNER	1				0.001	0.0022
060	04811-00100	O RING	3				0.001	0.0022
070	TA040-69030	PLATE BRAKE	1				0.5	1.1
080	TA040-69040	BOLT	3				0.004	0.0088
090	TA040-69050	SPRING RETURN	1				0.075	0.165
100	TA040-69060	SPRING RETURN	3				0.008	0.0176
110	31501-72370	WASHER	1				0.018	0.0396
120	04612-00350	CIR CLIP EXTERNAL	1				0.01	0.022
130	3A152-27240	PLATE	4	≤54025			0.035	0.077
130	3A152-27140	PLATE	4	≥54026	≠		0.035	0.077
140	3A152-27140	PLATE	5				0.035	0.077
150	TA040-69090	RUBBER	15				0.001	0.0022
160	3A152-27130	DISK CLUTCH	9				0.035	0.077
170	3A152-27150	PLATE	1			4.0mm	0.115	0.253
170	3A152-27190	PLATE	1			3.5mm SUITABILITY	0.11	0.242
180	04611-00920	CIR CLIP INTERNAL	1				0.04	0.088
190	08101-06807	BEARING BALL	1				0.03	0.066
200	3A152-27200	ASSY HUB DAMPER	1				0.74	1.628

PTO CLUTCH VALVE



160 62231-1853-0



3A124-804-10




PTO CLUTCH VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A152-27250	HOLDER PTO CLUTCH	1	<=52435			0	0
010	3A152-27252	HOLDER PTO CLUTCH	1	>=52436	←		2.1	4.62
020	32420-67380	PLUG	2				0.005	0.011
030	TA040-69210	PISTON	1				0.09	0.198
040	34076-65170	SEAL PISTON	1				0.005	0.011
050	TA040-69230	SPRING	1				0.039	0.0858
060	TA040-69240	SPRING	1				0.024	0.0528
070	3A011-27260	COVER PTO	1				0.018	0.0396
080	04611-00280	CIR CLIP INTERNAL	1				0.002	0.0044
090	01123-50830	BOLT	1				0.015	0.033
100	01123-50845	BOLT	1				0.02	0.044
110	08101-06007	BEARING BALL	1				0.16	0.352
120	04611-00620	CIR CLIP INTERNAL	1				0.011	0.0242
130	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154
140	34555-69330	PIPE HYDRAULIC	2				0.007	0.0154
150	07715-03211	BALL	1				0.003	0.0066
160	62231-18530	SPRING	1	<=53716			0.01	0.022
160	32590-28220	SPRING	1	>=53717	←		0.01	0.022
170	3A011-29410	BOLT	1				0.035	0.077
180	3A111-27400	ASSY VALVE PTO	1			REFER TO L.No.F10-L FOR COMPONENTS.	1.51	3.322
190	04811-00090	O RING	1				0.001	0.0022
200	34076-66590	BOLT JOINT	1				0.05	0.11
210	04714-00200	GASKET	2				0.002	0.0044
220	01123-50820	BOLT	3				0.011	0.0242
230	3A152-97010	KIT CLUTCH PTO	1				7.15	15.73
240	04011-50120	WASHER PLAIN	1	>=53717			0.005	0.011

PTO CLUTCH VALVE [COMPONENT PARTS]






PTO CLUTCH VALVE [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-27400	ASSY VALVE PTO	1				1.51	3.322
020	3A011-27420	SUPPORT PTO VALVE	1				0.29	0.638
030	04811-06630	O RING	1				0.001	0.0022
040	TA040-69320	PLUG	1				0.006	0.0132
050	04811-00090	O RING	1				0.001	0.0022
060	3A011-23190	ORIFICE	1				0.001	0.0022
070	67401-03690	RING	1				0.001	0.0022
080	TA040-69340	LEVER VALVE ROTOR	1				0.057	0.1254
090	05411-00522	PIN SPRING	1				0.002	0.0044
100	TA040-69360	SPRING	1				0.014	0.0308
110	50770-12180	COLLAR THRUST	1				0.003	0.0066
120	04612-00200	CIR CLIP EXTERNAL	1				0.001	0.0022
130	09500-20358	SEAL OIL	1				0.01	0.022
140	67511-36640	PLUG	1				0.003	0.0066
150	3A011-27430	LEVER PTO VALVE	1				0.054	0.1188
160	04612-00180	CIR CLIP EXTERNAL	1				0.001	0.0022
170	32420-68590	NUT	1				0.005	0.011
180	04714-00080	GASKET	1				0.001	0.0022
190	02114-50080	NUT	1				0.005	0.011
200	62571-13330	WASHER SEAL	1				0.003	0.0066
210	03651-50825	SCREW SET	1				0.01	0.022
220	07715-00401	BALL	2				0.001	0.0022
230	04811-00220	O RING	1				0.001	0.0022
240	48100-36310	SEAT RELIEF VALVE	1				0.01	0.022

PTO SHAFT






PTO SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-79130	GEAR-SHAFT PTO	1			12T	1.025	2.255
020	04611-00800	CIR CLIP INTERNAL	1				0.02	0.044
030	35860-79150	BEARING BALL	1				0.45	0.99
040	36530-80160	BEARING BALL	1				0.46	1.012
050	3A151-80140	SHAFT PTO	1	<=52555			0	0
050	3A151-80142	SHAFT PTO	1	>=52556	←		1.655	3.641
060	34150-25330	NUT	1				0.04	0.088
070	36330-80080	COLLAR	1				0.03	0.066
080	08101-06307	BEARING BALL	1				0.44	0.968
090	3A151-80310	GEAR PTO	1			49T	3.15	6.93
100	3A151-80190	COLLAR	1			13mm	0.075	0.165
110	36602-23430	BEARING BALL	1				0.3	0.66
120	04611-00800	CIR CLIP INTERNAL	1				0.02	0.044
130	37650-43530	SEAL OIL	1				0.062	0.1364
140	31220-25820	CAP	1				0.055	0.121

MAIN GEAR SHIFT FORK



010 3A751-2921-0

020 3A751-2922-2



3A750-804-10




MAIN GEAR SHIFT FORK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-29210	ROD SHIFT	1	≤51913			0	0
010	3A752-29210	ROD FORK	1	≥51914	←		0.3	0.66
020	3A751-29222	ROD SHIFT	1	≤51913			0	0
020	3A752-29220	ROD FORK	1	≥51914	←		0.255	0.561
030	3A751-29140	FORK MAIN SHIFT	1	≤52555			0.4	0.88
030	3A751-29142	FORK MAIN SHIFT	1	≥52556	≠		0	0
040	3A751-29160	FORK MAIN SHIFT	1	≤52555			1.02	2.244
040	3A751-29162	FORK MAIN SHIFT	1	≥52556	≠		0	0
050	3A151-29180	COTTER	2				0.015	0.033
060	05411-00628	PIN SPRING	2				0.004	0.0088
070	07715-03211	BALL	5				0.003	0.0066
080	62231-18530	SPRING	2	≤51913			0.01	0.022
080	3A152-29420	SPRING	2	≥51914	≠		0.004	0.0088
090	3F740-29230	SPRING RANGE SHIFT	2	≥51914			0.001	0.0022

SHUTTLE GEAR SHIFT FORK






SHUTTLE GEAR SHIFT FORK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-23520	ROD SHUTTLE	1				0.27	0.594
020	3A151-23510	FORK SHUTTLE SHIFT	1				0.72	1.584
030	05411-00628	PIN SPRING	1				0.004	0.0088
040	07715-03211	BALL	1				0.003	0.0066
050	62231-18530	SPRING	1				0.01	0.022
060	3A011-29410	BOLT	1				0.035	0.077
070	3A151-23530	PIN STRAIGHT	1				0.025	0.055
080	07715-03211	BALL	1				0.003	0.0066
090	3A751-23560	LEVER SHUTTLE	1				0.21	0.462
100	04811-00200	O RING	1				0.001	0.0022
110	3A751-29750	STOPPER	1				0.035	0.077
120	01754-50812	BOLT FLANGE	1				0.01	0.022






RANGE GEAR SHIFT FORK [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-29862	ROD RANGE SHIFT	1				0.335	0.737
020	3A151-29870	FORK RANGE SHIFT	1				0.62	1.364
030	05411-00628	PIN SPRING	1				0.004	0.0088
040	07715-03211	BALL	1				0.003	0.0066
050	62231-18530	SPRING	1				0.01	0.022
060	06331-35012	PLUG	1				0.022	0.0484
070	04717-01200	WASHER WITH RUBBER	1				0.002	0.0044
080	3A151-29842	LEVER RANGE SHIFT	1				0.256	0.5632
100	34070-24350	STOPPER	1				0.02	0.044
110	01754-50812	BOLT FLANGE	1				0.01	0.022






RANGE GEAR SHIFT FORK/CREEP SHIFT FORK [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-29862	ROD RANGE SHIFT	1				0.335	0.737
020	3A152-29870	FORK RANGE SHIFT	1				0.54	1.188
030	05411-00628	PIN SPRING	1				0.004	0.0088
040	07715-03211	BALL	1				0.003	0.0066
050	62231-18530	SPRING	1				0.01	0.022
060	3A011-29410	BOLT	1				0.035	0.077
070	04717-01200	WASHER WITH RUBBER	1				0.002	0.0044
080	3A151-29842	LEVER RANGE SHIFT	1				0.256	0.5632
090	04811-00200	O RING	1				0.001	0.0022
100	34070-24350	STOPPER	1				0.02	0.044
110	01754-50812	BOLT FLANGE	1				0.01	0.022
120	3A152-31320	ROD CREEP SHIFT	1				0.32	0.704
130	3A152-31310	FORK CREEP SHIFT	1				0.55	1.21
140	05411-00628	PIN SPRING	1				0.004	0.0088
150	07715-03211	BALL	2				0.003	0.0066
160	62231-18530	SPRING	1				0.01	0.022
170	3A151-29842	LEVER RANGE SHIFT	1				0.256	0.5632
180	04811-00200	O RING	1				0.001	0.0022
190	34070-24350	STOPPER	1				0.02	0.044
200	01754-50812	BOLT FLANGE	1				0.01	0.022

REAR DIFFERENTIAL LOCK PEDAL






REAR DIFFERENTIAL LOCK PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-32940	SHAFT LEVER	1				0.5	1.1
020	3A151-32880	FORK DIFF.LOCK	1				0.965	2.123
030	31351-26620	PIN JOINT	1				0.008	0.0176
040	04013-60060	WASHER PLAIN	1				0.001	0.0022
050	3A011-32870	PIN SNAP	1				0.001	0.0022
060	32530-26640	SPRING	1				0.09	0.198
070	06331-35020	PLUG	1				0.068	0.1496
080	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
090	36200-32950	SHIM ADJUSTING	1			1.0mm	0.002	0.0044
090	36330-32970	SHIM ADJUSTING	1			0.5mm	0.001	0.0022
100	09500-16287	SEAL OIL	1				0.01	0.022
110	3A751-33010	COMP.PEDAL DIFF.LOCK	1				0.56	1.232
120	02751-60080	NUT FLANGE	2				0.006	0.0132
130	3A751-32980	COVER DIFF.LOCK	1				0.01	0.022
140	3A751-33060	ROD DIFF.LOCK	1				0.275	0.605
150	52300-34130	PIN SNAP	2				0.004	0.0088

REAR AXLE






REAR AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-48210	AXLE REAR	2				25	55
020	3A151-48250	SEAL OIL	2				0.345	0.759
030	08101-06215	BEARING BALL	2				1.18	2.596
040	3A151-48270	CIR CLIP EXTERNAL	2				0.02	0.044
050	3A151-48440	BEARING BALL	2				0.97	2.134
060	3A151-48340	SUPPORT PLANE.GEAR	2	<=51527			0	0
060	3A151-48343	SUPPORT PLANE.GEAR	1	>=51528	←		6.4	14.08
070	3A151-48320	GEAR PLANETARY	6			26T	1.295	2.849
080	3A151-48390	COLLAR	6			6.3mm	0.03	0.066
090	3A151-48350	BEARING ROLLER	12				0.21	0.462
100	36730-28043	CIR-CLIP EXTERNAL	6				0.009	0.0198
110	36500-48280	RETAINER SUPPORT	2				0.084	0.1848
120	3A155-48310	GEAR INTERNAL	2			66T	0	0
130	01779-01225	BOLT UBS	2				0.04	0.088
140	3A151-65122	PLATE STOPPER	2				4	8.8
150	3A151-48410	PIN BRAKE	6				0.085	0.187
160	04811-08480	O RING	1				0.005	0.011
170	3A151-48460	GEAR-SHAFT BRAKE RH	1				2.3	5.06
180	04612-00550	CIR CLIP EXTERNAL	1				0.01	0.022
190	04811-08480	RING	1				0.005	0.011
200	3A151-48470	GEAR-SHAFT BRAKE LH	1				2.65	5.83
210	04612-00550	CIR CLIP EXTERNAL	1				0.01	0.022




**BRAKE**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	32530-28280	PLATE FRICTION	4				0.92	2.024
020	36330-65130	PLATE	3				0.56	1.232
030	3A021-65160	COLLAR	3				0.018	0.0396
040	3A151-65330	SHAFT BRAKE CAM RH	1				0.88	1.936
050	04811-50300	O RING	2				0.001	0.0022
060	3A011-65310	CAM BRAKE	1				0.1	0.22
070	04612-00280	CIR CLIP EXTERNAL	1				0.003	0.0066
080	32530-28280	PLATE FRICTION	4				0.92	2.024
090	36330-65130	PLATE	3				0.56	1.232
100	3A021-65160	COLLAR	3				0.018	0.0396
110	3A151-65340	SHAFT BRAKE CAM LH	1				0.88	1.936
120	04811-50300	O RING	2				0.001	0.0022
130	3A011-65310	CAM BRAKE	1				0.1	0.22
140	04612-00280	CIR CLIP EXTERNAL	1				0.003	0.0066
150	3A151-65140	PLATE BRAKE CAM RH	1				1.955	4.301
160	3A151-65150	PLATE BRAKE CAM LH	1				1.955	4.301
170	07715-00805	BALL	12				0.016	0.0352
180	3A011-65810	SPRING	4				0.005	0.011

BRAKE ROD 1




**BRAKE ROD 1**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-65490	BOOT BRAKE ROD	2				0.008	0.0176
020	3A151-26240	ROD CLUTCH BRAKE	2				0.143	0.3146
030	3A751-65420	ROD BRAKE	2				0.33	0.726
040	32350-28980	TURNBUCKLE	2				0.124	0.2728
050	02116-50100	NUT	2				0.004	0.0088
060	38430-15790	PIN JOINT	2				0.02	0.044
070	04717-01000	WASHER WITH RUBBER	2				0.001	0.0022
080	04013-60100	WASHER PLAIN	2				0.004	0.0088
090	05511-50318	PIN SPLIT	2				0.001	0.0022
100	3A751-26960	SHAFT BRAKE RH	1				0.54	1.188
110	3A751-65260	ASSY LEVER BRAKE LH	1				0	0
120	34070-44890	BUSH	1				0.035	0.077
130	3A751-65250	ASSY LEVER BRAKE RH	1				0	0
140	34070-44890	BUSH	1				0.035	0.077
150	04011-50200	WASHER PLAIN	1				0.015	0.033
160	04612-00200	CIR CLIP EXTERNAL	1				0.001	0.0022
170	38430-15790	PIN JOINT	2				0.02	0.044
180	04717-01000	WASHER WITH RUBBER	2				0.001	0.0022
190	04013-60100	WASHER PLAIN	2				0.004	0.0088
200	05511-50318	PIN SPLIT	2				0.001	0.0022

BRAKE ROD 2



3A750-138-10

MAIN GEAR SHIFT LEVER






MAIN GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-29720	BRACKET SHIFT LEVER	1				2.12	4.664
020	02763-60080	NUT FLANGE	3				0.005	0.011
030	01754-50820	BOLT FLANGE	2				0.015	0.033
040	3A751-29580	LEVER MAIN SHIFT	1				0.665	1.463
050	3A751-29520	ASSY LEVER M.SHIFT	1				0.44	0.968
060	08511-01415	BUSH	4				0.006	0.0132
070	35828-29890	WASHER WAVE	1				0.001	0.0022
080	3F740-29580	BOLT	2				0.085	0.187
090	04512-60100	WASHER SPRING	2				0.002	0.0044
100	02118-50100	NUT	2				0.005	0.011
110	3A751-29830	ASSY HOLDER M.SHIFT	1				0.685	1.507
120	08511-02025	BUSH	2				0.02	0.044
130	3A751-29930	LEVER MAIN SHIFT	1				0.2	0.44
140	3A751-29940	LEVER MAIN SHIFT	1				0.525	1.155
150	05411-00630	PIN SPRING	1				0.004	0.0088
160	02751-50080	NUT FLANGE	1				0.006	0.0132
170	01754-50818	BOLT FLANGE	2				0.011	0.0242
180	TA040-49820	GRIP LEVER	1				0.116	0.2552
190	3A751-74330	BOOT	1				0.215	0.473

MAIN GEAR SHIFT ROD






MAIN GEAR SHIFT ROD


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-29770	WIRE SELECT	1				0.3	0.66
020	3A751-29780	END ROD	1				0.045	0.099
030	04512-60050	WASHER SPRING	1				0.002	0.0044
040	02054-50050	NUT	1				0.002	0.0044
050	04013-60060	WASHER PLAIN	1				0.001	0.0022
060	05525-60600	PIN SNAP	1				0.001	0.0022
070	99999-99999	BLANK	0				0	0
080	3A751-29990	ROD SHIFT	1				0.03	0.066
090	02112-50100	NUT	1				0.004	0.0088
100	99999-99999	BLANK	0				0	0
110	3A751-30030	ROD SHIFT	1				0.17	0.374
120	02112-50100	NUT	1				0.004	0.0088
130	33740-29480	END ROD RH	1				0.07	0.154
140	33740-29500	END ROD LH	1				0.07	0.154
150	02176-50100	NUT	2				0.005	0.011
160	04512-60100	WASHER SPRING	2				0.002	0.0044
170	68731-65240	NUT	2				0.01	0.022
180	3A751-30040	TURNBUCKLE	1				0.08	0.176
190	3A751-30010	BOOT	1				0.023	0.0506
200	33740-29480	END ROD RH	1				0.07	0.154
210	33740-29500	END ROD LH	1				0.07	0.154
220	02176-50100	NUT	2				0.005	0.011
230	04512-60100	WASHER SPRING	2				0.002	0.0044
240	68731-65240	NUT	1				0.01	0.022
250	3A751-29980	ROD SHIFT	1				0.12	0.264
260	02112-50100	NUT	1				0.004	0.0088
270	35593-74620	RUBBER PROTECTOR	1				0.005	0.011
280	36919-27910	ELEMENT	1				0.003	0.0066

MAIN GEAR SHIFT LEVER SHAFT



150 3A751-3024-0



3A750-813-10




MAIN GEAR SHIFT LEVER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-30060	SHAFT MAIN SHIFT	1				0.525	1.155
020	3F740-30030	SPRING	1				0.016	0.0352
030	3A751-30050	CAM MAIN SHIFT	1	≤52555			0.14	0.308
030	3A651-30050	CAM MAIN SHIFT	1	≥52556	≠		0.14	0.308
040	50620-13150	SPRING BALL STOPPER	1				0.003	0.0066
050	07715-01605	BALL	1				0.003	0.0066
060	67817-15640	CIR-CLIP	1				0.001	0.0022
070	08822-22617	BEARING NEEDLE	1				0.012	0.0264
080	09500-22358	SEAL OIL	1				0.01	0.022
090	3F740-30180	BOLT	1				0.022	0.0484
100	04717-01000	WASHER WITH RUBBER	1				0.001	0.0022
110	3A751-30230	LEVER MAIN SHIFT	1				0.2	0.44
120	04811-00200	O RING	1				0.001	0.0022
130	34070-24350	STOPPER	1				0.02	0.044
140	01754-50812	BOLT FLANGE	1				0.01	0.022
150	3A751-30240	LEVER MAIN SHIFT	1	≤51913			0.13	0.286
150	3A751-30242	LEVER MAIN SHIFT	1	≥51914	←		0.13	0.286
160	05411-00635	PIN SPRING	1				0.005	0.011
170	3A751-29760	STAY	1				0.095	0.209
180	01123-50816	BOLT	2				0.011	0.0242
190	12647-56410	SPRING GOVERNOR	1				0.035	0.077
200	3A751-29570	LEVER MAIN SHIFT	1				0.22	0.484
210	05411-00635	PIN SPRING	1				0.005	0.011

SHUTTLE SHIFT LEVER






SHUTTLE SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-43540	SHAFT SHUTTLE	1				0.93	2.046
020	TA040-43870	BEARING FLANGE	1				0.02	0.044
030	01754-50616	BOLT FLANGE	2				0.006	0.0132
040	04612-00150	CIR CLIP EXTERNAL	1				0.001	0.0022
050	3G710-43510	LEVER SHUTTLE	1	<=54025			0	0
050	3G710-43512	LEVER SHUTTLE	1	>=54026	←		0	0
060	3G710-34850	GRIP LEVER	1				0.06	0.132
070	TA040-43970	BOLT REAMER	1				0.042	0.0924
080	T0180-43942	SPRING	1	<=51913			0.012	0.0264
080	3A211-34562	SPRING	1	>=51914	←		0.01	0.022
090	TA040-43920	COLLAR SHUTTLE	1				0.005	0.011
100	04013-60080	WASHER PLAIN	1				0.002	0.0044
110	04512-60080	WASHER SPRING	1				0.002	0.0044
120	02114-50080	NUT	1				0.005	0.011
130	57266-51160	BEARING DROPPER	1				0.1	0.22
130	T0070-43860	BEARING FLANGE	1		↔		0.025	0.055
140	01754-50816	BOLT FLANGE	2				0.011	0.0242
150	3A751-34550	LEVER SHUTTLE	1				0.16	0.352
160	01754-50616	BOLT FLANGE	1				0.006	0.0132
170	01133-51025	BOLT	1				0.023	0.0506
180	3A751-43560	ROD SHUTTLE	1				0.195	0.429
190	33740-29480	END ROD RH	2				0.07	0.154
200	02112-50100	NUT	2				0.004	0.0088
210	01133-51025	BOLT	1				0.023	0.0506
220	3A751-34410	ARM SHUTTLE	1				0.19	0.418
230	05411-00635	PIN SPRING	1				0.005	0.011
240	30442-15310	PIN SPRING	1				0.005	0.011


RANGE GEAR SHIFT LEVER [A]



3A750-052-11

090 04512-60080

100 02114-50080




3A750-827-10




RANGE GEAR SHIFT LEVER [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-29850	LEVER RANGE SHIFT	1				0.2	0.44
020	05411-00630	PIN SPRING	1				0.004	0.0088
030	99999-99999	BLANK	0				0	0
040	3A751-29890	ROD RANGE	1				0.158	0.3476
050	02112-50080	NUT	1				0.003	0.0066
060	54721-31850	BALL LINK	1				0.065	0.143
070	31351-24260	NUT	1				0.005	0.011
080	45404-95770	END ROD	1				0.05	0.11
090	04512-60080	WASHER SPRING	2	≤52435			0.002	0.0044
090	16429-92010	NUT	2	≥52436	≠		0.007	0.0154
100	02114-50080	NUT	2	≤52435			0.005	0.011
110	3A751-29650	ASSY HOLDER	1				0.61	1.342
120	08511-01815	BUSH	2				0.007	0.0154
130	3A751-29880	LEVER RANGE SHIFT	1				0.485	1.067
140	05411-00630	PIN SPRING	1				0.004	0.0088
150	3A751-29960	LEVER RANGE SHIFT	1				0.385	0.847
160	01754-60816	BOLT FLANGE	1				0.01	0.022
170	34070-41130	BOLT FLANGE	1				0.015	0.033
180	02763-60080	NUT FLANGE	2				0.005	0.011
190	68161-65162	RUBBER BELLOWS	1				0.062	0.1364
200	TA040-69820	GRIP LEVER	1				0.117	0.2574



050 3A752-3145-0



3A750-828-11




RANGE GEAR SHIFT LEVER [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-29850	LEVER RANGE SHIFT	1				0.2	0.44
020	05411-00630	PIN SPRING	1				0.004	0.0088
030	3A751-29850	LEVER RANGE SHIFT	1				0.2	0.44
040	05411-00630	PIN SPRING	1				0.004	0.0088
050	3A752-31450	ROD CREEP	1			NOT SALE	0	0
050	3A752-31440	ASSY ROD CREEP	1		←		0.15	0.33
060	02112-50080	NUT	1				0.003	0.0066
070	99999-99999	BLANK	0				0	0
080	3A751-29890	ROD RANGE	1				0.158	0.3476
090	02112-50080	NUT	1				0.003	0.0066
100	54721-31850	BALL LINK	2				0.065	0.143
110	31351-24260	NUT	2				0.005	0.011
120	45404-95770	END ROD	2				0.05	0.11
130	04512-60080	WASHER SPRING	4				0.002	0.0044
140	02114-50080	NUT	4				0.005	0.011
150	3A751-29650	ASSY HOLDER	1				0.61	1.342
160	08511-01815	BUSH	2				0.007	0.0154
170	3A752-29880	LEVER RANGE SHIFT	1				0.175	0.385
180	05411-00630	PIN SPRING	1				0.004	0.0088
190	3A752-31400	ASSY LEVER CREEP	1				0.79	1.738
200	99999-99999	BLANK	0				0	0
210	08511-01815	BUSH	2				0.007	0.0154
220	3A752-29670	ASSY SUPPORT LEVER	1				0.315	0.693
230	99999-99999	BLANK	0				0	0
240	08511-01815	BUSH	2				0.007	0.0154
250	08511-01410	BUSH	2				0.005	0.011
260	3A752-29910	LEVER RANGE SHIFT	1	≤52490			0	0
260	3A752-29912	LEVER RANGE SHIFT	1	≥52491	←		0	0
270	3A752-29960	LEVER RANGE SHIFT	1	≤52490			0	0
270	3A752-29962	LEVER RANGE SHIFT	1	≥52491	←		0	0
280	01754-60816	BOLT FLANGE	1				0.01	0.022
290	34070-41130	BOLT FLANGE	1				0.015	0.033
300	02763-60080	NUT FLANGE	2				0.005	0.011
310	3A752-29970	SPRING	1				0.015	0.033
320	04011-50140	WASHER PLAIN	1				0.007	0.0154
330	05411-00425	PIN SPRING	1				0.001	0.0022
340	68161-65162	RUBBER BELLOWS	1				0.062	0.1364
350	TA040-69820	GRIP LEVER	1				0.117	0.2574

PTO CLUTCH LEVER






PTO CLUTCH LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A011-27790	STAY WIRE	1				0.04	0.088
020	01123-50816	BOLT	2				0.011	0.0242
030	TA140-24650	WIRE PTO	1				0.14	0.308
040	04012-50060	WASHER PLAIN	2				0.001	0.0022
050	05525-60600	PIN SNAP	1				0.001	0.0022
060	05511-51612	PIN SPLIT	1				0.001	0.0022
070	36530-04870	RUBBER	1				0.005	0.011
080	36919-27910	ELEMENT	1				0.003	0.0066
090	3A751-27800	BRACKET PTO LEVER	1				0.32	0.704
100	3A111-27830	SPRING PTO LEVER	1				0.001	0.0022
110	02751-50080	NUT FLANGE	3				0.006	0.0132
120	3A111-27810	LEVER PTO CLUTCH	1				0.051	0.1122
130	36919-27820	GRIP PTO LEVER	1				0.015	0.033
140	3A111-27840	ASSY LINK PTO LEVER	1				0.085	0.187
150	08511-00812	BUSH	2				0.002	0.0044
160	04013-60080	WASHER PLAIN	1				0.002	0.0044
170	05511-50215	PIN SPLIT	1				0.001	0.0022
180	04011-50180	WASHER PLAIN	1				0.012	0.0264
190	04612-00180	CIR CLIP EXTERNAL	1				0.001	0.0022
200	53961-46130	SPRING	1				0.015	0.033

FRONT WHEEL DRIVE LEVER



180 3F740-8060-0



3A750-805-10




FRONT WHEEL DRIVE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-41520	ROD 4WD SHIFT	1				0.226	0.4972
020	3A161-41510	FORK SHIFT	1				0.59	1.298
030	07715-03211	BALL	1				0.003	0.0066
040	62231-18530	SPRING	1				0.01	0.022
050	3A161-41543	PIN JOINT	1				0.016	0.0352
060	04717-00800	WASHER WITH RUBBER	1				0.001	0.0022
070	3A151-29842	LEVER RANGE SHIFT	1				0.256	0.5632
080	04811-00200	O RING	1				0.001	0.0022
090	34070-24350	STOPPER	1				0.02	0.044
100	01754-50812	BOLT FLANGE	1				0.01	0.022
110	3A161-41530	LEVER SHIFT	1				0.24	0.528
120	05411-00635	PIN SPRING	1				0.005	0.011
130	3A761-41570	ROD	1				0.495	1.089
140	04013-60100	WASHER PLAIN	1				0.004	0.0088
150	52300-34130	PIN SNAP	1				0.004	0.0088
160	3A121-41450	GRIP LEVER	1				0.035	0.077
170	02116-50100	NUT	1				0.004	0.0088
180	3F740-80600	BEARING FLANGE	1	≤52119			0.006	0.0132
180	3A651-41460	CUSHION	1	≥52120	←		0.005	0.011
185	3A651-41470	HOLDER	1	≥52120			0.015	0.033
190	3F740-80670	BOLT	2				0.004	0.0088

BRAKE PEDAL






BRAKE PEDAL


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-44010	SHAFT PEDAL	1				1.78	3.916
020	04612-00250	CIR CLIP EXTERNAL	1				0.002	0.0044
030	3G710-44070	SUPPORT PEDAL SHAFT	1				0.37	0.814
040	3G710-44120	PEDAL BRAKE RH	1				1.3	2.86
050	34070-44140	SEAL OIL	2				0.005	0.011
060	34070-44360	BEARING NEEDLE	2				0.012	0.0264
070	3A751-44112	PEDAL BRAKE LH	1				1.535	3.377
080	05411-00840	PIN SPRING	1				0.008	0.0176
090	34070-44170	SPRING	2				0.08	0.176
100	3G710-44150	SPRING BRAKE SWITCH	1				0.011	0.0242
110	3G710-44004	COMP.LOCK PARKING	1				1.22	2.684
120	01123-50816	BOLT	1				0.011	0.0242
130	36330-83420	SPRING LOCK	1				0.006	0.0132
140	01155-60835	BOLT	1				0.015	0.033
150	02114-50080	NUT	1				0.005	0.011
160	01123-50816	BOLT	2				0.011	0.0242
170	TA040-49842	GRIP	1				0.025	0.055
180	37410-44120	COVER PEDAL	2				0.08	0.176

FRONT AXLE FRAME




FRONT AXLE BRACKET



3A750-061-11


010 3A121-4163-0

050 06611-15010



030 3A121-4164-2

050 06611-15010



3A154-812-10




FRONT AXLE BRACKET

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A121-41630	ASSY BRACKET FRONT	1	≤54489			2.8	6.16
010	3A121-41633	ASSY BRACKET FRONT	1	≥54490	←		0	0
020	33750-41680	BUSH	1				0.14	0.308
025	06611-15010	NIPPLE GREASE	1	≥54490			0.01	0.022
030	3A121-41642	ASSY BRACKET REAR	1	≤54489			3.3	7.26
030	3A121-41644	ASSY BRACKET REAR	1	≥54490	←		0	0
040	33750-41680	BUSH	1				0.14	0.308
050	06611-15010	NIPPLE GREASE	2	≤54489			0.01	0.022
050	06611-15010	NIPPLE GREASE	1	≥54490			0.01	0.022
060	01517-51440	STUD	4				0.064	0.1408
070	02176-50140	NUT	4				0.014	0.0308
080	04512-60140	WASHER SPRING	4				0.006	0.0132
090	01138-51450	BOLT	4				0	0
100	36280-41630	WASHER	1				0.06	0.132
110	38440-44820	SEAL OIL	4				0.01	0.022
120	35533-41670	COLLAR THRUST	2				0.03	0.066
130	01175-51645	BOLT	1				0.09	0.198
140	32580-44580	NUT	1				0.1	0.22
150	38440-44750	WASHER SEAL	1				0.003	0.0066

FRONT PROPELLER SHAFT






FRONT PROPELLER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-41210	SHAFT PROPELLER	1				4.8	10.56
020	36330-28710	COLLAR THRUST	1				0.03	0.066
030	38430-25540	CIR CLIP EXTERNAL	1				0.004	0.0088
040	3A161-41230	GEAR 4WD	1			36T	1.315	2.893
050	08101-06306	BEARING BALL	1				0.335	0.737
060	04611-00720	CIR CLIP INTERNAL	2				0.018	0.0396
070	08101-06206	BEARING BALL	1				0.196	0.4312
080	3A161-41260	SEAL OIL	2				0.01	0.022
090	08141-06205	BEARING BALL	1				0.118	0.2596
100	33710-41310	COUPLING	1				0.2	0.44
110	33750-41310	COUPLING	1				0.29	0.638
120	3A161-41320	SHAFT PROPELLER	1				3.7	8.14
130	05411-00635	PIN SPRING	1				0.005	0.011
140	05411-00640	PIN SPRING	1				0.006	0.0132
150	3A161-41342	COVER SHAFT REAR	1	<=50258			0	0
150	3A161-41342	COVER SHAFT REAR	1	>=50259	←		0	0
160	04811-10530	O RING	1				0.005	0.011
170	04811-00480	O RING	1				0.002	0.0044
180	3A161-41352	COVER SHAFT FRONT	1				0.375	0.825
190	01123-50816	BOLT	1				0.011	0.0242
200	01123-50820	BOLT	1				0.011	0.0242
210	04811-00420	O RING	1				0.002	0.0044


FRONT DIFFERENTIAL CASE



070 3A161-4220-2

090 01173-51260

100 04512-60120




150 01176-51295

160 04512-60120

190 01173-51445

200 04512-60140



3A154-811-10




FRONT DIFFERENTIAL CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-42140	ASSY CASE FRONT DIFF	1				63.64	140.008
020	36840-42160	RING INNER	1				0.185	0.407
030	06331-35020	PLUG	1				0.068	0.1496
040	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
050	06331-45010	PLUG	2				0.02	0.044
060	04717-01000	WASHER WITH RUBBER	2				0.001	0.0022
070	3A161-42202	ASSY CASE BRG.PINION	1	≤52119			0	0
070	3A161-42204	ASSY CASE BRG.PINION	1	≥52120	←		0	0
080	05012-00816	PIN STRAIGHT	2				0.007	0.0154
090	01173-51260	BOLT	2	≤52119			0.06	0.132
090	01133-51260	BOLT	2	≥52120	←		0.06	0.132
100	04512-60120	WASHER SPRING	2	≤52119			0.005	0.011
110	35533-42350	SHIM	1			0.1mm	0.002	0.0044
110	35533-42360	SHIM	1			0.2mm	0.003	0.0066
110	35533-42370	SHIM	1			0.4mm	0.005	0.011
120	06331-35020	PLUG	1				0.068	0.1496
130	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
140	01138-51240	BOLT	1				0.05	0.11
150	01176-51295	BOLT	1	≤54171			0.09	0.198
150	01138-51295	BOLT	1	≥54172	←		0	0
160	04512-60120	WASHER SPRING	1	≤54171			0.005	0.011
170	99999-99999	BLANK	0				0	0
180	35533-43170	PIPE KNOCK	2				0.02	0.044
190	01173-51445	BOLT	11	≤52119			0.067	0.1474
190	01133-51445	BOLT	11	≥52120	←		0.36	0.792
200	04512-60140	WASHER SPRING	11	≤52119			0.006	0.0132

BEVEL GEAR (FRONT)



3A150-057-10

DIFFERENTIAL FRONT






DIFFERENTIAL FRONT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-43100	ASSY DIFFERENTIAL	1				3.55	7.81
020	3A161-43120	CASE DIFFERENTIAL	1				0.7	1.54
030	3A161-42310	GEAR BEVEL	1			27T	2	4.4
040	36790-43180	PIN STRAIGHT	1				0.01	0.022
050	01759-50830	BOLT UBS	10				0.016	0.0352
060	36790-43110	SHAFT DIFF.PINION	1				0.13	0.286
070	36790-43170	PIN STRAIGHT	1				0.015	0.033
080	67711-14920	PINION DIFF.	2			12T	0.11	0.242
090	67311-14980	COLLAR PINION THRUST	2				0.002	0.0044
100	3A121-43140	GEAR DIFF.SIDE	2			14T	0.11	0.242
110	67211-15160	SHIM	2			1.0mm	0.01	0.022
110	67211-15170	SHIM	2			0.8mm	0.008	0.0176
110	67211-15180	SHIM	2			1.2mm	0.01	0.022
120	33670-43070	COLLAR THRUST	1				0.02	0.044
130	33670-42410	SUPPORT DIFF.BEARING	1				1.94	4.268
140	01173-51028	BOLT	5				0.022	0.0484
150	04512-60100	WASHER SPRING	5				0.002	0.0044
160	36780-43330	BEARING BALL	2				0.25	0.55
170	35533-43010	SHIM	1			0.1mm	0.002	0.0044
170	35533-43020	SHIM	1			0.2mm	0.003	0.0066
170	35533-43030	SHIM	1			0.4mm	0.005	0.011
170	35533-43040	SHIM	1			0.8mm	0.01	0.022
170	35533-43050	SHIM	1			1.0mm	0.01	0.022
170	35533-43060	SHIM	1			1.2mm	0.012	0.0264

FRONT DIFFERENTIAL LOCK CLUTCH






FRONT DIFFERENTIAL LOCK CLUTCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33670-42640	CLUTCH DIFF.LOCK	1				0.9	1.98
020	33670-42700	CLUTCH DIFF.LOCK	1				0.3	0.66
030	33670-42540	SPRING	1				0.04	0.088
040	36780-42522	LEVER DIFF.LOCK	1				0.37	0.814
050	3A161-42510	LEVER DIFF.LOCK	1				0.33	0.726
060	05411-00625	PIN SPRING	1				0.004	0.0088
070	04811-00120	O RING	1				0.001	0.0022
080	36780-42560	PLATE	1				0.022	0.0484
090	01133-51016	BOLT	1				0.015	0.033
100	3A011-33120	PIN	1				0.095	0.209
110	04011-50140	WASHER PLAIN	2				0.007	0.0154
120	04612-00140	CIR CLIP EXTERNAL	1				0.001	0.0022
130	37150-34460	CLAMP CORD	1				0.03	0.066
140	55311-46230	SPRING	1				0.08	0.176
150	3A161-44362	WIRE DIFF.LOCK	1				0.25	0.55
160	3A161-44370	STAY WIRE	1				0.11	0.242
170	01754-50820	BOLT FLANGE	2				0.015	0.033
180	3A761-44300	ASSY LEVER DIFF.LOCK	1				0.34	0.748
190	08511-01420	BUSH	2				0.007	0.0154
200	04013-60080	WASHER PLAIN	1				0.002	0.0044
210	52300-34120	PIN SNAP	1				0.001	0.0022
220	3A761-44343	ROD DIFF.LOCK	1				0.15	0.33
230	3A761-44310	COMP.PEDAL DIFF.LOCK	1				0.65	1.43
240	02751-60080	NUT FLANGE	2				0.006	0.0132
250	52300-34130	PIN SNAP	2				0.004	0.0088
260	3A751-32980	COVER DIFF.LOCK	1				0.01	0.022

Reference:01G220




050 01173-51440

080 04512-60140



160 01176-51430

170 04512-50140



3A150-816-10




BEVEL GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35533-43314	CASE BEVEL GEAR	2				7.03	15.466
020	04811-51000	O RING	2				0.003	0.0066
030	36340-43180	BOLT UBS	4				0.05	0.11
040	35533-43170	PIPE KNOCK	4				0.02	0.044
050	01173-51440	BOLT	12	<=52435			0.062	0.1364
050	01133-51440	BOLT	12	>=52436	←		0.34	0.748
060	01517-61435	STUD	4				0.06	0.132
070	02176-50140	NUT	4				0.014	0.0308
080	04512-60140	WASHER SPRING	16	<=52435			0.006	0.0132
080	04512-60140	WASHER SPRING	4	>=52436			0.006	0.0132
090	3A121-43320	RETAINER BEARING	2				1.835	4.037
100	01123-50825	BOLT	22				0.013	0.0286
110	3A121-43303	ASSY SUPPORT CASE	2				3.3	7.26
120	35533-43350	BUSH	2				0.1	0.22
130	35533-43330	WASHER THRUST	2				0.028	0.0616
140	06611-15010	NIPPLE GREASE	2				0.01	0.022
150	33750-43350	SEAL OIL	2				0.018	0.0396
160	01176-51430	BOLT	4	<=52435			0.052	0.1144
160	01138-51430	BOLT	4	>=52436	←		0	0
170	04512-60140	WASHER SPRING	4	<=52435			0.006	0.0132
180	36280-43180	BOLT UBS	4				0.052	0.1144
190	35533-43170	PIPE KNOCK	4				0.02	0.044

FRONT AXLE CASE






FRONT AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33670-43360	SEAL OIL	2				0.086	0.1892
020	3A121-43642	ASSY CASE F.WHEEL RH	1				12.4	27.28
030	35533-43600	BUSH	1				0.1	0.22
040	3A121-43632	ASSY CASE F.WHEEL LH	1				12.4	27.28
050	35533-43600	BUSH	1				0.1	0.22
060	35533-43290	BEARING BALL	2				0.65	1.43
070	35533-43380	BEARING BALL	2				0.1	0.22
080	35533-43520	GEAR BEVEL	2	<=53268		13T	0	0
080	35533-43522	GEAR BEVEL	2	>=53269	←	13T	0.74	1.628
090	35860-79150	BEARING BALL	2				0.45	0.99
100	35533-43010	SHIM	2			0.1mm	0.002	0.0044
100	35533-43020	SHIM	2			0.2mm	0.003	0.0066
100	35533-43030	SHIM	2			0.4mm	0.005	0.011
100	35533-43040	SHIM	2			0.8mm	0.01	0.022
100	35533-44140	SHIM	2			1.0mm	0.012	0.0264
100	35533-44150	SHIM	2			1.2mm	0.015	0.033
100	35533-44160	SHIM	2			1.8mm	0.02	0.044
100	35533-44170	SHIM	2			2.0mm	0.025	0.055
100	35533-44180	SHIM	2			2.3mm	0.03	0.066
110	04611-00800	CIR CLIP INTERNAL	2				0.02	0.044
120	35533-43540	PLUG	2				0.18	0.396
130	04611-00900	CIR CLIP INTERNAL	2				0.031	0.0682
140	06331-35016	PLUG	2				0.04	0.088
150	04717-01600	WASHER WITH RUBBER	2				0.003	0.0066
160	06331-45010	PLUG	6				0.02	0.044
170	04717-01000	WASHER WITH RUBBER	6				0.001	0.0022

DIFFERENTIAL GEAR SHAFT






DIFFERENTIAL GEAR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-43210	SHAFT YOKE RH	1				2.2	4.84
020	3A161-43220	SHAFT YOKE LH	1				3.2	7.04
030	31391-15360	CIR-CLIP	2				0.005	0.011
040	54617-22830	SLEEVE	2				0.02	0.044
050	09403-55511	SEAL OIL	2				0.023	0.0506
060	3F750-43240	GEAR BEVEL	2	<=52435		18T	0.97	2.134
060	3A161-43240	GEAR BEVEL	2	>=52436	≠	18T	0	0
070	35533-43470	BEARING BALL	2				0.88	1.936
080	35533-44020	SHIM	2			0.1mm	0.002	0.0044
080	35533-44030	SHIM	2			0.2mm	0.003	0.0066
080	35533-44040	SHIM	2			0.4mm	0.005	0.011
080	35533-44050	SHIM	2			0.8mm	0.011	0.0242
080	35533-44060	SHIM	2			1.0mm	0.012	0.0264
080	35533-44070	SHIM	2			1.2mm	0.02	0.044
090	04612-00280	CIR CLIP EXTERNAL	2				0.003	0.0066
100	3F740-43412	SHAFT	2				0.97	2.134
110	04612-00280	CIR CLIP EXTERNAL	2				0.003	0.0066
120	3F750-43440	GEAR BEVEL	2	<=52435		19T	1.06	2.332
120	3A161-43440	GEAR BEVEL	2	>=52436	≠	19T	0	0
130	08101-06308	BEARING BALL	2				0.63	1.386
140	35533-44080	SHIM	2			0.1mm	0.001	0.0022
140	35533-44090	SHIM	2			0.2mm	0.002	0.0044
140	35533-44100	SHIM	2			0.4mm	0.005	0.011
140	35533-44110	SHIM	2			0.8mm	0.01	0.022
140	35533-44120	SHIM	2			1.0mm	0.012	0.0264
140	35533-44130	SHIM	2			1.2mm	0.015	0.033

FRONT AXLE






FRONT AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	36790-43720	GEAR BEVEL	2	<=53268		34T-18T	0	0
010	36790-43722	GEAR BEVEL	2	>=53269	←	34T-18T	0	0
020	38450-25350	BEARING BALL	2				0.345	0.759
030	99999-99999	BLANK	0				0	0
040	35533-44210	SUPPORT PLANE.GEAR	2				4.4	9.68
050	08101-16013	BEARING BALL	2				0.29	0.638
060	36790-44220	GEAR PLANETARY	6			22T	0.62	1.364
070	35533-44230	COLLAR THRUST	12				0.01	0.022
080	3F740-44240	BEARING NEEDLE	6				0.045	0.099
090	35533-44250	PIN PLANETARY GEAR	6				0.2	0.44
100	05411-00522	PIN SPRING	6				0.002	0.0044
110	36790-44190	GEAR INTERNAL	1			63T	2.2	4.84
120	35533-44260	PIN STRAIGHT	4				0.02	0.044
130	35533-44280	CIR CLIP EXTERNAL	2				0.012	0.0264
140	3A121-43710	AXLE FRONT	2				9.3	20.46
150	35533-43620	COVER FRONT WHEEL	2				9.3	20.46
150	3A121-43620	COVER FRONT WHEEL	2		↔		0	0
160	35533-44292	O RING	2				0.005	0.011
170	36340-48250	SEAL WITH SHAFT	2				0.112	0.2464
180	08101-06211	BEARING BALL	2				0.6	1.32
190	04611-01000	CIR CLIP INTERNAL	2				0.042	0.0924
200	01774-51040	BOLT FLANGE	36				0.025	0.055

STEERING HANDLE



070 3G710-4370-0

100 3G710-4364-0



3A750-812-10




STEERING HANDLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-63340	ASSY POST STEERING	1				1.54	3.388
020	3G710-63370	SHAFT STEERING	1				0.53	1.166
030	37410-41340	BUSH POST	1				0.015	0.033
040	34070-43670	BOLT	1				0.02	0.044
050	02114-50080	NUT	1				0.005	0.011
060	02112-50080	NUT	1				0.003	0.0066
070	3G710-43700	ASSY SHAFT	1	≤51913			0.32	0.704
070	3A751-43700	ASSY SHAFT	1	≥51914	≠		0.365	0.803
080	02172-50120	NUT	1				0.01	0.022
090	3A751-43680	COVER TILT	1	≥51914			0.105	0.231
100	3G710-43640	PLATE FRICTION	1	≤51913			0.006	0.0132
100	3A751-43640	DISK TILT LEVER	2	≥51914	≠		0.008	0.0176
110	3G710-43723	LEVER TILT	1				0.095	0.209
120	02783-50100	NUT FLANGE	1				0.01	0.022
130	61023-41630	GRIP	1				0.015	0.033
140	3G710-80400	COVER STEERING POST	1				0.25	0.55
150	34070-43110	BOLT FLANGE	2				0.02	0.044
160	31351-18790	BOLT FLANGE	2				0.007	0.0154
170	3F740-62560	ASSY WHEEL STEERING	1				3.36	7.392
180	3F740-62580	PAD STEERING	1				0.023	0.0506
190	3F740-62800	LABEL PAD	1				0.006	0.0132
200	04512-60120	WASHER SPRING	1				0.005	0.011
210	02176-50120	NUT	1				0.01	0.022

STEERING JOINT




3A750-064-11



STEERING JOINT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-63362	JOINT UNIVERSAL	1	≤53716			0	0
010	3A751-63360	JOINT UNIVERSAL	1	≥53717	←		0	0
020	01123-50825	BOLT	1				0.013	0.0286
030	37410-41320	COLLAR	1				0.005	0.011
040	04013-50200	WASHER PLAIN	2	≥53717			0.02	0.044
050	04612-00200	CIR CLIP EXTERNAL	2	≥53717			0.001	0.0022
060	3G700-63380	SHAFT JOINT	1				0.14	0.308
070	08141-06204	BEARING BALL	1				0.101	0.2222
080	04611-00470	CIR CLIP INTERNAL	1				0.006	0.0132
090	04612-00200	CIR CLIP EXTERNAL	2				0.001	0.0022
100	3A751-63420	JOINT UNIVERSAL	1				0.61	1.342
110	01123-50825	BOLT	1				0.013	0.0286
120	3G700-63410	JOINT UNIVERSAL	1				0.58	1.276
130	06613-10010	NIPPLE GREASE	1				0.006	0.0132
140	01123-50825	BOLT	1				0.013	0.0286






STEERING CONTROLLER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-63070	CONTROLLER STEERING	1				5.65	12.43
020	3A999-11980	KIT SEAL	1				0.02	0.044
030	R1401-94620	KIT BEARING NEEDLE	1				0.04	0.088
040	33740-64450	O RING	1				0.001	0.0022
050	35999-22030	SEAL	1				0.001	0.0022
060	35999-22040	RING	1				0.005	0.011
070	R1401-94570	SEAL OIL	1				0.001	0.0022
080	R1401-94650	O RING	1				0.001	0.0022
090	3A999-11960	SPACER	1				0.002	0.0044
100	35999-22080	O RING	2				0.001	0.0022
110	35999-22110	SEAL DUST	1				0.002	0.0044
120	33740-64380	BUSH	1				0.11	0.242
130	35999-22070	RING RETAINING	1				0.005	0.011
140	35999-22090	NEEDLE THRUST	1				0.01	0.022
150	35999-22100	RACE BEARING	1				0.02	0.044
160	35999-22190	SPRING FLAT	2				0.001	0.0022
170	35999-22180	PIN	1				0.01	0.022
180	35999-22200	SPRING	4				0.002	0.0044
190	35999-22220	DRIVE	1				0.1	0.22
200	35999-22230	PLATE SPACER	1				0.1	0.22
210	3A111-22240	SET ROTOR	1				0.315	0.693
220	35999-22250	CAP END	1				0.4	0.88
230	3A999-11940	SCREW	6				0.02	0.044
240	3A999-11950	ASSY SCREW	1				0.018	0.0396
250	R1401-94670	BALL	1				0.001	0.0022
260	R1401-94660	SCREW ADAPTER	1				0.002	0.0044

STEERING LINKAGE





040 01173-51400

050 04512-60140



220 01173-51440

230 04512-60140



3A110-844-10




STEERING LINKAGE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-63880	CYLINDER HYDRAULIC	1			REFER TO L.No.G16-R FOR COMPONENTS.	7.9	17.38
020	33671-62132	BRACKET POWER STRG.	2				0.5	1.1
030	3A121-63970	PIN STRAIGHT	2				0.016	0.0352
040	01173-51400	BOLT	4	≤52119			0.12	0.264
040	01133-51400	BOLT	4	≥52120	←		0	0
050	04512-60140	WASHER SPRING	4	≤52119			0.006	0.0132
060	3A161-62970	ASSY ROD TIE	2				2.15	4.73
070	3A121-62980	END ROD	2				1.04	2.288
080	35533-62850	COVER DUST	2				0.02	0.044
090	35533-62820	CLIP	2				0.003	0.0066
100	35533-62860	RING SET	2				0.005	0.011
110	3A161-62920	COMP.ROD TIE	2				1.1	2.42
120	35860-62750	NUT	2				0.04	0.088
130	35860-62852	COVER DUST	2				0.014	0.0308
140	36280-62860	CLIP	2				0.002	0.0044
150	05511-50335	PIN SPLIT	2				0.002	0.0044
160	02172-50200	NUT	2				0.03	0.066
170	35533-64013	COVER POWER STRG.	2				1.5	3.3
175	01135-61020	BOLT	8				0.015	0.033
180	35533-64020	BRACKET STRG.COVER	2	≤54306			1.5	3.3
180	3A121-64020	BRACKET POWER STRG.	2	≥54307	←		0.65	1.43
190	01133-51020	BOLT	8				0.02	0.044
200	35533-43810	ARM KNUCKLE LH	1	≤54170			0	0
200	35533-43814	ARM KNUCKLE LH	1	≥54171	←		0	0
210	35533-43820	ARM KNUCKLE RH	1	≤54170			0	0
210	35533-43824	ARM KNUCKLE RH	1	≥54171	←		0	0
220	01173-51440	BOLT	8	≤52119			0.062	0.1364
220	01133-51440	BOLT	8	≥52120	←		0.34	0.748
230	04512-60140	WASHER SPRING	8	≤52119			0.006	0.0132
240	3A121-43660	BOLT	2				0.04	0.088
250	04011-50120	WASHER PLAIN	2				0.005	0.011
260	3F740-43940	BOLT	2				0.06	0.132
270	02076-50140	NUT	2				0.022	0.0484

HYDRAULIC PUMP [A]






HYDRAULIC PUMP [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-82202	PUMP HYDRAULIC	1			REFER TO L.No.H02-R FOR COMPONENTS.	4.6	10.12
020	04811-06400	O RING	1				0.001	0.0022
030	99999-99999	BLANK	0				0	0
040	01125-50835	BOLT	7				0.017	0.0374
050	01123-50800	BOLT	1				0.04	0.088
060	04013-60080	WASHER PLAIN	1				0.002	0.0044
070	3A151-63100	PUMP HYDRAULIC	1			REFER TO L.No.H03-L FOR COMPONENTS.	2.3	5.06
080	04811-06400	O RING	1				0.001	0.0022





HYDRAULIC PUMP [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-82202	PUMP HYDRAULIC	1			REFER TO L.No.H02-R FOR COMPONENTS.	4.6	10.12
020	04811-06400	O RING	1				0.001	0.0022
030	99999-99999	BLANK	0				0	0
040	01125-50835	BOLT	7				0.017	0.0374
050	01123-50800	BOLT	1				0.04	0.088
060	04013-60080	WASHER PLAIN	1				0.002	0.0044
070	3A151-63100	PUMP HYDRAULIC	1			REFER TO L.No.H03-R FOR COMPONENTS.	2.3	5.06
080	04811-06400	O RING	1				0.001	0.0022



HYDRAULIC PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-82202	PUMP HYDRAULIC	1				4.6	10.12
020	68721-72210	FLANGE	1				0.45	0.99
030	33960-12860	FLANGE	1				0.5	1.1
040	68741-72230	COVER	1				0.39	0.858
050	68051-91850	RING SNAP	1				0.001	0.0022
060	35890-12970	KIT SEAL	1				0.005	0.011
070	36330-82320	SEAL OIL	1				0.01	0.022
080	35430-12870	ELEMENT SEAL	4				0.003	0.0066
090	68051-91880	ELEMENT BACK UP	4				0.001	0.0022
100	68051-91910	O RING	4				0.001	0.0022
110	33960-12870	COUPLING	1				0.028	0.0616
120	68271-91240	PIN	6				0.004	0.0088
130	68741-72250	WASHER	4				0.002	0.0044
140	35592-12940	STUD	4				0.12	0.264
150	68051-92090	NUT	4				0.01	0.022
160	68051-91890	KEY	4				0.001	0.0022






HYDRAULIC PUMP [COMPONENT PARTS] [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-63100	PUMP HYDRAULIC	1				2.3	5.06
020	68721-72210	FLANGE	1				0.45	0.99
030	68051-91850	RING SNAP	1				0.001	0.0022
040	68588-85210	KIT SEAL	1				0.013	0.0286
050	36330-82320	SEAL OIL	1				0.01	0.022
060	35430-12870	ELEMENT SEAL	2				0.003	0.0066
070	68051-91880	ELEMENT BACK UP	2				0.001	0.0022
080	68051-91910	O RING	2				0.001	0.0022
090	68741-72230	COVER	1				0.39	0.858
100	68051-91890	KEY	2				0.001	0.0022
110	68741-72250	WASHER	4				0.002	0.0044
120	68271-91240	PIN	2				0.004	0.0088
130	3A999-12020	BOLT	4				0	0






HYDRAULIC PUMP [COMPONENT PARTS] [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-63100	PUMP HYDRAULIC	1				2.3	5.06
020	68721-72210	FLANGE	1				0.45	0.99
030	68051-91850	RING SNAP	1				0.001	0.0022
040	68588-85210	KIT SEAL	1				0.013	0.0286
050	36330-82320	SEAL OIL	1				0.01	0.022
060	35430-12870	ELEMENT SEAL	2				0.003	0.0066
070	68051-91880	ELEMENT BACK UP	2				0.001	0.0022
080	68051-91910	O RING	2				0.001	0.0022
090	68741-72230	COVER	1				0.39	0.858
100	68051-91890	KEY	2				0.001	0.0022
110	68741-72250	WASHER	4				0.002	0.0044
120	68271-91240	PIN	2				0.004	0.0088
130	3A999-12020	BOLT	4				0	0

HYDRAULIC PIPE (SUCTION) [A]






HYDRAULIC PIPE (SUCTION) [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33960-82630	FILTER	2				0.65	1.43
020	32590-38330	JOINT SCREW	2				0.05	0.11
030	33960-82640	MAGNET FILTER	1				0.08	0.176
040	3A751-82690	COMP.PIPE SUCTION	1				1.04	2.288
050	3A151-09860	O RING	1				0.001	0.0022
060	04815-00260	O RING	4				0.001	0.0022
070	04815-00220	O RING	1				0.001	0.0022
080	01754-50816	BOLT FLANGE	2				0.011	0.0242
090	3A751-82710	COMP.PIPE SUCTION	1				0.54	1.188
100	3A151-82650	FLANGE SUCTION	1				1.465	3.223
110	04815-00220	O RING	2				0.001	0.0022
120	01023-50655	BOLT	9				0.012	0.0264
130	35533-82720	CUSHION	1				0.03	0.066
140	37150-38950	BAND PIPE	1				0.02	0.044
150	33430-82760	PIN BAND	1				0.004	0.0088
160	3A151-82663	COMP.PIPE POWER STRG	1				0.755	1.661

HYDRAULIC PIPE (SUCTION) [CA]






HYDRAULIC PIPE (SUCTION) [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33960-82630	FILTER	2				0.65	1.43
020	32590-38330	JOINT SCREW	2				0.05	0.11
030	33960-82640	MAGNET FILTER	1				0.08	0.176
040	3A751-82690	COMP.PIPE SUCTION	1				1.04	2.288
050	3A151-09860	O RING	1				0.001	0.0022
060	04815-00260	O RING	4				0.001	0.0022
070	04815-00220	O RING	1				0.001	0.0022
080	01754-50816	BOLT FLANGE	2				0.011	0.0242
090	3A751-82710	COMP.PIPE SUCTION	1				0.54	1.188
100	3A151-82650	FLANGE SUCTION	1				1.465	3.223
110	04815-00220	O RING	2				0.001	0.0022
120	01023-50655	BOLT	9				0.012	0.0264
130	35533-82720	CUSHION	1				0.03	0.066
140	37150-38950	BAND PIPE	1				0.02	0.044
150	33430-82760	PIN BAND	1				0.004	0.0088
160	3A151-82663	COMP.PIPE POWER STRG	1				0.755	1.661






HYDRAULIC PIPE (DELIVERY) [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35880-63650	O RING	2				0.001	0.0022
020	3A751-82730	COMP.PIPE DELIVERY	1				1.815	3.993
030	06312-10020	PLUG	1				0.015	0.033
040	3F740-82760	SPACER PIPE	1				0.4	0.88
050	3A751-82760	ASSY PIPE DELIVERY	1				1.43	3.146
055	3F740-82720	RUBBER	1				0.013	0.0286
060	01023-50645	BOLT	7				0.01	0.022
070	3A151-82810	STAY	1				0.075	0.165
080	3A151-82820	CUSHION	1				0.035	0.077
090	01135-61025	BOLT	1				0.04	0.088
100	3A151-82930	JOINT PIPE	1	≤54643			0	0
100	3A151-82932	JOINT PIPE	1	≥54644	←		0	0
110	04811-00180	O RING	1				0.001	0.0022






HYDRAULIC PIPE (DELIVERY) [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35880-63650	O RING	2				0.001	0.0022
020	3A751-82730	COMP.PIPE DELIVERY	1				1.815	3.993
030	06312-10020	PLUG	1				0.015	0.033
040	3F740-82760	SPACER PIPE	1				0.4	0.88
050	3A751-82760	ASSY PIPE DELIVERY	1				1.43	3.146
055	3F740-82720	RUBBER	1				0.013	0.0286
060	01023-50645	BOLT	7				0.01	0.022
070	3A151-82810	STAY	1				0.075	0.165
080	3A151-82820	CUSHION	1				0.035	0.077
090	01135-61025	BOLT	1				0.04	0.088
100	3A151-82930	JOINT PIPE	1	<=54643			0	0
100	3A151-82932	JOINT PIPE	1	>=54644	←		0	0
110	04811-00180	O RING	1				0.001	0.0022

HYDRAULIC OIL LINE (STEERING/PTO) [A]






HYDRAULIC OIL LINE (STEERING/PTO) [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-63230	COMP.PIPE POWER STRG	1				0.55	1.21
020	35880-63650	O RING	1				0.001	0.0022
030	01023-50622	BOLT	4				0.005	0.011
040	36330-63330	RUBBER PROTECTOR	1				0.01	0.022
050	3A151-63320	STAY	1				0.19	0.418
060	3A031-63310	CLAMP PIPE	1				0.045	0.099
070	01125-60820	BOLT	2				0.015	0.033
080	3A751-27640	COMP.PIPE PTO	1				0.455	1.001
090	06013-51203	JOINT PIPE	1				0.035	0.077
100	36330-63330	RUBBER PROTECTOR	2				0.01	0.022
110	3A031-63310	CLAMP PIPE	1				0.045	0.099
120	01125-60820	BOLT	1				0.015	0.033
130	3A751-27600	COMP.PIPE PTO	1	≤52119			0.51	1.122
130	3A751-27602	COMP.PIPE PTO	1	≥52120	≠		0	0
140	36330-63330	RUBBER PROTECTOR	1				0.01	0.022
150	3A751-27620	STAY PIPE	1				0.085	0.187
160	3A031-63310	CLAMP PIPE	1				0.045	0.099
170	01125-60820	BOLT	2				0.015	0.033
180	12234-67580	CLAMP CORD	1				0.015	0.033

HYDRAULIC OIL LINE (STEERING/PTO) [CA]






HYDRAULIC OIL LINE (STEERING/PTO) [CA]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-63230	COMP.PIPE POWER STRG	1				0.55	1.21
020	35880-63650	O RING	1				0.001	0.0022
030	01023-50622	BOLT	4				0.005	0.011
040	36330-63330	RUBBER PROTECTOR	1				0.01	0.022
050	3A151-63320	STAY	1				0.19	0.418
060	3A031-63310	CLAMP PIPE	1				0.045	0.099
070	01125-60820	BOLT	2				0.015	0.033
080	3A751-27640	COMP.PIPE PTO	1				0.455	1.001
090	06013-51203	JOINT PIPE	1				0.035	0.077
100	36330-63330	RUBBER PROTECTOR	2				0.01	0.022
110	3A031-63310	CLAMP PIPE	1				0.045	0.099
120	01125-60820	BOLT	1				0.015	0.033
130	3A751-27600	COMP.PIPE PTO	1	≤52119			0.51	1.122
130	3A751-27602	COMP.PIPE PTO	1	≥52120	≠		0	0
140	36330-63330	RUBBER PROTECTOR	1				0.01	0.022
150	3A751-27620	STAY PIPE	1				0.085	0.187
160	3A031-63310	CLAMP PIPE	1				0.045	0.099
170	01125-60820	BOLT	2				0.015	0.033
180	12234-67580	CLAMP CORD	1				0.015	0.033

STEERING HOSE (DELIVERY)




HYDRAULIC CYLINDER



3A750-141-12

010 3A151-8212-0

090 01574-61240



3A154-813-10




HYDRAULIC CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82120	ASSY CASE HYD.CYL.	1	<=54819			0	0
010	3A151-82122	ASSY CASE HYD.CYL.	1	>=54820	←		49.5	108.9
020	3A151-82130	BUSH	1				0.205	0.451
030	36840-43350	BUSH	1				0.19	0.418
040	36741-94022	PLUG TAPER	9				0.01	0.022
050	36330-82170	BOLT	2				0.17	0.374
060	04512-60120	WASHER SPRING	2				0.005	0.011
070	36330-82160	BOLT	2				0.15	0.33
080	01133-51245	BOLT	5				0.055	0.121
090	01574-61240	STUD	3	<=52555			0.045	0.099
090	01574-51238	STUD	2	>=52556	←		0.043	0.0946
090	01574-61240	STUD	2	>=54171	←		0.045	0.099
095	01574-61240	STUD	1	>=52556			0.045	0.099
100	02176-50120	NUT	3				0.01	0.022
110	04512-60120	WASHER SPRING	5				0.005	0.011
120	38240-21410	PLUG	1				0.015	0.033
130	04811-50300	O RING	1				0.001	0.0022
140	3A751-21630	PIPE BREATHER	1				0.01	0.022
150	3A011-21622	BREATHER	1				0.034	0.0748
160	3A151-81670	PLUG	1				0.033	0.0726
170	3F740-82360	ASSY VALVE RELIEF	1				0.17	0.374
180	04811-00220	O RING	1				0.001	0.0022
190	04811-05150	O RING	1				0.001	0.0022
200	67810-38370	RING BACK UP	1				0.001	0.0022
210	01135-61020	BOLT	1				0.015	0.033
220	37150-34460	CLAMP CORD	1				0.03	0.066
230	09980-10075	CAP PROTECTOR	4	>=54026			0.001	0.0022

HYDRAULIC LIFT ARM






HYDRAULIC LIFT ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82570	PISTON HYD.	1	<=54489		NOT SALE	2.55	5.61
010	3A151-82572	PISTON HYD.	1	>=54490	←		0	0
020	3A151-09850	O RING	1				0.015	0.033
030	3F740-82550	RING BACK UP	1				0.006	0.0132
040	3A151-82862	ROD HYD.PISTON	1				1.63	3.586
050	04810-00310	O RING	1				0.002	0.0044
060	3A151-82840	ARM HYDRAULIC	1				3.2	7.04
070	05411-00870	PIN SPRING	1				0.015	0.033
080	3A151-82830	SHAFT HYD.ARM	1				11	24.2
090	33251-82850	BOLT STOPPER	1				0.015	0.033
100	04512-60100	WASHER SPRING	1				0.002	0.0044
110	04811-00550	O RING	2				0.006	0.0132
120	04811-00600	O RING	2				0.006	0.0132
130	3A151-82910	LEVER LIFT	2				6.5	14.3
140	36530-82900	COLLAR THRUST	2				0.03	0.066
150	04612-00600	CIR CLIP EXTERNAL	2				0.012	0.0264

HYDRAULIC CYLINDER COVER



3A750-075-11




HYDRAULIC CYLINDER COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82500	ASSY HEAD HYD.CYL.	1				4.45	9.79
020	06312-10020	PLUG	2				0.015	0.033
030	31351-37160	PLUG	1				0.003	0.0066
040	38240-37250	COLLAR ADJUSTING	1				0.01	0.022
050	04611-00160	CIR CLIP INTERNAL	1				0.001	0.0022
060	3A751-81650	SHAFT	1	<=51913			0.032	0.0704
060	3A751-81652	SHAFT	1	>=51914	←		0.032	0.0704
070	04810-00100	O RING	2				0.001	0.0022
080	04611-00180	CIR CLIP INTERNAL	1				0.001	0.0022
090	04011-50100	WASHER PLAIN	1				0.002	0.0044
100	99999-99999	BLANK	0				0	0
110	3F740-82400	ASSY VALVE SAFETY	1				0.4	0.88
120	04810-00160	O RING	1				0.001	0.0022
130	04815-06280	O RING	1				0.001	0.0022
140	33770-94040	RING BACK UP	1				0.002	0.0044
150	3A151-09850	O RING	1				0.015	0.033
160	3A111-09810	O RING	1				0.001	0.0022
170	04815-00100	O RING	1				0.001	0.0022
180	01173-51650	BOLT	5				0.099	0.2178
190	01173-51660	BOLT	1				0.114	0.2508
200	04512-60160	WASHER SPRING	6				0.01	0.022
210	3A751-81630	ASSY JOINT	1				0.12	0.264
220	99999-99999	BLANK	0				0	0
230	99999-99999	BLANK	0				0	0
240	05525-51400	PIN SNAP	2				0.005	0.011
250	3A751-81670	SHAFT	1				0.078	0.1716
260	05411-00414	PIN SPRING	1				0.001	0.0022
270	T0070-34560	GRIP	1				0.011	0.0242

CONTROL VALVE






CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82300	VALVE CONTROL	1			REFER TO L.No.H11-R FOR COMPONENTS.	3.3	7.26
020	3A111-09810	O RING	2				0.001	0.0022
030	01123-50850	BOLT	3				0.02	0.044
040	3A151-81290	JOINT	1				0.025	0.055
050	02112-50080	NUT	1				0.003	0.0066
060	05122-60618	PIN JOINT	1				0.01	0.022
070	04012-50060	WASHER PLAIN	1				0.001	0.0022
080	05511-51612	PIN SPLIT	1				0.001	0.0022
090	3A151-82990	COMP.PIPE VALVE	1				0.16	0.352
100	01123-50816	BOLT	2				0.011	0.0242




3A150-092-90



CONTROL VALVE [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82300	VALVE CONTROL	1				3.3	7.26
020	3A151-82310	KIT SEAL	1				0.008	0.0176
030	04811-05140	O RING	1				0.001	0.0022
040	04811-05150	O RING	1				0.001	0.0022
050	04811-00070	O RING	1				0.001	0.0022
060	3A151-09870	RING BACK UP	1				0.001	0.0022
070	04811-00140	O RING	1				0.001	0.0022
080	04811-00120	O RING	1				0.001	0.0022
090	04811-00160	O RING	2				0.001	0.0022
100	04811-00220	O RING	1				0.001	0.0022
110	04811-05120	O RING	2				0.001	0.0022








DRAFT AND POSITION CONTROL LEVER 1

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35861-81490	PLATE	1				0.04	0.088
020	99999-99999	BLANK	0				0	0
030	36200-81440	WASHER FRICTION	1				0.005	0.011
040	3A751-94240	LEVER DRAFT	1				0.205	0.451
050	05712-00510	KEY FEATHER	1				0.002	0.0044
060	36200-81450	WASHER FRICTION	3				0.006	0.0132
070	35861-81480	PLATE	2				0.04	0.088
080	3A751-94230	LEVER POSITION	1				0.205	0.451
090	36200-81530	BOLT	1				0.016	0.0352
100	04512-60060	WASHER SPRING	1				0.001	0.0022
110	02056-50060	NUT	1				0.002	0.0044
120	33740-81470	RETAINER SPRING	1				0.3	0.66
130	01513-50880	STUD	2				0.04	0.088
140	36730-81500	PIPE	1				0.04	0.088
150	36919-81510	NUT U	2				0.005	0.011
160	36919-81452	SPRING	1				0.06	0.132
170	36200-81460	SPRING	1				0.03	0.066

150 02014-50060

160 04512-50060



3A750-806-10




DRAFT AND POSITION CONTROL LEVER 2

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-94290	SUPPORT	1				0.35	0.77
020	01023-50616	BOLT	4				0.005	0.011
030	3A751-94210	ASSY LEVER POSITION	1				0.335	0.737
040	08511-01210	BUSH	2				0.005	0.011
050	3A751-94220	ASSY LEVER DRAFT	1				0.315	0.693
060	08511-01220	BUSH	1				0.004	0.0088
070	33740-94460	SHAFT LEVER	1				0.08	0.176
080	36919-92360	WASHER WAVE	1				0.001	0.0022
090	01023-50614	BOLT	1				0.005	0.011
100	3A751-81960	ROD HYD.CONTROL	2				0.04	0.088
110	02014-50060	NUT	2				0.003	0.0066
120	36919-81970	END ROD	2				0.035	0.077
130	36919-81960	END ROD	2				0.035	0.077
140	36530-27770	NUT	2				0.002	0.0044
150	02014-50060	NUT	4	≤52435			0.003	0.0066
150	12264-92020	NUT SPRING WASHER M	4	≥52436	←		0.05	0.11
160	04512-60060	WASHER SPRING	4	≤52435			0.001	0.0022
170	33760-94750	ELEMENT	1				0.003	0.0066
175	3A751-94700	COVER FLOOR	1	≥51914			0	0
180	36919-81523	STOPPER LEVER	2				0.01	0.022
190	35624-81530	GRIP	2				0.02	0.044
200	04012-50080	WASHER PLAIN	2				0.001	0.0022
210	52300-34120	PIN SNAP	2				0.001	0.0022
220	31351-36880	GRIP LEVER	2				0.04	0.088

POSITION AND DRAFT SHAFT






POSITION AND DRAFT SHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-81110	SHAFT POSITION	1				0.765	1.683
020	04811-00180	O RING	1				0.001	0.0022
030	36330-81124	SHAFT DRAFT	1				0.46	1.012
040	04811-06260	O RING	1				0.001	0.0022
050	04612-00300	CIR CLIP EXTERNAL	1				0.003	0.0066
060	3A151-81130	BRACKET	1				1.14	2.508
070	04811-50450	O RING	1				0.002	0.0044
080	01123-50820	BOLT	3				0.011	0.0242
090	36200-81155	CONNECTOR POSITION	1				0.03	0.066
100	04012-50080	WASHER PLAIN	1				0.001	0.0022
110	05511-50215	PIN SPLIT	1				0.001	0.0022
120	3A151-81180	ROD	1				0.31	0.682
130	04811-10120	O RING	2				0.001	0.0022
140	36200-81190	STOPPER	1				0.008	0.0176
150	01123-50816	BOLT	1				0.011	0.0242
160	36200-81230	CONNECTOR	1				0.166	0.3652
170	3A151-81240	LEVER POSITION	1				0.21	0.462
180	04011-50140	WASHER PLAIN	2				0.007	0.0154
190	36200-81210	CIR-CLIP	2				0.001	0.0022
200	36200-81220	ROLLER	3				0.008	0.0176
210	04612-00100	CIR CLIP EXTERNAL	3				0.001	0.0022



3A150-084-11

250 04012-50080




3A154-805-10



POSITION CAM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-81250	CAM POSITION	1				0.094	0.2068
020	36530-81290	SPACER	1				0.01	0.022
030	01123-50828	BOLT	1				0.014	0.0308
040	3A151-81683	LINK FEED BACK	1	<=54489		NOT SALE	0.125	0.275
040	3A151-81684	LINK FEED BACK	1	>=54490	←		0.125	0.275
050	01073-51045	BOLT	1				0.036	0.0792
060	02118-50100	NUT	1				0.005	0.011
070	36330-81670	SPRING	1				0.002	0.0044
080	3A151-81160	RETAINER SPOOL	1				0.178	0.3916
090	04011-50140	WASHER PLAIN	2				0.007	0.0154
100	36200-81210	CIR-CLIP	2				0.001	0.0022
110	3A151-81190	SHAFT	1				0.12	0.264
120	04811-10120	O RING	1				0.001	0.0022
130	36200-81190	STOPPER	1				0.008	0.0176
140	01123-50816	BOLT	1				0.011	0.0242
150	36200-81270	HOLDER	1				0.026	0.0572
160	05122-50628	PIN JOINT	1				0.006	0.0132
170	04012-50060	WASHER PLAIN	2				0.001	0.0022
180	05511-51612	PIN SPLIT	1				0.001	0.0022
190	3A151-81280	SPRING	1				0.018	0.0396
200	3A151-81260	HOLDER SPRING	1				0.088	0.1936
210	05122-50628	PIN JOINT	1				0.006	0.0132
220	04012-50060	WASHER PLAIN	2				0.001	0.0022
230	05511-51612	PIN SPLIT	1				0.001	0.0022
240	05411-00425	PIN SPRING	1				0.001	0.0022
250	04012-50080	WASHER PLAIN	2	<=54819			0.001	0.0022
250	04012-50080	WASHER PLAIN	1	>=54820			0.001	0.0022




**DRAFT CAM**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	36330-81312	LINK DRAFT	1				0.06	0.132
020	04012-50080	WASHER PLAIN	1				0.001	0.0022
030	05511-50215	PIN SPLIT	1				0.001	0.0022
040	36200-81324	LINK DRAFT	1				0.08	0.176
050	05122-50818	PIN JOINT	2				0.008	0.0176
060	04012-50080	WASHER PLAIN	2				0.001	0.0022
070	05511-50215	PIN SPLIT	2				0.001	0.0022
080	3A151-81340	CAM DRAFT	1				0.195	0.429
090	04811-05120	O RING	1				0.001	0.0022
100	34150-24350	STOPPER LEVER	1				0.015	0.033
110	01123-50816	BOLT	1				0.011	0.0242
120	36330-81352	LEVER DRAFT CONTROL	1				0.1	0.22
130	05411-00525	PIN SPRING	1				0.002	0.0044
140	36330-81392	ROD DRAFT CONTROL	1				0.1	0.22
150	36330-81382	ROD DRAFT CONTROL	1				0.033	0.0726
160	32350-28980	TURNBUCKLE	1				0.124	0.2728
170	02116-50100	NUT	1				0.004	0.0088
180	32350-28990	NUT	1				0.009	0.0198
190	04011-50100	WASHER PLAIN	2				0.002	0.0044
200	05511-50318	PIN SPLIT	1				0.001	0.0022
210	52300-34130	PIN SNAP	1				0.004	0.0088

AUXILIARY CONTROL VALVE (SCD) [A]



3A750-077-12

140 3A151-8202-0
160 04811-00200



3A750-833-10




AUXILIARY CONTROL VALVE (SCD) [A]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82540	VALVE	1			REFER TO L.No.H15-R FOR COMPONENTS.	3.7	8.14
		AUX.CONTROL						
020	04815-07560	O RING	1				0.003	0.0066
030	3F740-82943	COVER	1				0.66	1.452
		AUX.CONT.VALVE						
040	04815-07560	O RING	1				0.003	0.0066
050	01133-51070	BOLT	1				0.047	0.1034
060	01123-50870	BOLT	2				0.029	0.0638
070	3G700-82390	SUPPORT	1				0.1	0.22
		AUX.CON.VALV						
080	05122-50518	PIN JOINT	2				0.002	0.0044
090	04012-50050	WASHER PLAIN	4				0.001	0.0022
100	05525-60500	PIN SNAP	2				0.001	0.0022
110	3G710-82380	HOLDER	1				0.26	0.572
120	01023-50612	BOLT	2				0.005	0.011
130	3A111-82010	ASSY COUPLER	2				0.48	1.056
135	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
140	3A151-82020	JOINT PIPE	2	≤54643		NOT SALE	0.075	0.165
140	3A151-82010	ASSY JOINT COUPLER	2	≥54644	←		0.078	0.1716
150	04811-00140	O RING	2				0.001	0.0022
160	04811-00200	O RING	2	≤54643			0.001	0.0022
160	68011-62140	O RING	2	≥54644	≠		0.001	0.0022

AUXILIARY CONTROL VALVE (SCD/FD) [CA]




190 3G710-8238-0



240 3A151-8202-0

260 04811-00200



3A154-806-20




AUXILIARY CONTROL VALVE (SCD/FD) [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82540	VALVE	1			REFER TO L.No.H15-R FOR COMPONENTS.	3.7	8.14
		AUX.CONTROL						
020	04815-07560	O RING	1				0.003	0.0066
030	3F740-82943	COVER	1				0.66	1.452
		AUX.CONT.VALVE						
040	04815-07560	O RING	1				0.003	0.0066
050	01176-51004	BOLT	1				0.069	0.1518
055	04512-60100	WASHER SPRING	1				0.002	0.0044
060	01156-50804	BOLT	2				0.04	0.088
065	04512-60080	WASHER SPRING	2				0.002	0.0044
070	3G700-82390	SUPPORT	1				0.1	0.22
		AUX.CON.VALV						
080	05122-50518	PIN JOINT	2				0.002	0.0044
090	04012-50050	WASHER PLAIN	4			REFER TO L.No.H16-R FOR COMPONENTS.	0.001	0.0022
100	05525-60500	PIN SNAP	2				0.001	0.0022
110	3G710-82380	HOLDER	1				0.26	0.572
120	01023-50612	BOLT	2				0.005	0.011
130	3G710-82812	VALVE	1				3	6.6
		AUX.CONTROL						
140	04811-07560	O RING	1				0.002	0.0044
150	3G700-82390	SUPPORT	1				0.1	0.22
		AUX.CON.VALV						
160	05122-50518	PIN JOINT	2				0.002	0.0044
170	04012-50050	WASHER PLAIN	4				0.001	0.0022
180	05525-60500	PIN SNAP	2				0.001	0.0022
190	3G710-82380	HOLDER	1	≤54489		NOT SALE	0.26	0.572
190	3A751-82380	HOLDER	1	≥54490	←		0.21	0.462
200	01023-50612	BOLT	2				0.005	0.011
210	3G700-82070	SPACER	1				0.15	0.33
		AUX.CONTROL						
220	04815-07560	O RING	1				0.003	0.0066
230	3A111-82010	ASSY COUPLER	4				0.48	1.056
235	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
240	3A151-82020	JOINT PIPE	4	≤54643			0.075	0.165
240	3A151-82010	JOINT PIPE	4	≥54644	←		0.078	0.1716
250	04811-00140	O RING	4				0.001	0.0022
260	04811-00200	O RING	4	≤54643			0.001	0.0022
260	68011-62140	O RING	4	≥54644	≠		0.001	0.0022

AUXILIARY CONTROL VALVE (SCD) [COMPONENT PARTS]






AUXILIARY CONTROL VALVE (SCD) [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82540	VALVE AUX.CONTROL	1				3.7	8.14
020	3F740-06020	PLUG	4				0.001	0.0022
030	04815-07560	O RING	1				0.003	0.0066
040	04810-00110	O RING	1				0.001	0.0022
050	04810-00090	O RING	1				0.001	0.0022
060	3F740-06040	COVER	1				0.014	0.0308
070	3F740-06420	COVER	1				0.06	0.132
080	3F740-06430	WASHER	1				0.013	0.0286
090	01311-10616	BOLT HEX-SOC-HD	4				0.005	0.011
100	01311-10612	BOLT HEX-SOC-HD	2				0.01	0.022
110	12631-91030	BOLT HEX-SOC-HD	2				0.02	0.044
120	3F740-06060	SPRING	1				0.015	0.033
130	3F740-06070	SEAT SPRING	2				0.005	0.011
140	3F740-06080	GASKET	2				0.003	0.0066
150	3F740-06440	BUSH	1				0.019	0.0418
160	07715-03205	BALL	4				0.001	0.0022
170	3F740-06450	BOLT SPACER	1				0.032	0.0704
180	3F740-06460	PISTON	1				0.029	0.0638
190	3F740-06480	SPRING	1				0.01	0.022
200	3F740-06500	O RING	1				0.001	0.0022
210	3F740-06510	RING BACK UP	1				0.001	0.0022
220	3F740-06520	O RING	1				0.001	0.0022
230	3F740-06530	RING BACK UP	1				0.001	0.0022
240	3A111-06540	POPPET	1				0	0
250	3F740-06550	BUSH	1				0.006	0.0132
260	3A111-06560	SPRING	1				0	0
270	3A111-06570	SPRING	1				0	0
280	3A111-06580	SEAT SPRING	1				0.004	0.0088
290	3A111-06590	SEAT SPRING	1				0.005	0.011
300	3A111-06600	PLUNGER	1				0.005	0.011
310	04810-00070	O RING	1				0.001	0.0022
320	99999-99999	BLANK	0				0	0
330	3F740-06620	SCREW ADJUSTING	1				0.005	0.011
340	3F740-06630	NUT	1				0.004	0.0088
350	3F740-06100	PLUG	1				0.015	0.033
360	3F740-06110	PLUNGER	1				0.011	0.0242
370	3F740-06120	SPRING	1				0.001	0.0022
380	04810-00120	O RING	1				0.001	0.0022
390	3F740-06150	ARM	1				0.032	0.0704




**AUXILIARY CONTROL VALVE (FD)[COMPONENT PARTS] [CA]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-82812	VALVE AUX.CONTROL	1				3	6.6
020	3F740-06020	PLUG	2				0.001	0.0022
030	04811-07560	O RING	1				0.002	0.0044
040	3F740-06040	COVER	4				0.014	0.0308
050	3F740-06050	COVER	1				0.077	0.1694
060	01311-10616	BOLT HEX-SOC-HD	2				0.005	0.011
070	01311-10660	BOLT HEX-SOC-HD	2				0.07	0.154
080	01311-10612	BOLT HEX-SOC-HD	2				0.01	0.022
090	3F740-06650	SPRING	1				0.018	0.0396
100	3F740-06070	SEAT SPRING	2				0.005	0.011
110	3F740-06660	SPACER	1				0.002	0.0044
120	3F740-06080	GASKET	2				0.003	0.0066
130	3F740-06670	COVER	1				0.12	0.264
140	3F740-06680	BUSH	1				0.019	0.0418
150	3F740-06690	RING	1				0.01	0.022
160	07715-03205	BALL	4				0.001	0.0022
170	3F740-06710	BOLT SPACER	1				0.04	0.088
180	3F740-06480	SPRING	1				0.01	0.022
190	3F740-06700	PLUG	1				0.02	0.044
200	3F740-06110	PLUNGER	1				0.011	0.0242
210	3F740-06120	SPRING	1				0.001	0.0022
220	04810-00120	O RING	1				0.001	0.0022
230	3F740-06150	ARM	1				0.032	0.0704

AUXILIARY CONTROL VALVE LEVER [A]



3A750-133-11

010 3A751-8294-0



3A651-814-10




AUXILIARY CONTOROL VALVE LEVER [A]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82940	BRACKET AUX.CON.VALV	1	<=54489		NOT SALE	0.215	0.473
010	3A751-82942	BRACKET AUX.CON.VALV	1	>=54490	←		0	0
020	02763-60080	NUT FLANGE	3				0.005	0.011
030	3A751-82430	ASSY LEVER AUX.CON.	1				0.255	0.561
040	08511-01210	BUSH	2				0.005	0.011
050	52300-32640	GRIP LEVER	1				0.04	0.088
060	3G710-82990	COLLAR	2				0.12	0.264
070	36919-92360	WASHER WAVE	1				0.001	0.0022
080	3G710-82930	SHAFT AUX.CONT.VALVE	1				0.13	0.286
090	3G710-71140	BOLT	1				0.005	0.011
100	3G710-82980	WIRE AUX.CONT.VALVE	1	<=54965		NOT SALE	0.262	0.5764
100	3A751-82980	WIRE AUX.CONT.VALVE	1	>=54966	←		0	0
110	3F740-82430	NUT LOCK	1				0.005	0.011
120	02761-50050	NUT FLANGE	1				0.005	0.011
130	04012-50080	WASHER PLAIN	1				0.001	0.0022
140	05515-60800	PIN SNAP	1				0.002	0.0044

AUXILIARY CONTROL VALVE LEVER [CA]



010 3A751-8294-0



3A651-814-10




AUXILIARY CONTOROL VALVE LEVER [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82940	BRACKET AUX.CON.VALV	1	<=54489		NOT SALE	0.215	0.473
010	3A751-82942	BRACKET AUX.CON.VALV	1	>=54490	←		0	0
020	02763-60080	NUT FLANGE	3				0.005	0.011
030	3A751-82430	ASSY LEVER AUX.CON.	1				0.255	0.561
040	08511-01210	BUSH	2				0.005	0.011
050	52300-32640	GRIP LEVER	1				0.04	0.088
060	3G710-82990	COLLAR	1				0.12	0.264
070	36919-92360	WASHER WAVE	1				0.001	0.0022
080	3G710-82930	SHAFT AUX.CONT.VALVE	1				0.13	0.286
090	3G710-71140	BOLT	1				0.005	0.011
100	3G710-82980	WIRE AUX.CONT.VALVE	1	<=54965		NOT SALE	0.262	0.5764
100	3A751-82980	WIRE AUX.CONT.VALVE	1	>=54966	←		0	0
110	3F740-82430	NUT LOCK	1				0.005	0.011
120	02761-50050	NUT FLANGE	1				0.005	0.011
130	04012-50080	WASHER PLAIN	1				0.001	0.0022
140	05515-60800	PIN SNAP	1				0.002	0.0044
150	3A751-97090	ASSY LEVER AUX.CON.	1				0.26	0.572
160	08511-01210	BUSH	2				0.005	0.011
170	52300-32640	GRIP LEVER	1				0.04	0.088
180	3G710-82980	WIRE AUX.CONT.VALVE	1	<=54965		NOT SALE	0.262	0.5764
180	3A751-82980	WIRE AUX.CONT.VALVE	1	>=54966	←		0	0
190	3F740-82430	NUT LOCK	1				0.005	0.011
200	02761-50050	NUT FLANGE	1				0.005	0.011
210	05515-60800	PIN SNAP	1				0.002	0.0044
220	04012-50080	WASHER PLAIN	1				0.001	0.0022

TOP LINK BRACKET






TOP LINK BRACKET

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35593-81800	ASSY BRACKET	1				5	11
020	36330-81830	BUSH	1				0.035	0.077
030	06613-20010	NIPPLE GREASE	1				0.01	0.022
040	35593-81753	BAR TORSION	1				1	2.2
050	36330-81843	PIN	1				0.085	0.187
060	3A151-81840	PIN	1				0.105	0.231
070	05511-50425	PIN SPLIT	2				0.003	0.0066
080	36330-81830	BUSH	1				0.035	0.077
090	06613-30010	NIPPLE GREASE	1				0.01	0.022
100	01133-51235	BOLT	2				0.05	0.11
110	36330-81850	STOPPER	1				0.42	0.924
120	3A151-81890	SHIM	1			2.0mm	0.063	0.1386
120	3A151-81860	SHIM	1			1.0mm	0.032	0.0704
120	3A151-81870	SHIM	1			0.5mm	0.017	0.0374
130	36330-81363	PLATE DRAFT	1				0.25	0.55
140	01123-50825	BOLT	2				0.013	0.0286
150	3A151-81880	STOPPER	1				0.42	0.924
160	01779-51230	BOLT UBS	2				0.045	0.099

TOP LINK



3A750-080-10




TOP LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G700-82530	HOLDER TOP LINK	1				0.36	0.792
020	01123-50820	BOLT	2				0.011	0.0242
030	3A751-91962	SUPPORT TOP LINK	1				0.135	0.297
040	01754-50835	BOLT FLANGE	1				0.019	0.0418
050	04015-60080	WASHER PLAIN	2				0.01	0.022
060	34070-41630	CUSHION RUBBER	1				0.005	0.011
070	02114-50080	NUT	1				0.005	0.011
080	3A151-91700	ASSY LINK TOP	1				6.1	13.42
090	3A151-91550	ASSY LINK TOP FRONT	1				1.85	4.07
100	33690-91790	PIN	1				0.007	0.0154
110	3A151-91610	ASSY LINK TOP REAR	1				1.85	4.07
120	33690-91790	PIN	1				0.007	0.0154
130	36530-91590	NUT TOP LINK	1				0.135	0.297
140	3A151-91620	ASSY SLEEVE TOP LINK	1				2.2	4.84
150	36530-91680	NIPPLE GREASE	2				0.004	0.0088
160	3A151-91660	PIN TOP LINK	1				0.33	0.726
170	36200-91840	ASSY PIN SET	1				0.06	0.132
180	36330-91773	ASSY PIN TOP LINK	1				0.55	1.21
190	36330-91762	PIN TOP LINK REAR	1				0.49	1.078
200	36200-91840	ASSY PIN SET	1				0.06	0.132

LOWER LINK



080 3F760-9203-0

160 3F760-9213-0



3A154-807-10




LOWER LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-92010	COMP.LINK LOWER RH	1				16.6	36.52
020	3F760-92190	LEVER	1				0.75	1.65
030	33660-92170	SPRING	1				0.02	0.044
040	3F760-92160	PIN	1				0.25	0.55
050	05511-50435	PIN SPLIT	1				0.004	0.0088
060	05122-51060	PIN JOINT	1				0.038	0.0836
070	05511-50320	PIN SPLIT	1				0.002	0.0044
080	3F760-92030	COMP.LINK LOWER RH	1				3.7	8.14
080	3M740-92030	COMP.LINK LOWER RH	1		↔		3.58	7.876
090	3A151-92110	COMP.LINK LOWER LH	1				16.9	37.18
100	3F760-92190	LEVER	1				0.75	1.65
110	33660-92170	SPRING	1				0.02	0.044
120	3F760-92160	PIN	1				0.25	0.55
130	05511-50435	PIN SPLIT	1				0.004	0.0088
140	05122-51060	PIN JOINT	1				0.038	0.0836
150	05511-50320	PIN SPLIT	1				0.002	0.0044
160	3F760-92130	COMP.LINK LOWER LH	1				3.7	8.14
160	3M740-92130	COMP.LINK LOWER LH	1		↔		3.58	7.876
170	3A151-91880	PIN LIFT ROD RH	1				1.57	3.454
180	3A151-91890	PIN LIFT ROD LH	1				1.57	3.454
190	36330-91840	ASSY PIN SET	2				0.055	0.121
195	05511-50420	PIN SPLIT	2				0.002	0.0044
200	36530-93040	STUD	6				0.065	0.143
210	04512-60140	WASHER SPRING	6				0.006	0.0132
220	02176-50140	NUT	6				0.014	0.0308
230	3A151-91080	BRACKET STAB.RH	1				4.9	10.78
240	3A151-91090	BRACKET STAB.LH	1				4.9	10.78
250	3A111-92500	ASSY STABILIZER	2				6.8	14.96
260	3A111-92510	JOINT STABILIZER	2				2.6	5.72
270	3A111-92520	JOINT STABILIZER	2				1.915	4.213
280	3A111-92530	JOINT STABILIZER	2				0.96	2.112
290	3A111-92540	BRACKET STABILIZER	2				0.502	1.1044
300	3A111-92170	BOLT STABILIZER	4				0.186	0.4092
310	02576-50180	NUT LOCK	4				0.049	0.1078
320	05122-51870	PIN JOINT	2				0.14	0.308
330	05511-50430	PIN SPLIT	4				0.004	0.0088
340	70388-58770	PIN	2				0.22	0.484
350	05515-61200	PIN SNAP	2				0.005	0.011

LIFT ROD RH






LIFT ROD RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-91230	ASSY ROD LIFT RH	1				9.8	21.56
020	3A151-91240	CASE LIFT ROD GEAR	1				0	0
030	36530-91280	COMP.SHAFT ADJUSTING	1				0.5	1.1
040	08401-51106	BEARING THRUST BALL	1				0.064	0.1408
050	3A151-91200	ASSY PINION LIFT ROD	1				0.305	0.671
060	36330-91330	PINION LIFT ROD RH	1				0.11	0.242
070	3A151-91390	SHAFT HANDLE	1				0.125	0.275
080	05411-00520	PIN SPRING	1				0.002	0.0044
090	3A151-91300	COMP SLEEVE LIFT ROD	1				1.23	2.706
100	01133-51030	BOLT	4				0.025	0.055
110	06613-10675	NIPPLE GREASE	1				0.003	0.0066
120	33700-91260	ROD LIFT LOWER	1				3.12	6.864
130	06613-10010	NIPPLE GREASE	1				0.006	0.0132
140	3A151-91370	SUPPORT HANDLE	1				0.265	0.583
150	08511-01815	BUSH	1				0.007	0.0154
160	04811-10180	O RING	1				0.001	0.0022
170	36330-91323	HANDLE LIFT ROD RH	1				0.2	0.44
180	05411-00525	PIN SPRING	1				0.002	0.0044
190	36330-91270	SPRING HANDLE LOCK	1				0.025	0.055
200	3A151-91510	JOINT LIFT ROD	1				0.7	1.54
210	36330-91530	PIN LIFT ROD UPPER	1				0.27	0.594
220	05511-50535	PIN SPLIT	1				0.007	0.0154
230	36330-91360	PLUG	1				0.001	0.0022
240	3A151-91540	PIN LIFT ROD	1				0.305	0.671
250	33251-91860	PIN SET	1				0.023	0.0506
260	36530-91540	PIN LIFT ROD LOWER	1	<=53879			0.25	0.55
260	36530-91543	PIN LIFT ROD LOWER	1	>=53880	←		0	0
270	33251-91860	PIN SET	1				0.023	0.0506

LIFT ROD LH






LIFT ROD LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-91450	ASSY ROD LIFT LH	1				6.4	14.08
020	3A151-91460	ROD LIFT UPPER LH	1				1.96	4.312
030	3A151-91510	JOINT LIFT ROD	1				0.7	1.54
040	36530-91540	PIN LIFT ROD LOWER	1	<=53879			0.25	0.55
040	36530-91543	PIN LIFT ROD LOWER	1	>=53880	←		0	0
050	05511-50535	PIN SPLIT	1				0.007	0.0154
060	33740-91260	ROD LIFT LOWER	1				3.53	7.766
070	06613-10010	NIPPLE GREASE	1				0.006	0.0132
080	36330-91360	PLUG	1				0.001	0.0022
090	3A151-91540	PIN LIFT ROD	1				0.305	0.671
100	33251-91860	PIN SET	1				0.023	0.0506
110	36530-91540	PIN LIFT ROD LOWER	1	<=53879			0.25	0.55
110	36530-91543	PIN LIFT ROD LOWER	1	>=53880	←		0	0
120	33251-91860	PIN SET	1				0.023	0.0506


SWINGING DRAWBAR



3A150-098-12

050 01176-51640

060 04512-50160



3A153-802-10




SWINGING DRAWBAR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-89322	BRACKET DRAWBAR	1				18.3	40.26
020	35700-49150	STUD	2				0.09	0.198
030	36500-49410	SPRING PLATE	2				0.024	0.0528
040	36500-49390	NUT	2				0.043	0.0946
050	01176-51640	BOLT	2	≤54170			0.085	0.187
050	01138-51640	BOLT	2	≥54171	←		0.47	1.034
060	04512-60160	WASHER SPRING	2	≤54170			0.01	0.022
070	33740-89330	PLATE SIDE	2	≤53047			0	0
070	33740-89332	PLATE SIDE	2	≥53048	←		0	0
080	04011-50200	WASHER PLAIN	4				0.015	0.033
090	01173-52045	BOLT	2				0.162	0.3564
100	01173-52055	BOLT	2				0.183	0.4026
110	04512-60200	WASHER SPRING	4				0.02	0.044
120	3A111-89120	DRAWBAR	1				9.4	20.68
130	32530-71760	PIN DRAWBAR	1				0.32	0.704
140	70515-16330	PIN SPRING	1				0.028	0.0616
150	05122-51885	PIN JOINT	2				0.18	0.396
160	05515-51600	PIN SNAP	2				0.007	0.0154

PTO SHAFT PROTECTOR






PTO SHAFT PROTECTOR


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A011-97380	KIT COVER PTO (A)	1			ENGLISH	2.1	4.62
020	TA040-49350	LABEL DRAWBAR	1			ENGLISH	0.002	0.0044
030	TA040-49590	LABEL PTO WARNING	1			ENGLISH	0.002	0.0044
040	3A011-97580	KIT COVER PTO (B)	1			FRENCH	2.105	4.631
050	TA041-49350	LABEL DRAWBAR	1			FRENCH	0.003	0.0066
060	TA041-49590	LABEL PTO WARNING	1			FRENCH	0.005	0.011
070	TA020-23752	STAY	1				0.12	0.264
080	TA020-23762	STAY	1				0.001	0.0022
090	01173-51025	BOLT	2				0.021	0.0462
100	04013-60100	WASHER PLAIN	2				0.004	0.0088
110	62151-42412	SPRING PLATE	4				0.002	0.0044
120	02116-50100	NUT	2				0.004	0.0088
130	01133-51225	BOLT	2				0.038	0.0836

HOOD(BONNET) FRONT



HOOD(BONNET) UPPER






HOOD(BONNET) UPPER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-83020	COMP.BONNET	1	≤52555			0	0
010	3A151-83022	COMP.BONNET	1	≥52556	←		0	0
020	3A011-83295	BONNET FRONT	1				1.5	3.3
030	01754-50812	BOLT FLANGE	18				0.01	0.022
040	02751-50080	NUT FLANGE	10				0.006	0.0132
050	3A011-83463	SUPPORT BONNET	1				0.105	0.231
060	03016-50614	SCREW CSK-HD	1				0.003	0.0066
070	04412-50060	WASHER TOOTHED	1				0.001	0.0022
080	01754-50610	BOLT FLANGE	1				0.006	0.0132
090	3A151-83310	LINK	1				0.505	1.111
095	3A151-83330	SPRING	1				0.021	0.0462
100	04013-60080	WASHER PLAIN	2				0.002	0.0044
110	05511-50215	PIN SPLIT	2				0.001	0.0022
120	6C040-54260	HANDLE MASCOT	1				0.028	0.0616
130	3A011-83473	LEVER HANDLE	1				0.155	0.341
135	3A011-83630	PLUG	1				0.001	0.0022
140	03614-50416	SCREW TAPPING	1				0.002	0.0044
150	3A011-83423	LOCK	1				0.05	0.11
160	02751-50080	NUT FLANGE	4				0.006	0.0132
170	99999-99999	BLANK	0				0	0
180	99999-99999	BLANK	0				0	0
190	3A011-83530	GUIDE	1				0.015	0.033
200	01754-50610	BOLT FLANGE	1				0.006	0.0132
210	3A011-83500	SPRING	2				0.03	0.066
220	41182-61150	PLUG	2				0.003	0.0066
230	3A011-83660	SPRING	1				0.01	0.022
240	3A111-83750	PLUG	1				0.002	0.0044
250	3A011-83600	PIN SNAP	1				0.002	0.0044
260	3A111-83790	INSULATION HEAT	1				0.11	0.242
270	3A151-17170	SPONGE UPPER	1				0.12	0.264

HOOD(BONNET) SIDE



3A750-136-11

140 02751-50060



3A750-807-10




HOOD(BONNET) SIDE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-97330	KIT BONNET SIDE LH	1				2.5	5.5
020	32310-49580	LABEL WARNING	1				0.002	0.0044
030	3A151-83160	COMP.BONNET SIDE	1	≤52555			0	0
030	3A151-83162	COMP.BONNET SIDE	1	≥52556	←		2.5	5.5
040	3A011-83240	HOLDER	2				0.18	0.396
050	01754-50610	BOLT FLANGE	8				0.006	0.0132
060	3A751-83220	ASSY GRILLE BONNET	1				1.43	3.146
065	3A011-83202	GRILLE BONNET	1				0	0
070	3A011-83490	NUT SPRING	2				0.01	0.022
080	3A011-83260	NUT	20				0.001	0.0022
090	01754-50610	BOLT FLANGE	4				0.006	0.0132
100	01754-50616	BOLT FLANGE	3				0.006	0.0132
110	04015-60060	WASHER PLAIN	1				0.005	0.011
120	3A111-83810	INSULATION HEAT	2				0.02	0.044
130	3A011-17200	SPONGE SIDE	2				0.026	0.0572
140	02751-50060	NUT FLANGE	1	≤51913			0.005	0.011
140	12264-92020	NUT SPRING WASHER M	1	≥51914	←		0.05	0.11


HOOD(BONNET) SIDE COVER




BONNET SUPPORT



CAB FRAME



140 01774-51016



3A750-800-10




CAB FRAME


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-70504	COMP.CAB	1				0	0
020	08511-01610	BUSH	2				0.005	0.011
030	08511-01220	BUSH	1				0.004	0.0088
040	08511-02030	BUSH	1	≤51913			0.02	0.044
040	08511-02030	BUSH	2	≥51914			0.02	0.044
050	08511-01210	BUSH	2				0.005	0.011
060	3G710-73960	FRAME PEDAL	1	≤51913			5	11
060	3A751-73960	FRAME PEDAL	1	≥51914	≠		0	0
070	34070-44360	BEARING NEEDLE	2				0.012	0.0264
080	34070-44140	SEAL OIL	2				0.005	0.011
090	01133-51020	BOLT	5				0.02	0.044
100	02118-50100	NUT	2				0.005	0.011
110	04512-60100	WASHER SPRING	2				0.002	0.0044
120	68817-41460	GROMMET	1	≤51221			0.002	0.0044
120	64531-11190	PLUG RUBBER	1	≥51222	≠		0.004	0.0088
130	37150-13920	CUSHION	2				0.005	0.011
140	01774-51016	BOLT FLANGE	1	≤51527			0.02	0.044
140	34550-75420	LABEL FENDER HOLE	1	≥51528	←		0.001	0.0022
150	50541-32130	CAP	2				0.001	0.0022
160	36919-52760	CAP RUBBER	2				0.002	0.0044

PANEL FRAME



010 3A751-7398-0



3A750-808-10




PANEL FRAME


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-73980	COVER BONNET REAR	1	≤51913			1.1	2.42
010	3A651-73980	COVER BONNET REAR	1	≥51914	≠		1.1	2.42
020	01754-50612	BOLT FLANGE	5				0.005	0.011
030	3A751-99620	KIT BONNET PAN.UND.A	1			ENGLISH	0	0
040	TA040-49650	LABEL START CAUTION	1			ENGLISH	0.004	0.0088
050	T0270-99160	NUT SPRING	4				0.006	0.0132
060	T0270-54930	NUT SPRING	2				0.002	0.0044
070	3A752-99620	KIT BONNET PAN.UND.B	1			FRENCH	0	0
080	TA041-49650	LABEL START CAUTION	1			FRENCH	0.004	0.0088
090	30400-18870	BOLT FLANGE	4				0.01	0.022
100	01754-50816	BOLT FLANGE	1				0.011	0.0242
110	T0270-75450	ASHTRAY	1	≤52435			0.19	0.418
110	T1065-75450	ASHTRAY	1	≥52436	←		0	0
120	03014-50614	SCREW PAN-HEAD	2	≤52435			0.003	0.0066
120	03014-50612	SCREW PAN-HEAD	2	≥52436	≠		0.003	0.0066
130	T0270-75460	STAY ASHTRAY	1				0.17	0.374

FRONT GLASS



DOOR RH






DOOR RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-70670	GLASS DOOR RH	1				18	39.6
020	3G710-70680	SHIELD WEATHER STRIP	1				2	4.4
030	3G710-70752	HANDLE DOOR RH	1				1.11	2.442
040	T0270-61750	GASKET DOOR HANDLE	1				0.003	0.0066
050	36919-53702	GASKET	1				0.003	0.0066
060	34070-71050	WASHER	1				0.01	0.022
070	36919-56560	SCREW WITH WASHER	1				0.012	0.0264
080	T0270-70900	DAMPER DOOR	1	<=53136			0	0
080	T0270-70902	DAMPER DOOR	1	>=53137	←		0	0
090	T0270-70950	JOINT BALL	2				0.016	0.0352
100	99999-99999	BLANK	0				0	0
110	3G710-70820	HINGE DOOR	2				0.69	1.518
120	T0270-70800	GASKET DOOR HINGE	4				0.011	0.0242
130	T0270-70910	GASKET DOOR HINGE	2				0.042	0.0924
140	T0270-70930	PLATE DOOR HINGE	1				0.22	0.484
150	36919-56560	SCREW WITH WASHER	4				0.012	0.0264
160	3G710-70840	HINGE DOOR RH	2	<=53384			0.29	0.638
160	3G710-70842	HINGE DOOR RH	2	>=53385	≠		0.29	0.638
170	08511-01010	BUSH	4				0.003	0.0066
180	3F760-53460	BUSH	2				0.001	0.0022
190	01133-51025	BOLT	4				0.023	0.0506
200	3F760-53410	PIN DOOR HINGE	2				0.054	0.1188
210	04613-50080	CIR CLIP EXTERNAL	2				0.001	0.0022
220	3A751-70850	GASKET DOOR HINGE	2				0.002	0.0044

DOOR LH






DOOR LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-70770	GLASS DOOR LH	1				18	39.6
020	3G710-70680	SHIELD WEATHER STRIP	1				2	4.4
030	3G710-70742	HANDLE DOOR LH	1				1.13	2.486
040	T0270-61750	GASKET DOOR HANDLE	1				0.003	0.0066
050	36919-53702	GASKET	1				0.003	0.0066
060	34070-71050	WASHER	1				0.01	0.022
070	36919-56560	SCREW WITH WASHER	1				0.012	0.0264
080	T0270-70900	DAMPER DOOR	1	<=53136			0	0
080	T0270-70902	DAMPER DOOR	1	>=53137	←		0	0
090	T0270-70950	JOINT BALL	2				0.016	0.0352
100	99999-99999	BLANK	0				0	0
110	3G710-70820	HINGE DOOR	2				0.69	1.518
120	T0270-70800	GASKET DOOR HINGE	4				0.011	0.0242
130	T0270-70910	GASKET DOOR HINGE	2				0.042	0.0924
140	T0270-70930	PLATE DOOR HINGE	1				0.22	0.484
150	36919-56560	SCREW WITH WASHER	4				0.012	0.0264
160	3G710-70830	HINGE DOOR LH	2	<=53384			0.3	0.66
160	3G710-70832	HINGE DOOR LH	2	>=53385	≠		0.3	0.66
170	08511-01010	BUSH	4				0.003	0.0066
180	3F760-53460	BUSH	2				0.001	0.0022
190	01133-51025	BOLT	4				0.023	0.0506
200	3F760-53410	PIN DOOR HINGE	2				0.054	0.1188
210	04613-50080	CIR CLIP EXTERNAL	2				0.001	0.0022
220	3A751-70850	GASKET DOOR HINGE	2				0.002	0.0044

DOOR LOCK RH






DOOR LOCK RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T0270-86010	COMP.LOCK DOOR RH	1				0.64	1.408
020	T0270-86020	ASSY LOCK DOOR RH	1				0.3	0.66
030	T0270-86030	COMP.BRACKET	1				0.305	0.671
040	T0270-86050	ROD INNER LOCK RH	1				0.017	0.0374
050	T0270-86060	ROD OUTER HANDLE RH	1				0.008	0.0176
060	T0270-85080	SCREW CSK-HD	3				0.009	0.0198
070	3F260-53250	ASSY HANDLE OUTER	1				0.26	0.572
080	T0270-85120	RING KEY CYLINDER	1				0.004	0.0088
090	T0270-85180	SEAL OUTER HANDLE	1				0.006	0.0132
100	3F260-53190	CYLINDER KEY DOOR	1				0.04	0.088
110	T0270-86150	COVER DOOR LOCK RH	1				0.075	0.165
120	T0270-85140	KNOB DOOR LOCK	1				0.016	0.0352
130	T0270-85160	KNOB INNER LOCK	1				0.003	0.0066
140	T0270-85130	SCREW	5				0.002	0.0044
150	T0270-85070	ROD CYLINDER	1				0.008	0.0176
160	01023-50612	BOLT	2				0.005	0.011
170	T0270-85170	STRIKER DOOR LOCK	1				0.095	0.209
180	36530-53420	SHIM DOOR LOCK	1				0.02	0.044
190	T0270-70890	NUT DOOR STRIKER	1				0.058	0.1276
200	3F760-53430	SCREW CSK-HD	2				0.008	0.0176
210	04414-50080	WASHER TOOTHED	2				0.001	0.0022

DOOR LOCK LH






DOOR LOCK LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T0270-85010	COMP.LOCK DOOR LH	1				0.64	1.408
020	T0270-85020	ASSY LOCK DOOR LH	1				0.3	0.66
030	T0270-85030	COMP.BRACKET	1				0.305	0.671
040	T0270-85050	ROD INNER LOCK LH	1				0.017	0.0374
050	T0270-85060	ROD OUTER HANDLE LH	1				0.008	0.0176
060	T0270-85080	SCREW CSK-HD	3				0.009	0.0198
070	3F260-53250	ASSY HANDLE OUTER	1				0.26	0.572
080	T0270-85120	RING KEY CYLINDER	1				0.004	0.0088
090	T0270-85180	SEAL OUTER HANDLE	1				0.006	0.0132
100	3F260-53190	CYLINDER KEY DOOR	1				0.04	0.088
110	T0270-85150	COVER DOOR LOCK LH	1				0.07	0.154
120	T0270-85140	KNOB DOOR LOCK	1				0.016	0.0352
130	T0270-85160	KNOB INNER LOCK	1				0.003	0.0066
140	T0270-85130	SCREW	5				0.002	0.0044
150	T0270-85070	ROD CYLINDER	1				0.008	0.0176
160	01023-50612	BOLT	2				0.005	0.011
170	T0270-85170	STRIKER DOOR LOCK	1				0.095	0.209
180	36530-53420	SHIM DOOR LOCK	1				0.02	0.044
190	T0270-70890	NUT DOOR STRIKER	1				0.058	0.1276
200	3F760-53430	SCREW CSK-HD	2				0.008	0.0176
210	04414-50080	WASHER TOOTHED	2				0.001	0.0022

SIDE WINDOW [A]






SIDE WINDOW [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-70530	GLASS SIDE	2				5	11
020	3G710-61912	STRIP SIDE WEATHER	2				0.59	1.298
030	3G710-71490	COMP.LOCK WINDOW	2				0.05	0.11
040	36919-50390	SCREW	4				0.004	0.0088
045	33740-54090	WASHER PLAIN	4				0.003	0.0066
050	30418-61742	RUBBER PROTECTOR	2				0.01	0.022
060	30418-61842	SHIELD	2				0.001	0.0022
065	3F760-53700	WASHER PLAIN	2				0.025	0.055
070	3F760-53540	WASHER PLAIN	2				0.012	0.0264
080	03056-50525	SCREW CSK-HD	2				0.004	0.0088
090	3F760-54850	NUT CAP	2				0.001	0.0022
100	3G710-71480	SUPPORT SIDE GLASS	4				0.018	0.0396
110	3F760-50390	SCREW	4				0.007	0.0154
120	30418-61742	RUBBER PROTECTOR	4				0.01	0.022
130	30418-61842	SHIELD	4				0.001	0.0022
140	3F760-53500	WASHER PLAIN	4				0.012	0.0264
150	36919-54080	SCREW	4				0.005	0.011
160	34070-71050	WASHER	4				0.01	0.022
170	34070-71060	NUT CAP	4				0.005	0.011

SIDE WINDOW [CA]






SIDE WINDOW [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A752-70530	GLASS SIDE RH	1				3.9	8.58
015	3A752-70540	GLASS SIDE LH	1				3.9	8.58
020	3G710-61912	STRIP SIDE WEATHER	2				0.59	1.298
030	3G710-71490	COMP.LOCK WINDOW	2				0.05	0.11
040	36919-50390	SCREW	4				0.004	0.0088
045	33740-54090	WASHER PLAIN	4				0.003	0.0066
050	30418-61742	RUBBER PROTECTOR	2				0.01	0.022
060	30418-61842	SHIELD	2				0.001	0.0022
065	3F760-53700	WASHER PLAIN	2				0.025	0.055
070	3F760-53540	WASHER PLAIN	2				0.012	0.0264
080	03056-50525	SCREW CSK-HD	2				0.004	0.0088
090	3F760-54850	NUT CAP	2				0.001	0.0022
100	3G710-71480	SUPPORT SIDE GLASS	4				0.018	0.0396
110	3F760-50390	SCREW	4				0.007	0.0154
120	30418-61742	RUBBER PROTECTOR	4				0.01	0.022
130	30418-61842	SHIELD	4				0.001	0.0022
140	3F760-53500	WASHER PLAIN	4				0.012	0.0264
150	36919-54080	SCREW	4				0.005	0.011
160	34070-71050	WASHER	4				0.01	0.022
170	34070-71060	NUT CAP	4				0.005	0.011

REAR WINDOW [A]






REAR WINDOW [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-71010	GLASS HATCH BACK	1				32	70.4
020	3G710-71042	STRIP REAR WEATHER	1				0.96	2.112
030	3G710-71020	HINGE REAR	2				0.084	0.1848
040	05112-50845	PIN JOINT	2				0.02	0.044
050	04012-50080	WASHER PLAIN	2				0.001	0.0022
060	05525-50800	PIN SNAP	2				0.001	0.0022
070	30418-61742	RUBBER PROTECTOR	2				0.01	0.022
080	30418-61842	SHIELD	2				0.001	0.0022
090	3F760-53500	WASHER PLAIN	2				0.012	0.0264
100	3G710-71090	NUT	2				0.005	0.011
110	3G710-71030	BRACKET DAMPER	2				0.23	0.506
120	T0180-53940	GASKET	2				0.02	0.044
130	30418-61742	RUBBER PROTECTOR	4				0.01	0.022
140	34070-71050	WASHER	4				0.01	0.022
150	34070-71060	NUT CAP	4				0.005	0.011
160	3G710-83050	DAMPER REAR	2				0.18	0.396
170	02763-60080	NUT FLANGE	2				0.005	0.011
180	T0180-83510	HANDLE BODY	1				0.16	0.352
190	T0180-83520	COVER HANDLE	1				0.04	0.088
200	T0180-83540	GASKET	2				0.001	0.0022
210	T0180-83610	SCREW PAN-HD	2				0.005	0.011
220	T0270-71090	BRACKET HANDLE COMP.	1				0.01	0.022
230	03024-50520	SCREW WITH WASHER	2				0.004	0.0088
240	04012-50050	WASHER PLAIN	2				0.001	0.0022
250	T0270-71070	HOLDER	1				0.022	0.0484
260	3A751-71080	SHIELD	1				0.044	0.0968
270	3A751-71090	SHIELD	2				0.005	0.011
280	3A751-55780	PLUG	1				0.012	0.0264
290	3A751-55790	PLUG	2				0.004	0.0088

REAR WINDOW [CA]






REAR WINDOW [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A752-71010	GLASS HATCH BACK	1				9.3	20.46
020	3G710-71042	STRIP REAR WEATHER	1				0.96	2.112
030	3G710-71020	HINGE REAR	2				0.084	0.1848
040	05112-50845	PIN JOINT	2				0.02	0.044
050	04012-50080	WASHER PLAIN	2				0.001	0.0022
060	05525-50800	PIN SNAP	2				0.001	0.0022
070	30418-61742	RUBBER PROTECTOR	2				0.01	0.022
080	30418-61842	SHIELD	2				0.001	0.0022
090	3F760-53500	WASHER PLAIN	2				0.012	0.0264
100	3G710-71090	NUT	2				0.005	0.011
110	3G710-71030	BRACKET DAMPER	2				0.23	0.506
120	T0180-53940	GASKET	2				0.02	0.044
130	30418-61742	RUBBER PROTECTOR	4				0.01	0.022
140	34070-71050	WASHER	4				0.01	0.022
150	34070-71060	NUT CAP	4				0.005	0.011
160	3G710-83050	DAMPER REAR	2				0.18	0.396
170	02763-60080	NUT FLANGE	2				0.005	0.011
180	T0180-83510	HANDLE BODY	1				0.16	0.352
190	T0180-83520	COVER HANDLE	1				0.04	0.088
200	T0180-83540	GASKET	2				0.001	0.0022
210	T0180-83610	SCREW PAN-HD	2				0.005	0.011
220	T0270-71090	BRACKET HANDLE COMP.	1				0.01	0.022
230	03024-50520	SCREW WITH WASHER	2				0.004	0.0088
240	04012-50050	WASHER PLAIN	2				0.001	0.0022
250	T0270-71070	HOLDER	1				0.022	0.0484
260	3A751-71080	SHIELD	1				0.044	0.0968
270	3A751-71090	SHIELD	2				0.005	0.011

REAR WINDOW




3A 750-096-10

REARVIEW MIRROR




INNER ROOF [A]



**INNER ROOF [A]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-87400	ASSY ROOF INNER	1				8	17.6
020	3G710-87430	GASKET AIR-CON.	1				0.008	0.0176
030	3G710-87270	HOSE DRAIN	2				0.27	0.594
040	3G710-87770	GROMMET	4				0.003	0.0066
050	3G710-87700	ASSY DAMPER OPEN AIR	1				0.51	1.122
060	3G710-87710	GROMMET	1				0.003	0.0066
070	3G710-56070	GRILLE AIR-CON.	4				0.01	0.022
080	3G710-54230	SUNVISOR	1				0.4	0.88
090	3A751-72610	COVER RADIO-CASSETTE	1				0.03	0.066
100	3A751-72630	COVER SPEAKER	2				0.035	0.077
110	3F760-50390	SCREW	10				0.007	0.0154
120	36919-55890	SCREW	8				0.005	0.011
130	3G710-87420	RIVET	6				0.001	0.0022
140	3G710-50290	GRILLE FRONT	2				0.24	0.528
150	T0270-72070	FILTER	1				0.065	0.143




**INNER ROOF [CA]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A752-87400	ASSY ROOF INNER	1				8	17.6
020	3G710-87430	GASKET AIR-CON.	1				0.008	0.0176
030	3G710-87270	HOSE DRAIN	2				0.27	0.594
040	3G710-87770	GROMMET	4				0.003	0.0066
050	3G710-87700	ASSY DAMPER OPEN AIR	1				0.51	1.122
060	3G710-87710	GROMMET	1				0.003	0.0066
070	3G710-54230	SUNVISOR	1				0.4	0.88
080	3A751-72610	COVER RADIO-CASSETTE	1				0.03	0.066
090	3A751-72630	COVER SPEAKER	2				0.035	0.077
100	3F760-50390	SCREW	10				0.007	0.0154
110	3F760-56050	ASSY GRILLE AIR-CON.	6				0.045	0.099
120	36919-55890	SCREW	8				0.005	0.011
130	3G710-87420	RIVET	6				0.001	0.0022
140	3G710-50290	GRILLE FRONT	2				0.24	0.528
150	T0270-72070	FILTER	1				0.065	0.143

OUTER ROOF



040 T0270-8745-0
060 33740-5409-0




3A651-803-10



OUTER ROOF

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-71510	ROOF OUTER	1	<=52490			0	0
010	3G710-71512	ROOF OUTER	1	>=52491	←		0	0
020	3G710-71520	SHIELD OUTER ROOF	1				0.22	0.484
030	3G710-71532	GASKET	4				0.01	0.022
035	3G710-71540	GASKET	3				0.002	0.0044
040	T0270-87450	SCREW	8	<=52435			0.02	0.044
040	T1065-74270	SCREW	8	>=52436	←		0.019	0.0418
050	3G710-56350	SCREW	2				0.016	0.0352
060	33740-54090	WASHER PLAIN	10	<=52435			0.003	0.0066
060	33740-54090	WASHER PLAIN	2	>=52436			0.003	0.0066
070	TA043-71600	FILTER PAPER	1				0.21	0.462
080	T0270-72100	PLATE FILTER	1				0.55	1.21
090	36919-56530	SCREW	4				0.011	0.0242



3A750-101-11




SEAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-75750	ASSY SEAT	1	≤52119			0	0
010	3A751-75752	ASSY SEAT	1	≤52119	←		18.5	40.7
020	3F270-85060	ASSY BELT SEAT	1				0.74	1.628
030	3F270-85090	ARM-REST LH	1				1.16	2.552
040	3F270-85100	ARM-REST RH	1				1.16	2.552
050	3A751-85020	CUSHION SEAT	1				0	0
060	3F270-85030	CUSHION SEAT	1				0	0
070	3A751-75950	BRACKET SEAT LH	1				1.51	3.322
080	3A751-75970	BRACKET SEAT RH	1	≤51401			1.81	3.982
080	3A751-75972	BRACKET SEAT RH	1	≤51401	←		1.81	3.982
090	02763-50080	NUT FLANGE	4				0.005	0.011
100	01513-50822	STUD	4				0.01	0.022
110	02763-60080	NUT FLANGE	4				0.005	0.011

FLOOR MAT



3A750-102-11




FLOOR MAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-55120	INSULATOR	1				0.385	0.847
020	3A751-55130	INSULATOR	1				0.755	1.661
030	3G710-55020	ABSORBER SOUND	1				0.06	0.132
040	3A751-55030	ABSORBER SOUND	1				0.14	0.308
050	3A751-55040	ABSORBER SOUND	1				0.343	0.7546
060	3A751-74820	ABSORBER SOUND	1				2.7	5.94
070	3A751-74840	INSULATOR	1				1.4	3.08
080	3A651-74850	MAT FENDER LH	1	>=52120			0	0
090	3A751-81680	MAT	1				4	8.8

INSPECTION PLATE




010 3A751-5442-0

020 30400-1906-0



150 3G710-7114-0



3A750-809-10




INSPECTION PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-54420	COVER	2	<=51913		NOT SALE	0	0
010	3A751-54422	COVER	2	>=51914	←	NOT SALE	0.285	0.627
010	3A751-54423	COVER	2	>=54307	←		0.285	0.627
020	30400-19060	BOLT FLANGE	6	<=51913			0.006	0.0132
020	30400-19060	BOLT FLANGE	4	>=51914			0.006	0.0132
030	3A751-54360	PLATE INSPECTION	1				4.2	9.24
040	01754-50816	BOLT FLANGE	8				0.011	0.0242
050	3G710-43280	COVER PANEL UNDER	1				0.05	0.11
060	3G710-43270	COVER PANEL UNDER	1				0.159	0.3498
070	3G710-43260	COVER PANEL UNDER	1				0.09	0.198
080	3G710-43250	COVER PANEL UNDER	1				0.074	0.1628
090	3G710-71140	BOLT	9				0.005	0.011
100	3A751-75940	COVER FLOOR SEAT	1				5.7	12.54
110	36330-87470	COVER RUBBER	2				0.014	0.0308
120	3G710-75980	GASKET	4				0.008	0.0176
130	3G710-71140	BOLT	6				0.005	0.011
140	3G710-75930	COVER	1				0.46	1.012
150	3G710-71140	BOLT	4	<=52119			0.005	0.011
150	30400-19060	BOLT FLANGE	4	>=52120	←		0.006	0.0132

FENDER COVER RH




**FENDER COVER RH**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-99630	KIT COVER R.FENDER A	1			ENGLISH	0	0
020	TA040-49302	LABEL I-PTO CAUTION	1			ENGLISH	0.001	0.0022
030	3A751-74340	GROMMET	1				0.005	0.011
040	3A751-74310	COVER ACCEL.LEVER	1				0.009	0.0198
050	3A752-99630	KIT COVER R.FENDER B	1			FRENCH	0	0
060	TA041-49300	LABEL I-PTO CAUTION	1			FRENCH	0.003	0.0066
070	3A751-87550	GUIDE HYD.LEVER	1				0.145	0.319
080	3A751-74130	COVER AUX.CONTROL	1				0.105	0.231
090	3A751-74320	COVER	1				0.005	0.011
100	30810-18870	BOLT FLANGE	3				0.012	0.0264
110	36919-54090	WASHER PLAIN	3				0.002	0.0044
120	3G710-74230	RIVET	3				0.001	0.0022
130	3A751-74240	RIVET	2				0.001	0.0022
140	3F760-50390	SCREW	1				0.007	0.0154

FENDER COVER LH



PILLAR COVER







PILLAR COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-74260	COVER CENT.PILLAR LH	1				0.245	0.539
020	3A751-99610	KIT COVER RH(A)	1			ENGLISH	0	0
030	3F240-98360	LABEL SAFETY	1			ENGLISH	0.004	0.0088
040	TA040-49020	LABEL CAB WARNING	1			ENGLISH	0.002	0.0044
050	3A752-99610	KIT COVER RH(B)	1			FRENCH	0	0
060	3F241-98360	LABEL SAFETY	1			FRENCH	0.004	0.0088
070	TA043-49020	LABEL CAB WARNING	1			FRENCH	0.005	0.011
080	3A751-74240	RIVET	8				0.001	0.0022
090	3A751-74280	COVER REAR PILLAR LH	1				0.115	0.253
100	3A751-74290	COVER REAR PILLAR RH	1				0.115	0.253
110	3A751-74240	RIVET	4				0.001	0.0022



020 01025-50612




3A750-810-10


**FENDER RH**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-76010	FENDER RH OUTER	1				2.7	5.94
020	01025-50612	BOLT	5	≤52119			0.005	0.011
020	01023-50612	BOLT	5	≥52120	←		0.005	0.011
025	3A651-87500	WASHER PLAIN	5	≥52120			0.003	0.0066
030	30442-15230	BOLT	3				0.01	0.022
040	3A751-68970	COVER FENDER RH	1				0.52	1.144
050	3F760-50390	SCREW	4				0.007	0.0154
060	38240-29250	NUT SPRING	4				0.005	0.011
070	3A751-75960	PLATE FENDER	1				0.5	1.1
080	30400-19060	BOLT FLANGE	3				0.006	0.0132
090	02761-60060	NUT FLANGE	3				0.003	0.0066
100	30400-19060	BOLT FLANGE	2				0.006	0.0132
110	02761-60060	NUT FLANGE	2				0.003	0.0066



050 01025-50612




3A750-811-10

**FENDER LH**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-76020	FENDER LH OUTER	1				2.9	6.38
020	3A751-75960	PLATE FENDER	1				0.5	1.1
030	30400-19060	BOLT FLANGE	3				0.006	0.0132
040	02761-60060	NUT FLANGE	3				0.003	0.0066
050	01025-50612	BOLT	5	≤52119			0.005	0.011
050	01023-50612	BOLT	5	≥52120	←		0.005	0.011
055	3A651-87500	WASHER PLAIN	5	≥52120			0.003	0.0066
060	30442-15230	BOLT	4				0.01	0.022
070	3A751-68980	COVER FENDER LH	1				0.52	1.144
080	3F760-50390	SCREW	4				0.007	0.0154
090	38240-29250	NUT SPRING	4				0.005	0.011
100	30400-19060	BOLT FLANGE	2				0.006	0.0132
110	02761-60060	NUT FLANGE	2				0.003	0.0066
120	3A751-87950	STAY SMV	1				0.57	1.254
130	3F760-50390	SCREW	1				0.007	0.0154
140	02761-50060	NUT FLANGE	1				0.003	0.0066

CAB BRACKET FRONT






CAB BRACKET FRONT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-71730	ASSY CUSHION CAB	2				0.49	1.078
020	3A751-71780	BOLT	2				0.193	0.4246
030	04013-60140	WASHER PLAIN	2				0.01	0.022
040	3A751-71740	WASHER	2				0.145	0.319
050	04512-60140	WASHER SPRING	2				0.006	0.0132
060	02076-50140	NUT	2				0.022	0.0484
070	3A751-71714	BRACKET FRONT LH	1	<=52490			10.7	23.54
080	3A751-71720	BRACKET FRONT RH	1				11.4	25.08
090	01517-61022	STUD	4				0.019	0.0418
100	02783-50100	NUT FLANGE	4				0.01	0.022
110	01173-51840	BOLT	8	<=52490			0.114	0.2508
110	01173-51845	BOLT	8	>=52491	≠		0.122	0.2684
120	04512-60180	WASHER SPRING	8				0.02	0.044
130	3A751-87310	STEP RH	1				10.4	22.88
140	3A751-87320	STEP LH	1				10.5	23.1
150	01133-51030	BOLT	6				0.025	0.055

CAB BRACKET REAR







CAB BRACKET REAR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-71730	ASSY CUSHION CAB	2				0.49	1.078
020	3A751-71770	BOLT	2				0.118	0.2596
030	04013-60140	WASHER PLAIN	2				0.01	0.022
040	3A751-71760	WASHER	2				0.42	0.924
050	04512-60140	WASHER SPRING	2				0.006	0.0132
060	02076-50140	NUT	2				0.022	0.0484
070	3A751-71750	BRACKET REAR	2				8.2	18.04
080	3A151-91080	BRACKET STAB.RH	1				4.9	10.78
090	3A151-91090	BRACKET STAB.LH	1				4.9	10.78
100	32530-71980	BOLT	8				0.35	0.77
110	04512-60160	WASHER SPRING	8				0.01	0.022
120	02076-50160	NUT	8				0.03	0.066

TOOL BOX








SMV EMBLEM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	7L500-89900	SMV SIGN KIT	1				0	0
020	7L500-89910	SIGN SMV	1				0	0
030	7L500-89920	SOCKET SMV SIGN	1				0	0
040	99999-99999	BLANK	0				0	0
050	7L500-89940	BOLT SQUARE NECK	2				0	0
060	7L500-89950	NUT	2				0	0
070	7L500-89960	SPADE SMV SIGN	1				0	0
080	99999-99999	BLANK	0				0	0
090	7L500-89980	VIS	2				0	0
100	7L500-89990	NUT	2				0	0






AIR CONDITIONER [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-50030	UNIT AIR-CONDITIONER	1	<=54965			8.1	17.82
010	3G910-50032	UNIT AIR-CONDITIONER	1	>=54966	≠		8	17.6
020	T0270-87340	ASSY EVAPORATOR	1				2.01	4.422
025	T1065-72170	VALVE EXPANSION	1				0.155	0.341
026	T1065-72200	GASKET	2				0.005	0.011
027	T1065-72160	THERMOSTAT	1				0	0
028	3G710-72150	ASSY MOTOR	1	<=54965			1.33	2.926
028	3G910-72150	ASSY MOTOR	1	>=54966	≠		1.32	2.904
030	3G710-50770	CABLE	1				0.03	0.066
040	3G710-50760	CABLE VALVE	1				0.01	0.022
050	3G710-50750	CABLE AIR	1				0.03	0.066
060	T0270-87050	CLAMP WIRE	1				0.004	0.0088
070	3G710-50082	PANEL SWITCH	1				0.53	1.166
080	T0270-89990	CLAMP CABLE	3				0.002	0.0044
085	T1065-72120	SWITCH	1				0.09	0.198
090	T0270-87190	E RING	2				0.001	0.0022
100	T0270-87210	SCREW TAPPING	1				0.002	0.0044
110	01023-50630	BOLT	2				0.008	0.0176
120	04015-60060	WASHER PLAIN	2	<=52435			0.005	0.011
120	3A651-87500	WASHER PLAIN	2	>=52436	≠		0.003	0.0066
130	01125-50825	BOLT	4				0.018	0.0396
140	3G710-50140	BRACKET PANEL SWITCH	1				0.02	0.044
150	01754-50816	BOLT FLANGE	1				0.011	0.0242
160	01754-50616	BOLT FLANGE	1				0.006	0.0132
170	3G710-87730	GROMMET	1				0.014	0.0308
180	36919-50670	SCREW WITH WASHER	2				0.002	0.0044
190	02761-50040	NUT FLANGE	2				0.002	0.0044
200	3G710-87280	HOSE DRAIN	2				0.29	0.638
210	3A751-50110	CASE	1				0.85	1.87
220	3G710-50120	GASKET	1				0.009	0.0198
230	3G710-50130	CLIP	3				0.001	0.0022
240	T0070-70860	BOLT FLANGE	4				0.006	0.0132
250	3G710-87530	BRACKET	1				1.34	2.948
260	01754-50816	BOLT FLANGE	2				0.011	0.0242
270	55311-41260	BAND CORD	2				0.007	0.0154






AIR CONDITIONER [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-50030	UNIT AIR-CONDITIONER	1				8.1	17.82
020	T0270-87340	ASSY EVAPORATOR	1				2.01	4.422
025	T1065-72170	VALVE EXPANSION	1				0.155	0.341
026	T1065-72200	GASKET	2				0.005	0.011
027	T1065-72160	THERMOSTAT	1				0	0
028	3G710-72150	ASSY MOTOR	1				1.33	2.926
030	3G710-50770	CABLE	1				0.03	0.066
040	3G710-50760	CABLE VALVE	1				0.01	0.022
050	3G710-50750	CABLE AIR	1				0.03	0.066
060	T0270-87050	CLAMP WIRE	1				0.004	0.0088
070	3G710-50082	PANEL SWITCH	1				0.53	1.166
080	T0270-89990	CLAMP CABLE	3				0.002	0.0044
085	T1065-72120	SWITCH	1				0.09	0.198
090	T0270-87190	E RING	2				0.001	0.0022
100	T0270-87210	SCREW TAPPING	1				0.002	0.0044
110	01023-50630	BOLT	2				0.008	0.0176
120	04015-60060	WASHER PLAIN	2	≤52435			0.005	0.011
120	3A651-87500	WASHER PLAIN	2	≥52436	≠		0.003	0.0066
130	01125-50825	BOLT	4				0.018	0.0396
140	3G710-50140	BRACKET PANEL SWITCH	1				0.02	0.044
150	01754-50816	BOLT FLANGE	1				0.011	0.0242
160	01754-50616	BOLT FLANGE	1				0.006	0.0132
170	3G710-87730	GROMMET	1				0.014	0.0308
180	36919-50670	SCREW WITH WASHER	2				0.002	0.0044
190	02761-50040	NUT FLANGE	2				0.002	0.0044
200	3G710-87280	HOSE DRAIN	2				0.29	0.638
210	3A751-50110	CASE	1				0.85	1.87
220	3G710-50120	GASKET	1				0.009	0.0198
230	3G710-50130	CLIP	3				0.001	0.0022
240	T0070-70860	BOLT FLANGE	4				0.006	0.0132
250	3G710-87530	BRACKET	1				1.34	2.948
260	01754-50816	BOLT FLANGE	2				0.011	0.0242
270	55311-41260	BAND CORD	2				0.007	0.0154

HEATER HOSE






HEATER HOSE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	36530-55240	JOINT WATER PIPE	1				0.04	0.088
020	3G700-72530	JOINT	1				0.08	0.176
020	3G700-72532	JOINT	1		↔		0	0
030	3A751-72560	UNIT HOSE	1				1.9	4.18
040	3A751-72570	UNIT HOSE	1				1.85	4.07
050	3A751-72590	UNIT HOSE	2				0.145	0.319
060	54800-38250	JOINT HEATER HOSE	2				0.01	0.022
070	3G710-72580	UNIT HOSE	1				0.05	0.11
080	54800-38260	CLAMP HOSE	10				0.006	0.0132
090	3G710-72500	VALVE WATER	1				0.05	0.11
100	T0270-87210	SCREW TAPPING	2				0.002	0.0044
110	3G710-72510	BLACKET	1				0.03	0.066
120	3G710-71140	BOLT	2				0.005	0.011
130	T0070-74893	COVER HEATER HOSE	1				0.016	0.0352
140	55311-41260	BAND CORD	1				0.007	0.0154



050 3A751-7223-0

070 3A751-8711-0

210 01754-50630



3A750-830-10




CONDENSER [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-72610	CLAMP HOSE	1				0.02	0.044
020	01754-50612	BOLT FLANGE	1				0.005	0.011
030	01754-50816	BOLT FLANGE	2				0.011	0.0242
040	02751-50060	NUT FLANGE	2				0.005	0.011
050	3A751-72230	HOSE DISCHARGE	1	<=54965			0.35	0.77
050	3A761-72230	HOSE DISCHARGE	1	>=54966	≠		0	0
060	33760-56970	O RING	2				0.001	0.0022
070	3A751-87110	HOSE SUCTION	1	<=54965			1.65	3.63
080	33760-56980	O RING	2				0.001	0.0022
090	3A751-87120	HOSE	1				0.93	2.046
100	33770-96290	ASSY SWITCH PRESSURE	1				0.024	0.0528
110	33760-56960	O RING	2				0.001	0.0022
120	36530-50260	INSULATOR	3				0.01	0.022
130	3G710-50040	ASSY CONDENSER	1				4.8	10.56
140	T0070-79270	TANK RECEIVER	1				0.7	1.54
150	3G710-50070	JOINT RECEIVER	1				0.05	0.11
160	33760-56960	O RING	1				0.001	0.0022
170	3G710-50100	PIPE	1				0.06	0.132
180	33760-56960	O RING	2				0.001	0.0022
190	01023-50625	BOLT	2				0.007	0.0154
200	01205-50616	BOLT	2				0.007	0.0154
210	01754-50630	BOLT FLANGE	2	<=54965			0.01	0.022
210	01023-50635	BOLT	2	>=54966	≠		0.01	0.022
220	T0070-74893	COVER HEATER HOSE	1				0.016	0.0352
230	3A751-79310	NET CONDENSER	1				0.063	0.1386
240	87200-51270	STOPPER	4				0.001	0.0022

CONDENSER [CA]






CONDENSER [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-72610	CLAMP HOSE	1				0.02	0.044
020	01754-50612	BOLT FLANGE	1				0.005	0.011
030	01754-50816	BOLT FLANGE	2				0.011	0.0242
040	02751-50060	NUT FLANGE	2				0.005	0.011
050	3A751-72230	HOSE DISCHARGE	1				0.35	0.77
060	33760-56970	O RING	2				0.001	0.0022
070	3A751-87110	HOSE SUCTION	1				1.65	3.63
080	33760-56980	O RING	2				0.001	0.0022
090	3A751-87120	HOSE	1				0.93	2.046
100	33770-96290	ASSY SWITCH PRESSURE	1				0.024	0.0528
110	33760-56960	O RING	2				0.001	0.0022
120	36530-50260	INSULATOR	3				0.01	0.022
130	3G710-50040	ASSY CONDENSER	1				4.8	10.56
140	T0070-79270	TANK RECEIVER	1				0.7	1.54
150	3G710-50070	JOINT RECEIVER	1				0.05	0.11
160	33760-56960	O RING	1				0.001	0.0022
170	3G710-50100	PIPE	1				0.06	0.132
180	33760-56960	O RING	2				0.001	0.0022
190	01023-50625	BOLT	2				0.007	0.0154
200	01205-50616	BOLT	2				0.007	0.0154
210	01754-50630	BOLT FLANGE	2				0.01	0.022
220	T0070-74893	COVER HEATER HOSE	1				0.016	0.0352
230	3A751-79310	NET CONDENSER	1				0.063	0.1386
240	87200-51270	STOPPER	4				0.001	0.0022

COMPRESSOR [A]




**COMPRESSOR [A]**

S.No.;<=54965

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T0070-87290	COMPRESSOR	1				4.95	10.89
020	13801-94100	WASHER SPRING	1				0.002	0.0044
030	T0070-87310	ASSY CLUTH MAGNETIC	1				1.5	3.3
040	T0070-87320	SCREW WITH WASHER	1				0.003	0.0066
050	T0070-87330	CLAMP WIRE	1				0.001	0.0022
060	3G710-50090	PULLEY TENSION	1				0.41	0.902
070	T0270-72320	BUSH COMPRESSOR	1				0.015	0.033
080	01754-50825	BOLT FLANGE	2				0.01	0.022
090	01754-50835	BOLT FLANGE	1				0.019	0.0418
100	01155-50880	BOLT	1				0.03	0.066
110	33760-50090	PULLEY TENSION	1				0.135	0.297
120	04013-60100	WASHER PLAIN	1				0.004	0.0088
130	04512-60100	WASHER SPRING	1				0.002	0.0044
140	02114-50100	NUT	1				0.005	0.011
150	3G700-79320	BELT V	1				0.18	0.396




**COMPRESSOR [A]**

S.No.;>=54966

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T1065-72213	COMPRESSOR	1				5.4	11.88
020	3G710-72610	CLAMP HOSE	1				0.02	0.044
030	01754-50612	BOLT FLANGE	1				0.005	0.011
040	3G710-50090	PULLEY TENSION	1				0.41	0.902
050	3A761-72340	NUT COMPRESSOR	1				0.016	0.0352
060	01123-50880	BOLT	3				0.03	0.066
070	12234-67580	CLAMP CORD	1				0.015	0.033
080	01155-50880	BOLT	1				0.03	0.066
090	33760-50090	PULLEY TENSION	1				0.135	0.297
100	04013-60100	WASHER PLAIN	1				0.004	0.0088
110	04512-60100	WASHER SPRING	1				0.002	0.0044
120	02114-50100	NUT	1				0.005	0.011
130	3A761-79320	BELT V	1				0.18	0.396

COMPRESSOR [CA]






COMPRESSOR [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T0070-87290	COMPRESSOR	1				4.95	10.89
020	13801-94100	WASHER SPRING	1				0.002	0.0044
030	T0070-87310	ASSY CLUTH MAGNETIC	1				1.5	3.3
040	T0070-87320	SCREW WITH WASHER	1				0.003	0.0066
050	T0070-87330	CLAMP WIRE	1				0.001	0.0022
060	3G710-50090	PULLEY TENSION	1				0.41	0.902
070	T0270-72320	BUSH COMPRESSOR	1				0.015	0.033
080	01754-50825	BOLT FLANGE	2				0.01	0.022
090	01754-50835	BOLT FLANGE	1				0.019	0.0418
100	01155-50880	BOLT	1				0.03	0.066
110	33760-50090	PULLEY TENSION	1				0.135	0.297
120	04013-60100	WASHER PLAIN	1				0.004	0.0088
130	04512-60100	WASHER SPRING	1				0.002	0.0044
140	02114-50100	NUT	1				0.005	0.011
150	3G700-79320	BELT V	1				0.18	0.396

COMPRESSOR BRACKET [A]



3A750-116-11


040 3A751-7231-0

040 3A751-7231-3

050 01519-51080

060 02771-60100

070 01754-50820



3A750-832-10




COMPRESSOR BRACKET [A]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-72320	SUPPORT PULLEY	1				1.06	2.332
020	01754-50816	BOLT FLANGE	3				0.011	0.0242
030	02751-50080	NUT FLANGE	1				0.006	0.0132
040	3A751-72310	BRACKET COMPRESSOR	1	≤54489		NOT SALE	4.1	9.02
040	3A751-72313	BRACKET COMPRESSOR	1	≥54490	←		4.1	9.02
040	3A761-72310	BRACKET COMPRESSOR	1	≥54966	≠		4.2	9.24
050	01519-51080	STUD	2	≤54965			0.05	0.11
050	01133-51028	BOLT	2	≥54966	≠		0.027	0.0594
060	02771-60100	NUT FLANGE	2	≤54965			0.01	0.022
070	01754-50820	BOLT FLANGE	3	≤54965			0.015	0.033
070	01754-50820	BOLT FLANGE	2	≥54966			0.015	0.033

COMPRESSOR BRACKET [CA]




FRONT WHEEL (12.4-24)



**FRONT WHEEL (12.4-24)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35999-12783	ASSY REAR WHEEL	1				0	0
020	35999-13713	ASSY REAR WHEEL RH	1				0	0
030	35999-13132	ASSY TIRE	1				0	0
040	35999-13423	ASSY WHEEL	1				0	0
050	35999-16410	ASSY RIM	1				0	0
060	35999-16420	DISK	1				0	0
070	35999-14292	LABEL TIRE RH	1				0	0
080	35999-13723	ASSY REAR WHEEL LH	1				0	0
090	35999-13132	ASSY TIRE	1				0	0
100	35999-13423	ASSY WHEEL	1				0	0
110	35999-16410	ASSY RIM	1				0	0
120	35999-16420	DISK	1				0	0
130	35999-14302	LABEL TIRE LH	1				0	0
140	32530-27410	STUD	16				0.08	0.176
150	33251-49170	NUT	16				0.045	0.099



**REAR WHEEL (18.4-30)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35999-12982	ASSY REAR WHEEL	1				0	0
020	35999-14112	ASSY REAR WHEEL RH	1				0	0
030	35999-13282	ASSY TIRE	1				0	0
040	35999-13600	ASSY WHEEL	1				0	0
050	35999-14692	LABEL TIRE RH	1				0	0
060	35999-14122	ASSY REAR WHEEL LH	1				0	0
070	35999-13282	ASSY TIRE	1				0	0
080	35999-13600	ASSY WHEEL	1				0	0
090	35999-14702	LABEL TIRE LH	1				0	0
100	35707-49153	STUD	16				0.1	0.22
110	35707-49170	NUT	16				0.136	0.2992



**REAR WHEEL (18.4-30)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-12880	ASSY REAR WHEEL	1				0	0
020	3A151-13910	ASSY REAR WHEEL RH	1				0	0
030	35999-13282	ASSY TIRE	1				0	0
040	3A111-13510	ASSY REAR WHEEL	1				0	0
050	3A111-15020	ASSY RIM	1				0	0
060	3A111-15030	DISK REAR WHEEL	1				0	0
070	3A151-14690	LABEL TIRE RH	1				0	0
080	3A151-13920	ASSY REAR WHEEL LH	1				0	0
090	35999-13282	ASSY TIRE	1				0	0
100	3A111-13510	ASSY REAR WHEEL	1				0	0
110	3A111-15020	ASSY RIM	1				0	0
120	3A111-15030	DISK REAR WHEEL	1				0	0
130	3A151-14700	LABEL TIRE LH	1				0	0
140	35707-49153	STUD	16				0.1	0.22
150	3A111-97810	NUT TAPER	16				0.13	0.286



**REAR WHEEL (16.9-34)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-12890	ASSY REAR WHEEL	1				0	0
020	3A151-13930	ASSY REAR WHEEL RH	1				0	0
030	35999-13200	ASSY TIRE	1				0	0
040	3A151-13510	ASSY REAR WHEEL	1				0	0
050	3A151-15020	ASSY RIM	1				0	0
060	3A151-15030	DISK	1				0	0
070	3A151-14510	LABEL TIRE RH	1				0	0
080	3A151-13940	ASSY REAR WHEEL LH	1				0	0
090	35999-13200	ASSY TIRE	1				0	0
100	3A151-13510	ASSY REAR WHEEL	1				0	0
110	3A151-15020	ASSY RIM	1				0	0
120	3A151-15030	DISK	1				0	0
130	3A151-14520	LABEL TIRE LH	1				0	0
140	3A151-97820	STUD	16				0.125	0.275
150	3A111-97810	NUT TAPER	16				0.13	0.286



**REAR WHEEL (16.9-34)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-12900	ASSY REAR WHEEL RH	1				0	0
020	3A151-13950	ASSY REAR WHEEL RH	1				0	0
030	35999-13200	ASSY TIRE	1				0	0
040	3A151-13520	ASSY WHEEL	1				0	0
050	3A151-14490	LABEL TIRE RH	1				0	0
060	3A151-13960	ASSY REAR WHEEL LH	1				0	0
070	35999-13200	ASSY TIRE	1				0	0
080	3A151-13520	ASSY WHEEL	1				0	0
090	3A151-14500	LABEL TIRE LH	1				0	0
100	35707-49153	STUD	16				0.1	0.22
110	35707-49170	NUT	16				0.136	0.2992






LABEL 1 [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16478-88220	LABEL FILTER	1				0.002	0.0044
020	16478-88230	LABEL RADIATOR	1				0.001	0.0022
030	3A751-97300	KIT LABEL SAFETY (A)	1				0.018	0.0396
040	TA040-49650	LABEL START CAUTION	1				0.004	0.0088
050	32310-49580	LABEL WARNING	1				0.002	0.0044
060	32751-49580	LABEL FAN BELT	2				0.001	0.0022
070	99999-99999	NAME PLATE	1			NOT SALE	0	0
080	35080-65350	LABEL KUBOTA	2				0.001	0.0022
085	3F240-83200	MARK SYMBOL	1	≥51799			0.015	0.033
090	3A151-98200	MARK MODEL RH	1				0.016	0.0352
100	3A151-98220	MARK MODEL LH	1				0.016	0.0352
110	33740-83193	NAMER KUBOTA	1				0.007	0.0154
120	3A751-98180	LABEL MAIN SWITCH	1				0.001	0.0022
130	TA040-72950	LABEL COOLER	1				0.001	0.0022
140	34670-65050	LABEL PARKING	1				0.001	0.0022
150	35080-65280	LABEL KEY STOP	1				0.001	0.0022
160	TA040-49562	LABEL FUEL	1				0.002	0.0044






LABEL 1 [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16478-88220	LABEL FILTER	1			ENGLISH	0.002	0.0044
010	15372-87213	LABEL OIL FILTER	1			FRENCH	0.001	0.0022
020	16478-88230	LABEL RADIATOR	1			ENGLISH	0.001	0.0022
020	15227-87612	LABEL RADIATOR	1			FRENCH	0.002	0.0044
030	3A751-97300	KIT LABEL SAFETY (A)	1			ENGLISH	0.018	0.0396
030	3A752-97300	KIT LABEL SAFETY (B)	1			FRENCH	0	0
040	TA040-49650	LABEL START CAUTION	1			ENGLISH	0.004	0.0088
040	TA041-49650	LABEL START CAUTION	1			FRENCH	0.004	0.0088
050	32310-49580	LABEL WARNING	1				0.002	0.0044
060	32751-49580	LABEL FAN BELT	2				0.001	0.0022
070	3A752-98280	LABEL FUSE	1			FRENCH	0.001	0.0022
080	99999-99999	NAME PLATE	1			NOT SALE	0	0
090	35080-65350	LABEL KUBOTA	2				0.001	0.0022
100	3A151-98200	MARK MODEL RH	1				0.016	0.0352
110	3A151-98220	MARK MODEL LH	1				0.016	0.0352
120	33740-83193	NAMER KUBOTA	1				0.007	0.0154
125	3F240-83200	MARK SYMBOL	1	>=51799			0.015	0.033
130	3A751-98180	LABEL MAIN SWITCH	1				0.001	0.0022
140	TA040-72950	LABEL COOLER	1				0.001	0.0022
150	34670-65050	LABEL PARKING	1				0.001	0.0022
160	35080-65280	LABEL KEY STOP	1			ENGLISH	0.001	0.0022
160	35081-65280	LABEL KEY STOP	1			FRENCH	0.02	0.044
170	TA040-49562	LABEL FUEL	1				0.002	0.0044






LABEL 2 [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
030	3A751-75330	LABEL DUMMY	2				0.003	0.0066
040	3A751-97300	KIT LABEL SAFETY (A)	1				0.018	0.0396
050	TA040-49302	LABEL I-PTO CAUTION	1				0.001	0.0022
060	3F240-98360	LABEL SAFETY	1				0.004	0.0088
070	TA040-49350	LABEL DRAWBAR	1				0.002	0.0044
080	TA040-49590	LABEL PTO WARNING	1				0.002	0.0044
090	TA040-49020	LABEL CAB WARNING	1				0.002	0.0044
100	3F240-98690	LABEL ACCEL.GRIP	1				0.001	0.0022
110	3A751-98960	LABEL RANGE SHIFT	1				0.003	0.0066
120	3A151-98452	LABEL SPEED	1				0.003	0.0066
130	TA040-49760	MARK DIFF.LOCK	1				0.001	0.0022
140	3A161-98650	LABEL 4WD	1				0.001	0.0022
150	TA040-49510	MARK HYD.ADJUST.	1				0.001	0.0022
160	3A751-98370	LABEL DRAFT	1				0.001	0.0022
170	3A751-98230	LABEL POSITION	1				0.001	0.0022
180	33740-98290	LABEL PTO CLUTCH	1				0.001	0.0022
190	3A111-98563	LABEL LIFT ROD	1				0.002	0.0044
200	3A111-98392	LABEL AUX.CON.VALVE	1				0.001	0.0022
210	3A111-98572	LABEL AUX.CONT.VALVE	1				0.001	0.0022
220	99999-99999	NAME PLATE CAB	1			NOT SALE	0	0





LABEL 2 [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-75330	LABEL DUMMY	2				0.003	0.0066
020	3A751-97300	KIT LABEL SAFETY (A)	1			ENGLISH	0.018	0.0396
020	3A752-97300	KIT LABEL SAFETY (B)	1			FRENCH	0	0
030	TA040-49302	LABEL I-PTO CAUTION	1			ENGLISH	0.001	0.0022
030	TA041-49300	LABEL I-PTO CAUTION	1			FRENCH	0.003	0.0066
040	3F240-98360	LABEL SAFETY	1			ENGLISH	0.004	0.0088
040	3F241-98360	LABEL SAFETY	1			FRENCH	0.004	0.0088
050	TA040-49350	LABEL DRAWBAR	1			ENGLISH	0.002	0.0044
050	TA041-49350	LABEL DRAWBAR	1			FRENCH	0.003	0.0066
060	TA040-49590	LABEL PTO WARNING	1			ENGLISH	0.002	0.0044
060	TA041-49590	LABEL PTO WARNING	1			FRENCH	0.005	0.011
070	TA040-49020	LABEL CAB WARNING	1			ENGLISH	0.002	0.0044
070	TA043-49020	LABEL CAB WARNING	1			FRENCH	0.005	0.011
080	3F240-98690	LABEL ACCEL.GRIP	1				0.001	0.0022
090	3A752-98960	LABEL RANGE SHIFT	1				0.005	0.011
100	3A131-98450	LABEL SPEED	1				0.002	0.0044
110	TA040-49760	MARK DIFF.LOCK	1				0.001	0.0022
120	3A161-98650	LABEL 4WD	1				0.001	0.0022
130	TA040-49510	MARK HYD.ADJUST.	1				0.001	0.0022
140	3A751-98370	LABEL DRAFT	1				0.001	0.0022
150	3A751-98230	LABEL POSITION	1				0.001	0.0022
160	33740-98290	LABEL PTO CLUTCH	1				0.001	0.0022
170	3A111-98563	LABEL LIFT ROD	1			ENGLISH	0.002	0.0044
170	3A112-98560	LABEL LIFT ROD	1			FRENCH	0.002	0.0044
180	3A111-98392	LABEL AUX.CON.VALVE	1				0.001	0.0022
190	3A111-98572	LABEL AUX.CONT.VALVE	1				0.001	0.0022
200	99999-99999	NAME PLATE CAB	1			NOT SALE	0	0



ACCESSORIES AND SERVICE PARTS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-99710	MANUAL INSTRUCTION	1			ENGLISH	0.215	0.473
010	3A752-99710	MANUAL INSTRUCTION	1			FRENCH	0	0
010	3A652-99710	MANUAL INSTRUCTION	1		↔	FRENCH	0.23	0.506
015	1G511-89810	STATEMENT WARRANTY	1				0.01	0.022
040	32530-27410	STUD	16			FOR FRONT WHEEL	0.08	0.176
050	33251-49170	NUT	16			FOR FRONT WHEEL	0.045	0.099
060	35707-49153	STUD	16			FOR REAR WHEEL	0.1	0.22
070	35707-49170	NUT	16			FOR REAR WHEEL	0.136	0.2992
080	3A151-97820	STUD	16			FOR REAR WHEEL	0.125	0.275
090	3A111-97810	NUT TAPER	16			FOR REAR WHEEL	0.13	0.286
100	33780-75550	FUSE	1			65A [A]	0.015	0.033
100	36929-75550	FUSE	1			75A [CA]	0.01	0.022
110	51950-29320	FUSE	1			30A	0.005	0.011
120	3A111-74360	BOLT HOOK(BATTERY)	2				0.032	0.0704
130	02014-50060	NUT	4				0.003	0.0066
140	04015-60060	WASHER PLAIN	2				0.005	0.011
150	36330-91773	ASSY PIN TOP LINK	1			160 170	0.55	1.21
160	36330-91762	PIN TOP LINK REAR	1				0.49	1.078
170	36200-91840	ASSY PIN SET	1				0.06	0.132
240	01123-50820	BOLT	2				0.011	0.0242



070 3G710-7532-0

080 30810-1887-0

100 02763-60080



3A750-822-11




WORKING LIGHT KIT [OPTION]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-75910	LIGHT WORK	2				0.37	0.814
020	3G710-75900	BULB	2			55W	0.007	0.0154
030	02763-60080	NUT FLANGE	2				0.005	0.011
040	53581-64150	BAND CORD	2				0.002	0.0044
050	3G710-75310	STAY WORKING LIGHT	2				0.1	0.22
060	02763-60080	NUT FLANGE	2				0.005	0.011
070	3G710-75320	STAY WORKING LIGHT	2				0.044	0.0968
070	3G710-75322	STAY WORKING LIGHT	2		←		0.05	0.11
080	30810-18870	BOLT FLANGE	2				0.012	0.0264
090	3A751-97740	MANUAL INSTRUCTION	1				0.001	0.0022
100	02763-60080	NUT FLANGE	2				0.005	0.011


LEVER JOINT STAY KIT [OPTION]



TRAILER SOCKET KIT [OPTION]



RADIO CASSETTE KIT [OPTION]



3A750-123-11




RADIO CASSETTE KIT [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-54260	STAY RADIO CASSETTE	1	<=52435			0.27	0.594
010	3A751-54262	STAY RADIO CASSETTE	1	>=52436	←		0	0
020	01754-50612	BOLT FLANGE	2				0.005	0.011
030	04013-60080	WASHER PLAIN	2				0.002	0.0044
040	3F260-54110	CASSETTE RADIO	1				1.24	2.728
050	T0180-72620	SPEAKER	2				0.31	0.682
060	T0270-72630	COVER SPEAKER	2				0.03	0.066
070	3G710-54140	ANTENNA	1				0.21	0.462
080	3A751-54570	WIRE HARNESS SPEAKER	1				0.055	0.121
090	36919-50670	SCREW WITH WASHER	8				0.002	0.0044
100	02761-50040	NUT FLANGE	8				0.002	0.0044
110	13582-57820	CUSHION CHOKE ROD	1				0.002	0.0044
120	3G710-71540	GASKET	1				0.002	0.0044
130	3A751-97780	MANUAL INSTRUCTION	1				0	0
140	3A751-97790	MANUAL INSTRUCTION	1	>=54820			0	0
140	TA147-75980	MANUAL INSTRUCTION	1	>=54966	≠		0.01	0.022

REAR WIPER KIT [OPTION]






REAR WIPER KIT [OPTION]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3F760-55780	MOTOR REAR WIPER	1				1.02	2.244
020	3F760-57420	MOTOR BODY	1				0.96	2.112
030	3F760-57430	SEAL REAR WIPER	1				0	0
040	3F760-57440	WASHER REAR WIPER	1				0	0
050	3F760-57450	NUT REAR WIPER	1				0.009	0.0198
060	3F760-57470	CAP REAR WIPER	1				0.002	0.0044
070	3F760-57480	SEAL REAR WIPER	2				0	0
080	3F760-57490	BOLT REAR WIPER	2				0.009	0.0198
090	3F760-57500	COVER REAR WIPER	1				0.08	0.176
100	02761-50060	NUT FLANGE	2				0.003	0.0066
110	3F760-54160	ARM REAR WIPER	1				0.126	0.2772
120	02761-50060	NUT FLANGE	1				0.003	0.0066
130	3F760-54170	BLADE REAR WIPER	1				0.108	0.2376
140	3G710-56730	TUBE WASHER	1				0.05	0.11
140	3A751-56730	TUBE WASHER	1		↔		0	0
150	3F760-54180	NOZZLE WASHER	1				0.004	0.0088
160	3F760-54190	STAY WASHER NOZZLE	1				0.01	0.022
170	36919-50390	SCREW	1				0.004	0.0088
180	33740-54090	WASHER PLAIN	1				0.003	0.0066
190	13582-57820	CUSHION CHOKE ROD	1				0.002	0.0044
200	3F760-75340	SWITCH REAR WIPER	1				0.023	0.0506
210	3A751-97760	MANUAL INSTRUCTION	1				0	0



090 01173-51275

100 04512-60120




3A150-826-10



PTO(540/1000) CONVERSION KIT 1 [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33960-21413	CASE GEAR	1				16.2	35.64
020	33960-21520	GUIDE OIL GAUGE	1				0.01	0.022
030	3A151-21470	COVER	1				0.09	0.198
040	05012-01020	PIN STRAIGHT	2				0.02	0.044
050	06311-55040	PLUG	1				0.093	0.2046
060	04717-02150	WASHER WITH RUBBER	1				0.004	0.0088
070	01173-51202	BOLT	2				0.101	0.2222
080	01173-61204	BOLT	2				0.1	0.22
090	01173-51275	BOLT	2	≤54171			0.071	0.1562
090	01133-51275	BOLT	2	≥54172	←		0.02	0.044
100	04512-60120	WASHER SPRING	6	≤54171			0.005	0.011
100	04512-60120	WASHER SPRING	4	≥54172			0.005	0.011
110	01133-51235	BOLT	4				0.05	0.11
120	3A152-21510	GAUGE OIL	1				0.031	0.0682
130	66591-11290	PLUG	4				0.001	0.0022
140	3A152-79320	BRACKET PTO PROTECTO	1				0	0
150	01123-50816	BOLT	3				0.011	0.0242
160	01173-51025	BOLT	2				0.021	0.0462
170	04013-60100	WASHER PLAIN	2				0.004	0.0088
180	62151-42412	SPRING PLATE	4				0.002	0.0044
190	02116-50100	NUT	2				0.004	0.0088
200	3A153-81880	STOPPER	1				0.69	1.518
210	01133-51235	BOLT	2				0.05	0.11
220	3A151-97420	MANUAL INSTRUCTION	1				0.01	0.022






PTO(540/1000) CONVERSION KIT 2 [OPTION]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A152-79130	SHAFT PTO DRIVE	1				1.125	2.475
020	36730-80150	BEARING BALL	1				0.45	0.99
030	36730-80120	GEAR PTO	1			13T	0.5	1.1
040	35880-79130	COLLAR	1				0.045	0.099
050	33980-79140	GEAR PTO	1			18T	0.78	1.716
060	36330-80060	COLLAR	1				0.014	0.0308
070	35860-79150	BEARING BALL	1				0.45	0.99
080	36530-80090	RACE INNER	1				0.04	0.088
090	04612-00300	CIR CLIP EXTERNAL	1				0.003	0.0066
100	35822-79210	SHAFT PTO	1			6 SPLINE	2.35	5.17
100	35822-79220	SHAFT PTO	1			21 SPLINE	2.51	5.522
110	35880-79230	GEAR PTO	1			49T	5	11
120	38450-25350	BEARING BALL	1				0.345	0.759
130	35880-79170	BEARING BALL	1				0.6	1.32
140	35822-79240	GEAR PTO	1			43T	2.91	6.402
150	35860-79160	BEARING BALL	2				0.42	0.924
160	08131-06012	BEARING BALL	1				0.4	0.88
170	35822-79250	SPACER	1				0.08	0.176
180	33960-79262	HOLDER PTO SHAFT	1				0.42	0.924
190	35822-79270	WASHER THRUST	1				0.03	0.066
200	04612-00600	CIR CLIP EXTERNAL	1				0.012	0.0264
210	04815-50550	O RING	1				0.002	0.0044
220	33960-79280	CIR-CLIP INTERNAL	1				0.01	0.022
230	35822-80380	SEAL OIL	1				0.047	0.1034
240	35822-79310	SUPPORT PTO BEARING	1				4.5	9.9
250	05012-01020	PIN STRAIGHT	2				0.02	0.044
260	01133-51240	BOLT	4				0.05	0.11

FRONT WEIGHT BUMPER KIT [OPTION]




FRONT BUMPER KIT [OPTION]






3A750-144-10

AUXILIARY CONTROL VALVE KIT (SCD) [OPTION]



3A750-126-12

110 3A151-8202-0
130 04811-00200



3A150-831-10




AUXILIARY CONTROL VALVE KIT (SCD) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82540	VALVE AUX.CONTROL	1			REFER TO L.No.K07-R FOR COMPONENTS.	3.7	8.14
020	04815-07560	O RING	1				0.003	0.0066
030	3G700-82390	SUPPORT AUX.CON.VALV	1				0.1	0.22
040	05122-50518	JOINT PIPE	2				0.002	0.0044
050	04012-50050	WASHER PLAIN	4				0.001	0.0022
060	05525-60500	PIN SNAP	2				0.001	0.0022
070	3G710-82380	HOLDER	1				0.26	0.572
080	01023-50612	BOLT	2				0.005	0.011
090	3G700-82070	SPACER AUX.CONTROL	1				0.15	0.33
100	04815-07560	O RING	1				0.003	0.0066
110	3A151-82020	JOINT PIPE	2	≤54643		NOT SALE	0.075	0.165
110	3A151-82010	JOINT PIPE	2	≥54644	←		0.078	0.1716
120	04811-00140	O RING	2				0.001	0.0022
130	04811-00200	O RING	2	≤54643			0.001	0.0022
130	68011-62140	O RING	2	≥54644	≠		0.001	0.0022
140	3A111-82010	ASSY COUPLER	2				0.48	1.056
145	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
150	3A751-99850	MANUAL INSTRUCTION	1	≤54965		NOT SALE	0	0
150	3A751-99853	MANUAL INSTRUCTION	1	≥54966	←		0	0

AUXILIARY CONTROL VALVE KIT (FD) [OPTION]




3A750-127-12

070 3G710-8238-0



110 3A151-8202-0

130 04811-00200



3A150-832-10




AUXILIARY CONTROL VALVE KIT (FD) [OPTION]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-82812	VALVE AUX.CONTROL	1			REFER TO L.No.K08-R FOR COMPONENTS.	3	6.6
020	04811-07560	O RING	1	≤51655			0.002	0.0044
020	04815-07560	O RING	1	≥51656	←		0.003	0.0066
030	3G700-82390	SUPPORT AUX.CON.VALV	1				0.1	0.22
040	05122-50518	PIN JOINT	2				0.002	0.0044
050	04012-50050	WASHER PLAIN	4				0.001	0.0022
060	05525-60500	PIN SNAP	2				0.001	0.0022
070	3G710-82380	HOLDER	1	≤54489			0.26	0.572
070	3A751-82380	HOLDER	1	≥54490	←		0.21	0.462
080	01023-50612	BOLT	2				0.005	0.011
090	3G700-82070	SPACER AUX.CONTROL	1				0.15	0.33
100	04815-07560	O RING	1				0.003	0.0066
110	3A151-82020	JOINT PIPE	2	≤54643		NOT SALE	0.075	0.165
110	3A151-82010	JOINT PIPE	2	≥54644	←		0.078	0.1716
120	04811-00140	JOINT PIPE	2				0.001	0.0022
130	04811-00200	O RING	2	≤54643			0.001	0.0022
130	68011-62140	O RING	2	≥54644	≠		0.001	0.0022
140	3A111-82010	ASSY COUPLER	2				0.48	1.056
145	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
150	3A751-99860	MANUAL INSTRUCTION	1	≤54965		NOT SALE	0.015	0.033
150	3A751-99863	MANUAL INSTRUCTION	1	≥54966	←		0	0

AUXILIARY CONTROL VALVE KIT (SCD/FC) [OPTION]



110 3A151-8202-0
130 04811-00200




3A150-831-10



AUXILIARY CONTROL VALVE KIT (SCD/FC) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82560	JOINT PIPE	1			REFER TO L.No.K09-L FOR COMPONENTS.	3.65	8.03
020	04815-07560	O RING	1				0.003	0.0066
030	3G700-82390	SUPPORT	1				0.1	0.22
		AUX.CON.VALV						
040	05122-50518	PIN JOINT	2				0.002	0.0044
050	04012-50050	WASHER PLAIN	4				0.001	0.0022
060	05525-60500	PIN SNAP	2				0.001	0.0022
070	3G710-82380	HOLDER	1				0.26	0.572
080	01023-50612	BOLT	2				0.005	0.011
090	3G700-82070	SPACER	1				0.15	0.33
		AUX.CONTROL						
100	04815-07560	O RING	1				0.003	0.0066
110	3A151-82020	JOINT PIPE	2	≤54643		NOT SALE	0.075	0.165
110	3A151-82010	JOINT PIPE	2	≥54644	←		0.078	0.1716
120	04811-00140	O RING	2				0.001	0.0022
130	04811-00200	O RING	2	≤54643			0.001	0.0022
130	68011-62140	O RING	2	≥54644	≠		0.001	0.0022
140	3A111-82010	ASSY COUPLER	2				0.48	1.056
145	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
150	3A151-82610	VALVE	1			REFER TO L.No.K10-L FOR COMPONENTS.	2.2	4.84
		AUX.CONTROL						
160	04815-07560	O RING	1				0.003	0.0066
170	3G700-82070	SPACER	1				0.15	0.33
		AUX.CONTROL						
180	04815-07560	O RING	1				0.003	0.0066
190	3A151-82220	SHAFT	1				0.09	0.198
200	05411-00414	PIN SPRING	1				0.001	0.0022
210	36919-81530	BOLT STOPPER	1				0.022	0.0484
220	02114-50080	NUT	1				0.005	0.011
230	3A751-99880	MANUAL	1	≤54965			0	0
		INSTRUCTION						
230	3A751-99882	MANUAL	1	≥54966	←		0	0
		INSTRUCTION						






AUXILIARY CONTROL VALVE KIT (FC) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82610	VALVE	1			REFER TO L.No.K10-L FOR COMPONENTS.	2.2	4.84
		AUX.CONTROL						
020	04815-07560	O RING	1				0.003	0.0066
030	3G700-82070	SPACER	1				0.15	0.33
		AUX.CONTROL						
040	04815-07560	O RING	1				0.003	0.0066
050	3A151-82220	SHAFT	1				0.09	0.198
060	05411-00414	PIN SPRING	1				0.001	0.0022
070	36919-81530	BOLT STOPPER	1				0.022	0.0484
080	02114-50080	NUT	1				0.005	0.011
090	01176-51004	BOLT	1				0.069	0.1518
100	04512-60100	WASHER SPRING	1				0.002	0.0044
110	01156-50804	BOLT	2				0.04	0.088
120	04512-60080	WASHER SPRING	2				0.002	0.0044
130	3A151-99890	MANUAL	1				0.01	0.022
		INSTRUCTION						

AUXILIARY CONTROL VALVE (SCD) [COMPONENT PARTS]






AUXILIARY CONTROL VALVE (SCD) [COMPONENT PARTS] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82540	VALVE AUX.CONTROL	1				3.7	8.14
020	3F740-06020	PLUG	4				0.001	0.0022
030	04815-07560	O RING	1				0.003	0.0066
040	04810-00110	O RING	1				0.001	0.0022
050	04810-00090	O RING	1				0.001	0.0022
060	3F740-06040	COVER	1				0.014	0.0308
070	3F740-06420	COVER	1				0.06	0.132
080	3F740-06430	WASHER	1				0.013	0.0286
090	01311-10616	BOLT HEX-SOC-HD	4				0.005	0.011
100	01311-10612	BOLT HEX-SOC-HD	2				0.01	0.022
110	12631-91030	BOLT HEX-SOC-HD	2				0.02	0.044
120	3F740-06060	SPRING	1				0.015	0.033
130	3F740-06070	SEAT SPRING	2				0.005	0.011
140	3F740-06080	GASKET	2				0.003	0.0066
150	3F740-06440	BUSH	1				0.019	0.0418
160	07715-03205	BALL	4				0.001	0.0022
170	3F740-06450	BOLT SPACER	1				0.032	0.0704
180	3F740-06460	PISTON	1				0.029	0.0638
190	3F740-06480	SPRING	1				0.01	0.022
200	3F740-06500	O RING	1				0.001	0.0022
210	3F740-06510	RING BACK UP	1				0.001	0.0022
220	3F740-06520	O RING	1				0.001	0.0022
230	3F740-06530	RING BACK UP	1				0.001	0.0022
240	3A111-06540	POPPET	1				0	0
250	3F740-06550	BUSH	1				0.006	0.0132
260	3A111-06560	SPRING	1				0	0
270	3A111-06570	SPRING	1				0	0
280	3A111-06580	SEAT SPRING	1				0.004	0.0088
290	3A111-06590	SEAT SPRING	1				0.005	0.011
300	3A111-06600	PLUNGER	1				0.005	0.011
310	04810-00070	O RING	1				0.001	0.0022
320	99999-99999	BLANK	0				0	0
330	3F740-06620	SCREW ADJUSTING	1				0.005	0.011
340	3F740-06630	NUT	1				0.004	0.0088
350	3F740-06100	PLUG	1				0.015	0.033
360	3F740-06110	PLUNGER	1				0.011	0.0242
370	3F740-06120	SPRING	1				0.001	0.0022
380	04810-00120	O RING	1				0.001	0.0022
390	3F740-06150	ARM	1				0.032	0.0704

AUXILIARY CONTROL VALVE (FD) [COMPONENT PARTS]






AUXILIARY CONTROL VALVE (FD) [COMPONENT PARTS] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-82812	VALVE AUX.CONTROL	1				3	6.6
020	3F740-06020	PLUG	2				0.001	0.0022
030	04811-07560	O RING	1				0.002	0.0044
040	3F740-06040	COVER	4				0.014	0.0308
050	3F740-06050	COVER	1				0.077	0.1694
060	01311-10616	BOLT HEX-SOC-HD	2				0.005	0.011
070	01311-10660	BOLT HEX-SOC-HD	2				0.07	0.154
080	01311-10612	BOLT HEX-SOC-HD	2				0.01	0.022
090	3F740-06650	SPRING	1				0.018	0.0396
100	3F740-06070	SEAT SPRING	2				0.005	0.011
110	3F740-06660	SPACER	1				0.002	0.0044
120	3F740-06080	GASKET	2				0.003	0.0066
130	3F740-06670	COVER	1				0.12	0.264
140	3F740-06680	BUSH	1				0.019	0.0418
150	3F740-06690	RING	1				0.01	0.022
160	07715-03205	BALL	4				0.001	0.0022
170	3F740-06710	BOLT SPACER	1				0.04	0.088
180	3F740-06480	SPRING	1				0.01	0.022
190	3F740-06700	PLUG	1				0.02	0.044
200	3F740-06110	PLUNGER	1				0.011	0.0242
210	3F740-06120	SPRING	1				0.001	0.0022
220	04810-00120	O RING	1				0.001	0.0022
230	3F740-06150	ARM	1				0.032	0.0704

AUXILIARY CONTROL VALVE (SCD/FC) [COMPONENT PARTS]






AUXILIARY CONTROL VALVE (SCD/FC) [COMPONENT PARTS] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82560	JOINT PIPE	1				3.65	8.03
020	3F740-06020	PLUG	1				0.001	0.0022
030	04815-07560	O RING	1				0.003	0.0066
040	04810-00110	O RING	1				0.001	0.0022
050	04810-00090	O RING	1				0.001	0.0022
060	3F740-06040	COVER	1				0.014	0.0308
070	3A151-06420	COVER	1				0.072	0.1584
080	3A151-06430	WASHER	1				0.013	0.0286
090	01311-10616	BOLT HEX-SOC-HD	2				0.005	0.011
100	01311-10612	BOLT HEX-SOC-HD	2				0.01	0.022
110	12631-91030	BOLT HEX-SOC-HD	2				0.02	0.044
120	3F740-06060	SPRING	1				0.015	0.033
130	3A151-06070	SEAT SPRING	2				0.006	0.0132
140	3F740-06080	GASKET	2				0.003	0.0066
150	3A151-06440	BUSH	1				0.019	0.0418
160	07715-03205	BALL	4				0.001	0.0022
170	3A151-06450	BOLT SPACER	1				0.032	0.0704
180	3F740-06460	PISTON	1				0.029	0.0638
190	3F740-06480	SPRING	1				0.01	0.022
200	3F740-06500	O RING	1				0.001	0.0022
210	3F740-06510	RING BACK UP	1				0.001	0.0022
220	3F740-06520	O RING	1				0.001	0.0022
230	3F740-06530	RING BACK UP	1				0.001	0.0022
240	3A111-06540	POPPET	1				0	0
250	3F740-06550	BUSH	1				0.006	0.0132
260	3A111-06560	SPRING	1				0	0
270	3A111-06570	SPRING	1				0	0
280	3A111-06580	SEAT SPRING	1				0.004	0.0088
290	3A111-06590	SEAT SPRING	1				0.005	0.011
300	3A111-06600	PLUNGER	1				0.005	0.011
310	04810-00070	O RING	1				0.001	0.0022
320	99999-99999	BLANK	0				0	0
330	3F740-06620	SCREW ADJUSTING	1				0.005	0.011
340	3F740-06630	NUT	1				0.004	0.0088
350	3F740-06100	PLUG	1				0.015	0.033
360	3F740-06110	PLUNGER	1				0.011	0.0242
370	3F740-06120	SPRING	1				0.001	0.0022
380	04811-00120	O RING	1				0.001	0.0022
390	3F740-06150	ARM	1				0.032	0.0704

Reference:01U13804

AUXILARY CONTROL VALVE LEVER KIT (2ND) [OPTION]






AUXILIARY CONTROL VALVE LEVER KIT (2ND) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-97090	ASSY LEVER AUX.CON.	1				0.26	0.572
020	08511-01210	BUSH	2				0.005	0.011
030	52300-32640	GRIP LEVER	1				0.04	0.088
040	3G710-82980	WIRE	1	≤54965		NOT SALE	0.262	0.5764
040	3A751-82980	AUX.CONT.VALVE WIRE	1	≥54966	←		0	0
050	3F740-82430	AUX.CONT.VALVE NUT LOCK	1				0.005	0.011
060	02761-50050	NUT FLANGE	1				0.005	0.011
070	05515-60800	PIN SNAP	1				0.002	0.0044
080	04012-50080	WASHER PLAIN	1				0.001	0.0022
090	3A151-93960	STUD	1	≤54819		NOT SALE WITH FLOW CONTROL VALVE	0.109	0.2398
090	3A151-93962	STUD	1	≥54820	←	WITH FLOW CONTROL VALVE	0	0
100	37300-14190	NUT	1			WITH FLOW CONTROL VALVE	0.009	0.0198
110	04512-60100	WASHER SPRING	1			WITH FLOW CONTROL VALVE	0.002	0.0044
120	3A151-93970	STUD	2	≤54819		NOT SALE WITH FLOW CONTROL VALVE	0.065	0.143
120	3A151-93972	STUD	2	≥54820	←	WITH FLOW CONTROL VALVE	0	0
130	35320-25470	NUT	2			WITH FLOW CONTROL VALVE	0.006	0.0132
140	04512-60080	WASHER SPRING	2			WITH FLOW CONTROL VALVE	0.002	0.0044
150	01176-51004	BOLT	1			W/O FLOW CONTROL VALVE	0.069	0.1518
160	04512-60100	WASHER SPRING	1			W/O FLOW CONTROL VALVE	0.002	0.0044
170	01156-50804	BOLT	2			W/O FLOW CONTROL VALVE	0.04	0.088
180	04512-60080	WASHER SPRING	2			W/O FLOW CONTROL VALVE	0.002	0.0044

AUXILARY CONTROL VALVE LEVER KIT (3RD) [OPTION]







AUXILIARY CONTROL VALVE LEVER KIT (3RD) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-97110	ASSY LEVER AUX.CON.	1				0.26	0.572
020	08511-01210	BUSH	2				0.005	0.011
030	52300-32640	GRIP LEVER	1				0.04	0.088
040	3G710-82980	WIRE AUX.CONT.VALVE	1	<=54965		NOT SALE	0.262	0.5764
040	3A751-82980	WIRE AUX.CONT.VALVE	1	>=54966	←		0	0
050	3F740-82430	NUT LOCK	1				0.005	0.011
060	02761-50050	NUT FLANGE	1				0.005	0.011
070	05515-60800	PIN SNAP	1				0.002	0.0044
080	04012-50080	WASHER PLAIN	1				0.001	0.0022
090	3A151-93960	STUD	1	<=54819		NOT SALE	0.109	0.2398
090	3A151-93962	STUD	1	>=54820	←		0	0
100	37300-14190	NUT	1				0.009	0.0198
110	04512-60100	WASHER SPRING	1				0.002	0.0044
120	3A151-93970	STUD	2	<=54819		NOT SALE	0.065	0.143
120	3A151-93972	STUD	2	>=54820	←		0	0
130	35320-25470	NUT	2				0.006	0.0132
140	04512-60080	WASHER SPRING	2				0.002	0.0044



REARVIEW MIRROR KIT [OPTION]



3A750-131-10



REARVIEW MIRROR KIT [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3F260-53340	ASSY MIRROR REARVIEW	1	<=52555			0.64	1.408
010	3F260-53342	ASSY MIRROR REARVIEW	1	>=52556	←		0	0
020	3F260-53360	STAY REARVIEW MIRROR	1				1.2	2.64
030	04811-00140	O RING	1				0.001	0.0022
040	05411-00630	PIN SPRING	1				0.004	0.0088
050	3G710-71620	CAP	1				0.011	0.0242
060	3F760-53880	SPRING	1				0.034	0.0748
070	34070-71630	WASHER	2				0.01	0.022
080	34070-71620	NUT	2				0.01	0.022
090	3A751-53860	ASSY HOLDER	1				0.27	0.594
100	08511-01610	BUSH	2				0.005	0.011
110	34070-41130	BOLT FLANGE	2				0.015	0.033
120	02763-60080	NUT FLANGE	2				0.005	0.011
130	3A751-97720	MANUAL INSTRUCTION	1				0	0