

Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

REF.No → The number referring to the part on the picture page of the parts book.

Part No. → The number assigned to this part at the time of printing the parts book.

Description → Discription of part.

Q'ty → Quantity of part used on that page.

S.No. → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

I/C → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

The part shown is not interchangeable with the other serial number.

← new for old

→ old for new

Remarks → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

Symbol	Country
A	United States of America
CA	Canada
FR	France
GR	Greece
PO	Portugal
AU	Australia

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.

ALL PRODUCT INDEX
M9000HDC



3-POINT LINKAGE/DRAWBAR/HITCH

ACCESSORIES

LABELS

OPTION


Item	Part No.	Description	Book
ENGINE	010001	CRANKCASE	100K0760
	010002	OIL PAN	100K0760
	010003	CYLINDER HEAD	100K0760
	010004	GEAR CASE	100K0760
	010005	HEAD COVER	100K0760
	010101	CAMSHAFT AND IDLE GEAR SHAFT	100K0760
	010102	PISTON AND CRANKSHAFT	100K0760
	010103	FLYWHEEL	100K0760
	010106	BALANCER	100K0760
	010202	INJECTION PUMP	100K0760
	010204	GOVERNOR	100K0760
	010206	NOZZLE HOLDER AND GLOW PLUG	100K0760
	010207	NOZZLE HOLDER [COMPONENT PARTS]	100K0760
	010209	PUMP HOUSING	100K0760
	010212	FORK LEVER (GOVERNOR)	100K0760
	010215	GOVERNOR ADJUSTING BOLT [OLD TYPE]	100K0760
	01021501	GOVERNOR ADJUSTING BOLT [NEW TYPE]	100K0760
	010300	FUEL FILTER	100K0760
	010500	WATER FLANGE AND THERMOSTAT	100K0760
	010501	WATER PUMP	100K0760
	010600	VALVE AND ROCKER ARM	100K0760
	010601	INLET MANIFOLD	100K0760
	010602	EXHAUST MANIFOLD	100K0760
	01060301	AIR CLEANER [A]	100K0760
	010604	AIR CLEANER [COMPONENT PARTS]	100K0760
	010607	MUFFLER	100K0760
	01060802	TURBO CHARGER	100K0760
	010610	ACTUATOR	100K0760
	010611	OIL PIPE (TURBO CHARGER)	100K0760
	010612	INTERCOOLER	100K0760
	01070202	HYDRAULIC PUMP BASE [EXCEPT M8200HDC]	100K0760
	010705	OIL COOLER	100K0760
	010906	UPPER GASKET KIT	100K0760
	010907	LOWER GASKET KIT	100K0760
	01A010	HAND ACCELERATOR LEVER	100K0760
	01A030	ACCELERATOR PEDAL	100K0760
	01A060	ENGINE STOP WIRE	100K0760
FUEL SYSTEM	01A120	FUEL TANK RH	100K0760
	01A130	FUEL TANK LH	100K0760
	01A140	FUEL PIPE	100K0760
	01A151	SEPARATOR	100K0760
COOLING WATER SYSTEM	01A161	SEPARATOR [COMPONENT PARTS]	100K0760
	01A41002	FAN	100K0760
	01A420	WATER PIPE	100K0760
	01A43002	RADIATOR	100K0760
ELECTRICAL SYSTEM	01A450	RESERVE TANK	100K0760
	01A54001	ALTERNATOR [A]	100K0760
	01A55001	ALTERNATOR [COMPONENT PARTS] [A]	100K0760
	01A560	STARTER	100K0760
	01A570	STARTER [COMPONENT PARTS]	100K0760
	01A58001	BATTERY [OLD TYPE]	100K0760
	01A58002	BATTERY [NEW TYPE]	100K0760
	01B015	SWITCH/SENSOR	100K0760
	01B105	SWITCH (PANEL BOARD)	100K0760
	01B11001	SWITCH (WIPER/WORK LIGHT) [A] [OLD TYPE]	100K0760

Item	Part No.	Description	Book
ELECTRICAL SYSTEM	01B11002	SWITCH (WIPER/WORK LIGHT) [A] [NEW TYPE]	100K0760
	01B127	AIR CONDITIONER SWITCH / AMPLIFIER [NEW TYPE]	100K0760
	01B13001	RELAY [A]	100K0760
	01B13101	STARTER RELAY [A]	100K0760
	01B140	PANEL BOARD	100K0760
	01B150	PANEL BOARD [COMPONENT PARTS]	100K0760
	01B320	HEAD LIGHT	100K0760
	01B332	HAZARD LIGHT	100K0760
	01B35001	WORK LIGHT [A] [OLD TYPE]	100K0760
	01B35002	WORK LIGHT [[A] NEW TYPE]	100K0760
	01B360	REAR COMBINATION LIGHT	100K0760
	01B410	ROOM LIGHT	100K0760
	01B43001	WASHER TANK [A]	100K0760
	01B44001	WIPER [A]	100K0760
	01B51001	ELECTRICAL WIRING [A]	100K0760
	01B52001	ELECTRICAL WIRING (CAB) [A] [OLD TYPE]	100K0760
CLUTCH/TRANSMISSION	01B52002	ELECTRICAL WIRING (CAB) [A] [NEW TYPE]	100K0760
	01C11001	CLUTCH HOUSING [A]	100K0760
	01C111	SHUTTLE VALVE	100K0760
	01C113	SHUTTLE GEAR CASE	100K0760
	01C140	TRANSMISSION CASE	100K0760
	01C150	TRANSMISSION CASE REAR COVER	100K0760
	01C170	REAR AXLE CASE	100K0760
	01C220	DAMPER DISK	100K0760
	01C240	CLUTCH PEDAL	100K0760
	01C260	CLUTCH CABLE	100K0760
	01C265	VALVE LEVER (CLUTCH/SHUTTLE)	100K0760
	01D215	INPUT SHAFT	100K0760
	01D216	SHUTTLE CLUTCH	100K0760
	01D217	SHUTTLE SHAFT	100K0760
	01D225	FIRST SHAFT	100K0760
	01D240	COUNTERSHAFT	100K0760
	01D25001	RANGE GEAR SHAFT [A]	100K0760
	01D260	BEVEL GEAR	100K0760
	01D262	DIFFERENTIAL REAR	100K0760
	01D265	PTO PROPELLER SHAFT	100K0760
	01D266	PTO CLUTCH	100K0760
	01D267	PTO CLUTCH [COMPONENT PARTS]	100K0760
	01D268	PTO CLUTCH VALVE	100K0760
	01D269	PTO CLUTCH VALVE [COMPONENT PARTS]	100K0760
	01D275	PTO SHAFT	100K0760
SPEED CHANGE SHIFT FORK/SHIFT LEVER	01D410	MAIN GEAR SHIFT FORK	100K0760
	01D45001	RANGE GEAR SHIFT FORK [A]	100K0760
REAR AXLE/BRAKE	01D467	REAR DIFFERENTIAL LOCK PEDAL	100K0760
	01D495	REAR AXLE	100K0760
	01E110	BRAKE	100K0760
	01E120	BRAKE ROD (BRAKE PEDAL)	100K0760
SPEED CHANGE SHIFT FORK/SHIFT LEVER	01E130	BRAKE ROD (BRAKE CAM)	100K0760
	01F110	MAIN GEAR SHIFT LEVER	100K0760
	01F115	MAIN GEAR SHIFT ROD	100K0760
	01F120	MAIN GEAR SHIFT LEVER SHAFT	100K0760
	01F125	SHUTTLE SHIFT LEVER	100K0760
	01F133	SHUTTLE CABLE	100K0760
	01F13701	RANGE GEAR SHIFT LEVER [A]	100K0760

Item	Part No.	Description	Book
SPEED CHANGE SHIFT FORK/SHIFT LEVER	01F145	PTO CLUTCH LEVER	100K0760
	01F153	FRONT WHEEL DRIVE LEVER	100K0760
REAR AXLE/BRAKE	01F210	BRAKE PEDAL	100K0760
FRONT AXLE/CHASSIS	01G105	FRONT AXLE FRAME	100K0760
	01G110	FRONT AXLE BRACKET	100K0760
	01G140	FRONT PROPELLER SHAFT	100K0760
	01G150	FRONT DIFFERENTIAL CASE	100K0760
	01G160	BEVEL GEAR (FRONT)	100K0760
	01G170	DIFFERENTIAL FRONT	100K0760
	01G215	FRONT DIFFERENTIAL LOCK CLUTCH	100K0760
	01G220	BEVEL GEAR CASE	100K0760
	01G225	FRONT AXLE CASE	100K0760
	01G23002	DIFFERENTIAL GEAR SHAFT	100K0760
	01G240	FRONT AXLE	100K0760
STEERING	01H11001	STEERING HANDLE [A]	100K0760
	01H130	STEERING JOINT	100K0760
	01H140	STEERING CONTROLLER	100K0760
	01H150	STEERING CONTROLLER [COMPONENT PARTS]	100K0760
HYDRAULIC SYSTEM	01J120	STEERING LINKAGE	100K0760
	01J125	STEERING CYLINDER [COMPONENT PARTS]	100K0760
	01J13002	HYDRAULIC PUMP [EXCEPT M8200HDC]	100K0760
	01J13501	HYDRAULIC PUMP [COMPONENT PARTS]	100K0760
	01J13502	HYDRAULIC PUMP [COMPONENT PARTS] [EXCEPT M8200HDC]	100K0760
	01J21002	HYDRAULIC PIPE (SUCTION) [EXCEPT M8200HDC]	100K0760
	01J22002	HYDRAULIC PIPE (DELIVERY) [EXCEPT M8200HDC]	100K0760
	01J270	HYDRAULIC OIL LINE (OIL COOLER)	100K0760
	01J27502	HYDRAULIC OIL LINE (STEERING/PTO) [EXCEPT M8200HDC]	100K0760
	01J276	HYDRAULIC OIL LINE (SHUTTLE/PTO)	100K0760
	01J28002	STEERING HOSE (DELIVERY)	100K0760
	01J310	HYDRAULIC CYLINDER	100K0760
	01J315	HYDRAULIC LIFT ARM	100K0760
	01J320	HYDRAULIC CYLINDER COVER	100K0760
	01J355	CONTROL VALVE	100K0760
	01J356	CONTROL VALVE [COMPONENT PARTS]	100K0760
	01J380	DRAFT AND POSITION CONTROL LEVER	100K0760
	01J381	DRAFT AND POSITION CONTROL LEVER BRACKET	100K0760
	01J382	POSITION AND DRAFT SHAFT	100K0760
	01J384	POSITION CAM	100K0760
	01J386	DRAFT CAM	100K0760
	01J44501	AUXILIARY CONTROL VALVE (SCD) [A]	100K0760
	01J44701	AUXILIARY CONTROL VALVE (SCD) [COMPONENT PARTS]	100K0760
	01J45501	AUXILIARY CONTROL VALVE LEVER [A] [OLD TYPE]	100K0760
	01J45502	AUXILIARY CONTROL VALVE LEVER [A] [NEW TYPE]	100K0760
3-POINT LINKAGE/DRAWBAR/HITCH	01K105	TOP LINK BRACKET	100K0760
	01K110	TOP LINK	100K0760
	01K125	LOWER LINK	100K0760
	01K13301	STABILIZER [OLD TYPE]	100K0760
	01K13302	STABILIZER [NEW TYPE]	100K0760


Item	Part No.	Description	Book
3-POINT LINKAGE/DRAWBAR/HITCH	01K140	LIFT ROD RH	100K0760
	01K143	LIFT ROD LH	100K0760
	01L110	SWINGING DRAWBAR	100K0760
HOOD/BONNET	01L17001	PTO SHAFT PROTECTOR [A]	100K0760
	01M11501	HOOD(BONNET) FRONT [OLD TYPE]	100K0760
	01M11502	HOOD(BONNET) FRONT [NEW TYPE]	100K0760
	01M12002	HOOD(BONNET) UPPER	100K0760
	01M125	HOOD(BONNET) SIDE	100K0760
CAB	01M127	HOOD(BONNET) SIDE COVER	100K0760
	01M140	BONNET SUPPORT	100K0760
	01N11001	CAB FRAME [OLD TYPE]	100K0760
	01N11002	CAB FRAME [NEW TYPE]	100K0760
	01N11501	PANEL FRAME [A]	100K0760
	01N120	FRONT GLASS	100K0760
	01N125	DOOR RH	100K0760
	01N130	DOOR LH	100K0760
	01N135	DOOR LOCK RH	100K0760
	01N140	DOOR LOCK LH	100K0760
	01N14501	SIDE WINDOW [A]	100K0760
	01N15001	REAR WINDOW [A]	100K0760
	01N155	REAR WINDOW (UNDER)	100K0760
	01N15801	REARVIEW MIRROR [OLD TYPE]	100K0760
	01N15802	REARVIEW MIRROR [NEW TYPE]	100K0760
	01N16001	INNER ROOF [A] [OLD TYPE]	100K0760
	01N16003	INNER ROOF [NEW TYPE]	100K0760
	01N165	OUTER ROOF	100K0760
	01N170	SEAT	100K0760
	01N175	FLOOR MAT	100K0760
	01N180	INSPECTION PLATE	100K0760
	01N21001	FENDER COVER RH [A] [OLD TYPE]	100K0760
	01N21002	FENDER COVER RH [A] [NEW TYPE]	100K0760
	01N215	FENDER COVER LH	100K0760
	01N22001	PILLAR COVER [A]	100K0760
	01N225	FENDER RH	100K0760
	01N230	FENDER LH	100K0760
	01N240	CAB BRACKET FRONT	100K0760
	01N245	CAB BRACKET REAR	100K0760
	01N250	TOOL BOX	100K0760
	01N280	SMV EMBLEM	100K0760
AIR CONDITIONER	01P11501	AIR CONDITIONER [OLD TYPE]	100K0760
	01P11502	AIR CONDITIONER [NEW TYPE]	100K0760
	01P135	DRAIN HOSE (AIR CONDITIONER) [NEW TYPE]	100K0760
	01P15001	HEATER HOSE [OLD TYPE]	100K0760
	01P15002	HEATER HOSE [NEW TYPE]	100K0760
	01P15504	CONDENSER [CA] [OLD TYPE]	100K0760
	01P15505	CONDENSER [NEW TYPE]	100K0760
	01P157	AIR CONDITIONER HOSE / CONDENSER HOSE [NEW TYPE]	100K0760
	01P16002	COMPRESSOR [OLD TYPE]	100K0760
	01P16003	COMPRESSOR [NEW TYPE]	100K0760
	01P16502	COMPRESSOR BRACKET [[CA] NEW TYPE]	100K0760
FRONT/REAR TIRE	01R11002	FRONT WHEEL (12.4-24)	100K0760
	01R11003	FRONT WHEEL (12.4R24)	100K0760
	01R12003	REAR WHEEL (18.4-30)	100K0760
	01R12004	REAR WHEEL (18.4-30)	100K0760
	01R12005	REAR WHEEL (16.9-34)	100K0760
	01R12006	REAR WHEEL (16.9-34)	100K0760

Item	Part No.	Description	Book
FRONT/REAR TIRE	01R12007	REAR WHEEL (18.4R30)	100K0760
	01R12008	REAR WHEEL (18.4R30)	100K0760
LABELS	01S12001	LABEL (FRONT) [A]	100K0760
	01S13001	LABEL (REAR) [A]	100K0760
ACCESSORIES OPTION	01T110	ACCESSORIES AND SERVICE PARTS	100K0760
	01U130	WORKING LIGHT KIT [A] [OLD TYPE] [OPTION]	100K0760
	01U151	TRAILER SOCKET KIT [OPTION]	100K0760
	01U170	RADIO CASSETTE KIT [OPTION]	100K0760
	01U19001	REAR WIPER KIT [A] [OLD TYPE] [OPTION]	100K0760
	01U19002	REAR WIPER KIT [A] [NEW TYPE] [OPTION]	100K0760
	01U350	PTO(540/1000) CONVERSION KIT (GEAR CASE) [OPTION]	100K0760
	01U351	PTO(540/1000) CONVERSION KIT (GEAR) [OPTION]	100K0760
	01U360	BRAKE [OPTION]	100K0760
	01U520	FRONT WEIGHT BUMPER KIT [OPTION]	100K0760
	01U525	FRONT BUMPER KIT [OPTION]	100K0760
	01U70001	AUXILIARY CONTROL VALVE KIT (SCD) [OPTION]	100K0760
	01U70002	AUXILIARY CONTROL VALVE KIT (FD) [OPTION]	100K0760
	01U70003	AUXILIARY CONTROL VALVE KIT (SCD/FC) [OPTION]	100K0760
	01U70004	AUXILIARY CONTROL VALVE KIT (FC) [OPTION]	100K0760
	01U70501	AUXILIARY CONTROL VALVE (FD) [COMPONENT PARTS] [OPTION]	100K0760
	01U70502	AUXILIARY CONTROL VALVE (SCD/FC) [COMPONENT PARTS] [OPTION]	100K0760
	01U70503	AUXILIARY CONTROL VALVE (FC) [COMPONENT PARTS] [OPTION]	100K0760
	01U71001	AUXILAIRY CONTROL VALVE LEVER KIT (2ND) [A] [OLD TYPE] [OPTION]	100K0760
	01U71002	AUXILAIRY CONTROL VALVE LEVER KIT (2ND) [A] [NEW TYPE] [OPTION]	100K0760
	01U71003	AUXILAIRY CONTROL VALVE LEVER KIT (3RD) [OLD TYPE] [OPTION]	100K0760
	01U71004	AUXILAIRY CONTROL VALVE LEVER KIT (3RD) [NEW TYPE] [OPTION]	100K0760
	01U885	DRAWBAR/HITCH [OPTION]	100K0760
	01U940	REARVIEW MIRROR KIT [OLD TYPE] [OPTION]	100K0760



1G541-023-15

OLD PARTS




1G541-859-11



CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C011-01010	COMP.CRANKCASE	1	≤2Z1646			66	145.2
010	1C011-01019	COMP.CRANKCASE	1	≥3A0458	←		0	0
010	1C011-01040	COMP.CRANKCASE	1	≥3L0462	≠		88	193.6
020	15521-96020	PLUG	2				0.003	0.0066
030	1C010-96010	PLUG	1				0.012	0.0264
040	16683-96020	PLUG	1				0.07	0.154
050	15261-03370	CAP SEALING	4				0.005	0.011
060	15221-03380	CAP SEALING	9				0.017	0.0374
070	15221-03390	CAP SEALING	1				0.03	0.066
080	1C010-96160	PLUG EXPANSION	1				0.05	0.11
090	05012-00822	PIN STRAIGHT	1				0.01	0.022
090	05012-00820	PIN STRAIGHT	1		↔		0.008	0.0176
100	05012-01020	PIN STRAIGHT	2				0.013	0.0286
100	05012-01016	PIN STRAIGHT	2		↔		0.01	0.022
110	15221-33650	PIN PIPE	2				0.004	0.0088
120	1C010-33640	PIN GEAR CASE	1				0.019	0.0418
130	1C010-04560	BOLT BEARING CASE	10				0.13	0.286
140	99999-99999	BLANK	0				0	0
150	1C040-33210	PIPE OIL	1				0.025	0.055
160	99999-99999	BLANK	0				0	0
170	99999-99999	BLANK	0				0	0
180	1C010-37110	JOINT WATER PIPE	2	≤2X0970			0	0
180	1C010-37114	JOINT WATER PIPE	2	≥2Y0445	←		0.02	0.044
190	99999-99999	BLANK	0				0	0
200	1C011-01120	CRANKCASE	1				44	96.8
210	1C010-33650	PIN GEAR CASE	1				0.037	0.0814
215	1C010-33080	ASSY PLUG O/FILLER	1				0.018	0.0396
220	15852-33140	PLUG OIL FILLER	1				0.038	0.0836
220	E9151-33140	PLUG OIL FILLER	1		↔		0.017	0.0374
230	04811-50300	O RING	1				0	0
230	04817-50300	O RING	1		←		0.001	0.0022
240	15602-33110	FLANGE OIL FILLER	1				0.1	0.22
250	15625-32890	GASKET	1				0.001	0.0022
260	01754-50820	BOLT FLANGE	2				0.015	0.033




1C041-011-13



OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1G511-01500	COMP.OIL PAN	1				2.28	5.016
020	15707-33750	PLUG DRAIN	2				0.05	0.11
030	15451-96670	GASKET	2				0.003	0.0066
040	1C011-91010	BOLT FLANGE	20				0.1	0.22
050	01774-51014	BOLT FLANGE	6	≤3F1574			0.1	0.22
050	1C010-91100	BOLT OIL PAN	6	≥3G0442	←		0.02	0.044
060	1C011-32110	FILTER OIL	1				0.28	0.616
070	04814-00220	O RING	1				0.001	0.0022
080	01754-50814	BOLT FLANGE	2				0.005	0.011
090	1C010-36422	GUIDE OIL GAUGE	1				0.014	0.0308
100	1C010-36412	GAUGE OIL	1				0.04	0.088
110	15451-96300	CAP SEALING	1				0.002	0.0044






CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15471-01740	HOOK ENGINE	1				0.18	0.396
020	01754-50814	BOLT FLANGE	2				0.005	0.011
030	15221-91530	STUD	1				0.011	0.0242
040	99999-99999	BLANK	0				0	0
050	12234-67580	CLAMP CORD	1				0.012	0.0264
060	1C010-03023	ASSY CYLINDER HEAD	1	<=3M1641			0	0
060	1C010-03026	ASSY CYLINDER HEAD	1	>=3N0430	←		25	55
060	1G545-03020	ASSY CYLINDER HEAD	1	>=3W0001	≠		26.5	58.3
070	15221-03370	CAP SEALING	5				0.01	0.022
080	15221-03490	CAP SEALING	1				0.02	0.044
090	15261-96010	PLUG	4				0.002	0.0044
100	15521-96020	PLUG	1				0.003	0.0066
110	99999-99999	BLANK	0				0	0
120	1C010-03450	BOLT CYLINDER HEAD	18				0.1	0.22
130	1C020-03310	GASKET CYL.HEAD	1			STD	0.24	0.528
130	1C020-03600	GASKET CYL.HEAD	1			SUITABILITY	0.27	0.594
130	1C020-03610	GASKET CYL.HEAD	1			SUITABILITY	0.29	0.638
140	1C010-03004	KIT CYLINDER HEAD	1	<=3M1641		OPTION	0	0
140	1C010-03007	KIT CYLINDER HEAD	1	>=3N0430	←	OPTION	0	0
140	1G545-03002	KIT CYLINDER HEAD	1	>=3W0001	≠		0	0




1G511-004-12



GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1G511-04010	ASSY CASE GEAR	1	≤2P2016			0	0
010	1G511-04014	ASSY CASE GEAR	1	≥2Q0247	←		5.15	11.33
020	1C010-36950	SPRING	1				0.014	0.0308
030	1C010-36920	VALVE RELIEF	1	≤2P2016			0	0
030	1C010-36922	VALVE RELIEF	1	≥2Q0247	←		0.031	0.0682
040	15451-96670	GASKET	1				0.003	0.0066
050	1C010-36960	PLUG	1				0.05	0.11
060	1C010-35070	ASSY ROTOR OIL PUMP	1				0.3	0.66
070	1C010-35130	COVER OIL PUMP	1				0.13	0.286
080	03016-50616	SCREW CSK-HD	8				0.003	0.0066
090	1C010-96020	PLUG	3				0.022	0.0484
100	99999-99999	BLANK	0				0	0
110	99999-99999	BLANK	0				0	0
120	1C020-04140	SEAL OIL	1				0.044	0.0968
130	04814-00200	O RING	1				0.01	0.022
140	04814-00240	O RING	1				0.001	0.0022
150	1C010-04130	GASKET CRANKCASE	1				0.02	0.044
160	1C010-04162	PLATE GEAR CASE	1				4.1	9.02
170	01754-50855	BOLT FLANGE	13				0.02	0.044
180	01754-50875	BOLT FLANGE	2				0.03	0.066
190	58417-25950	ASSY GEAR CASE H/M	1				0.29	0.638
200	1C011-91020	BOLT	2				0.008	0.0176
210	16264-88130	GASKET H/METER UNIT	1				0.002	0.0044





HEAD COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C040-14500	ASSY COVER CYL.HEAD	1	<=3U2804			0	0
010	1C040-14503	ASSY COVER CYL.HEAD	1	>=3W0001	≠		1.98	4.356
020	16241-05550	JOINT BREATHER PIPE	1				0.02	0.044
030	1C010-14520	GASKET HEAD COVER	1				0.05	0.11
040	1C040-05130	GASKET BREATHER COV.	1				0.004	0.0088
050	1C040-05120	COVER BREATHER	1				0.04	0.088
060	03054-50508	SCREW PAN-HEAD	6				0.002	0.0044
070	06311-85016	CAP SEALING	2				0.003	0.0066
075	1C010-33080	ASSY PLUG O/FILLER	1				0.018	0.0396
080	15852-33140	PLUG OIL FILLER	1				0.038	0.0836
080	E9151-33140	PLUG OIL FILLER	1		↔		0.017	0.0374
090	04811-50300	O RING	1				0	0
090	04817-50300	O RING	1		←		0.001	0.0022
100	1C010-91020	BOLT	10				0.017	0.0374
110	15667-05050	ASSY PIPE BREATHER	1				0.12	0.264
120	15667-05510	PIPE BREATHER	1				0.1	0.22
130	16241-33510	BAND PIPE	1				0.005	0.011



CAMSHAFT AND IDLE GEAR SHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15601-15550	TAPPET	8				0.08	0.176
020	1C010-15110	PUSH ROD	8				0.054	0.1188
030	1C010-16012	ASSY CAMSHAFT	1				4.1	9.02
040	07715-01605	BALL	1				0.003	0.0066
050	1C010-16512	GEAR CAM	1				1	2.2
060	05712-00520	KEY FEATHER	1				0.004	0.0088
070	1C010-16270	STOPPER CAMSHAFT	1				0.08	0.176
080	01754-50816	BOLT FLANGE	2				0.011	0.0242
080	01754-50814	BOLT FLANGE	2		↔		0.005	0.011
090	1C010-24250	SHAFT IDLE GEAR	2				0.43	0.946
095	1C010-24520	PIN GEAR IDLE	2				0.032	0.0704
100	1C010-24360	COLLAR IDLE GEAR	2				0.034	0.0748
110	1C010-24370	COLLAR IDLE GEAR	2				0.089	0.1958
120	01754-50855	BOLT FLANGE	6				0.02	0.044
130	1C010-24012	COMP.GEAR IDLE	1				1.59	3.498
140	1C010-24982	BUSH IDLE GEAR	1				0.06	0.132
150	1C010-24022	COMP.GEAR IDLE	1				0.93	2.046
160	1C010-24982	BUSH IDLE GEAR	1				0.06	0.132



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C041-21110	PISTON	4			STD	0.79	1.738
010	1C041-21910	PISTON	4			+0.5mm	0.4	0.88
020	1C011-21050	ASSY PISTON RING	4			STD	0.05	0.11
020	1C011-21090	ASSY PISTON RING	4			+0.5mm	0.005	0.011
030	1C010-21310	PIN PISTON	4				0.31	0.682
040	04611-00300	CIR CLIP INTERNAL	8				0.004	0.0088
050	1C020-22014	ASSY ROD CONNECTING	4				1.23	2.706
060	1C010-21980	BUSH PISTON PIN	8				0.016	0.0352
070	1C010-22140	BOLT CONNECTING ROD	8				0.046	0.1012
080	1C020-22312	METAL CRANKPIN	4			STD/BLUE/SET	0.05	0.11
080	1C020-22332	METAL CRANKPIN	4			STD/SET	0.05	0.11
080	1C020-22962	METAL CRANKPIN	4			-0.2mm/GREEN/SET	0.04	0.088
080	1C020-22972	METAL CRANKPIN	4			-0.4mm/RED/SET	0.04	0.088
090	1C020-23012	COMP.CRANKSHAFT	1				26.1	57.42
090	1C050-23010	COMP.CRANKSHAFT	1		↔		0	0
100	1C010-23300	SLEEVE CRANKSHAFT	1				0.12	0.264
110	1C010-24112	GEAR CRANKSHAFT	1				0.39	0.858
120	05712-00515	KEY FEATHER	1				0.003	0.0066
130	1C010-35630	GEAR OIL PUMP DRIVE	1				0.16	0.352
140	08141-06203	BEARING BALL	1				0.064	0.1408
150	1C020-23470	METAL CRANKSHAFT	5			STD SET	0.05	0.11
150	1C020-23910	METAL CRANKSHAFT	5			-0.2mm	0.12	0.264
150	1C020-23920	METAL CRANKSHAFT	5			-0.4mm	0.12	0.264
160	1C010-23530	METAL SIDE	2			STD	0.018	0.0396
160	1C010-23950	METAL SIDE	2			+0.2mm	0.017	0.0374
160	1C010-23960	METAL SIDE	2			+0.4mm	0.019	0.0418
170	1C010-23540	METAL SIDE	2			STD	0.019	0.0418
170	1C010-23970	METAL SIDE	2			+0.2mm	0.02	0.044
170	1C010-23980	METAL SIDE	2			+0.4mm	0.02	0.044
180	07916-28992	KIT RING PISTON	4			STD	1.21	2.662
180	07916-24812	KIT RING PISTON	4			+0.5mm	1.23	2.706
190	07916-28940	KIT METAL ENGINE	1			STD	0.85	1.87
190	07916-28950	KIT METAL ENGINE	1			-0.2mm/+0.2mm	0.8	1.76
190	07916-28960	KIT METAL ENGINE	1			-0.4mm/+0.4mm	0.82	1.804




1G571-006-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

[illegible]



OLD PARTS




1G511-856-11



BALANCER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C011-26300	ASSY SHAFT BALANCER	1	≤2X0970			0	0
010	1C011-26302	ASSY SHAFT BALANCER	1	≥2Y0445	←		3.67	8.074
020	07715-00401	BALL	2				0.001	0.0022
030	05712-00415	KEY FEATHER	1				0.002	0.0044
040	1C011-26400	ASSY SHAFT BALANCER	1	≤2X0970			0	0
040	1C011-26402	ASSY SHAFT BALANCER	1	≥2Y0445	←		3.6	7.92
050	07715-00401	BALL	2				0.001	0.0022
060	05712-00415	KEY FEATHER	1				0.002	0.0044
070	01754-50816	BOLT FLANGE	4				0.011	0.0242
070	01754-50814	BOLT FLANGE	4		↔		0.005	0.011
080	1C011-26970	METAL BALANCER	2				0.1	0.22
090	1C011-26980	METAL BALANCER	2	≤2X0970			0.1	0.22
100	1C011-26990	METAL BALANCER	2				0.1	0.22




16541-020-11





INJECTION PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-51010	ASSY PUMP INJECTION	1	≤3U2804			2.88	6.336
010	1K012-51012	ASSY PUMP INJECTION	1	≥3W0001	≠		2.82	6.204
020	1C010-52110	SHIM INJECTION PUMP	1				0.009	0.0198
030	01754-50825	BOLT FLANGE	3				0.01	0.022
040	02751-50080	NUT FLANGE	3				0.006	0.0132
050	15401-95690	JOINT EYE	1				0.04	0.088
060	14311-60504	ASSY COCK JET START	1				0.034	0.0748
070	1C010-52032	ASSY PUMP FUEL	1				0.13	0.286
080	16264-52140	GASKET FUEL PUMP	1				0.001	0.0022
090	02751-50060	NUT FLANGE	2				0.005	0.011
100	1C010-51320	SCREW HOLLOW	1				0.04	0.088
110	15401-96650	GASKET	2				0.001	0.0022




OLD PARTS



1G541-854-12

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-56750	COVER GOVERNOR ROD	1				0.007	0.0154
020	1C020-55050	ASSY WEIGHT GOVERNOR	1				0.2	0.44
030	02771-50120	NUT FLANGE	1				0.018	0.0396
040	1C020-55452	SLEEVE GOVERNOR	1				0.06	0.132
050	1C010-55100	HOUSING GOVERNOR	1	≤2Q9814			0	0
050	1C010-55104	HOUSING GOVERNOR	1	≥2S0413	←		0.65	1.43
060	1C010-56023	ASSY LEVER(GOVERNOR)	1				0.08	0.176
070	04811-10070	O RING	2	≤2F0224			0.001	0.0022
070	04814-10070	O RING	2	≥2G0462	←		0.001	0.0022
080	1C010-60150	LEVER STOP	1				0.016	0.0352
090	04613-50120	CIR CLIP EXTERNAL	1				0.001	0.0022
100	15221-14430	WASHER R-ARM.SHAFT	1				0.002	0.0044
105	1K012-57100	KIT LEVER	1	≤2Q9814			0.06	0.132
110	1C010-57510	SPRING	1	≤2Q9814		NOT SALE ORDER BY REF.No.105	0.009	0.0198
110	1K012-57510	SPRING	1	≤2Q9814	←	OPTION	0.009	0.0198
110	1C010-57512	SPRING	1	≥2S0413	≠		0.009	0.0198
120	1C010-57150	LEVER SPEED CONTROL	1	≤2Q9814		NOT SALE ORDER BY REF.No.105	0	0
120	1K012-57150	LEVER SPEED CONTROL	1	≥2S0413	≠		0.054	0.1188
130	05411-00416	PIN SPRING	1				0.001	0.0022
140	1C010-57700	ASSY LEVER ENG.STOP	1				0.053	0.1166
150	04811-10070	O RING	1	≤2F0224			0.001	0.0022
150	04814-10070	O RING	1	≥2G0462	←		0.001	0.0022
160	15471-57920	SPRING RETURN	1				0.005	0.011
170	1C010-57620	LEVER ENGINE STOP	1				0.044	0.0968
180	05411-00416	PIN SPRING	1				0.001	0.0022
190	15221-56280	PIN START SPRING	1				0.006	0.0132
200	1C040-54610	SHAFT BOOST	1				0.005	0.011
210	1C010-94510	PIN STRAIGHT	1				0.01	0.022
220	15707-33360	JOINT UNION	1				0.022	0.0484
230	1C010-33320	ASSY PIPE I.P OIL	1				0.06	0.132
240	17371-95800	BOLT EYE JOINT	1				0.025	0.055
250	15471-96650	GASKET	2				0.002	0.0044
250	1C020-96650	GASKET	1		↔		0.001	0.0022
260	1C010-51620	BRACKET PUMP	1				0.232	0.5104
270	3G700-10450	HOLDER WIRE	1				0.2	0.44
280	01754-50816	BOLT FLANGE	2				0.011	0.0242
280	01754-50814	BOLT FLANGE	2		↔		0.005	0.011
290	02751-50080	NUT FLANGE	2				0.006	0.0132




1G541-018-14



NOZZLE HOLDER AND GLOW PLUG

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-42500	ASSY PIPE OVER FLOW	1				0.06	0.132
020	1C010-42400	ASSY PIPE OVER FLOW	1				0.01	0.022
030	09661-40170	TUBE FUEL	1				0.009	0.0198
040	14971-42750	CLIP PIPE	2				0.001	0.0022
050	1C010-53900	KIT HOLDER NOZZLE	4				0.16	0.352
060	1C010-53000	ASSY HOLDER NOZZLE	4				0.15	0.33
070	99999-99999	BLANK	0				0	0
080	99999-99999	BLANK	0				0	0
090	15841-53622	GASKET	4				0.002	0.0044
100	19077-53650	SEAL HEAT	4				0.005	0.011
110	1C010-53710	PIPE INJECTION	1				0.13	0.286
120	1C010-53720	PIPE INJECTION	1				0.13	0.286
130	1C010-53730	PIPE INJECTION	1				0.13	0.286
140	1C010-53740	PIPE INJECTION	1				0.13	0.286
150	15841-53850	CLAMP PIPE	3				0.01	0.022
160	15841-53860	CLAMP PIPE	3				0.009	0.0198
170	03024-50520	SCREW WITH WASHER	3				0.004	0.0088
180	16415-65510	GLOW PLUG	4				0.03	0.066
190	1C010-65560	CORD GLOW PLUG	1				0.02	0.044
200	02761-50040	NUT FLANGE	4				0.002	0.0044
210	1C010-42040	ASSY PIPE OVER FLOW	2				0.005	0.011
220	09661-40070	TUBE FUEL	2				0.003	0.0066
230	14971-42750	CLIP PIPE	4				0.001	0.0022
240	1C010-42460	VALVE FUEL CHACK	1				0.006	0.0132
250	15101-42570	JOINT PIPE	1				0.006	0.0132
260	1C011-42012	ASSY TUBE FUEL	1				0.066	0.1452
270	14911-42750	CLIP PIPE	2				0.002	0.0044
280	09661-70525	TUBE FUEL	1				0.07	0.154




1G541-021-11




NOZZLE HOLDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
005	1C010-53900	KIT HOLDER NOZZLE	4				0.16	0.352
010	1C010-53000	ASSY HOLDER NOZZLE	4				0.15	0.33
020	15841-92030	NUT	4				0.005	0.011
030	15841-53230	WASHER ADJUSTING	4				0.001	0.0022
040	1C010-53170	SPRING NOZZLE	4				0.003	0.0066
050	15841-53350	PIECE DISTANCE	4				0.004	0.0088
060	15841-53160	PUSH ROD	4				0.001	0.0022
070	16475-53280	NUT NOZZLE	4				0.03	0.066
080	15841-94040	WASHER	4				0.001	0.0022
090	1C010-53610	PIECE NOZZLE	4				0.27	0.594
100	15841-98100	ASSY WASHER ADJUST	4				0.043	0.0946
110	15841-53230	WASHER ADJUSTING	4			0.900mm	0.001	0.0022
110	15841-98510	WASHER ADJUSTING	4			0.925mm	0.001	0.0022
110	15841-98520	WASHER ADJUSTING	4			0.950mm	0.001	0.0022
110	15841-98530	WASHER ADJUSTING	4			0.975mm	0.001	0.0022
110	15841-98540	WASHER ADJUSTING	4			1.000mm	0.001	0.0022
110	15841-98550	WASHER ADJUSTING	4			1.025mm	0.001	0.0022
110	15841-98560	WASHER ADJUSTING	4			1.050mm	0.001	0.0022
110	15841-98570	WASHER ADJUSTING	4			1.075mm	0.001	0.0022
110	15841-98580	WASHER ADJUSTING	4			1.100mm	0.001	0.0022
110	15841-98590	WASHER ADJUSTING	4			1.125mm	0.001	0.0022
110	15841-98600	WASHER ADJUSTING	4			1.150mm	0.001	0.0022
110	15841-98610	WASHER ADJUSTING	4			1.175mm	0.001	0.0022
110	15841-98620	WASHER ADJUSTING	4			1.200mm	0.001	0.0022
110	15841-98630	WASHER ADJUSTING	4			1.225mm	0.001	0.0022
110	15841-98640	WASHER ADJUSTING	4			1.250mm	0.001	0.0022
110	15841-98650	WASHER ADJUSTING	4			1.275mm	0.001	0.0022
110	15841-98660	WASHER ADJUSTING	4			1.300mm	0.001	0.0022
110	15841-98670	WASHER ADJUSTING	4			1.325mm	0.001	0.0022
110	15841-98680	WASHER ADJUSTING	4			1.350mm	0.001	0.0022
110	15841-98690	WASHER ADJUSTING	4			1.375mm	0.001	0.0022
110	15841-98700	WASHER ADJUSTING	4			1.400mm	0.001	0.0022
110	15841-98710	WASHER ADJUSTING	4			1.425mm	0.001	0.0022
110	15841-98720	WASHER ADJUSTING	4			1.450mm	0.001	0.0022
110	15841-98730	WASHER ADJUSTING	4			1.475mm	0.001	0.0022
110	15841-98740	WASHER ADJUSTING	4			1.500mm	0.001	0.0022
110	15841-98750	WASHER ADJUSTING	4			1.525mm	0.001	0.0022
110	15841-98760	WASHER ADJUSTING	4			1.550mm	0.001	0.0022
110	15841-98770	WASHER ADJUSTING	4			1.575mm	0.001	0.0022
110	15841-98780	WASHER ADJUSTING	4			1.600mm	0.002	0.0044
110	15841-98790	WASHER ADJUSTING	4			1.625mm	0.001	0.0022
110	15841-98800	WASHER ADJUSTING	4			1.650mm	0.001	0.0022
110	15841-98810	WASHER ADJUSTING	4			1.675mm	0.004	0.0088
110	15841-98820	WASHER ADJUSTING	4			1.700mm	0.001	0.0022
110	15841-98830	WASHER ADJUSTING	4			1.725mm	0.001	0.0022
110	15841-98840	WASHER ADJUSTING	4			1.750mm	0.001	0.0022
110	15841-98850	WASHER ADJUSTING	4			1.775mm	0.001	0.0022
110	15841-98860	WASHER ADJUSTING	4			1.800mm	0.001	0.0022
110	15841-98870	WASHER ADJUSTING	4			1.825mm	0.001	0.0022
110	15841-98880	WASHER ADJUSTING	4			1.850mm	0.001	0.0022
110	15841-98890	WASHER ADJUSTING	4			1.875mm	0.001	0.0022
110	15841-98900	WASHER ADJUSTING	4			1.900mm	0.001	0.0022
110	15841-98910	WASHER ADJUSTING	4			1.925mm	0.001	0.0022
110	15841-98920	WASHER ADJUSTING	4			1.950mm	0.001	0.0022
120	15841-53622	GASKET	4				0.002	0.0044
130	19077-53650	SEAL HEAT	4				0.005	0.011



OLD PARTS



1G571-805-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-51170	BASE INJECTION PUMP	1				1.16	2.552
010	1C010-51174	BASE INJECTION PUMP	1		↔		1.16	2.552
020	01513-60825	STUD	3				0.012	0.0264
030	1C010-51180	GASKET I/P BASE	1				0.006	0.0132
040	05012-00614	PIN STRAIGHT	1				0.004	0.0088
050	01754-50816	BOLT FLANGE	3				0.011	0.0242
050	01754-50814	BOLT FLANGE	3		↔		0.005	0.011
060	01754-50825	BOLT FLANGE	1				0.01	0.022
070	99999-99999	BLANK	0				0	0
080	01754-50875	BOLT FLANGE	5				0.03	0.066
090	01754-50614	BOLT FLANGE	3				0.005	0.011
100	1C010-51650	COVER INJ.PUMP	1				0.36	0.792
110	1C010-51660	GASKET I/P COVER	1				0.003	0.0066
120	99999-99999	BLANK	0				0	0
130	99999-99999	BLANK	1				0	0
140	99999-99999	BLANK	0				0	0
150	1G571-50050	PUMP INJECTION UNIT	1	<=3U2804			8.25	18.15
150	1G573-50050	PUMP INJECTION UNIT	1	>=3W0001	≠		0	0
160	1C010-50800	ASSY HOUSING I/P	1				1.18	2.596
170	01513-50616	STUD	2				0.004	0.0088
180	01513-50818	STUD	3				0.009	0.0198
190	05012-00609	PIN STRAIGHT	2				0.003	0.0066
200	1C010-55140	PLUG I/P HOUSING	1				0.05	0.11
210	05012-00512	PIN STRAIGHT	2				0.002	0.0044
220	1C010-16170	CAMSHAFT FUEL	1	<=2M0854			0	0
220	1C010-16172	CAMSHAFT FUEL	1	>=2N0462	←		0	0
220	1C010-16174	CAMSHAFT FUEL	1	>=3N0430	←		0.97	2.134
230	08153-06304	BEARING BALL	1	<=3S1968			0.15	0.33
230	1G527-16570	BEARING BALL	1	>=3U0001	≠		0.14	0.308
240	08101-06203	BEARING BALL	1				0.063	0.1386
250	04612-00200	CIR CLIP EXTERNAL	1				0.001	0.0022
260	12331-95230	KEY WOODRUFF	1				0.01	0.022
270	1C020-16320	STOPPER FUEL C/SHAFT	1				0.15	0.33
280	03016-50616	SCREW CSK-HD	4				0.003	0.0066
290	99999-99999	BLANK	0				0	0
300	1C010-16210	COVER FUEL CAMSHAFT	1				0.09	0.198
310	1C010-16220	GASKET SHAFT COVER	1				0.001	0.0022
320	13901-91020	BOLT	4				0.005	0.011
330	1C010-52130	GASKET INJ.PUMP	1				0.001	0.0022
340	1C010-51152	GEAR INJECTION PUMP	1				1.07	2.354
350	02776-50140	NUT UBS	1				0.03	0.066
360	02751-50080	NUT FLANGE	3				0.006	0.0132
370	01754-50814	BOLT FLANGE	2				0.005	0.011
380	15021-33660	GASKET	2				0.001	0.0022



FORK LEVER (GOVERNOR)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-56030	ASSY LEVER FORK	1	≤4G2951			0.21	0.462
010	1G545-56030	ASSY LEVER FORK	1	≥4J0001	←		0	0
020	04013-60050	WASHER PLAIN	1				0.001	0.0022
030	04613-50040	CIR CLIP EXTERNAL	1				0.001	0.0022
040	04613-50050	CIR CLIP EXTERNAL	2				0.001	0.0022
050	04613-50030	CIR CLIP EXTERNAL	1				0.001	0.0022
060	1C010-56150	SHAFT FORK LEVER	1				0.023	0.0506
070	1C010-56412	SPRING GOVERNOR	1	≤3Y2170			0.005	0.011
070	1G545-56410	SPRING GOVERNOR	1	≥4A0001	←		0.006	0.0132
080	1C010-56480	SPRING START	1				0.001	0.0022
090	1C010-57920	SPRING STOP LEVER	1				0.001	0.0022
100	01518-50820	STUD	2				0.012	0.0264
110	1C010-55770	GASKET GOV.HOUSING	1				0.001	0.0022
120	01754-50618	BOLT FLANGE	7				0.01	0.022
130	15272-67580	CLAMP CORD	1				0.021	0.0462
140	02556-50050	NUT LOCK	1	≤2Q9814			0.002	0.0044
140	1C010-92020	NUT LOCK	1	≥2S0413	←		0.001	0.0022
150	15108-57280	STOPPER	1				0.008	0.0176
160	02056-50060	NUT	1				0.002	0.0044



1G571-008-14

OLD PARTS




1G571-804-11



GOVERNOR ADJUSTING BOLT [OLD TYPE]
S.No.;<=4E2638

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-54150	BOLT ADJUSTING	1				0.005	0.011
020	1C010-54120	BOLT ADJUSTING	2				0.008	0.0176
030	15841-54122	BOLT ADJUSTING	1	<=3U2804			0.008	0.0176
030	15841-54122	BOLT ADJUSTING	2	>=3W0001			0.008	0.0176
040	15531-54120	BOLT ADJUSTING	1	<=3U2804			0.009	0.0198
050	15841-92020	NUT	3				0.004	0.0088
060	1G031-54210	NUT LOCK	2				0.003	0.0066
070	15852-92330	NUT	2				0.005	0.011
080	15841-92330	NUT	1	<=3U2804			0.006	0.0132
080	15841-92330	NUT	2	>=3W0001			0.006	0.0132
090	15852-92330	NUT	1	<=3U2804			0.005	0.011
100	15601-96650	GASKET	9				0.001	0.0022
110	16221-54420	CAP	2				0.001	0.0022
120	15841-54100	ASSY BOLT ADJUSTMENT	1	<=3U2804			0.009	0.0198
120	1C010-54102	ASSY BOLT ADJUSTMENT	1	>=3W0001	≠		0.01	0.022
130	15841-54260	SPRING	1			NOT SALE	0.001	0.0022
140	15261-92020	NUT	1				0.004	0.0088
150	15021-33660	GASKET	1				0.001	0.0022
160	16221-54420	CAP	1				0.001	0.0022
170	15841-54270	CAP	1				0.001	0.0022
180	99999-99999	PIPE LOCK	2				0	0
190	15852-92330	NUT	1				0.005	0.011
200	15601-96650	GASKET	1				0.001	0.0022
210	15841-54220	NUT	1				0.006	0.0132
220	15021-33660	GASKET	1				0.001	0.0022



1G571-008-31




GOVERNOR ADJUSTING BOLT [NEW TYPE]
S.No.;>=4G0001

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-54150	BOLT ADJUSTING	1				0.005	0.011
020	1G031-54210	NUT LOCK	1				0.003	0.0066
030	1A021-54120	BOLT ADJUSTING	1				0.009	0.0198
040	15841-92020	NUT	1				0.004	0.0088
050	1G545-54120	BOLT ADJUSTING	1				0	0
060	1G031-54210	NUT LOCK	1				0.003	0.0066
070	15841-54123	BOLT ADJUSTING	2				0.008	0.0176
080	15841-92020	NUT	2				0.004	0.0088
090	15852-92330	NUT	2				0.005	0.011
100	15841-92330	NUT	2				0.006	0.0132
110	15601-96650	GASKET	9				0.001	0.0022
120	16221-54420	CAP	2				0.001	0.0022
130	1C010-54102	ASSY BOLT ADJUSTMENT	1				0.01	0.022
140	15261-92020	NUT	1				0.004	0.0088
150	15021-33660	GASKET	1				0.001	0.0022
160	16221-54420	CAP	1				0.001	0.0022
170	15841-54270	CAP	1				0.001	0.0022
180	15852-92330	NUT	1				0.005	0.011
190	15601-96650	GASKET	1				0.001	0.0022
200	15841-54220	NUT	1				0.006	0.0132
210	15021-33660	GASKET	1				0.001	0.0022

FUEL FILTER




1G511-011-12




FUEL FILTER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G700-04700	ASSY TUBE FUEL	1				0.06	0.132
020	09661-70460	TUBE FUEL	1				0.06	0.132
030	14911-42750	CLIP PIPE	2				0.002	0.0044
040	99999-99999	BLANK	0				0	0
050	1C011-43013	ASSY FILTER FUEL	1				0.78	1.716
060	1C011-43330	GASKET	1				0.002	0.0044
070	16631-43560	ELEMENT FUEL FILTER	1				0.42	0.924
080	01774-51030	BOLT FLANGE	2				0.02	0.044
090	15841-51360	SCREW AIR BREEDER	1				0.008	0.0176
100	15601-96650	GASKET	1				0.001	0.0022
110	1C011-42400	ASSY PIPE OVER FLOW	1				0.009	0.0198
120	09661-40150	TUBE FUEL	1				0.008	0.0176
130	14971-42750	CLIP PIPE	2				0.001	0.0022



OLD PARTS



1G541-855-30




WATER FLANGE AND THERMOSTAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-73350	PIPE WATER RETURN	1	<=3U2804			0.02	0.044
010	1C010-73352	PIPE WATER RETURN	1	>=3W0001	←		0.02	0.044
020	09318-88200	CLAMP HOSE	2				0.004	0.0088
030	15451-73260	COVER THERMOSTAT	1	<=3K1944		ORDER BY REF.No.030 040and060 NEW PART	0.132	0.2904
030	1C020-73260	COVER THERMOSTAT	1	>=3L0462	≠		0.18	0.396
040	1C010-73270	GASKET	1	<=3K1944		ORDER BY REF.No.030 040and060 NEW PART	0.004	0.0088
040	1C020-73270	GASKET	1	>=3L0462	≠	NOT SALE	0.001	0.0022
040	1C020-73272	GASKET	1	>=4L0001	←		0.001	0.0022
050	01754-50825	BOLT FLANGE	3				0.01	0.022
060	1C011-72700	COMP.FLANGE WATER	1	<=2X0970		ORDER BY REF.No.030 040and060 NEW PART	0	0
060	1C011-72705	COMP.FLANGE WATER	1	>=2Y0445	←	ORDER BY REF.No.030 040and060 NEW PART	1.09	2.398
060	1C011-72706	COMP.FLANGE WATER	1	>=3L0462	≠		1.09	2.398
070	1C010-72810	COVER WATER FLANGE	1	<=3K1944			0.24	0.528
080	1C010-72922	GASKET WATER FLANGE	1	<=3K1944			0.01	0.022
090	01754-50816	BOLT FLANGE	4	<=3K1944			0.011	0.0242
100	1C010-37110	JOINT WATER PIPE	1	<=2X0970			0	0
100	1C010-37114	JOINT WATER PIPE	1	>=2Y0445	←		0.02	0.044
110	99999-99999	BLANK	0				0	0
120	1C010-72820	GASKET WATER FLANGE	1				0.001	0.0022
130	1C011-73010	ASSY THERMOSTAT	1				0.09	0.198
140	16241-96020	PLUG	2				0.015	0.033
150	15109-33630	PLUG DRAIN	1				0.025	0.055
160	15109-33660	GASKET	1				0.001	0.0022
170	01754-50850	BOLT FLANGE	1				0.02	0.044
180	01754-50825	BOLT FLANGE	3				0.01	0.022

WATER PUMP



1C041-010-11

OLD PARTS




1G541-856-12



WATER PUMP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-73030	ASSY PUMP WATER	1				0	0
020	1C010-73430	GASKET WATER PUMP	1				0.003	0.0066
030	1C011-73060	ASSY SUPPORT W/P	1	≤2X0970			0	0
030	1C011-73066	ASSY SUPPORT W/P	1	≥2Y0445	←		0.92	2.024
040	1C010-37110	JOINT WATER PIPE	1	≤2X0970			0	0
040	1C010-37114	JOINT WATER PIPE	1	≥2Y0445	←		0.02	0.044
050	16241-05550	JOINT BREATHER PIPE	1				0.02	0.044
060	99999-99999	BLANK	0				0	0
070	04814-00420	O RING	1				0.002	0.0044
080	01754-50880	BOLT FLANGE	4				0.03	0.066
090	01754-50830	BOLT FLANGE	2				0.05	0.11




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16241-13540	GUIDE INLET VALVE	8	≤3Q9760			0.02	0.044
010	16261-13540	GUIDE INLET VALVE	8	≥3S0001	≠		0.02	0.044
020	17321-13560	GUIDE EXHAUST VALVE	4	≤3Y2170			0.02	0.044
020	1C010-13560	GUIDE VALVE EXHAUST	4	≥4A0001	≠		0.025	0.055
030	1C010-13110	VALVE INLET	8				0.05	0.11
040	1C010-13120	VALVE EXHAUST	4				0.08	0.176
050	1C010-13240	SPRING VALVE	8				0.02	0.044
060	15221-13240	SPRING VALVE	4				0.036	0.0792
070	16241-13330	RETAINER VALVE SP.	8	≤3Q9760			0.015	0.033
070	16261-13330	RETAINER VALVE SP.	8	≥3S0001	←		0.016	0.0352
080	15221-13330	RETAINER VALVE SP.	4				0.03	0.066
090	15261-13360	COLLET VALVE SPRING	8			SET	0.001	0.0022
100	15221-13980	COLLET VALVE SPRING	4			SET	0.002	0.0044
110	1C010-13150	SEAL VALVE STEM	8				0.002	0.0044
120	1C010-13160	SEAL VALVE STEM	4				0.002	0.0044
125	1C010-13482	SHAFT VALVE	4				0.001	0.0022
130	1C010-14050	ASSY SHAFT R-ARM	1				0.51	1.122
135	03410-00808	SCREW SET	2				0.002	0.0044
135	03410-50808	SCREW SET	2		↔		0.002	0.0044
140	1C010-14350	BRACKET ROCKER ARM	4				0.063	0.1386
150	05411-00528	PIN SPRING	1				0.003	0.0066
160	1C010-14430	WASHER	2				0.002	0.0044
170	04612-00160	CIR CLIP EXTERNAL	2				0.001	0.0022
180	1C020-14310	SPRING	3				0.01	0.022
190	1C010-14020	ASSY ROCKER ARM IN.	4				0.12	0.264
200	15521-14230	SCREW ADJUSTING	4				0.009	0.0198
210	15021-14240	NUT	4				0.003	0.0066
220	1C010-14150	ASSY ROCKER ARM EXH.	4				0.11	0.242
230	15521-14230	SCREW ADJUSTING	4				0.009	0.0198
240	15021-14240	NUT	4				0.003	0.0066
250	01774-51060	BOLT FLANGE	4				0.04	0.088
260	1C020-13460	ASSY ARM VALVE	4				0.062	0.1364
270	1C010-14280	SCREW ADJUSTMENT	4				0.005	0.011
280	16241-14240	NUT	4				0.004	0.0088
290	1C010-13490	PAD	4				0.003	0.0066
300	15221-13280	CAP VALVE	4				0.006	0.0132
310	1C010-03023	ASSY CYLINDER HEAD	1	≤3M1641			0	0
310	1C010-03026	ASSY CYLINDER HEAD	1	≥3N0430	←		25	55
310	1G545-03020	ASSY CYLINDER HEAD	1	≥3W0001	≠		26.5	58.3








1G541-017-10




OLD PARTS




3A791-803-11



3A150-149-10



OLD PARTS




3A111-841-11



MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	01517-61025	STUD	4				0.02	0.044
020	3A111-12202	STAY MUFFLER	1	<=55588			0	0
020	3A111-12203	STAY MUFFLER	1	>=55589	←		0.5	1.1
030	01774-61020	BOLT FLANGE	2				0.022	0.0484
040	3A751-12112	MUFFLER	1				6.8	14.96
050	1C011-12230	GASKET MUFFLER	1				0.014	0.0308
060	04512-60100	WASHER SPRING	4				0.002	0.0044
070	02176-50100	NUT	4				0.005	0.011
080	3A111-12152	COVER MUFFLER	1				0.125	0.275
090	30400-19060	BOLT FLANGE	1				0.006	0.0132
100	3A111-12122	PIPE MUFFLER	1				1.12	2.464
110	15416-12130	BAND MUFFLER PIPE	1				0.1	0.22
120	35999-02550	COLLAR	1				0.01	0.022
130	01754-50835	BOLT FLANGE	1				0.019	0.0418
140	02751-50080	NUT FLANGE	1				0.006	0.0132
150	01754-50816	BOLT FLANGE	2				0.011	0.0242




1G541-004-12



TURBO CHARGER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C041-17010	ASSY TURBO CHARGER	1				4.2	9.24
020	1C041-17200	ASSY HOSE	1				0.01	0.022
030	17371-17220	CLAMP HOSE	2				0.001	0.0022
040	1C040-17100	GASKET	1				0.012	0.0264
050	01513-60820	STUD	2				0.015	0.033
055	02751-50080	NUT FLANGE	2				0.006	0.0132
060	01754-50875	BOLT FLANGE	2				0.03	0.066
070	1C041-12320	FLANGE MUFFLER	1				1.8	3.96
080	1C040-17110	GASKET	1				0.008	0.0176
090	01754-50870	BOLT FLANGE	2				0.028	0.0616
100	01754-50835	BOLT FLANGE	2				0.019	0.0418
110	01754-50825	BOLT FLANGE	2				0.01	0.022



1G521-018-12

OLD PARTS




1G521-808-10



ACTUATOR



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C040-54070	ASSY ACTUATOR BOOST	1				0.098	0.2156
020	04811-00160	O RING	1				0	0
020	04817-00160	O RING	1				0.001	0.0022
030	1C040-54620	SPACER BOOST ARM	1	≤3U2804			0.005	0.011
040	1C040-54580	ARM BOOST	1	≤3U2804			0.01	0.022
040	1G572-54600	ASSY ARM BOOST	1	≥3W0001	←		0.012	0.0264
050	1C040-54590	ARM BOOST	1	≤3U2804			0.009	0.0198
050	1G572-54590	ARM BOOST	1	≥3W0001	←		0.009	0.0198
060	1C040-54750	SPRING BOOST	1	≤3U2804			0.002	0.0044
060	1G572-54750	SPRING BOOST	1	≥3W0001	←		0.002	0.0044
070	04613-50040	CIR CLIP EXTERNAL	1				0.001	0.0022
080	1C040-54050	ASSY PIPE BOOST	1				0.012	0.0264
090	09661-40210	TUBE FUEL	1				0.01	0.022
100	14971-42750	CLIP PIPE	2				0.001	0.0022
110	1C040-53870	CLAMP PIPE	1				0.001	0.0022



1G541-009-11

OLD PARTS




1G541-860-10



OIL PIPE (TURBO CHARGER)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C040-33040	COMP.PIPE OIL	1				0.001	0.0022
020	17371-95800	BOLT EYE JOINT	1				0.025	0.055
030	15471-96650	GASKET	2				0.002	0.0044
030	1C020-96650	GASKET	1		↔		0.001	0.0022
040	15471-95790	BOLT EYE JOINT	1				0.02	0.044
050	15021-33660	GASKET	2				0.001	0.0022
060	1C040-33060	COMP.PIPE OIL	1	≤3W2613			0.2	0.44
060	1C040-33063	COMP.PIPE OIL	1	≥3Y0001	≠		0.2	0.44
070	16299-33670	GASKET	1	≤3W2613			0	0
070	1C040-33670	GASKET	1	≥3Y0001	←		0.001	0.0022
080	01754-50618	BOLT FLANGE	2	≤3W2613			0.01	0.022
080	01754-50612	BOLT FLANGE	2	≥3Y0001	≠		0.005	0.011
090	15471-33240	PIPE OIL	1				0.04	0.088
100	09318-88230	CLAMP HOSE	2				0.008	0.0176
110	33430-82760	PIN BAND	1				0.004	0.0088
120	67111-53770	BAND PIPE	1				0.01	0.022
120	1A024-33520	BAND PIPE	1		↔		0.007	0.0154




3A750-004-13



INTERCOOLER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-19360	HOSE	1				1	2.2
020	15401-11720	BAND PIPE	2				0.03	0.066
030	1G571-17500	ASSY INTERCOOLER	1				2.2	4.84
040	01754-50614	BOLT FLANGE	2				0.005	0.011
050	01754-50816	BOLT FLANGE	2				0.011	0.0242
060	3A151-15100	NET INTERCOOLER	1				0.15	0.33
070	01811-50610	BOLT WING	1				0.014	0.0308
080	3A751-19370	HOSE	1				1.63	3.586
090	15401-11720	BAND PIPE	1				0.03	0.066
100	68811-42270	BAND PIPE	1				0.04	0.088
100	35466-74460	BAND PIPE	1		←		0.038	0.0836




1G541-011-11

[illegible]



1G571-009-15

OLD PARTS




1G531-809-10







OIL COOLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C020-32430	CARTRIDGE OIL FILTER	1				0.55	1.21
015	1C010-33080	ASSY PLUG O/FILLER	1				0.018	0.0396
020	15852-33140	PLUG OIL FILLER	1				0.038	0.0836
020	E9151-33140	PLUG OIL FILLER	1				0.017	0.0374
030	04811-50300	O RING	1				0	0
030	04817-50300	O RING	1				0.001	0.0022
040	1C010-37010	ASSY COOLER OIL	1				0.83	1.826
045	15484-37070	GASKET OIL COOLER	1				0.009	0.0198
050	1C010-32280	NUT	1	≤2P2016			0.025	0.055
060	1C010-32290	JOINT	1	≤2P2016			0	0
060	1C010-32292	JOINT	1	≥2Q0247	←		0.13	0.286
070	1C010-37150	PIPE OIL COOLER	1				0.025	0.055
080	09318-88200	CLAMP HOSE	2				0.004	0.0088
090	1C010-37160	PIPE OIL COLLER	1				0.12	0.264
100	1C010-37172	PIPE OIL COLLER	1				0.024	0.0528
110	09318-88200	CLAMP HOSE	2				0.004	0.0088
120	1C010-37182	PIPE OIL COLLER	1				0.023	0.0506
130	09318-88200	CLAMP HOSE	2				0.004	0.0088
140	01754-50814	BOLT FLANGE	1				0.005	0.011



OLD PARTS




1G511-865-10



UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	07916-27327	KIT GASKET UPPER	1	≤3K1944			0.58	1.276
010	07916-27328	KIT GASKET UPPER	1	≥3L0462	≠		0.541	1.1902
020	99999-99999	BLANK	0				0	0
030	1C020-03310	GASKET CYL.HEAD	1				0.24	0.528
040	1C010-13150	SEAL VALVE STEM	8				0.002	0.0044
050	1C010-13160	SEAL VALVE STEM	4				0.002	0.0044
060	1C010-14520	GASKET HEAD COVER	1				0.05	0.11
070	04811-50300	O RING	1				0	0
070	04817-50300	O RING	1		←		0.001	0.0022
080	15841-53622	GASKET	4				0.002	0.0044
090	19077-53650	SEAL HEAT	4				0.005	0.011
100	1C010-11820	GASKET IN-MANIFOLD	1				0.01	0.022
110	15601-96650	GASKET	1				0.001	0.0022
120	1C010-12352	GASKET EX-MANIFOLD	1				0.001	0.0022
130	1C011-12230	GASKET MUFFLER	1				0.014	0.0308
140	1C040-17100	GASKET	1				0.012	0.0264
150	1C040-17110	GASKET	1				0.008	0.0176
160	15471-96650	GASKET	2				0.002	0.0044
160	1C020-96650	GASKET	1		↔		0.001	0.0022
170	15021-33660	GASKET	2				0.001	0.0022
180	16299-33670	GASKET	1	≤3W2613			0	0
180	1C040-33670	GASKET	1	≥3Y0001	←		0.001	0.0022
190	15601-96650	GASKET	1				0.001	0.0022
200	1C010-73270	GASKET	1	≤3K1944			0.004	0.0088
200	1C020-73270	GASKET	1	≥3L0462	≠	NOT SALE	0.001	0.0022
200	1C020-73272	GASKET	1	≥4L0001	←		0.001	0.0022
210	1C010-72922	GASKET WATER FLANGE	1	≤3K1944			0.01	0.022
220	1C010-72820	GASKET WATER FLANGE	1				0.001	0.0022
230	15109-33660	GASKET	1				0.001	0.0022
240	1C040-05130	GASKET BREATHER COV.	1				0.004	0.0088



OLD PARTS



160


1G541-864-10



LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	07916-27336	KIT GASKET LOWER	1				0.34	0.748
020	15021-33660	GASKET	1				0.001	0.0022
030	15451-96670	GASKET	2				0.003	0.0066
040	15451-96670	GASKET	1				0.003	0.0066
050	04724-00200	GASKET	1			OUT OF USE	0.003	0.0066
060	1C020-04140	SEAL OIL	1				0.044	0.0968
070	04814-00200	O RING	1				0.01	0.022
080	04814-00240	O RING	1				0.001	0.0022
090	1C010-04130	GASKET CRANKCASE	1				0.02	0.044
100	1C010-51180	GASKET I/P BASE	1				0.006	0.0132
110	1C010-16220	GASKET SHAFT COVER	1				0.001	0.0022
120	1C010-51660	GASKET I/P COVER	1				0.003	0.0066
130	1C010-52130	GASKET INJ.PUMP	1				0.001	0.0022
140	1C010-04460	SEAL OIL	1				0.07	0.154
150	04814-00220	O RING	1				0.001	0.0022
160	15471-96650	GASKET	2				0.002	0.0044
160	1C020-96650	GASKET	1		↔		0.001	0.0022
170	04811-50300	O RING	2				0	0
170	04817-50300	O RING	2				0.001	0.0022
180	15625-32890	GASKET	1				0.001	0.0022
190	1C011-43330	GASKET	1				0.002	0.0044
200	04811-10070	O RING	2	≤2F0224			0.001	0.0022
200	04814-10070	O RING	2	≥2G0462	←		0.001	0.0022
210	04811-00160	O RING	1				0	0
210	04817-00160	O RING	1		←		0.001	0.0022
220	1C010-55770	GASKET GOV.HOUSING	1				0.001	0.0022
230	15601-96650	GASKET	18				0.001	0.0022
240	15021-33660	GASKET	4				0.001	0.0022
250	16264-52140	GASKET FUEL PUMP	1				0.001	0.0022
260	1C010-73430	GASKET WATER PUMP	1				0.003	0.0066
270	04814-00420	O RING	1				0.002	0.0044
280	1C010-96960	O RING	2				0.001	0.0022
290	16264-88130	GASKET H/METER UNIT	1				0.002	0.0044



3A750-005-12


Fig.No.
N110XX



HAND ACCELERATOR LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-94760	LEVER ACCEL.PEDAL	1				0.12	0.264
020	08511-01210	BUSH	2				0.005	0.011
030	04011-50120	WASHER PLAIN	1				0.005	0.011
040	05515-61200	PIN SNAP	1				0.005	0.011
050	3A751-10220	LEVER HAND ACCEL.	1				0.37	0.814
060	TA040-49873	GRIP	1				0.024	0.0528
070	3A111-10380	PLATE ACCEL.LEVER	1				0.021	0.0462
080	3F740-10300	PLATE	1				0.014	0.0308
090	3A751-10370	STUD	1				0.053	0.1166
100	04011-50180	WASHER PLAIN	1				0.012	0.0264
110	04013-60120	WASHER PLAIN	2				0.01	0.022
120	33251-10320	SPRING ACCEL.LEVER	1				0.012	0.0264
130	33251-10270	CAP SPRING	1				0.01	0.022
140	02576-50120	NUT LOCK	1				0.011	0.0242
150	02174-50120	NUT	1				0.01	0.022
160	3A751-10160	WIRE HAND ACCEL.	1				0.19	0.418
170	04013-60060	WASHER PLAIN	2				0.001	0.0022
180	05525-60600	PIN SNAP	2				0.001	0.0022




3A750-006-12




ACCELERATOR PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-94750	PEDAL ACCEL.	1				0.51	1.122
020	37410-42760	COVER PEDAL	1				0.025	0.055
030	04011-50120	WASHER PLAIN	1				0.005	0.011
040	05411-00425	PIN SPRING	1				0.001	0.0022
050	01173-51050	BOLT	1				0.035	0.077
060	02118-50100	NUT	1				0.005	0.011
070	3G710-62330	SPRING ACCEL.	1				0.05	0.11
080	01053-60650	BOLT	1				0.012	0.0264
090	02014-50060	NUT	1				0.002	0.0044
100	3A751-10750	WIRE ACCEL.	1				0.1	0.22
110	3A751-10760	ELEMENT	1				0.002	0.0044
120	36919-10332	HOLDER WIRE	1				0.01	0.022
130	02054-50050	NUT	1				0.002	0.0044
140	04013-60060	WASHER PLAIN	1				0.001	0.0022
150	05525-60600	PIN SNAP	1				0.001	0.0022
160	3A011-32870	PIN SNAP	1				0.001	0.0022








FUEL TANK RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-04130	TANK FUEL RH	1				12	26.4
020	01774-51616	BOLT FLANGE	1				0.07	0.154
030	04717-01600	WASHER WITH RUBBER	1				0.003	0.0066
030	04717-01610	WASHER WITH RUBBER	1		←		0.022	0.0484
040	3A151-04183	STAY FUEL TANK	1	≤59635			0	0
040	3A151-04184	STAY FUEL TANK	1	≥59636	←		2.1	4.62
050	01173-51635	BOLT	2				0.008	0.0176
060	04512-60160	WASHER SPRING	2				0.01	0.022
070	3A751-04360	BAND FUEL TANK	1				0.79	1.738
080	3A751-04380	BAND FUEL TANK	1				0.9	1.98
090	02574-50100	NUT LOCK	4				0.007	0.0154
100	04013-50100	WASHER PLAIN	4				0	0
110	3A111-04663	CUSHION TANK	2	≤54025			0.087	0.1914
110	3A111-04664	CUSHION TANK	2	≥54026	←		0.087	0.1914
120	3A751-04680	CUSHION TANK	2	≤54025			0	0
120	3A751-04682	CUSHION TANK	2	≥54026	←		0.13	0.286



3A8S1-003-10



FUEL TANK LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-04140	TANK FUEL LH	1	<=58436			0	0
010	3A751-04142	TANK FUEL LH	1	>=58437	←		14.7	32.34
020	01774-51616	BOLT FLANGE	1				0.07	0.154
030	04717-01600	WASHER WITH RUBBER	1				0.003	0.0066
030	04717-01610	WASHER WITH RUBBER	1		←		0.022	0.0484
040	3A751-04290	ASSY CAP FUEL TANK	1				0.081	0.1782
050	61191-54740	GASKET TANK CAP	1				0.01	0.022
060	3A151-04183	STAY FUEL TANK	1	<=59635			0	0
060	3A151-04184	STAY FUEL TANK	1	>=59636	←		2.1	4.62
070	01173-51635	BOLT	2				0.008	0.0176
080	04512-60160	WASHER SPRING	2				0.01	0.022
090	3A751-04370	BAND FUEL TANK	1				0.855	1.881
100	3A751-04390	BAND FUEL TANK	1				0.745	1.639
110	02574-50100	NUT LOCK	4				0.007	0.0154
120	04013-50100	WASHER PLAIN	4				0	0
130	3A111-04663	CUSHION TANK	1	<=54025			0.087	0.1914
130	3A111-04664	CUSHION TANK	1	>=54026	←		0.087	0.1914
140	3A151-04660	CUSHION TANK	1	<=54025			0	0
140	3A151-04663	CUSHION TANK	1	>=54026	←		0.08	0.176
150	3A111-04674	CUSHION TANK	2				0.07	0.154
160	3A751-04560	FILLER FUEL	1	<=56255			0	0
160	3A751-04563	FILLER FUEL	1	>=56256	←		0.43	0.946
170	30400-19060	BOLT FLANGE	2				0.006	0.0132
180	3A751-04570	HOSE FUEL	1	<=56643			0	0
180	3A751-04572	HOSE FUEL	1	>=56644	←		0.77	1.694
190	36919-04590	CLIP HOSE	2				0.05	0.11




FUEL PIPE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-04510	HOSE FUEL TANK	1				0.21	0.462
020	36200-82720	CLAMP	2				0.025	0.055
030	3A151-04480	ASSY TUBE FUEL	2				0.113	0.2486
040	3A151-04410	TUBE BREATHER	2				0.105	0.231
050	09318-88130	CLAMP HOSE	4				0.002	0.0044
060	3A751-04490	ASSY TUBE FUEL	2				0.115	0.253
070	3A111-04420	TUBE BREATHER	2				0.18	0.396
080	09318-88130	CLAMP HOSE	2				0.002	0.0044
090	53581-64150	BAND CORD	2				0.002	0.0044
100	12234-67580	CLAMP CORD	1				0.012	0.0264
110	3A151-04580	COVER FUEL PIPE	1				1.205	2.651
120	01133-51225	BOLT	2				0.035	0.077
130	04013-60120	WASHER PLAIN	2				0.01	0.022
140	01754-50812	BOLT FLANGE	2				0.01	0.022
150	3A151-04460	ASSY TUBE FUEL	1				0.19	0.418
160	09661-81250	TUBE FUEL	1				0.147	0.3234
170	14911-42750	CLIP PIPE	2				0.002	0.0044
180	3A151-04550	TUBE PIPE	1				0.037	0.0814
190	3A481-04470	ASSY TUBE FUEL	1				0.03	0.066
200	09661-40550	TUBE FUEL	1				0.03	0.066
210	14971-42750	CLIP PIPE	2				0.001	0.0022
220	3A151-04440	ASSY TUBE FUEL	1				0.11	0.242
230	09661-70750	TUBE FUEL	1				0.08	0.176
240	14911-42750	CLIP PIPE	2				0.002	0.0044
250	3A111-04540	TUBE PIPE	1				0.02	0.044
260	15272-67580	CLAMP CORD	1				0.021	0.0462



3A269-007-10










↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

[illegible]



3A891-006-10

OLD PARTS




3A891-802-10




RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-17100	ASSY RADIATOR	1				5.5	12.1
020	3A111-17110	ASSY CAP RADIATOR	1				0.07	0.154
030	3A111-17130	ASSY PLUG RADIATOR	1				0.001	0.0022
040	3A111-17290	TRIM SASH	1				0.006	0.0132
050	3A751-17290	TRIM SASH	2				0.003	0.0066
060	3A151-17290	TRIM SASH	2				0.004	0.0088
065	12234-67580	CLAMP CORD	2	>=59126			0.012	0.0264
070	01025-50612	BOLT	4				0.005	0.011
080	33760-50220	CLAMP HOSE	2				0.022	0.0484
090	01025-50612	BOLT	2				0.005	0.011
100	3A111-17410	NET RADIATOR	1				0.22	0.484
110	3A111-17420	NET RADIATOR LOWER	1				0.22	0.484
120	01811-50610	BOLT WING	1	<=59125			0.014	0.0308
120	53415-41280	PLASTIC BOLT	1	>=59126	←		0.007	0.0154
130	34070-16030	RUBBER	4				0.015	0.033
140	3A151-17190	SPONGE SIDE	2	<=58281			0.011	0.0242
140	3A851-17190	SPONGE SIDE	2	>=58282	≠		0.033	0.0726
150	3A151-83050	GUIDE LH	1				0.145	0.319
160	3A151-83040	GUIDE RH	1				0.145	0.319
170	01025-50612	BOLT	4				0.005	0.011
180	3A751-97350	KIT SHROUD FAN(A)	1				2.901	6.3822
190	32751-49580	LABEL FAN BELT	2				0.001	0.0022





OLD PARTS

070




3A891-803-10



ALTERNATOR [A]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A651-74010	ASSY ALTERNATOR	1				4	8.8
020	1C010-64420	STAY DYNAMO	1				0.156	0.3432
030	04015-60080	WASHER PLAIN	1				0.01	0.022
040	01754-50825	BOLT FLANGE	1				0.01	0.022
050	3A111-17390	BOLT FLANGE	1				0.055	0.121
055	04013-60100	WASHER PLAIN	1				0.003	0.0066
056	04512-50100	WASHER SPRING	1				0	0
060	02076-50100	NUT	1				0.006	0.0132
070	3A751-72352	PULLEY FAN DRIVE	1	≤58281			2.6	5.72
070	3A851-72350	PULLEY FAN DRIVE	1	≥58282	≠		2.56	5.632
080	1C010-91010	BOLT	1				0.19	0.418
090	04512-60060	WASHER SPRING	1	≤55588			0.001	0.0022
100	02056-50060	NUT	1	≤55588			0.002	0.0044
100	12264-92020	NUT SPRING WASHER M	1	≥55589	←		0.05	0.11
110	52200-41160	CLAMP CORD	1				0.01	0.022
120	3A111-77320	CLAMP CORD	1				0.046	0.1012
130	01754-50880	BOLT FLANGE	1				0.03	0.066
140	02751-50080	NUT FLANGE	1				0.006	0.0132





REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A651-74010	ASSY ALTERNATOR	1				4	8.8
020	1C010-92010	NUT	1				0.02	0.044
030	1C010-91050	SET BOLT	1				0.04	0.088
040	1C011-64020	ASSY BRACKET FRONT	1				0.46	1.012
050	1C010-93010	SET BOLT	1				0.013	0.0286
060	1C010-64780	BEARING	1				0.061	0.1342
070	1C011-64120	ASSY ROTOR	1				1.93	4.246
080	1C010-64770	BEARING	1				0.024	0.0528
090	1C011-64080	ASSY STATOR	1				0.81	1.782
100	3A651-74040	ASSY BRACKET REAR	1				0.47	1.034
110	3A651-74030	ASSY RECTIFIER	1				0.11	0.242
120	1K011-92030	SET NUT	1				0.007	0.0154
130	3A251-74020	SET REGULATOR	1				0.12	0.264
140	1C010-64310	SET BRUSH	1				0.003	0.0066
150	1C010-64110	ASSY PULLEY	1				0.23	0.506






**STARTER [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-63010	ASSY STARTER	1				6	13.2
020	1C010-63030	ASSY BRACKET FRONT	1				0.81	1.782
030	1C010-63240	SET BEARING	1				0.07	0.154
040	1C010-63040	ASSY SHAFT CLUTCH	1				1.02	2.244
050	1C010-63210	ASSY SHAFT GEAR	1				0.24	0.528
060	1C010-63410	SET WASHER	1				0.012	0.0264
070	1C010-63260	SET INTERNAL GEAR	1				0.11	0.242
080	1C010-63330	CLUTCH OVER RUNNING	1				0.6	1.32
090	1C010-63270	ASSY GEAR	4				0.015	0.033
100	1C010-63050	ASSY LEVER SET	1				0.08	0.176
110	1C010-63280	SET PINION	1				0.07	0.154
120	1C010-63170	SET STOPPER	1				0.006	0.0132
130	1C010-63020	ASSY SWITCH MAGNETIC	1				1.04	2.288
140	1C010-63760	SET SCREW	1				0.027	0.0594
150	6C040-82690	BALL	1				0.001	0.0022
160	1C010-63520	SET PACKING	1				0.06	0.132
170	1C010-63070	ASSY ARMATURE	1				0.96	2.112
180	1C010-63250	BEARING	1				0.02	0.044
190	1C010-63080	ASSY YOKE	1				1.17	2.574
200	1C010-63380	ASSY HOLDER BRUSH	1				0.09	0.198
210	1C010-63390	BRUSH SPRING	4				0.004	0.0088
220	1C010-63370	BRUSH	2				0.043	0.0946
230	1C010-63200	ASSY BRACKET REAR	1				0.13	0.286
240	1C010-63320	SET BOLT	1				0.05	0.11




**BATTERY [OLD TYPE]**



S.No.;<=58281

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	99999-99999	BATTERY	1			12V CCA1000A	0	0
020	3A111-77110	CORD BATTERY	1				0.935	2.057
030	3A111-97150	CAP BATTERY CORD	1				0.015	0.033
040	3A111-77120	CORD BATTERY	1				0.27	0.594
050	01754-50814	BOLT FLANGE	1				0.005	0.011
060	3A111-77310	COVER HARNESS	1				0.61	1.342
070	01754-50816	BOLT FLANGE	2				0.011	0.0242
080	3A111-77330	CLAMP CORD	1				0.001	0.0022
090	3A751-21730	SUPPORT BATTERY	1				6.2	13.64
100	01133-51020	BOLT	4				0.02	0.044
110	3A111-74340	CUSHION BATTERY	2				0.12	0.264
120	3A751-21740	COVER SUPP.BATTERY	2				0.28	0.616
130	01811-50812	BOLT WING	4				0.03	0.066
140	3A111-74360	BOLT HOOK(BATTERY)	2				0.032	0.0704
150	02014-50060	NUT	4				0.002	0.0044
160	04015-60060	WASHER PLAIN	2				0.005	0.011
170	3A211-74350	RETAINER BATTERY	1				0.355	0.781
180	38430-29670	CUSHION	2				0.01	0.022
190	3A751-21800	ELEMENT SUPP.BATTERY	2	>=57483			0.003	0.0066



OLD PARTS




3A851-802-10



BATTERY [NEW TYPE]
S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	99999-99999	BATTERY	1			12V CCA1000A	0	0
020	3A111-77110	CORD BATTERY	1				0.935	2.057
030	3A111-97150	CAP BATTERY CORD	1				0.015	0.033
040	3A111-77120	CORD BATTERY	1	<=59318			0.27	0.594
040	3A111-77122	CORD BATTERY	1	>=59319	←		0.27	0.594
050	01754-50814	BOLT FLANGE	1				0.005	0.011
060	3A111-77310	COVER HARNESS	1				0.61	1.342
070	01754-50816	BOLT FLANGE	2				0.011	0.0242
080	3A111-77330	CLAMP CORD	1				0.001	0.0022
090	3A851-21730	SUPPORT BATTERY	1	<=58436			0	0
090	3A851-21732	SUPPORT BATTERY	1	>=58437	←		5.8	12.76
100	01133-51020	BOLT	4				0.02	0.044
110	3A111-74340	CUSHION BATTERY	2				0.12	0.264
120	3A851-17510	SPONGE	1				0.001	0.0022
130	3A751-21800	ELEMENT SUPP.BATTERY	2	<=59318			0.003	0.0066
130	3A751-21802	ELEMENT SUPP.BATTERY	2	>=59319	←		0.003	0.0066
140	3A851-17520	SPONGE	1				0.025	0.055
150	3A851-21742	COVER SUPP.BATTERY	1	<=59493		NOT SALE	0	0
150	3A831-21742	COVER SUPP.BATTERY	1	>=59494	←		0.19	0.418
155	3A851-21742	COVER SUPP.BATTERY	1	<=59493		NOT SALE	0	0
155	3A831-21752	COVER SUPP.BATTERY	1	>=59494	←		0.19	0.418
160	3A851-17540	SPONGE SUPPORT COVER	2				0.003	0.0066
170	3A851-83520	BOLT WING	4				0.037	0.0814
180	05525-60600	PIN SNAP	4				0.001	0.0022
190	3A111-74360	BOLT HOOK(BATTERY)	2	<=58772			0.032	0.0704
190	3A111-74362	BOLT HOOK(BATTERY)	2	>=58773	←		0.032	0.0704
200	02014-50060	NUT	4				0.002	0.0044
210	04015-60060	WASHER PLAIN	2				0.005	0.011
220	3A211-74350	RETAINER BATTERY	1				0.355	0.781
230	38430-29670	CUSHION	2				0.01	0.022







SWITCH/SENSOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	1C010-60014	SOLENOID STOP	1				0.27	0.594
020	01311-10616	BOLT HEX-SOC-HD	2				0.005	0.011
030	TA040-43900	SWITCH LEVER	1				0.008	0.0176
040	03024-50414	SCREW WITH WASHER	1				0.002	0.0044
050	15841-39010	SWITCH OIL	1				0.03	0.066
060	31351-32830	SENSOR THERMO	1				0.02	0.044
070	3A051-75100	SWITCH	1				0.03	0.066
080	04717-01400	WASHER WITH RUBBER	1				0.002	0.0044
090	07715-01605	BALL	1				0.003	0.0066
100	3A751-75300	SENSOR FUEL GAUGE	1				0.16	0.352
110	04512-60050	WASHER SPRING	5				0.002	0.0044
120	02054-50050	NUT	5				0.002	0.0044
130	36330-75310	GASKET	1				0.005	0.011
140	3F760-81740	LIGHTER CIGARETTE	1				0.073	0.1606
150	3A272-75250	TIMER BUZZER	1	>=60821			0.05	0.11
160	53660-53810	BUZZER BACK	1	>=60821			0.035	0.077
170	01754-50612	BOLT FLANGE	2	>=60821			0.005	0.011






3A750-019-11

[illegible]



3A851-038-10

[illegible]




34851-008-10



AIR CONDITIONER SWITCH / AMPLIFIER [NEW TYPE]
S.No.;>=58282


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A851-50050	AMPLIFIER	1				0.055	0.121
020	3A851-50060	STAY AMPLIFIER	1				0.02	0.044
030	3G710-71140	BOLT	1				0.005	0.011
040	3A851-72010	ASSY SWITCH A/C	1				0.35	0.77
050	3A851-72020	PANEL SWITCH	1				0.03	0.066
060	3A851-72030	SWITCH AIR-CON	1				0.025	0.055
070	3A851-72040	SWITCH BLOWER	1				0.06	0.132
080	3A851-72070	KNOB SWITCH	1				0.004	0.0088
090	3A851-72050	SWITCH	1				0.075	0.165
100	3A851-72060	SWITCH THERMOMETER	1				0.01	0.022
110	3A851-72070	KNOB SWITCH	2				0.004	0.0088
120	3A851-72080	SCREW CR-REC-BD-HD	4				0.002	0.0044
130	02761-50040	NUT FLANGE	4				0.002	0.0044





3A750-021-13

OLD PARTS




3A891-805-10





3A891-022-10




3A750-025-11




PANEL BOARD [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-77500	ASSY PANEL	1				2.9	6.38
020	T0272-43020	HOOD PANEL	1				1.1	2.42
030	3A751-76370	ASSY TACHOMETER	1				0.22	0.484
040	3G710-76380	ASSY METER FUEL	1				0.08	0.176
050	3G710-76390	ASSY THERMOMETER	1				0.07	0.154
060	3A751-76400	CASE	1				0.835	1.837
070	34070-30260	GLASS	1				0.485	1.067
080	3A751-76440	ASSY PLATE	1				0.125	0.275
090	38240-31460	ASSY LAMP ELECTRIC	4				0.015	0.033
100	38240-31470	BULB	4			3.4W	0.01	0.022
110	38240-31480	SOCKET	4				0.001	0.0022
120	38070-31460	ASSY LAMP ELECTRIC	1				0.015	0.033
130	38070-31470	BULB	1			3.78W	0.02	0.044
140	38070-31480	SOCKET	1				0.001	0.0022
150	52300-41420	ASSY LAMP ELECTRIC	1			1.4W	0.002	0.0044
160	T0070-31480	SOCKET	1				0.002	0.0044
170	3G710-76140	PLATE WINDOW	1				0.21	0.462
180	34070-30170	LENS	2				0.005	0.011
190	66426-81100	WASHER PLAIN	5				0.001	0.0022
200	04512-60040	WASHER SPRING	5				0.002	0.0044
210	02054-50040	NUT	5				0.001	0.0022
220	32530-94900	SCREW WITH WASHER	2				0.002	0.0044
230	03514-50425	SCREW TAPPING	10				0.001	0.0022
240	35533-76230	SCREW WITH WASHER	1				0.002	0.0044
250	34070-30290	SCREW TAPPING	2				0.01	0.022






3A750-026-12




[illegible]




3A750-028-13




REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-75910	LIGHT WORK	4			55W	0.37	0.814
020	3G710-75900	BULB	4				0.007	0.0154
030	02763-60080	NUT FLANGE	4				0.005	0.011
040	53581-64150	BAND CORD	4				0.002	0.0044
050	3G710-75310	STAY WORKING LIGHT	4				0.1	0.22
060	02763-60080	NUT FLANGE	4				0.005	0.011
070	3G710-75322	STAY WORKING LIGHT	2				0.047	0.1034
080	30810-18870	BOLT FLANGE	2				0.012	0.0264




3A750-029-12



3A750-030-12








↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

Reference:01B44001 Page:6

OLD PARTS




010




3A771-800-10


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A761-77210	WIRE HARNESS MAIN	1	≤60820			1.8	3.96
010	3A761-77212	WIRE HARNESS MAIN	1	≥60821	←		0	0
010	3A761-77213	WIRE HARNESS MAIN	1	≥61939	←		1.8	3.96
020	3A761-77370	COVER FUSE CASE	1	≤60820			0.02	0.044
020	3A851-77370	COVER FUSE CASE	1	≥60821	≠		0	0
030	37410-55520	FUSE	3			5A	0.002	0.0044
040	36730-75550	FUSE	4			10A	0.001	0.0022
050	35820-75560	FUSE	9			15A	0.002	0.0044
060	56605-42150	FUSE	2			25A	0.005	0.011
070	36330-75390	DIODE	2				0.01	0.022
080	RP201-53930	DIODE	1				0.003	0.0066
090	3A761-77220	WIRE HARNESS ENGINE	1				1.7	3.74
100	51950-29320	FUSE	3			30A	0.005	0.011
110	33780-75550	FUSE	1			65A	0.015	0.033
120	36330-75390	DIODE	2				0.01	0.022
130	3A111-77230	WIRE HARNESS EARTH	1				0.004	0.0088
140	3A791-77270	WIRE HARNESS SHUTTLE	1				0.03	0.066
150	03004-50620	SCREW WITH WASHER	2				0.005	0.011
160	55311-41260	BAND CORD	2				0.007	0.0154
170	53581-64150	BAND CORD	1				0.002	0.0044
180	13824-67590	CLAMP CORD	3				0.002	0.0044






REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A761-77240	WIRE HARNESS	1				1.5	3.3
020	3A751-77250	WIRE HARNESS EARTH	1				0.035	0.077
030	3A011-77300	WIRE HARNESS EARTH	2				0.008	0.0176
040	3G710-71140	BOLT	6				0.005	0.011
050	01133-51016	BOLT	1				0.015	0.033
060	04013-50100	WASHER PLAIN	1				0	0
070	55311-41260	BAND CORD	1				0.007	0.0154



[illegible]







CLUTCH HOUSING [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A091-21110	HOUSING CLUTCH	1				119	261.8
020	05012-01020	PIN STRAIGHT	2				0.013	0.0286
030	06331-35020	PLUG	1				0.068	0.1496
040	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
050	01574-61235	STUD	2				0.04	0.088
060	01133-51255	BOLT	1				0.06	0.132
070	01133-51245	BOLT	6				0.055	0.121
080	32430-27360	STUD	2				0.12	0.264
090	01133-51275	BOLT	1				0.02	0.044
100	04512-60120	WASHER SPRING	4				0.005	0.011
110	02176-50120	NUT	4				0.01	0.022
120	3A751-21630	PIPE BREATHER	1	≤57058			0.01	0.022
120	3A751-21632	PIPE BREATHER	1	≥57059	←		0.01	0.022
130	36330-21200	PIPE BREATHER	1				0.05	0.11
140	36330-21290	PLUG	4				0.002	0.0044
150	32210-27580	PLUG	2				0.001	0.0022
160	3A751-21250	COVER GEAR SHIFT	1				4.5	9.9
170	34076-60470	PLUG	1				0.005	0.011
180	01123-50825	BOLT	8				0.013	0.0286
190	06331-35014	PLUG	1				0.03	0.066
200	04717-01400	WASHER WITH RUBBER	1				0.002	0.0044
210	3A151-28760	HOLDER BEARING	1				0.71	1.562
220	05012-00818	PIN STRAIGHT	2				0.013	0.0286
230	01123-50825	BOLT	4				0.013	0.0286
240	34076-60470	PLUG	1				0.005	0.011
250	3A151-32312	HOLDER BEARING	1				4.1	9.02
260	05012-01018	PIN STRAIGHT	2				0.012	0.0264
270	01133-51240	BOLT	6				0.05	0.11
280	13824-67590	CLAMP CORD	2				0.002	0.0044



3A791-010-13






SHUTTLE GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A091-24613	CASE GEAR SHUTTLE	1				10.3	22.66
020	32420-67380	PLUG	5				0.005	0.011
030	01156-50804	BOLT	7				0.041	0.0902
040	56341-15153	BOLT	3				0.06	0.132
050	01128-50835	BOLT	1				0.09	0.198
060	3A091-24710	STUD	2				0.045	0.099
070	04512-60080	WASHER SPRING	12				0.002	0.0044
080	35320-25470	NUT	2				0.006	0.0132
090	05012-00818	PIN STRAIGHT	2				0.013	0.0286
100	3A091-24660	CASE GEAR SHUTTLE	1				8.5	18.7
110	3A011-24620	O RING	1				0.007	0.0154
120	05012-00818	PIN STRAIGHT	2				0.013	0.0286




3A791-012-11



TRANSMISSION CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-21315	CASE TRANSMISSION	1				100	220
020	05012-01325	PIN STRAIGHT	2				0.028	0.0616
030	06311-85028	CAP SEALING	1				0.012	0.0264
040	06331-35020	PLUG	1				0.068	0.1496
050	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
060	36340-43563	PLUG	1				0.095	0.209
070	04717-02400	WASHER WITH RUBBER	1				0.005	0.011
080	01133-51245	BOLT	10				0.055	0.121
090	3A111-21330	STUD	2				0	0
090	35340-14182	STUD	2		↔		0.05	0.11
100	04512-60120	WASHER SPRING	2				0.005	0.011
110	35340-27360	NUT	2				0.015	0.033







TRANSMISSION CASE REAR COVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-21410	CASE GEAR	1				15.1	33.22
020	05012-01018	PIN STRAIGHT	2				0.012	0.0264
030	33960-21520	GUIDE OIL GAUGE	1				0.01	0.022
040	15512-96010	PLUG DRAIN	1				0.101	0.2222
050	04717-02150	WASHER WITH RUBBER	1				0.004	0.0088
060	01133-51240	BOLT	6				0.05	0.11
070	01574-61235	STUD	2				0.04	0.088
080	01133-51255	BOLT	2				0.06	0.132
090	04512-60120	WASHER SPRING	2				0.005	0.011
100	02174-50120	NUT	2				0.01	0.022
110	3A151-21510	GAUGE OIL	1				0.029	0.0638






3A791-013-11



3A891-025-10




3A791-014-12



CLUTCH CABLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A791-26402	STAY CLUTCH CABLE	1				0.14	0.308
020	01123-50830	BOLT	2				0.015	0.033
030	3A691-26200	ROD CLUTCH	1				0.22	0.484
040	38430-15790	PIN JOINT	1				0.02	0.044
050	04013-60100	WASHER PLAIN	1				0.003	0.0066
060	52300-34130	PIN SNAP	1				0.004	0.0088
070	56713-31560	SPRING PEDAL RETURN	1				0.165	0.363
080	3A091-26360	STAY CLUTCH SPRING	1				0.17	0.374
090	3A691-26520	CABLE CLUTCH	1				0.375	0.825
100	02751-50080	NUT FLANGE	2				0.006	0.0132
110	35828-68540	U-JOINT	1				0.08	0.176
120	38430-15790	PIN JOINT	1				0.02	0.044
130	04011-50100	WASHER PLAIN	1				0.002	0.0044
140	05511-50320	PIN SPLIT	1				0.002	0.0044
150	02156-50080	NUT	1				0.004	0.0088
160	13824-67590	CLAMP CORD	1				0.002	0.0044




3A091-011-12



VALVE LEVER (CLUTCH/SHUTTLE)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A431-33120	PIN	2				0.225	0.495
020	04011-50140	WASHER PLAIN	2				0.007	0.0154
030	3A691-34580	PLATE SHUTTLE VALVE	1	≤59812		NOT SALE	0	0
030	3A691-34582	PLATE SHUTTLE VALVE	1	≥59813	←		0.044	0.0968
040	04612-00140	CIR CLIP EXTERNAL	2				0.001	0.0022
050	3A691-26303	ASSY LEVER C/V	1				0.17	0.374
060	08511-01412	BUSH	2				0.004	0.0088
070	3A051-26820	PIN JOINT	2				0.006	0.0132
080	04013-60060	WASHER PLAIN	2				0.001	0.0022
090	3A091-34600	ASSY LEVER S/V	1				0.15	0.33
100	08511-01412	BUSH	2				0.004	0.0088




3A791-015-12



INPUT SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A091-28200	ASSY SHAFT INPUT	1				3.35	7.37
020	32420-67380	PLUG	2				0.005	0.011
030	36730-28043	CIR-CLIP EXTERNAL	1				0.01	0.022
040	3A051-23250	SLEEVE	1				0.03	0.066
050	08101-06208	BEARING BALL	1				0.355	0.781
060	36530-27260	RING SEAL	3				0.002	0.0044
070	3G700-28742	COLLAR THRUST	1				0.04	0.088
080	3F750-28170	BEARING THRUST	1				0.027	0.0594
090	3A091-23330	GEAR	1			26T	1.445	3.179
100	08825-05530	BEARING NEEDLE	1				0.06	0.132
110	T1153-22560	COLLAR THRUST	2				0.038	0.0836
120	05712-00755	KEY FEATHER	1				0.022	0.0484
130	36730-28050	CIR-CLIP EXTERNAL	1				0.01	0.022
140	08141-06909	BEARING BALL	1				0.13	0.286
150	04611-00850	CIR CLIP INTERNAL	1				0.029	0.0638
160	3F750-24650	SEAL OIL	1				0.053	0.1166
170	04611-00800	CIR CLIP INTERNAL	1				0.02	0.044




3A791-043-11



SHUTTLE CLUTCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A091-23200	ASSY CLUTCH SHUTTLE	1				8.7	19.14
020	3A091-23010	CASE CLUTCH SHUTTLE	1				3.5	7.7
030	3A091-23030	DISK CLUTCH	12			2.50mm SUITABILITY	0.1	0.22
030	3F750-23680	DISK CLUTCH	12			2.35mm SUITABILITY	0.1	0.22
040	3A091-23040	PLATE	12				0.125	0.275
050	3F250-61670	RUBBER	18				0.001	0.0022
060	33740-24490	PLATE PRESSURE	2				0.26	0.572
070	36530-27160	CIR CLIP INTERNAL	2				0.076	0.1672
080	3A091-23020	PISTON SHUTTLE	2				0.79	1.738
090	3F240-23740	D RING OUTER	2				0.005	0.011
100	33740-23752	D RING INNER	2				0.002	0.0044
110	33740-23760	SPRING COIL	36				0.002	0.0044
120	3A091-23080	COLLAR THRUST	2				0.047	0.1034
130	04612-00620	CIR CLIP EXTERNAL	2				0.012	0.0264




3A791-016-12



SHUTTLE SHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A051-23450	SHAFT BACK IDLE	1				0.365	0.803
020	67311-14520	BEARING BALL	2				0.125	0.275
030	3A151-23410	GEAR	1			25T	0.855	1.881
040	04811-00210	O RING	1				0	0
040	04816-00210	O RING	1		↔		0.004	0.0088
050	05411-00640	PIN SPRING	1				0.006	0.0132
060	3A091-23400	SHAFT SHUTTLE	1				1.085	2.387
070	08101-06305	BEARING BALL	2				0.23	0.506
080	3A091-23390	GEAR SHUTTLE	1			23T	0.68	1.496
090	3A091-23370	GEAR SHUTTLE	1			25T	0.83	1.826
100	08101-06211	BEARING BALL	1				0.6	1.32
110	32751-28650	CIR CLIP INTERNAL	1				0.04	0.088
120	3A091-23340	GEAR	1			28T	1.895	4.169
130	33740-24670	CIR CLIP EXTERNAL	1				0.015	0.033



3A791-017-13


OLD PARTS



3A791-800-11

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A091-28110	SHAFT	1	<=55588			0	0
010	3A091-28112	SHAFT	1	>=55589	←		0	0
010	3A091-28113	SHAFT	1	>=56256	←		1.75	3.85
020	36730-28043	CIR-CLIP EXTERNAL	1				0.01	0.022
030	3A151-28440	COLLAR	1	<=55588		6.2mm	0	0
030	3A091-28440	COLLAR	1	>=55589	←	6.2mm	0.032	0.0704
030	3A294-28440	COLLAR	1	>=60821	←	6.2mm	0.02	0.044
030	3A151-28420	COLLAR	1	<=55588		5.8mm	0	0
030	3A091-28420	COLLAR	1	>=55589	←	5.8mm	0.03	0.066
030	3A294-28420	COLLAR	1	>=60821	←	5.8mm	0.022	0.0484
030	3A151-28413	COLLAR	1	<=55588		6.0mm	0	0
030	3A091-28410	COLLAR	1	>=55589	←	6.0mm	0.031	0.0682
030	3A294-28410	COLLAR	1	>=60821	←	6.0mm	0.02	0.044
040	36602-28550	COLLAR THRUST	1				0.09	0.198
050	3A151-28240	GEAR	1			30T	1.29	2.838
060	32530-21820	RACE INNER	2				0.09	0.198
070	3A152-97020	KIT COUPLING SHIFTER	1	<=57748			0	0
070	3A152-97022	KIT COUPLING SHIFTER	1	>=57749	←		0	0
070	3A152-97023	KIT COUPLING SHIFTER	1	>=58180	←		0.56	1.232
075	3A152-28450	COUPLING	1	<=58179			0	0
075	3A152-28452	COUPLING	1	>=58180	←		0.316	0.6952
080	34076-62253	SHIFTER	1	<=57748			0.235	0.517
080	3A152-28390	SHIFTER	1	>=57749	≠		0.235	0.517
090	3F740-28450	RING SYNCHRONIZER	2				0.05	0.11
100	32430-21440	KEY SYNCHRONIZER	3				0.004	0.0088
110	38360-21780	SPRING	2				0.001	0.0022
120	3A151-28230	GEAR	1			26T	1.075	2.365
130	3A151-28220	GEAR	1			20T	0.805	1.771
140	3A151-28210	GEAR	1			15T	0.55	1.21
150	3A151-28810	BEARING BALL	1				0.61	1.342
160	3A151-28820	CIR CLIP EXTERNAL	1				0.024	0.0528
170	36730-28043	CIR-CLIP EXTERNAL	1				0.01	0.022




3A791-01B-13



COUNTERSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A091-28160	GEAR-SHAFT COUNTER	1			18T	3.3	7.26
020	08101-06206	BEARING BALL	1				0.196	0.4312
030	36730-28043	CIR-CLIP EXTERNAL	1				0.01	0.022
040	3A151-28290	GEAR	1			23T	0.915	2.013
050	3A151-28280	GEAR	1			27T	1.23	2.706
060	3A151-28270	GEAR	1			32T	1.5	3.3
070	32530-21870	RACE INNER	1				0.11	0.242
080	3A162-28500	ASSY COUPLING	1	≤61368			0.93	2.046
080	3A162-28502	ASSY COUPLING	1	≥61369	←		0.93	2.046
085	3A162-28460	COUPLING	1	≤61368			0.562	1.2364
085	3A162-28462	COUPLING	1	≥61369	←		0.562	1.2364
090	3F870-28394	SHIFTER	1				0.35	0.77
100	34550-62350	SPRING SYNCHRONIZER	2				0.01	0.022
110	3F870-34820	KEY SYNCHRONIZER	3				0.005	0.011
120	3F870-34862	ASSY SYNCHRONIZER	2				0.215	0.473
130	3A151-28260	GEAR	1			37T	2.2	4.84
140	3A151-28310	RACE INNER	1			40.5mm	0.255	0.561
150	36602-28550	COLLAR THRUST	1				0.09	0.198
160	3A151-28830	BEARING BALL	1				0.622	1.3684
170	3A151-28820	CIR CLIP EXTERNAL	1				0.024	0.0528




3A891-026-10



RANGE GEAR SHAFT [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-31200	ASSY SHAFT	1				1.02	2.244
020	08511-02520	BUSH	1				0.02	0.044
030	45623-75140	BEARING	1				0.1	0.22
040	3A151-32060	GEAR	1			38T	1.445	3.179
050	3A151-32070	GEAR	1			19T	0.61	1.342
060	08101-06208	BEARING BALL	1				0.355	0.781
070	04611-00800	CIR CLIP INTERNAL	1				0.02	0.044
080	3A161-32010	COUPLING	1				0.43	0.946
090	33740-31290	SHIFTER	1				0.4	0.88
100	3A151-32330	SHAFT RANGE SHIFT	1				2.01	4.422
110	35593-48350	BEARING NEEDLE	1				0.08	0.176
120	33740-23540	CIR-CLIP NEEDLE	1				0.003	0.0066
130	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154
140	3A011-28450	BOSS SPLINE	1				0.205	0.451
150	3A011-28470	SHIFTER	1				0.275	0.605
160	3A151-31230	GEAR	1			37T	1.62	3.564
170	3A151-31220	BEARING NEEDLE	2				0.025	0.055
180	3A151-32280	COLLAR THRUST	1			3.0mm	0.026	0.0572
190	08101-06307	BEARING BALL	1				0.455	1.001
200	32530-25150	RACE INNER	1				0.135	0.297
210	3A161-41130	GEAR 4WD	1			33T	1.13	2.486
220	34550-15100	COLLAR THRUST	1				0.025	0.055
230	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154






BEVEL GEAR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-32410	SHAFT BEVEL GEAR	1			8T	3.15	6.93
020	3A151-32580	NUT	1				0.085	0.187
030	36330-32570	BEARING TAPER-ROLLER	1				0	0
030	3A211-32590	BEARING TAPER-ROLLER	1		↔		0.76	1.672
040	36530-32592	BEARING TAPER-ROLLER	1				1.47	3.234
050	36200-32610	COLLAR PINION ADJUST	1			2.8mm	0.023	0.0506
050	36200-32630	COLLAR PINION ADJUST	1			3.0mm	0.025	0.055
050	36200-32650	COLLAR PINION ADJUST	1			3.2mm	0.027	0.0594
050	36200-32670	COLLAR PINION ADJUST	1			3.4mm	0.029	0.0638
050	36200-32690	COLLAR PINION ADJUST	1			3.6mm	0.031	0.0682
060	3E021-32420	GEAR BEVEL	1			35T	6.25	13.75






DIFFERENTIAL REAR


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33740-32203	ASSY DIFFERENTIAL	1				12.8	28.16
020	33740-32712	CASE DIFFERENTIAL	1				6	13.2
030	33740-32042	COVER DIFF.CASE	1				2.5	5.5
040	33740-32720	GEAR DIFF.SIDE	2			22T	0.86	1.892
050	33740-32760	WASHER SIDE GEAR	2			1.5mm	0.025	0.055
050	33740-32780	WASHER SIDE GEAR	2			1.6mm	0.03	0.066
050	33740-32790	WASHER SIDE GEAR	2			1.7mm	0.03	0.066
060	33740-32750	PINION DIFF.	4			13T	0.3	0.66
070	33980-32810	COLLAR THRUST	4				0.02	0.044
080	33740-32770	SHAFT DIFF.PINION	1				0.62	1.364
090	33740-32820	SHAFT DIFF.PINION	2				0.045	0.099
100	05712-00512	KEY FEATHER	2				0.002	0.0044
110	36730-32092	PIN STRAIGHT	2				0.045	0.099
120	36340-43180	BOLT UBS	10				0.05	0.11
130	3A151-32850	SHIFTER DIFF.LOCK	1				0.85	1.87
140	6C040-22450	CIR CLIP INTERNAL	1				0.08	0.176
150	3A151-32180	SHIM	1			0.7mm	0.015	0.033
150	3A151-32130	SHIM	1			0.8mm	0.016	0.0352
150	3A151-32140	SHIM	1			1.0mm	0.02	0.044
150	3A151-32150	SHIM	1			1.2mm	0.024	0.0528
150	3A151-32160	SHIM	1			1.4mm	0.028	0.0616
160	08711-30213	BEARING TAPER-ROLLER	1				1.16	2.552
170	3A151-32122	SUPPORT DIFF.LH	1				3.1	6.82
180	08711-32918	BEARING TAPER-ROLLER	1				0.83	1.826
190	33740-32130	SHIM	2			0.1mm	0.01	0.022
190	33740-32140	SHIM	2			0.3mm	0.02	0.044
190	33740-32150	SHIM	2			0.5mm	0.04	0.088
200	01133-51035	BOLT	4				0.03	0.066
210	01517-61022	STUD	2				0.019	0.0418
220	04512-60100	WASHER SPRING	2				0.002	0.0044
230	02118-50100	NUT	2				0.005	0.011




3A791-019-13

OLD PARTS



3A791-801-11

[illegible]




3A150-032-16



PTO CLUTCH [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A152-27000	ASSY CLUTCH PTO	1				3.7	8.14
020	3A152-27110	BODY PTO CLUTCH	1				1.7	3.74
030	3A152-27120	PISTON PTO	1				0.395	0.869
040	31501-72330	D RING OUTER	1				0.005	0.011
050	31501-72470	D RING INNER	1				0.001	0.0022
060	04811-00100	O RING	3				0	0
060	04816-00100	O RING	3		↔		0.001	0.0022
070	3A211-27220	PLATE BRAKE	1				0.64	1.408
080	TA040-69040	BOLT	3				0.004	0.0088
090	TA040-69050	SPRING RETURN	1				0.075	0.165
100	TA040-69060	SPRING RETURN	3				0.008	0.0176
110	PF801-31260	WASHER	1				0.015	0.033
120	04612-00350	CIR CLIP EXTERNAL	1				0.01	0.022
130	3A152-27140	PLATE	4				0.035	0.077
140	3A152-27140	PLATE	5				0.035	0.077
150	TA040-69090	RUBBER	15				0.001	0.0022
160	3A152-27130	DISK CLUTCH	9				0.035	0.077
170	3A152-27150	PLATE	1			4.0mm	0.115	0.253
180	04611-00920	CIR CLIP INTERNAL	1				0.04	0.088
190	08101-06807	BEARING BALL	1				0.03	0.066
200	3A152-27200	ASSY HUB DAMPER	1				0.74	1.628
210	3A152-27190	PLATE	1			3.5mm SUITABILITY	0.11	0.242




3A791-020-11



PTO CLUTCH VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A152-27252	HOLDER PTO CLUTCH	1				2.1	4.62
020	32420-67380	PLUG	2				0.005	0.011
030	TA040-69210	PISTON	1				0.09	0.198
040	34076-65170	SEAL PISTON	1				0.005	0.011
050	TA040-69230	SPRING	1				0.039	0.0858
060	TA040-69240	SPRING	1				0.024	0.0528
070	3A011-27260	COVER PTO	1				0.018	0.0396
080	04611-00280	CIR CLIP INTERNAL	1				0.002	0.0044
090	01123-50830	BOLT	1				0.015	0.033
100	01123-50845	BOLT	1				0.02	0.044
110	08101-06007	BEARING BALL	1				0.16	0.352
120	04611-00620	CIR CLIP INTERNAL	1				0.011	0.0242
130	33740-27292	CIR CLIP EXTERNAL	1				0.007	0.0154
140	34555-69330	PIPE HYDRAULIC	2				0.007	0.0154
150	07715-03211	BALL	1				0.003	0.0066
160	32590-28220	SPRING	1				0.002	0.0044
170	04011-50120	WASHER PLAIN	1				0.005	0.011
180	3A011-29410	BOLT	1				0.035	0.077
190	3A111-27400	ASSY VALVE PTO	1				1.51	3.322
200	04811-00090	O RING	1				0	0
200	04817-00090	O RING	1			←	0.001	0.0022
210	3A481-27630	JOINT PIPE	1				0.056	0.1232
220	04714-00200	GASKET	2				0.002	0.0044
230	01123-50820	BOLT	3				0.011	0.0242




3A021-114-10



PTO CLUTCH VALVE [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-27400	ASSY VALVE PTO	1				1.51	3.322
020	3A011-27420	SUPPORT PTO VALVE	1				0.29	0.638
030	04811-06630	O RING	1				0.001	0.0022
040	TA040-69320	PLUG	1				0.006	0.0132
050	04811-00090	O RING	1				0	0
050	04817-00090	O RING	1		←		0.001	0.0022
060	3A011-23190	ORIFICE	1				0.001	0.0022
070	67401-03690	RING	1				0.001	0.0022
080	TA040-69340	LEVER VALVE ROTOR	1				0.057	0.1254
090	05411-00522	PIN SPRING	1				0.002	0.0044
100	TA040-69360	SPRING	1				0.014	0.0308
110	50770-12180	COLLAR THRUST	1				0.003	0.0066
120	04612-00200	CIR CLIP EXTERNAL	1				0.001	0.0022
130	09500-20358	SEAL OIL	1				0.01	0.022
140	67511-36640	PLUG	1				0.003	0.0066
150	3A011-27430	LEVER PTO VALVE	1				0.054	0.1188
160	04612-00180	CIR CLIP EXTERNAL	1				0.001	0.0022
170	32420-68590	NUT	1				0.005	0.011
180	04714-00080	GASKET	1				0.001	0.0022
190	02114-50080	NUT	1				0.005	0.011
200	62571-13330	WASHER SEAL	1				0.003	0.0066
210	03651-50825	SCREW SET	1				0.01	0.022
220	07715-00401	BALL	2				0.001	0.0022
230	04811-00220	O RING	1				0	0
230	04817-00220	O RING	1		←		0.001	0.0022
240	48100-36310	SEAT RELIEF VALVE	1				0.01	0.022




3A891-02B-10



PTO SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-79130	GEAR-SHAFT PTO	1			12T	1.025	2.255
020	04611-00800	CIR CLIP INTERNAL	1				0.02	0.044
030	35860-79150	BEARING BALL	1				0.45	0.99
040	36530-80160	BEARING BALL	1				0.46	1.012
050	3A151-80142	SHAFT PTO	1				1.655	3.641
060	34150-25330	NUT	1				0.039	0.0858
070	36330-80080	COLLAR	1				0.03	0.066
080	08101-06307	BEARING BALL	1				0.455	1.001
090	3A151-80310	GEAR PTO	1			49T	3.15	6.93
100	3A151-80190	COLLAR	1			13mm	0.075	0.165
110	36602-23430	BEARING BALL	1				0.3	0.66
120	04611-00800	CIR CLIP INTERNAL	1				0.02	0.044
130	37650-43530	SEAL OIL	1	≤57058			0.062	0.1364
130	3A111-80290	SEAL OIL	1	≥57059	←		0.065	0.143
140	31220-25820	CAP	1				0.055	0.121






MAIN GEAR SHIFT FORK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A752-29210	ROD FORK	1				0.3	0.66
020	3A752-29220	ROD FORK	1				0.255	0.561
030	3A751-29142	FORK MAIN SHIFT	1				0.4	0.88
040	3A751-29162	FORK MAIN SHIFT	1	≤58436			1.02	2.244
040	3A751-29163	FORK MAIN SHIFT	1	≥58437	←		1.02	2.244
050	3A151-29180	COTTER	2				0.015	0.033
060	05411-00628	PIN SPRING	2				0.004	0.0088
070	07715-03211	BALL	5				0.003	0.0066
080	3A152-29420	SPRING	2				0.004	0.0088
090	3F740-29230	SPRING RANGE SHIFT	2				0.001	0.0022




3A791-044-12



RANGE GEAR SHIFT FORK [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-29862	ROD RANGE SHIFT	1				0.335	0.737
020	3A151-29870	FORK RANGE SHIFT	1				0.62	1.364
030	05411-00628	PIN SPRING	1				0.004	0.0088
040	07715-03211	BALL	1				0.003	0.0066
050	62231-18530	SPRING	1				0.01	0.022
060	06331-35012	PLUG	1				0.022	0.0484
070	04717-01200	WASHER WITH RUBBER	1				0.002	0.0044
080	3A151-29842	LEVER RANGE SHIFT	1				0.256	0.5632
090	3A152-23590	O RING	1				0.001	0.0022
100	34070-24350	STOPPER	1				0.02	0.044
110	01754-50812	BOLT FLANGE	1				0.01	0.022




3A891-029-10



REAR DIFFERENTIAL LOCK PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-32940	SHAFT LEVER	1				0.5	1.1
020	3A151-32880	FORK DIFF.LOCK	1				0.965	2.123
030	31351-26620	PIN JOINT	1				0.008	0.0176
040	04013-60060	WASHER PLAIN	1				0.001	0.0022
050	3A011-32870	PIN SNAP	1				0.001	0.0022
060	32530-26640	SPRING	1				0.09	0.198
070	06331-35020	PLUG	1				0.068	0.1496
080	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
090	36200-32950	SHIM ADJUSTING	1			1.0mm	0.002	0.0044
090	36330-32970	SHIM ADJUSTING	1			0.5mm	0.001	0.0022
100	09500-16287	SEAL OIL	1				0.01	0.022
110	3A751-33010	COMP.PEDAL DIFF.LOCK	1				0.56	1.232
120	02751-60080	NUT FLANGE	2				0.006	0.0132
130	3A751-32980	COVER DIFF.LOCK	1				0.01	0.022
140	3A751-33060	ROD DIFF.LOCK	1				0.275	0.605
150	52300-34130	PIN SNAP	2				0.004	0.0088







REAR AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-48210	AXLE REAR	2				25	55
020	3A151-48250	SEAL OIL	2				0.345	0.759
030	08101-06215	BEARING BALL	2				1.18	2.596
040	3A151-48270	CIR CLIP EXTERNAL	2				0.02	0.044
050	3A151-48440	BEARING BALL	2				0.97	2.134
055	3A155-48300	ASSY GEAR PLANETARY	1	<=55797		NOT SALE	0	0
055	3A155-48302	ASSY GEAR PLANETARY	1	>=55798	←	NOT SALE	16	35.2
060	3A155-48340	SUPPORT PLANE.GEAR	2				7.4	16.28
070	3A155-48320	GEAR PLANETARY	6			26T	2.1	4.62
080	3F240-48360	SHAFT PLANETARY	6				0.48	1.056
090	35593-48350	BEARING NEEDLE	12				0.08	0.176
100	36330-48370	COLLAR THRUST	12				0.02	0.044
105	05411-00825	PIN SPRING	6	<=55797			0.006	0.0132
105	05411-00828	PIN SPRING	6	>=55798	←		0.003	0.0066
110	36500-48280	RETAINER SUPPORT	2				0.084	0.1848
120	3A155-48310	GEAR INTERNAL	2			66T	3	6.6
130	01779-01225	BOLT UBS	2				0.04	0.088
140	3A151-65122	PLATE STOPPER	2				4	8.8
150	3A151-48410	PIN BRAKE	6				0.085	0.187
160	04811-08480	O RING	1				0	0
160	04816-08480	O RING	1		↔		0.005	0.011
170	3A151-48460	GEAR-SHAFT BRAKE RH	1				2.3	5.06
180	04612-00550	CIR CLIP EXTERNAL	1				0.01	0.022
190	04811-08480	O RING	1				0	0
190	04816-08480	O RING	1		↔		0.005	0.011
200	3A151-48470	GEAR-SHAFT BRAKE LH	1				2.65	5.83
210	04612-00550	CIR CLIP EXTERNAL	1				0.01	0.022



OLD PARTS



040


3A181-817-10



BRAKE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	32530-28280	PLATE FRICTION	4				0.92	2.024
020	36330-65130	PLATE	3				0.56	1.232
030	3A021-65160	COLLAR	3				0.018	0.0396
040	3A151-65330	SHAFT BRAKE CAM RH	1				0	0
040	3A155-65330	SHAFT BRAKE CAM RH	1		↔		0.96	2.112
050	04811-50300	O RING	2				0	0
050	04816-50300	O RING	2		↔		0.001	0.0022
060	3A011-65310	CAM BRAKE	1				0.1	0.22
070	04612-00280	CIR CLIP EXTERNAL	1				0.003	0.0066
080	32530-28280	PLATE FRICTION	4				0.92	2.024
090	36330-65130	PLATE	3				0.56	1.232
100	3A021-65160	COLLAR	3				0.018	0.0396
110	3A151-65340	SHAFT BRAKE CAM LH	1				0.88	1.936
120	04811-50300	O RING	2				0	0
120	04816-50300	O RING	2		↔		0.001	0.0022
130	3A011-65310	CAM BRAKE	1				0.1	0.22
140	04612-00280	CIR CLIP EXTERNAL	1				0.003	0.0066
150	3A151-65140	PLATE BRAKE CAM RH	1				1.955	4.301
160	3A151-65150	PLATE BRAKE CAM LH	1				1.955	4.301
170	07715-00805	BALL	12				0.016	0.0352
180	3A011-65810	SPRING	4				0.005	0.011







BRAKE ROD (BRAKE PEDAL)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A691-26970	COLLAR CLUTCH	1				0.076	0.1672
020	3A751-26952	SHAFT BRAKE LH	1				0.39	0.858
030	04011-50200	WASHER PLAIN	2				0.015	0.033
040	04612-00200	CIR CLIP EXTERNAL	1				0.001	0.0022
050	3G710-65490	BOOT BRAKE ROD	2				0.008	0.0176
060	3A151-26240	ROD CLUTCH BRAKE	2				0.143	0.3146
070	3A751-65420	ROD BRAKE	2				0.33	0.726
080	32350-28980	TURNBUCKLE	2				0.124	0.2728
090	02116-50100	NUT	2				0.004	0.0088
100	38430-15790	PIN JOINT	2				0.02	0.044
110	04717-01000	WASHER WITH RUBBER	2				0.001	0.0022
120	04013-60100	WASHER PLAIN	2				0.003	0.0066
130	05511-50318	PIN SPLIT	2				0.001	0.0022
140	3A751-26960	SHAFT BRAKE RH	1				0.54	1.188
150	3A751-65260	ASSY LEVER BRAKE LH	1				0.37	0.814
160	34070-44890	BUSH	1				0.035	0.077
170	3A751-65250	ASSY LEVER BRAKE RH	1				0.37	0.814
180	34070-44890	BUSH	1				0.035	0.077
190	04011-50200	WASHER PLAIN	1				0.015	0.033
200	04612-00200	CIR CLIP EXTERNAL	1				0.001	0.0022
210	38430-15790	PIN JOINT	2				0.02	0.044
220	04717-01000	WASHER WITH RUBBER	2				0.001	0.0022
230	04013-60100	WASHER PLAIN	2				0.003	0.0066
240	05511-50318	PIN SPLIT	2				0.001	0.0022



3A791-023-12



OLD PARTS




3A750-847-10



MAIN GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-29720	BRACKET SHIFT LEVER	1	≤60820			2.12	4.664
010	3A751-29722	BRACKET SHIFT LEVER	1	≥60821	←		2.12	4.664
020	02763-60080	NUT FLANGE	3				0.005	0.011
030	01754-50820	BOLT FLANGE	2				0.015	0.033
040	3A751-29580	LEVER MAIN SHIFT	1				0.665	1.463
050	3A751-29520	ASSY LEVER M.SHIFT	1				0.44	0.968
060	08511-01415	BUSH	4				0.006	0.0132
070	35828-29890	WASHER WAVE	1				0.001	0.0022
080	3F740-29580	BOLT	2				0.085	0.187
090	04512-50100	WASHER SPRING	2				0	0
100	02118-50100	NUT	2				0.005	0.011
110	3A751-29830	ASSY HOLDER M.SHIFT	1				0.685	1.507
120	08511-02025	BUSH	2				0.02	0.044
130	3A751-29930	LEVER MAIN SHIFT	1				0.2	0.44
140	3A751-29940	LEVER MAIN SHIFT	1				0.525	1.155
150	05411-00630	PIN SPRING	1				0.004	0.0088
160	02751-50080	NUT FLANGE	1				0.006	0.0132
170	01754-50818	BOLT FLANGE	2				0.011	0.0242
180	TA040-49820	GRIP LEVER	1				0.116	0.2552
190	3A751-74330	BOOT	1				0.215	0.473






MAIN GEAR SHIFT ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A791-29770	WIRE SELECT	1				0.28	0.616
020	3A751-29780	END ROD	1				0.045	0.099
030	04512-60050	WASHER SPRING	1				0.002	0.0044
040	02054-50050	NUT	1				0.002	0.0044
050	04013-60060	WASHER PLAIN	1				0.001	0.0022
060	05525-60600	PIN SNAP	1				0.001	0.0022
070	99999-99999	BLANK	0				0	0
080	3A751-29990	ROD SHIFT	1				0.03	0.066
090	02112-50100	NUT	1				0.004	0.0088
100	99999-99999	BLANK	0				0	0
110	3A751-30030	ROD SHIFT	1				0.17	0.374
120	02112-50100	NUT	1				0.004	0.0088
130	33740-29480	END ROD RH	1				0.07	0.154
140	33740-29500	END ROD LH	1				0.07	0.154
150	02176-50100	NUT	2				0.005	0.011
160	04512-50100	WASHER SPRING	2				0	0
170	68731-65240	NUT	2				0.01	0.022
180	3A751-30040	TURNBUCKLE	1				0.08	0.176
190	3A751-30010	BOOT	1				0.023	0.0506
200	33740-29480	END ROD RH	1				0.07	0.154
210	33740-29500	END ROD LH	1				0.07	0.154
220	02176-50100	NUT	2				0.005	0.011
230	04512-50100	WASHER SPRING	2				0	0
240	68731-65240	NUT	1				0.01	0.022
250	3A751-29980	ROD SHIFT	1				0.12	0.264
260	02112-50100	NUT	1				0.004	0.0088
270	35593-74620	RUBBER PROTECTOR	1				0.005	0.011
280	36919-27910	ELEMENT	1				0.003	0.0066




3A791-024-12



MAIN GEAR SHIFT LEVER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-30060	SHAFT MAIN SHIFT	1				0.525	1.155
020	3F740-30030	SPRING	1				0.016	0.0352
030	3A651-30050	CAM MAIN SHIFT	1				0.14	0.308
040	50620-13150	SPRING BALL STOPPER	1				0.003	0.0066
050	07715-01605	BALL	1				0.003	0.0066
060	67817-15640	CIR-CLIP	1				0.001	0.0022
070	08822-22617	BEARING NEEDLE	1				0.012	0.0264
080	09500-22358	SEAL OIL	1				0.01	0.022
090	3F740-30180	BOLT	1				0.022	0.0484
100	04717-01000	WASHER WITH RUBBER	1				0.001	0.0022
110	3A751-30230	LEVER MAIN SHIFT	1				0.2	0.44
120	3A152-23590	O RING	1				0.001	0.0022
130	34070-24350	STOPPER	1				0.02	0.044
140	01754-50812	BOLT FLANGE	1				0.01	0.022
150	3A751-30242	LEVER MAIN SHIFT	1				0.13	0.286
160	05411-00635	PIN SPRING	1				0.005	0.011
170	3A791-29760	STAY	1				0.18	0.396
180	01123-50816	BOLT	2				0	0
190	12647-56410	SPRING GOVERNOR	1				0.035	0.077
200	3A751-29570	LEVER MAIN SHIFT	1				0.22	0.484
210	05411-00635	PIN SPRING	1				0.005	0.011
220	3A751-29750	STOPPER	1				0.035	0.077
230	01754-50812	BOLT FLANGE	1				0.01	0.022




3A691-016-12



SHUTTLE SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A691-43540	SHAFT SHUTTLE	1				0.268	0.5896
020	TA040-43870	BEARING FLANGE	2				0.02	0.044
030	01754-50616	BOLT FLANGE	4				0.006	0.0132
040	04612-00150	CIR CLIP EXTERNAL	2				0.001	0.0022
050	3A691-34440	LEVER SHUTTLE	1				0.31	0.682
060	3F270-34710	BEARING BALL	2				0.001	0.0022
070	3A051-34540	COLLAR SHUTTLE	1				0.005	0.011
080	04613-50050	CIR CLIP EXTERNAL	1				0.001	0.0022
090	3G710-34850	GRIP LEVER	1				0.6	1.32
100	TA040-43970	BOLT REAMER	1				0.042	0.0924
110	3A211-34562	SPRING	1				0.01	0.022
120	TA040-43920	COLLAR SHUTTLE	1				0.005	0.011
130	04013-60080	WASHER PLAIN	1				0.002	0.0044
140	04512-60080	WASHER SPRING	1				0.002	0.0044
150	02114-50080	NUT	1				0.005	0.011
160	3A691-34520	GUARD SHATTLE LEVER	1				0.47	1.034
170	30400-18870	BOLT FLANGE	1				0.01	0.022




3A791-025-12



SHUTTLE CABLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A691-34800	ASSY LEVER SHUTTLE	1				0.143	0.3146
020	08511-01015	BUSH	2				0.003	0.0066
030	04013-50100	WASHER PLAIN	1				0	0
040	04612-00100	CIR CLIP EXTERNAL	1				0.001	0.0022
050	45404-95770	END ROD	1				0.05	0.11
060	02156-50080	NUT	1				0.004	0.0088
070	04512-60080	WASHER SPRING	1				0.002	0.0044
080	31351-24310	SCREW ROD-END RH	1				0.035	0.077
090	02112-50080	NUT	1				0.003	0.0066
100	01123-50825	BOLT	1				0.013	0.0286
110	3A691-34590	CABLE SHUTTLE	1				0.335	0.737
120	04013-60080	WASHER PLAIN	3				0.002	0.0044
130	05511-50215	PIN SPLIT	1				0.001	0.0022
135	52300-34120	PIN SNAP	1				0.001	0.0022
140	3A691-54380	PLATE SHUTTLE	1				0.08	0.176
150	3A691-54390	GROMMET	1				0.026	0.0572
160	01754-50816	BOLT FLANGE	2				0.011	0.0242
170	33770-56870	CLAMP	1				0.008	0.0176
180	T0430-74730	BOLT FLANGE	1				0.004	0.0088
190	02761-50050	NUT FLANGE	1				0.002	0.0044




3A891-031-11



RANGE GEAR SHIFT LEVER [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-29850	LEVER RANGE SHIFT	1				0.2	0.44
020	05411-00630	PIN SPRING	1				0.004	0.0088
030	99999-99999	BLANK	0				0	0
040	3A751-29890	ROD RANGE	1				0.158	0.3476
050	02112-50080	NUT	1				0.003	0.0066
060	54721-31850	BALL LINK	1				0.065	0.143
070	31351-24260	NUT	1				0.005	0.011
080	45404-95770	END ROD	1				0.05	0.11
090	99999-99999	BLANK	0				0	0
100	16429-92010	NUT	2				0.007	0.0154
110	3A751-29650	ASSY HOLDER	1				0.61	1.342
120	08511-01815	BUSH	2				0.007	0.0154
130	3A751-29880	LEVER RANGE SHIFT	1				0.485	1.067
140	05411-00630	PIN SPRING	1				0.004	0.0088
150	3A751-29960	LEVER RANGE SHIFT	1				0.385	0.847
160	01754-60816	BOLT FLANGE	1				0.01	0.022
170	34070-41130	BOLT FLANGE	1				0.015	0.033
180	02763-60080	NUT FLANGE	2				0.005	0.011
190	68161-65162	RUBBER BELLOWS	1				0.062	0.1364
200	TA040-69820	GRIP LEVER	1				0.117	0.2574





PTO CLUTCH LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A011-27790	STAY WIRE	1				0.04	0.088
020	01123-50816	BOLT	2				0	0
030	TA140-24650	WIRE PTO	1				0.14	0.308
040	04012-50060	WASHER PLAIN	2				0.001	0.0022
050	05525-60600	PIN SNAP	1				0.001	0.0022
060	05511-51612	PIN SPLIT	1				0.001	0.0022
070	36530-04870	RUBBER	1				0.005	0.011
080	36919-27910	ELEMENT	1				0.003	0.0066
090	3A751-27800	BRACKET PTO LEVER	1	≤54170			0	0
090	3A751-27802	BRACKET PTO LEVER	1	≥54171	←		0.32	0.704
100	3A111-27830	SPRING PTO LEVER	1				0.001	0.0022
110	02751-50080	NUT FLANGE	3				0.006	0.0132
120	3A111-27810	LEVER PTO CLUTCH	1				0.051	0.1122
130	36919-27820	GRIP PTO LEVER	1				0.015	0.033
140	3A111-27840	ASSY LINK PTO LEVER	1				0.085	0.187
150	08511-00812	BUSH	2				0.002	0.0044
160	04013-60080	WASHER PLAIN	1				0.002	0.0044
170	05511-50215	PIN SPLIT	1				0.001	0.0022
180	04011-50180	WASHER PLAIN	1				0.012	0.0264
190	04612-00180	CIR CLIP EXTERNAL	1				0.001	0.0022
200	53961-46130	SPRING	1				0.015	0.033



FRONT WHEEL DRIVE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-41520	ROD 4WD SHIFT	1				0.226	0.4972
020	3A161-41510	FORK SHIFT	1				0.59	1.298
030	07715-03211	BALL	1				0.003	0.0066
040	62231-18530	SPRING	1				0.01	0.022
050	3A161-41543	PIN JOINT	1				0.016	0.0352
060	04717-00800	WASHER WITH RUBBER	1				0.001	0.0022
070	3A151-29842	LEVER RANGE SHIFT	1				0.256	0.5632
080	3A152-23590	O RING	1				0.001	0.0022
090	34070-24350	STOPPER	1				0.02	0.044
100	01754-50812	BOLT FLANGE	1				0.01	0.022
110	3A161-41530	LEVER SHIFT	1				0.24	0.528
120	05411-00635	PIN SPRING	1				0.005	0.011
130	3A761-41570	ROD	1	≤58772			0	0
130	3A761-41572	ROD	1	≥58773	←		0.495	1.089
140	04013-50100	WASHER PLAIN	1				0	0
150	52300-34130	PIN SNAP	1				0.004	0.0088
160	3A121-41450	GRIP LEVER	1				0.035	0.077
170	02116-50100	NUT	1				0.004	0.0088
180	3A651-41460	CUSHION	1				0.005	0.011
185	3A651-41470	HOLDER	1				0.011	0.0242
190	3F740-80670	BOLT	2				0.004	0.0088




3A791-052-11


**BRAKE PEDAL**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-44010	SHAFT PEDAL	1				1.78	3.916
020	04612-00250	CIR CLIP EXTERNAL	1				0.002	0.0044
030	3G710-44070	SUPPORT PEDAL SHAFT	1				0.37	0.814
040	3A752-44120	PEDAL BRAKE RH	1				1.42	3.124
050	34070-44140	SEAL OIL	2				0.005	0.011
060	34070-44360	BEARING NEEDLE	2				0.012	0.0264
070	3A752-44110	PEDAL BRAKE LH	1				1.36	2.992
080	05411-00840	PIN SPRING	1				0.008	0.0176
090	34070-44170	SPRING	2				0.08	0.176
100	99999-99999	BLANK	0				0	0
110	3G710-44004	COMP.LOCK PARKING	1				1.22	2.684
120	01123-50816	BOLT	1				0	0
130	36330-83420	SPRING LOCK	1				0.006	0.0132
140	01155-60835	BOLT	1				0.015	0.033
150	02114-50080	NUT	1				0.005	0.011
160	01123-50816	BOLT	2				0	0
170	TA040-49842	GRIP	1				0.025	0.055
180	37410-44120	COVER PEDAL	2				0.08	0.176

FRONT AXLE FRAME








FRONT AXLE BRACKET

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A121-41633	ASSY BRACKET FRONT	1				2.8	6.16
020	33750-41680	BUSH	1				0.14	0.308
025	06611-15010	NIPPLE GREASE	1				0.01	0.022
030	3A121-41644	ASSY BRACKET REAR	1				3.3	7.26
040	33750-41680	BUSH	1				0.14	0.308
050	06611-15010	NIPPLE GREASE	1				0.01	0.022
060	01517-51440	STUD	4				0.064	0.1408
070	02176-50140	NUT	4				0.014	0.0308
080	04512-60140	WASHER SPRING	4				0.008	0.0176
090	01138-51450	BOLT	4				0.001	0.0022
100	36280-41630	WASHER	1				0.06	0.132
110	38440-44820	SEAL OIL	4				0.01	0.022
120	35533-41670	COLLAR THRUST	2				0.03	0.066
130	01175-51645	BOLT	1				0.09	0.198
140	32580-44580	NUT	1				0.1	0.22
150	38440-44750	WASHER SEAL	1				0.003	0.0066

FRONT PROPELLER SHAFT



3A091-020-21




FRONT PROPELLER SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-41212	SHAFT PROPELLER	1				4.8	10.56
020	36330-28710	COLLAR THRUST	1				0.03	0.066
030	38430-25540	CIR CLIP EXTERNAL	1				0.004	0.0088
040	3A161-41230	GEAR 4WD	1			36T	1.315	2.893
050	08101-06306	BEARING BALL	1				0.335	0.737
060	04611-00720	CIR CLIP INTERNAL	2				0.018	0.0396
070	08101-06206	BEARING BALL	1				0.196	0.4312
080	3A161-41260	SEAL OIL	2				0.01	0.022
090	08141-06205	BEARING BALL	1				0.118	0.2596
100	33710-41310	COUPLING	1				0.2	0.44
110	33750-41310	COUPLING	1				0.29	0.638
120	3A161-41322	SHAFT PROPELLER	1				3.7	8.14
130	05411-00635	PIN SPRING	1				0.005	0.011
140	05411-00640	PIN SPRING	1				0.006	0.0132
150	3A161-41342	COVER SHAFT REAR	1				1	2.2
160	04811-10530	O RING	1				0.005	0.011
170	04811-00480	O RING	1				0	0
170	04816-00480	O RING	1		↔		0.003	0.0066
180	3A161-41352	COVER SHAFT FRONT	1				0.375	0.825
190	01123-60816	BOLT	1				0.01	0.022
200	01123-50820	BOLT	1				0.011	0.0242
210	04811-00420	O RING	1				0	0
210	04816-00420	O RING	1		↔		0.005	0.011

FRONT DIFFERENTIAL CASE







FRONT DIFFERENTIAL CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-42140	ASSY CASE FRONT DIFF	1				58	127.6
020	36840-42160	RING INNER	1				0.185	0.407
030	06331-35020	PLUG	1				0.068	0.1496
040	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
050	06331-45010	PLUG	2				0.02	0.044
060	04717-01000	WASHER WITH RUBBER	2				0.001	0.0022
070	3A161-42204	ASSY CASE BRG.PINION	1				14.4	31.68
080	05012-00816	PIN STRAIGHT	2				0.007	0.0154
090	01133-51260	BOLT	2				0.06	0.132
100	99999-99999	BLANK	0				0	0
110	35533-42350	SHIM	1			0.1mm	0.002	0.0044
110	35533-42360	SHIM	1			0.2mm	0.003	0.0066
110	35533-42370	SHIM	1			0.4mm	0.005	0.011
120	06331-35020	PLUG	1				0.068	0.1496
130	04717-02000	WASHER WITH RUBBER	1				0.004	0.0088
140	01138-51240	BOLT	1				0.046	0.1012
150	01138-51295	BOLT	1				0.1	0.22
160	99999-99999	BLANK	0				0	0
170	99999-99999	BLANK	0				0	0
180	35533-43170	PIPE KNOCK	2				0.02	0.044
190	01133-51445	BOLT	11				0.073	0.1606



3A150-057-11






DIFFERENTIAL FRONT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A091-43100	ASSY DIFFERENTIAL	1				3.5	7.7
020	3A161-43120	CASE DIFFERENTIAL	1				0.7	1.54
030	3A161-42310	GEAR BEVEL	1			27T	2	4.4
040	36790-43180	PIN STRAIGHT	1				0.01	0.022
050	01759-50830	BOLT UBS	10				0.016	0.0352
060	36790-43110	SHAFT DIFF.PINION	1				0.13	0.286
070	36790-43170	PIN STRAIGHT	1				0.015	0.033
080	6C170-14923	GEAR BEVEL	2			12T	0.11	0.242
090	67311-14980	COLLAR PINION THRUST	2				0.002	0.0044
100	3A121-43140	GEAR DIFF.SIDE	2			14T	0.11	0.242
110	67211-15160	SHIM	2			1.0mm	0.01	0.022
110	67211-15170	SHIM	2			0.8mm	0.008	0.0176
110	67211-15180	SHIM	2			1.2mm	0.01	0.022
120	33670-43070	COLLAR THRUST	1				0.02	0.044
130	33670-42410	SUPPORT DIFF.BEARING	1				1.94	4.268
140	01173-51028	BOLT	5				0.022	0.0484
150	04512-50100	WASHER SPRING	5				0	0
160	36780-43330	BEARING BALL	2				0.25	0.55
170	35533-43010	SHIM	1			0.1mm	0.002	0.0044
170	35533-43020	SHIM	1			0.2mm	0.003	0.0066
170	35533-43030	SHIM	1			0.4mm	0.004	0.0088
170	35533-43040	SHIM	1			0.8mm	0.009	0.0198
170	35533-43050	SHIM	1			1.0mm	0.01	0.022
170	35533-43060	SHIM	1			1.2mm	0.012	0.0264





FRONT DIFFERENTIAL LOCK CLUTCH


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33670-42640	CLUTCH DIFF.LOCK	1				0.9	1.98
020	33670-42700	CLUTCH DIFF.LOCK	1				0.3	0.66
030	33670-42540	SPRING	1				0.04	0.088
040	36780-42522	LEVER DIFF.LOCK	1				0.37	0.814
050	3A161-42510	LEVER DIFF.LOCK	1				0.33	0.726
060	05411-00625	PIN SPRING	1				0.004	0.0088
070	04811-00120	O RING	1				0	0
070	04816-00120	O RING	1		↔		0.001	0.0022
080	36780-42560	PLATE	1				0.022	0.0484
090	01133-51016	BOLT	1				0.015	0.033
100	3A011-33120	PIN	1				0.095	0.209
110	04011-50140	WASHER PLAIN	2				0.007	0.0154
120	04612-00140	CIR CLIP EXTERNAL	1				0.001	0.0022
130	37150-34460	CLAMP CORD	1				0.004	0.0088
140	55311-46230	SPRING	1				0.08	0.176
150	3A161-44362	WIRE DIFF.LOCK	1				0.25	0.55
160	3A161-44370	STAY WIRE	1				0.11	0.242
170	01754-50820	BOLT FLANGE	2				0.015	0.033
180	3A761-44300	ASSY LEVER DIFF.LOCK	1				0.34	0.748
190	08511-01420	BUSH	2				0.007	0.0154
200	04013-60080	WASHER PLAIN	1				0.002	0.0044
210	52300-34120	PIN SNAP	1				0.001	0.0022
220	3A761-44343	ROD DIFF.LOCK	1				0.15	0.33
230	3A761-44310	COMP.PEDAL DIFF.LOCK	1				0.65	1.43
240	02751-60080	NUT FLANGE	2				0.006	0.0132
250	52300-34130	PIN SNAP	2				0.004	0.0088
260	3A751-32980	COVER DIFF.LOCK	1				0.01	0.022

**BEVEL GEAR CASE**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35533-43314	CASE BEVEL GEAR	2				7.03	15.466
020	04811-51000	O RING	2				0.003	0.0066
030	36340-43180	BOLT UBS	4				0.05	0.11
040	35533-43170	PIPE KNOCK	4				0.02	0.044
050	01133-51440	BOLT	12				0.07	0.154
060	01517-61435	STUD	4				0.06	0.132
070	02176-50140	NUT	4				0.014	0.0308
080	04512-60140	WASHER SPRING	4				0.008	0.0176
090	3A121-43320	RETAINER BEARING	2				1.835	4.037
100	01123-50825	BOLT	22				0.013	0.0286
110	3A121-43303	ASSY SUPPORT CASE	2				3.48	7.656
120	35533-43350	BUSH	2				0.1	0.22
130	35533-43330	WASHER THRUST	2				0.028	0.0616
140	06611-15010	NIPPLE GREASE	2				0.01	0.022
150	33750-43350	SEAL OIL	2				0.018	0.0396
160	01138-51430	BOLT	4				0.07	0.154
170	99999-99999	BLANK	0				0	0
180	36280-43180	BOLT UBS	4				0.052	0.1144
190	35533-43170	PIPE KNOCK	4				0.02	0.044




3A110-055-11



FRONT AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33670-43360	SEAL OIL	2				0.01	0.022
020	3A121-43643	ASSY CASE F.WHEEL RH	1				12.4	27.28
030	35533-43600	BUSH	1				0.1	0.22
040	3A121-43633	ASSY CASE F.WHEEL LH	1				12.4	27.28
050	35533-43600	BUSH	1				0.1	0.22
060	35533-43290	BEARING BALL	2				0.65	1.43
070	35533-43380	BEARING BALL	2				0.1	0.22
080	35533-43522	GEAR BEVEL	2			13T	0.74	1.628
090	35860-79150	BEARING BALL	2				0.45	0.99
100	35533-43010	SHIM	2			0.1mm	0.002	0.0044
100	35533-43020	SHIM	2			0.2mm	0.003	0.0066
100	35533-43030	SHIM	2			0.4mm	0.004	0.0088
100	35533-43040	SHIM	2			0.8mm	0.009	0.0198
100	35533-44140	SHIM	2			1.0mm	0.012	0.0264
100	35533-44150	SHIM	2			1.2mm	0.015	0.033
100	35533-44160	SHIM	2			1.8mm	0.02	0.044
100	35533-44170	SHIM	2			2.0mm	0.025	0.055
100	35533-44180	SHIM	2			2.3mm	0.03	0.066
110	04611-00800	CIR CLIP INTERNAL	2				0.02	0.044
120	35533-43540	PLUG	2				0.18	0.396
130	04611-00900	CIR CLIP INTERNAL	2				0.037	0.0814
140	06331-35016	PLUG	2				0.04	0.088
150	04717-01600	WASHER WITH RUBBER	2				0.003	0.0066
160	06331-45010	PLUG	4				0.02	0.044
170	04717-01000	WASHER WITH RUBBER	4				0.001	0.0022




3A153-030-11



DIFFERENTIAL GEAR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-43210	SHAFT YOKE RH	1	≤54771		NOT SALE	2.2	4.84
010	3A161-43212	SHAFT YOKE RH	1	≥54772	←		2.2	4.84
020	3A161-43220	SHAFT YOKE LH	1	≤54771		NOT SALE	3.2	7.04
020	3A161-43222	SHAFT YOKE LH	1	≥54772	←		3.2	7.04
030	31391-15360	CIR-CLIP	2				0.005	0.011
040	54617-22830	SLEEVE	2				0.02	0.044
050	09403-55511	SEAL OIL	2				0.023	0.0506
060	3A161-43240	GEAR BEVEL	2			18T	0.93	2.046
070	35533-43470	BEARING BALL	2				0.88	1.936
080	35533-44020	SHIM	2			0.1mm	0.002	0.0044
080	35533-44030	SHIM	2			0.2mm	0.003	0.0066
080	35533-44040	SHIM	2			0.4mm	0.005	0.011
080	35533-44050	SHIM	2			0.8mm	0.011	0.0242
080	35533-44060	SHIM	2			1.0mm	0.012	0.0264
080	35533-44070	SHIM	2			1.2mm	0.02	0.044
090	04612-00280	CIR CLIP EXTERNAL	2				0.003	0.0066
100	3F740-43412	SHAFT	2				0.97	2.134
110	04612-00280	CIR CLIP EXTERNAL	2				0.003	0.0066
120	3A161-43440	GEAR BEVEL	2			19T	1.05	2.31
130	08101-06308	BEARING BALL	2				0.63	1.386
140	35533-44080	SHIM	2			0.1mm	0.001	0.0022
140	35533-44090	SHIM	2			0.2mm	0.002	0.0044
140	35533-44100	SHIM	2			0.4mm	0.005	0.011
140	35533-44110	SHIM	2			0.8mm	0.01	0.022
140	35533-44120	SHIM	2			1.0mm	0.012	0.0264
140	35533-44130	SHIM	2			1.2mm	0.015	0.033






FRONT AXLE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	36790-43722	GEAR BEVEL	2			34-18T	2.8	6.16
020	38450-25350	BEARING BALL	2				0.345	0.759
030	99999-99999	BLANK	0				0	0
040	35533-44210	SUPPORT PLANE.GEAR	2				4.4	9.68
050	08101-16013	BEARING BALL	2				0.29	0.638
060	36790-44220	GEAR PLANETARY	6			22T	0.62	1.364
070	35533-44230	COLLAR THRUST	12			1.6mm	0.01	0.022
080	3F740-44240	BEARING NEEDLE	6				0.045	0.099
090	35533-44250	PIN PLANETARY GEAR	6				0.2	0.44
100	05411-00522	PIN SPRING	6				0.002	0.0044
110	36790-44190	GEAR INTERNAL	2			63T	2.2	4.84
120	35533-44260	PIN STRAIGHT	4				0.02	0.044
130	35533-44280	CIR CLIP EXTERNAL	2				0.012	0.0264
140	3A121-43710	AXLE FRONT	2				9.3	20.46
150	3A121-43620	COVER FRONT WHEEL	2				9.8	21.56
160	35533-44292	O RING	2				0.005	0.011
170	3A161-48250	SEAL WITH SHAFT	2	≤59635			0.12	0.264
170	3A161-48250	SEAL OIL	2	≥59636	←		0.12	0.264
180	08101-06211	BEARING BALL	2				0.6	1.32
190	04611-01000	CIR CLIP INTERNAL	2				0.042	0.0924
200	01774-51040	BOLT FLANGE	36				0.025	0.055



3A691-018-21

OLD PARTS




3A891-807-10




STEERING HANDLE [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A691-63340	ASSY POST STEERING	1				1.88	4.136
020	3G710-63370	SHAFT STEERING	1				0.53	1.166
030	37410-41340	BUSH POST	1				0.015	0.033
040	34070-43670	BOLT	1				0.02	0.044
050	02114-50080	NUT	1				0.005	0.011
060	02112-50080	NUT	1				0.003	0.0066
070	3A751-43700	ASSY SHAFT	1				0.365	0.803
080	02172-50120	NUT	1				0.01	0.022
090	3A751-43680	COVER TILT	1				0.105	0.231
100	3A751-43640	DISK TILT LEVER	2				0.008	0.0176
110	3G710-43723	LEVER TILT	1				0.095	0.209
120	02783-50100	NUT FLANGE	1				0.01	0.022
130	61023-41630	GRIP	1				0.015	0.033
140	3A791-97470	KIT COVER STE.POST	1				0.245	0.539
145	3F240-98570	LABEL SHUTTLE CAUTI.	1				0.001	0.0022
147	35080-65280	LABEL KEY STOP	1				0.001	0.0022
150	34070-43110	BOLT FLANGE	2				0.02	0.044
160	31351-18790	BOLT FLANGE	2				0.007	0.0154
170	3F740-62560	ASSY WHEEL STEERING	1	<=58083			0	0
170	3F740-62562	ASSY WHEEL STEERING	1	>=58084	←		3.36	7.392
170	3F740-62562	ASSY WHEEL STEERING	1	<=58281			3.36	7.392
175	3F740-62570	WHEEL STEERING	1	<=58281		NOT SALE	3.3	7.26
175	TD060-18110	WHEEL STEERING	1	>=58282	←		2.5	5.5
180	3F740-62580	PAD STEERING	1	<=58083			0	0
180	3F740-62583	PAD STEERING	1	>=58084	←		0.02	0.044
190	3F740-62800	LABEL PAD	1	<=58083			0	0
190	3F740-62802	LABEL PAD	1	>=58084	←		0.006	0.0132
200	04512-60120	WASHER SPRING	1				0.005	0.011
210	02176-50120	NUT	1				0.01	0.022



3A791-042-11



3A750-065-13




3A110-111-10




STEERING CONTROLLER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-63070	CONTROLLER STEERING	1				5.65	12.43
020	3A999-11980	KIT SEAL	1				0.02	0.044
030	R1401-94620	KIT BEARING NEEDLE	1				0.04	0.088
040	33740-64450	O RING	1				0.001	0.0022
050	35999-22030	SEAL	1				0.001	0.0022
060	35999-22040	RING	1				0.005	0.011
070	R1401-94570	SEAL OIL	1				0.001	0.0022
080	R1401-94650	O RING	1				0.001	0.0022
090	3A999-11960	SPACER	1				0.002	0.0044
100	35999-22080	O RING	2				0.001	0.0022
110	35999-22110	SEAL DUST	1				0.002	0.0044
120	33740-64380	BUSH	1				0.11	0.242
130	35999-22070	RING RETAINING	1				0.005	0.011
140	35999-22090	NEEDLE THRUST	1				0.01	0.022
150	35999-22100	RACE BEARING	2				0.02	0.044
160	35999-22190	SPRING FLAT	2				0.001	0.0022
170	35999-22180	PIN	1				0.01	0.022
180	35999-22200	SPRING	4				0.002	0.0044
190	35999-22220	DRIVE	1				0.1	0.22
200	35999-22230	PLATE SPACER	1				0.1	0.22
210	3A111-22240	SET ROTOR	1				0.315	0.693
220	35999-22250	CAP END	1				0.4	0.88
230	3A999-11940	SCREW	6				0.02	0.044
240	3A999-11950	ASSY SCREW	1				0.018	0.0396
250	R1401-94670	BALL	1				0.001	0.0022
260	R1401-94660	SCREW ADAPTER	1				0.002	0.0044



OLD PARTS




3A891-808-10



STEERING LINKAGE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A161-63880	CYLINDER HYDRAULIC	1				7.5	16.5
020	33671-62132	BRACKET POWER STRG.	2				0.53	1.166
030	3A121-63970	PIN STRAIGHT	2				0.016	0.0352
040	01133-51400	BOLT	4				0.13	0.286
050	99999-99999	BLANK	0				0	0
060	3A161-62970	ASSY ROD TIE	2				2.15	4.73
070	3A121-62980	END ROD	2				1.04	2.288
080	35533-62850	COVER DUST	2				0.02	0.044
090	35533-62820	CLIP	2				0.003	0.0066
100	35533-62860	RING SET	2				0.005	0.011
110	3A161-62920	COMP.ROD TIE	2				1.1	2.42
120	35860-62750	NUT	2				0.04	0.088
130	35860-62852	COVER DUST	2				0.014	0.0308
140	36280-62860	CLIP	2				0.002	0.0044
150	05511-50335	PIN SPLIT	2				0.002	0.0044
160	02172-50200	NUT	2				0.03	0.066
170	35533-64013	COVER POWER STRG.	2				1.5	3.3
175	01135-61020	BOLT	8				0.015	0.033
180	3A121-64020	BRACKET POWER STRG.	2				0.65	1.43
190	01133-51020	BOLT	8				0.02	0.044
200	35533-43814	ARM KNUCKLE LH	1	≤59937			0.66	1.452
200	3A121-43810	ARM KNUCKLE LH	1	≥59938	≠		0.92	2.024
210	35533-43824	ARM KNUCKLE RH	1	≤59937			0.88	1.936
210	3A121-43820	ARM KNUCKLE RH	1	≥59938	≠		0.92	2.024
220	01133-51440	BOLT	8				0.07	0.154
230	99999-99999	BLANK	0				0	0
240	3A121-43660	BOLT	2	≤59937			0.04	0.088
250	04011-50120	WASHER PLAIN	2	≤59937			0.005	0.011
260	3F740-43940	BOLT	2				0.06	0.132
270	02076-50140	NUT	2				0.022	0.0484



3A150-144-11

[illegible]




3A150-069-12



HYDRAULIC PUMP [EXCEPT M8200HDC]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-82202	PUMP HYDRAULIC	1	<=57058			0	0
010	3A111-82204	PUMP HYDRAULIC	1	>=57059	←		4.6	10.12
020	04811-06400	O RING	1				0	0
020	04817-06400	O RING	1		←		0.003	0.0066
030	99999-99999	BLANK	0				0	0
040	01125-50835	BOLT	7				0.017	0.0374
050	01123-50800	BOLT	1				0.04	0.088
060	04013-60080	WASHER PLAIN	1				0.002	0.0044
070	3A151-63100	PUMP HYDRAULIC	1				2.3	5.06
080	04811-06400	O RING	1				0	0
080	04817-06400	O RING	1		←		0.003	0.0066




3A150-143-10



HYDRAULIC PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-82202	PUMP HYDRAULIC	1	<=57058			0	0
010	3A111-82204	PUMP HYDRAULIC	1	>=57059	←		4.6	10.12
020	68721-72210	FLANGE	1				0.45	0.99
030	33960-12860	FLANGE	1				0.5	1.1
040	68741-72230	COVER	1				0.39	0.858
050	68051-91850	RING SNAP	1				0.001	0.0022
060	35890-12970	KIT SEAL	1				0.005	0.011
070	36330-82320	SEAL OIL	1				0.01	0.022
080	35430-12870	ELEMENT SEAL	4				0.003	0.0066
090	68051-91880	ELEMENT BACK UP	4				0.001	0.0022
100	68051-91910	O RING	4				0.001	0.0022
110	33960-12870	COUPLING	1				0.028	0.0616
120	68271-91240	PIN	6				0.004	0.0088
130	68741-72250	WASHER	4				0.002	0.0044
140	35592-12940	STUD	4	<=57058			0.12	0.264
140	3A111-12940	STUD	4	>=57059	←		0.115	0.253
150	68051-92090	NUT	4				0.01	0.022
160	68051-91890	KEY	4				0.001	0.0022



**HYDRAULIC PUMP [COMPONENT PARTS] [EXCEPT M8200HDC]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-63100	PUMP HYDRAULIC	1				2.3	5.06
020	68721-72210	FLANGE	1				0.45	0.99
030	68051-91850	RING SNAP	1				0.001	0.0022
040	68588-85210	KIT SEAL	1				0.013	0.0286
050	36330-82320	SEAL OIL	1				0.01	0.022
060	35430-12870	ELEMENT SEAL	2				0.003	0.0066
070	68051-91880	ELEMENT BACK UP	2				0.001	0.0022
080	68051-91910	O RING	2				0.001	0.0022
090	68741-72230	COVER	1				0.39	0.858
100	68051-91890	KEY	2				0.001	0.0022
110	68741-72250	WASHER	4				0.002	0.0044
120	68271-91240	PIN	2				0.004	0.0088
130	3A999-12020	BOLT	4				0.055	0.121







HYDRAULIC PIPE (SUCTION) [EXCEPT M8200HDC]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33960-82630	FILTER	2				0.65	1.43
020	32590-38330	JOINT SCREW	2				0.05	0.11
030	33960-82640	MAGNET FILTER	1				0.08	0.176
040	3A751-82692	COMP.PIPE SUCTION	1				1.04	2.288
050	3A151-09860	O RING	1				0.001	0.0022
060	04815-00260	O RING	4				0	0
060	04816-00260	O RING	4		←		0.001	0.0022
070	04815-00220	O RING	1				0	0
070	04817-00220	O RING	1		↔		0.001	0.0022
080	01754-50816	BOLT FLANGE	2				0.011	0.0242
090	3A751-82710	COMP.PIPE SUCTION	1				0.54	1.188
100	3A151-82650	FLANGE SUCTION	1				1.465	3.223
110	04815-00220	O RING	2				0	0
110	04817-00220	O RING	2		↔		0.001	0.0022
120	01023-50655	BOLT	9				0.012	0.0264
130	35533-82720	CUSHION	1				0.03	0.066
140	37150-38950	BAND PIPE	1	≤56255			0.02	0.044
140	3A211-82880	BAND PIPE	1	≥56256	←		0.02	0.044
150	33430-82760	PIN BAND	1				0.004	0.0088
160	3A151-82663	COMP.PIPE POWER STRG	1	≤55797		NOT SALE ORDER BY REF.No.180	0.755	1.661
160	3A151-82664	COMP.PIPE POWER STRG	1	≥55798	≠	NOT SALE ORDER BY REF.No.180	0.755	1.661
170	31351-37160	PLUG	1	≥55798			0.003	0.0066
180	3A151-82670	ASSY PIPE SUCTION	1			OPTION	0.755	1.661



OLD PARTS




3A891-816-10



HYDRAULIC PIPE (DELIVERY) [EXCEPT M8200HDC]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82932	JOINT PIPE	1				0.13	0.286
020	04811-00180	O RING	1				0	0
020	04817-00180	O RING	1		←		0.003	0.0066
030	35880-63650	O RING	2				0.001	0.0022
040	3A751-82730	COMP.PIPE DELIVERY	1				1.815	3.993
050	06312-10020	PLUG	1				0.016	0.0352
060	3F740-82760	SPACER PIPE	1				0.4	0.88
070	3A091-82760	ASSY PIPE DELIVERY	1	≤59635			0	0
070	3A091-82763	ASSY PIPE DELIVERY	1	≥59636	←		1.43	3.146
080	3F740-82720	RUBBER	1				0.013	0.0286
090	01023-50645	BOLT	7				0.01	0.022
100	3A151-82810	STAY	1				0.075	0.165
110	3A151-82820	CUSHION	1				0.035	0.077
120	01135-61025	BOLT	1				0.04	0.088



3A791-031-12

OLD PARTS




3A891-809-10



HYDRAULIC OIL LINE (OIL COOLER)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A791-18210	PIPE POWER STEERING	1				0.21	0.462
020	3A091-18310	JOINT T-PIPE	2				0.081	0.1782
030	3A091-18290	VALVE CHECK O/C	1				0.131	0.2882
040	3A091-18280	PIPE OIL COOLER	1	<=58281			0.59	1.298
040	3A891-18280	PIPE OIL COOLER	1	>=58282	≠		0.5	1.1
050	06014-51223	JOINT	2	<=58281			0.06	0.132
050	06011-51223	JOINT PIPE	2	>=58282	≠		0.033	0.0726
060	3A091-18100	COOLER OIL	1				1.45	3.19
070	01123-50816	BOLT	4				0	0
080	3A791-27640	COMP.PIPE PTO	1				0.45	0.99
090	3A091-18250	STAY OIL COOLER	1				0.22	0.484
100	36919-50520	CLAMP HOSE	1				0.045	0.099
110	36330-63330	RUBBER PROTECTOR	1				0.01	0.022
120	01123-50820	BOLT	1				0.011	0.0242
130	01125-60820	BOLT	1				0.015	0.033
140	36330-63330	RUBBER PROTECTOR	2				0.01	0.022
150	3A031-63310	CLAMP PIPE	1				0.045	0.099
160	01125-60820	BOLT	1				0.015	0.033
170	3A891-18350	STAY OIL COOLER	1	>=58282			0.4	0.88
180	3A891-18360	STAY OIL COOLER	1	>=58282			0.13	0.286
190	01754-50612	BOLT FLANGE	4	>=58282			0.005	0.011






REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-63230	COMP.PIPE POWER STRG	1				0.55	1.21
020	35880-63650	O RING	1				0.001	0.0022
030	01023-50622	BOLT	4				0.005	0.011
040	36330-63330	RUBBER PROTECTOR	1				0.01	0.022
050	3A151-63320	STAY	1				0.19	0.418
060	3A031-63310	CLAMP PIPE	1				0.045	0.099
070	01125-60820	BOLT	2				0.015	0.033
080	06013-51203	JOINT PIPE	1				0.035	0.077
090	3A751-27602	COMP.PIPE PTO	1				0.51	1.122
100	36330-63330	RUBBER PROTECTOR	1				0.01	0.022
110	3A751-27620	STAY PIPE	1				0.085	0.187
120	3A031-63310	CLAMP PIPE	1				0.045	0.099
130	01125-60820	BOLT	2				0.015	0.033
140	12234-67580	CLAMP CORD	1				0.012	0.0264






REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A091-23860	PIPE PTO SHUTTLE	1				0.13	0.286
020	06014-51023	JOINT	1				0.06	0.132
030	3A791-23810	PIPE F/R SHUTTLE	2				0.19	0.418
040	34076-66590	BOLT JOINT	4				0.05	0.11
050	04714-00200	GASKET	8				0.002	0.0044
060	36920-40142	PIPE HYDRAULIC	2				0.01	0.022



3A891-038-10






HYDRAULIC CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82122	ASSY CASE HYD.CYL.	1	<=55588			0	0
010	3A151-82123	ASSY CASE HYD.CYL.	1	>=55589	←		49.5	108.9
020	3A151-82130	BUSH	1				0.205	0.451
030	36840-43350	BUSH	1				0.19	0.418
040	36741-94022	PLUG TAPER	9				0.01	0.022
050	36330-82170	BOLT	2				0.17	0.374
060	04512-60120	WASHER SPRING	2				0.005	0.011
070	36330-82160	BOLT	2				0.15	0.33
080	01133-51245	BOLT	3				0.055	0.121
085	01133-51250	BOLT	2				0.055	0.121
090	01574-61240	STUD	2				0.045	0.099
095	01574-61240	STUD	1				0.045	0.099
100	02176-50120	NUT	3				0.01	0.022
110	04512-60120	WASHER SPRING	5				0.005	0.011
120	38240-21410	PLUG	1				0.015	0.033
130	04811-50300	O RING	1				0	0
130	04816-50300	O RING	1		↔		0.001	0.0022
140	3A751-21630	PIPE BREATHER	1	<=57058			0.01	0.022
140	3A751-21632	PIPE BREATHER	1	>=57059	←		0.01	0.022
150	3A011-21622	BREATHER	1				0.034	0.0748
160	3A151-81670	PLUG	1				0.033	0.0726
170	3F740-82360	ASSY VALVE RELIEF	1				0.17	0.374
180	04811-00220	O RING	1				0	0
180	04817-00220	O RING	1		←		0.001	0.0022
190	04811-05150	O RING	1				0	0
190	04817-05150	O RING	1		←		0.001	0.0022
200	67810-38370	RING BACK UP	1				0.001	0.0022
210	01135-61020	BOLT	1				0.015	0.033
220	37150-34460	CLAMP CORD	1				0.004	0.0088
230	09980-10075	CAP PROTECTOR	2				0.001	0.0022






HYDRAULIC LIFT ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82572	PISTON HYD.	1				2.55	5.61
020	3A151-09850	O RING	1				0.015	0.033
030	3F740-82550	RING BACK UP	1				0.006	0.0132
040	3A151-82862	ROD HYD.PISTON	1				1.63	3.586
050	04810-00310	O RING	1				0	0
050	04817-00310	O RING	1		↔		0.003	0.0066
060	3A151-82840	ARM HYDRAULIC	1				3.2	7.04
070	05411-00870	PIN SPRING	1				0.015	0.033
080	3A151-82830	SHAFT HYD.ARM	1				11	24.2
090	33251-82850	BOLT STOPPER	1				0.015	0.033
100	04512-60100	WASHER SPRING	1				0.002	0.0044
110	04811-00550	O RING	2				0.006	0.0132
120	04811-00600	O RING	2				0.006	0.0132
130	3A151-82910	LEVER LIFT	2				6.5	14.3
140	36530-82900	COLLAR THRUST	2				0.03	0.066
150	04612-00600	CIR CLIP EXTERNAL	2				0.012	0.0264




3A750-075-14



HYDRAULIC CYLINDER COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82500	ASSY HEAD HYD.CYL.	1				4.45	9.79
020	06312-10020	PLUG	2				0.016	0.0352
030	31351-37160	PLUG	1				0.003	0.0066
040	38240-37250	COLLAR ADJUSTING	1				0.01	0.022
050	04611-00160	CIR CLIP INTERNAL	1				0.001	0.0022
060	3A751-81652	SHAFT	1				0.032	0.0704
070	04810-00100	O RING	2				0	0
070	04817-00100	O RING	2		↔		0.001	0.0022
080	04611-00180	CIR CLIP INTERNAL	1				0.001	0.0022
090	04011-50100	WASHER PLAIN	1				0.002	0.0044
100	99999-99999	BLANK	0				0	0
110	3F740-82400	ASSY VALVE SAFETY	1				0.4	0.88
110	YR516-55100	ASSY VALVE SAFETY	1		↔		0.4	0.88
120	04810-00160	O RING	1				0	0
120	04817-00160	O RING	1		↔		0.001	0.0022
130	04815-06280	O RING	1				0	0
130	04816-06280	O RING	1		←		0.002	0.0044
140	33770-94040	RING BACK UP	1	≤58013			0.002	0.0044
140	YT133-00160	RING BACK UP	1	≥58014	←		0.001	0.0022
150	3A151-09850	O RING	1				0.015	0.033
160	3A111-09810	O RING	1				0.001	0.0022
170	04815-00100	O RING	1				0	0
170	04817-00100	O RING	1		↔		0.001	0.0022
180	01173-51650	BOLT	5				0.099	0.2178
190	01173-51660	BOLT	1				0.114	0.2508
200	04512-60160	WASHER SPRING	6				0.01	0.022
210	3A751-81630	ASSY JOINT	1				0.12	0.264
220	99999-99999	BLANK	0				0	0
230	99999-99999	BLANK	0				0	0
240	05525-51400	PIN SNAP	2				0.005	0.011
250	3A751-81670	SHAFT	1				0.078	0.1716
260	05411-00414	PIN SPRING	1				0.001	0.0022
270	T0070-34560	GRIP	1				0.011	0.0242




3A150-089-13



CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82300	VALVE CONTROL	1				3.3	7.26
020	3A111-09810	O RING	2				0.001	0.0022
030	01123-50850	BOLT	3				0.02	0.044
040	3A151-81290	JOINT	1				0.025	0.055
050	02112-50080	NUT	1				0.003	0.0066
060	05122-60618	PIN JOINT	1				0.01	0.022
070	04012-50060	WASHER PLAIN	1				0.001	0.0022
080	05511-51612	PIN SPLIT	1				0.001	0.0022
090	3A151-82990	COMP.PIPE VALVE	1				0.16	0.352
100	01123-60816	BOLT	2				0.01	0.022






CONTROL VALVE [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82300	VALVE CONTROL	1				3.3	7.26
020	3A151-82310	KIT SEAL	1				0.008	0.0176
030	04811-05140	O RING	1				0	0
030	04817-05140	O RING	1		←		0.001	0.0022
040	04811-05150	O RING	1				0	0
040	04817-05150	O RING	1		←		0.001	0.0022
050	04811-00070	O RING	1				0	0
050	04816-00070	O RING	1		↔		0.001	0.0022
060	3A151-09870	RING BACK UP	1				0.001	0.0022
070	04811-00140	O RING	1				0	0
070	04817-00140	O RING	1		←		0.001	0.0022
080	04811-00120	O RING	1				0	0
080	04817-00120	O RING	1		←		0.001	0.0022
090	04811-00160	O RING	2				0	0
090	04817-00160	O RING	2		←		0.001	0.0022
100	04811-00220	O RING	1				0	0
100	04817-00220	O RING	1		←		0.001	0.0022
110	04811-05120	O RING	2				0	0
110	04817-05120	O RING	2		←		0.001	0.0022






DRAFT AND POSITION CONTROL LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-94290	SUPPORT	1				0.35	0.77
020	01023-50616	BOLT	4				0.005	0.011
030	3A751-94210	ASSY LEVER POSITION	1				0.335	0.737
040	08511-01210	BUSH	2				0.005	0.011
050	3A751-94220	ASSY LEVER DRAFT	1				0.315	0.693
060	08511-01220	BUSH	1				0.004	0.0088
070	33740-94460	SHAFT LEVER	1				0.08	0.176
080	36919-92360	WASHER WAVE	1				0.001	0.0022
090	01023-50614	BOLT	1				0.005	0.011
100	3A751-81960	ROD HYD.CONTROL	2				0.04	0.088
110	02014-50060	NUT	2				0.002	0.0044
120	36919-81970	END ROD	2				0.035	0.077
130	36919-81960	END ROD	2				0.035	0.077
140	36530-27770	NUT	2				0.002	0.0044
150	12264-92020	NUT SPRING WASHER M	4				0.05	0.11
160	99999-99999	BLANK	0				0	0
170	33760-94750	ELEMENT	1				0.003	0.0066
175	3A751-94700	COVER FLOOR	1				0.045	0.099
180	36919-81523	STOPPER LEVER	2				0.01	0.022
190	35624-81530	GRIP	2				0.02	0.044
200	04012-50080	WASHER PLAIN	2				0.001	0.0022
210	52300-34120	PIN SNAP	2				0.001	0.0022
220	31351-36880	GRIP LEVER	2				0.04	0.088




3A750-135-13



DRAFT AND POSITION CONTROL LEVER BRACKET

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35861-81490	PLATE	1				0.04	0.088
020	99999-99999	BLANK	0				0	0
030	36200-81440	PLATE FRICTION	1	≤55797			0	0
030	3A151-81440	PLATE FRICTION	1	≥55798	←		0.005	0.011
040	3A751-94240	LEVER DRAFT	1				0.205	0.451
050	05712-00510	KEY FEATHER	1				0.002	0.0044
060	36200-81450	PLATE FRICTION	3	≤55797			0	0
060	3A151-81450	PLATE FRICTION	3	≥55798	←		0.005	0.011
070	35861-81480	PLATE	2				0.04	0.088
080	3A751-94230	LEVER POSITION	1				0.205	0.451
090	36200-81530	BOLT	1				0.016	0.0352
100	04512-60060	WASHER SPRING	1				0.001	0.0022
110	02056-50060	NUT	1				0.002	0.0044
120	33740-81470	RETAINER SPRING	1	≤58281			0	0
120	33740-81472	RETAINER SPRING	1	≥58282	←		0.3	0.66
130	01513-50880	STUD	2				0.04	0.088
140	36730-81500	PIPE	1				0.04	0.088
150	36919-81510	NUT U	2				0.005	0.011
160	36919-81452	SPRING	1				0.06	0.132
170	36200-81460	SPRING	1				0.03	0.066




3A150-083-12



POSITION AND DRAFT SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-81110	SHAFT POSITION	1				0.765	1.683
020	04811-00180	O RING	1				0	0
020	04816-00180	O RING	1		↔		0.002	0.0044
030	36330-81124	SHAFT DRAFT	1				0.46	1.012
040	04811-06260	O RING	1				0	0
040	04816-06260	O RING	1		↔		0.002	0.0044
050	04612-00300	CIR CLIP EXTERNAL	1				0.003	0.0066
060	3A151-81130	BRACKET	1				1.14	2.508
070	04811-50450	O RING	1				0	0
070	04816-50450	O RING	1		↔		0.001	0.0022
080	01123-50820	BOLT	3				0.011	0.0242
090	3A152-81150	CONNECTOR POSITION	1				0.055	0.121
100	04012-50080	WASHER PLAIN	1				0.001	0.0022
110	05511-50215	PIN SPLIT	1				0.001	0.0022
120	3A151-81180	ROD	1				0.31	0.682
130	04811-10120	O RING	2				0.001	0.0022
140	36200-81190	STOPPER	1				0.008	0.0176
150	01123-60816	BOLT	1				0.01	0.022
160	36200-81230	CONNECTOR	1				0.166	0.3652
170	3A151-81240	LEVER POSITION	1				0.21	0.462
180	04011-50140	WASHER PLAIN	2				0.007	0.0154
190	36200-81210	CIR-CLIP	2				0.001	0.0022
200	36200-81220	ROLLER	3				0.008	0.0176
210	04612-00100	CIR CLIP EXTERNAL	3				0.001	0.0022



**POSITION CAM**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-81250	CAM POSITION	1				0.094	0.2068
020	36530-81290	SPACER	1				0.01	0.022
030	01123-50828	BOLT	1				0.014	0.0308
040	3A152-81680	LINK FEED BACK	1				0.19	0.418
050	01073-51045	BOLT	1				0.036	0.0792
060	02118-50100	NUT	1				0.005	0.011
070	36330-81670	SPRING	1				0.002	0.0044
080	3A151-81160	RETAINER SPOOL	1				0.178	0.3916
090	04011-50140	WASHER PLAIN	2				0.007	0.0154
100	36200-81210	CIR-CLIP	2				0.001	0.0022
110	3A151-81190	SHAFT	1				0.12	0.264
120	04811-10120	O RING	1				0.001	0.0022
130	36200-81190	STOPPER	1				0.008	0.0176
140	01123-60816	BOLT	1				0.01	0.022
150	3A152-81300	ASSY HOLDER SPRING	1				0.15	0.33
160	05411-00425	PIN SPRING	1				0.001	0.0022
170	3A152-81260	HOLDER SPRING	1				0.093	0.2046
180	3A152-81370	WASHER	1				0.002	0.0044
190	3A152-81280	SPRING	1				0.015	0.033
200	3A152-81380	SPRING	1				0.006	0.0132
210	3A152-81270	HOLDER	1				0.016	0.0352
220	04012-50060	WASHER PLAIN	2				0.001	0.0022
230	05122-50628	PIN JOINT	1				0.006	0.0132
240	05511-51612	PIN SPLIT	1				0.001	0.0022
250	05122-50628	PIN JOINT	1				0.006	0.0132
260	04012-50060	WASHER PLAIN	2				0.001	0.0022
270	05511-51612	PIN SPLIT	1				0.001	0.0022




3A150-085-12



DRAFT CAM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	36330-81312	LINK DRAFT	1				0.06	0.132
020	04012-50080	WASHER PLAIN	1				0.001	0.0022
030	05511-50215	PIN SPLIT	1				0.001	0.0022
040	36200-81324	LINK DRAFT	1				0.08	0.176
050	05122-50818	PIN JOINT	2				0.008	0.0176
060	04012-50080	WASHER PLAIN	2				0.001	0.0022
070	05511-50215	PIN SPLIT	2				0.001	0.0022
080	3A151-81340	CAM DRAFT	1				0.195	0.429
090	04811-05120	O RING	1				0	0
090	04816-05120	O RING	1		↔		0.002	0.0044
100	34150-24350	STOPPER LEVER	1				0.01	0.022
110	01123-50816	BOLT	1				0	0
120	36330-81352	LEVER DRAFT CONTROL	1				0.1	0.22
130	05411-00525	PIN SPRING	1				0.002	0.0044
140	36330-81392	ROD DRAFT CONTROL	1				0.1	0.22
150	36330-81382	ROD DRAFT CONTROL	1				0.033	0.0726
160	32350-28980	TURNBUCKLE	1				0.124	0.2728
170	02116-50100	NUT	1				0.004	0.0088
180	32350-28990	NUT	1				0.009	0.0198
190	04011-50100	WASHER PLAIN	2				0.002	0.0044
200	05511-50318	PIN SPLIT	1				0.001	0.0022
210	52300-34130	PIN SNAP	1				0.004	0.0088






AUXILIARY CONTROL VALVE (SCD) [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82540	VALVE AUX.CONTROL	1				3.7	8.14
020	04815-07560	O RING	1				0.002	0.0044
030	3F740-82943	COVER AUX.CONT.VALVE	1	≤58083			0.69	1.518
030	3F740-82944	COVER AUX.CONT.VALVE	1	≥58084	←		0.69	1.518
040	04815-07560	O RING	1				0.002	0.0044
050	01133-51070	BOLT	1				0.047	0.1034
060	01123-50870	BOLT	2				0.029	0.0638
070	3G700-82390	SUPPORT AUX.CON.VALV	1				0.1	0.22
080	05122-50518	PIN JOINT	2				0.002	0.0044
090	04012-50050	WASHER PLAIN	4				0.001	0.0022
100	05525-60500	PIN SNAP	2				0.001	0.0022
110	3G710-82380	HOLDER	1				0.26	0.572
120	01023-50612	BOLT	2				0.005	0.011
130	3A111-82010	ASSY COUPLER	2				0.48	1.056
135	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
140	3A151-82012	ASSY JOINT COUPLER	2				0.085	0.187
150	04811-00140	O RING	2				0	0
150	04816-00140	O RING	2		↔		0.002	0.0044
160	68011-62140	O RING	2				0.001	0.0022






AUXILIARY CONTROL VALVE (SCD) [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82540	VALVE AUX.CONTROL	1				3.7	8.14
020	3F740-06020	PLUG	4				0.001	0.0022
030	04815-07560	O RING	1				0.002	0.0044
040	04810-00110	O RING	1				0	0
040	04817-00110	O RING	1		↔		0.001	0.0022
050	04810-00090	O RING	1				0	0
050	04817-00090	O RING	1		↔		0.001	0.0022
060	3F740-06040	COVER	1				0.014	0.0308
070	3F740-06420	COVER	1				0.06	0.132
080	3F740-06430	WASHER	1				0.013	0.0286
090	01311-10616	BOLT HEX-SOC-HD	4				0.005	0.011
100	01311-10612	BOLT HEX-SOC-HD	2				0.01	0.022
110	12631-91030	BOLT HEX-SOC-HD	2				0.02	0.044
120	3F740-06060	SPRING	1				0.015	0.033
130	3F740-06070	SEAT SPRING	2				0.005	0.011
140	3F740-06080	GASKET	2				0.003	0.0066
150	3F740-06440	BUSH	1				0.019	0.0418
160	07715-03205	BALL	4				0.001	0.0022
170	3F740-06450	BOLT SPACER	1				0.032	0.0704
180	3F740-06460	PISTON	1				0.029	0.0638
190	3F740-06480	SPRING	1				0.01	0.022
200	3F740-06500	O RING	1				0.001	0.0022
210	3F740-06510	RING BACK UP	1				0.001	0.0022
220	3F740-06520	O RING	1				0.001	0.0022
230	3F740-06530	RING BACK UP	1				0.001	0.0022
240	3A111-06540	POPPET	1				0.003	0.0066
250	3F740-06550	BUSH	1				0.006	0.0132
260	3A111-06560	SPRING	1				0.002	0.0044
270	3A111-06570	SPRING	1				0.002	0.0044
280	3A111-06580	SEAT SPRING	1				0.004	0.0088
290	3A111-06590	SEAT SPRING	1				0.005	0.011
300	3A111-06600	PLUNGER	1				0.005	0.011
310	04810-00070	O RING	1				0	0
310	04817-00070	O RING	1		↔		0.001	0.0022
320	99999-99999	BLANK	1				0	0
330	3F740-06620	SCREW ADJUSTING	1				0.005	0.011
340	3F740-06630	NUT	1				0.004	0.0088
350	3F740-06100	PLUG	1				0.015	0.033
360	3F740-06110	PLUNGER	1				0.011	0.0242
370	3F740-06120	SPRING	1				0.001	0.0022
380	04810-00120	O RING	1				0	0
380	04817-00120	O RING	1		↔		0.001	0.0022
390	3F740-06150	ARM	1				0.032	0.0704



3A750-133-12



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82942	BRACKET AUX.CON.VALV	1				0.215	0.473
020	02763-60080	NUT FLANGE	3				0.005	0.011
030	3A751-82430	ASSY LEVER AUX.CON.	1				0.255	0.561
040	08511-01210	BUSH	2				0.005	0.011
050	52300-32640	GRIP LEVER	1				0.04	0.088
060	3G710-82990	COLLAR	2				0.12	0.264
070	36919-92360	WASHER WAVE	1				0.001	0.0022
080	3G710-82930	SHAFT AUX.CONT.VALVE	1				0.13	0.286
090	3G710-71140	BOLT	1				0.005	0.011
100	3A751-82980	WIRE AUX.CONT.VALVE	1				0.31	0.682
110	3F740-82430	NUT LOCK	1				0.004	0.0088
120	02761-50050	NUT FLANGE	1				0.002	0.0044
130	04012-50080	WASHER PLAIN	1				0.001	0.0022
140	05515-60800	PIN SNAP	1				0.002	0.0044






AUXILIARY CONTROL VALVE LEVER [A] [NEW TYPE]
S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A851-82940	BRACKET AUX.CON.VALV	1				0.495	1.089
020	02763-60080	NUT FLANGE	2				0.005	0.011
030	01754-50816	BOLT FLANGE	1				0.011	0.0242
040	3A851-82430	ASSY LEVER AUX.CON.	1				0.2	0.44
050	08511-01220	BUSH	1				0.004	0.0088
060	52300-32640	GRIP LEVER	1				0.04	0.088
070	3A851-82990	COLLAR AUX.CON.VALV	2				0.24	0.528
080	36919-92360	WASHER WAVE	1				0.001	0.0022
090	3A851-82930	SHAFT AUX.CONT.VALVE	1				0.091	0.2002
100	3G710-71140	BOLT	1				0.005	0.011
110	3A751-82980	WIRE AUX.CONT.VALVE	1				0.31	0.682
120	3A851-82970	END ROD	1				0.012	0.0264
130	02761-50050	NUT FLANGE	1				0.002	0.0044
140	02054-50050	NUT	1				0.002	0.0044
150	04012-50080	WASHER PLAIN	1				0.001	0.0022
160	05515-60800	PIN SNAP	1				0.002	0.0044




3A891-039-10



TOP LINK BRACKET

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35593-81800	ASSY BRACKET	1				5	11
020	36330-81830	BUSH	1				0.035	0.077
030	06613-20010	NIPPLE GREASE	1				0.01	0.022
040	35593-81753	BAR TORSION	1				1	2.2
050	36330-81843	PIN	1				0.085	0.187
060	3A151-81840	PIN	1				0.105	0.231
070	05511-50425	PIN SPLIT	2				0.003	0.0066
080	36330-81830	BUSH	1				0.035	0.077
090	06613-30010	NIPPLE GREASE	1				0.01	0.022
100	01133-51235	BOLT	2				0.043	0.0946
110	36330-81850	STOPPER	1				0.42	0.924
120	3A151-81890	SHIM	1			2.0mm	0.063	0.1386
120	3A151-81860	SHIM	1			1.0mm	0.032	0.0704
120	3A151-81870	SHIM	1			0.5mm	0.017	0.0374
130	36330-81363	PLATE DRAFT	1				0.25	0.55
140	01123-50825	BOLT	2				0.013	0.0286
150	3A151-81880	STOPPER	1				0.42	0.924
160	01779-51230	BOLT UBS	2				0.045	0.099



3A750-080-11

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G700-82530	HOLDER TOP LINK	1				0.36	0.792
020	01123-50820	BOLT	2				0.011	0.0242
030	3A751-91962	SUPPORT TOP LINK	1				0.135	0.297
040	01754-50835	BOLT FLANGE	1				0.019	0.0418
050	04015-60080	WASHER PLAIN	2				0.01	0.022
060	34070-41630	CUSHION RUBBER	1				0.005	0.011
070	02114-50080	NUT	1				0.005	0.011
080	3A151-91700	ASSY LINK TOP	1				6.1	13.42
090	3A151-91550	ASSY LINK TOP FRONT	1				1.85	4.07
100	33690-91790	PIN	1				0.007	0.0154
110	3A151-91610	ASSY LINK TOP REAR	1				1.85	4.07
120	33690-91790	PIN	1				0.007	0.0154
130	36530-91590	NUT TOP LINK	1				0.135	0.297
140	3A151-91620	ASSY SLEEVE TOP LINK	1				2.2	4.84
150	36530-91680	NIPPLE GREASE	2				0.004	0.0088
160	3A151-91660	PIN TOP LINK	1				0.33	0.726
170	36200-91840	ASSY PIN SET	1				0.06	0.132
180	36330-91773	ASSY PIN TOP LINK	1				0.55	1.21
190	36330-91762	PIN TOP LINK REAR	1				0.49	1.078
200	36200-91840	ASSY PIN SET	1				0.06	0.132






LOWER LINK


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-92010	COMP.LINK LOWER RH	1				16.6	36.52
020	3F760-92190	LEVER	1				0.72	1.584
030	33660-92170	SPRING	1				0.02	0.044
040	3F760-92160	PIN	1				0.25	0.55
050	05511-50435	PIN SPLIT	1				0.004	0.0088
060	05122-51060	PIN JOINT	1				0.038	0.0836
070	05511-50320	PIN SPLIT	1				0.002	0.0044
080	3M740-92030	COMP.LINK LOWER RH	1				3.58	7.876
090	3A151-92110	COMP.LINK LOWER LH	1				16.9	37.18
100	3F760-92190	LEVER	1				0.72	1.584
110	33660-92170	SPRING	1				0.02	0.044
120	3F760-92160	PIN	1				0.25	0.55
130	05511-50435	PIN SPLIT	1				0.004	0.0088
140	05122-51060	PIN JOINT	1				0.038	0.0836
150	05511-50320	PIN SPLIT	1				0.002	0.0044
160	3M740-92130	COMP.LINK LOWER LH	1				3.58	7.876
170	3A151-91880	PIN LIFT ROD RH	1				1.57	3.454
180	3A151-91890	PIN LIFT ROD LH	1				1.57	3.454
190	36330-91840	ASSY PIN SET	2				0.055	0.121
200	36530-93040	STUD	6				0.065	0.143
210	04512-60140	WASHER SPRING	6				0.008	0.0176
220	02176-50140	NUT	6				0.014	0.0308
230	05511-50420	PIN SPLIT	2				0.002	0.0044





REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-92500	ASSY STABILIZER	2				6.8	14.96
020	3A111-92510	JOINT STABILIZER	2				2.6	5.72
030	3A111-92520	JOINT STABILIZER	2				1.915	4.213
040	3A111-92530	JOINT STABILIZER	2				0.96	2.112
050	3A111-92540	BRACKET STABILIZER	2				0.502	1.1044
060	3A111-92170	BOLT STABILIZER	4				0.186	0.4092
070	02576-50180	NUT LOCK	4				0.049	0.1078
080	05122-51870	PIN JOINT	2				0.14	0.308
090	05511-50430	PIN SPLIT	4				0.004	0.0088
100	70388-58770	PIN	2				0.22	0.484
110	05515-61200	PIN SNAP	2				0.005	0.011




**STABILIZER [NEW TYPE]**

S.No.;>=57483

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A111-92500	ASSY STABILIZER	1				6.8	14.96
020	3A111-92510	JOINT STABILIZER	1				2.6	5.72
030	3A111-92520	JOINT STABILIZER	1				1.915	4.213
040	3A111-92530	JOINT STABILIZER	1				0.96	2.112
050	3A111-92540	BRACKET STABILIZER	1				0.502	1.1044
060	3A111-92170	BOLT STABILIZER	2				0.186	0.4092
070	02576-50180	NUT LOCK	2				0.049	0.1078
080	05122-51870	PIN JOINT	1				0.14	0.308
090	05511-50430	PIN SPLIT	2				0.004	0.0088
100	70388-58770	PIN	1				0.22	0.484
110	05515-61200	PIN SNAP	1				0.005	0.011
120	3A111-92600	ASSY STABILIZER RH	1				6.7	14.74
130	3A111-92510	JOINT STABILIZER	1				2.6	5.72
140	3A111-92520	JOINT STABILIZER	1				1.915	4.213
150	3A111-92530	JOINT STABILIZER	1				0.96	2.112
160	3A111-92540	BRACKET STABILIZER	1				0.502	1.1044
170	3A111-92170	BOLT STABILIZER	2				0.186	0.4092
180	02576-50180	NUT LOCK	2				0.049	0.1078
190	05122-51870	PIN JOINT	1				0.14	0.308
200	05511-50430	PIN SPLIT	2				0.004	0.0088
210	70388-58770	PIN	1				0.22	0.484
220	05515-61200	PIN SNAP	1				0.005	0.011



**LIFT ROD RH**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-91230	ASSY ROD LIFT RH	1				9.8	21.56
020	3A151-91240	CASE LIFT ROD GEAR	1				2.4	5.28
030	36530-91280	COMP.SHAFT ADJUSTING	1				0.5	1.1
040	08401-51106	BEARING THRUST BALL	1				0.064	0.1408
050	3A151-91200	ASSY PINION LIFT ROD	1				0.305	0.671
060	36330-91330	PINION LIFT ROD RH	1				0.11	0.242
070	3A151-91390	SHAFT HANDLE	1				0.125	0.275
080	05411-00520	PIN SPRING	1				0.002	0.0044
090	3A151-91300	COMP SLEEVE LIFT ROD	1				1.23	2.706
100	01133-51030	BOLT	4				0.025	0.055
110	06613-10675	NIPPLE GREASE	1				0.003	0.0066
120	36530-91260	ROD LIFT LOWER	1				3.1	6.82
130	06613-10010	NIPPLE GREASE	1				0.006	0.0132
140	3A151-91370	SUPPORT HANDLE	1				0.265	0.583
150	08511-01815	BUSH	1				0.007	0.0154
160	04811-10180	O RING	1				0.001	0.0022
170	36330-91323	HANDLE LIFT ROD RH	1				0.2	0.44
180	05411-00525	PIN SPRING	1				0.002	0.0044
190	36330-91270	SPRING HANDLE LOCK	1				0.025	0.055
200	3A151-91510	JOINT LIFT ROD	1				0.7	1.54
210	36330-91530	PIN LIFT ROD UPPER	1				0.27	0.594
220	05511-50535	PIN SPLIT	1				0.007	0.0154
230	36330-91360	PLUG	1				0.001	0.0022
240	3A151-91540	PIN LIFT ROD	1				0.305	0.671
250	33251-91860	PIN SET	1				0.023	0.0506
260	36530-91543	PIN LIFT ROD LOWER	1				0.23	0.506
270	33251-91860	PIN SET	1				0.023	0.0506




3A150-094-11



LIFT ROD LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-91450	ASSY ROD LIFT LH	1	<=53879			0	0
010	3A151-91452	ASSY ROD LIFT LH	1	>=53880	←		6.4	14.08
020	3A151-91460	ROD LIFT UPPER LH	1				1.96	4.312
030	3A151-91510	JOINT LIFT ROD	1				0.7	1.54
040	36530-91543	PIN LIFT ROD LOWER	1				0.23	0.506
050	05511-50535	PIN SPLIT	1				0.007	0.0154
060	36730-91260	ROD LIFT LOWER	1				3.72	8.184
070	06613-10010	NIPPLE GREASE	1				0.006	0.0132
080	36330-91360	PLUG	1				0.001	0.0022
090	3A151-91540	PIN LIFT ROD	1				0.305	0.671
100	33251-91860	PIN SET	1				0.023	0.0506
110	36530-91543	PIN LIFT ROD LOWER	1				0.23	0.506
120	33251-91860	PIN SET	1				0.023	0.0506






SWINGING DRAWBAR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-89322	BRACKET DRAWBAR	1				18.3	40.26
020	35700-49150	STUD	2				0.09	0.198
030	36500-49410	SPRING PLATE	2				0.022	0.0484
040	36500-49390	NUT	2				0.043	0.0946
050	01138-51640	BOLT	2				0.05	0.11
060	99999-99999	BLANK	0				0	0
070	33740-89332	PLATE SIDE	2				2.08	4.576
080	04011-50200	WASHER PLAIN	4				0.015	0.033
090	01173-52045	BOLT	2				0.162	0.3564
100	01173-52055	BOLT	2				0.183	0.4026
110	04512-60200	WASHER SPRING	4				0.02	0.044
120	3A111-89120	DRAWBAR	1				9.4	20.68
130	32530-71760	PIN DRAWBAR	1				0.32	0.704
140	70515-16330	PIN SPRING	1				0.03	0.066
150	05122-51885	PIN JOINT	2				0.18	0.396
160	05515-51600	PIN SNAP	2				0.007	0.0154




3A891-042-10



PTO SHAFT PROTECTOR [A]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A011-97380	KIT COVER PTO (A)	1				2.1	4.62
020	TA040-49350	LABEL DRAWBAR	1				0.002	0.0044
030	TA040-49590	LABEL PTO WARNING	1				0.002	0.0044
040	TA020-23752	STAY	1				0.12	0.264
050	TA020-23762	STAY	1				0.001	0.0022
060	01173-51025	BOLT	2				0.021	0.0462
070	04013-50100	WASHER PLAIN	2				0	0
080	62151-42412	SPRING PLATE	4				0.002	0.0044
090	02116-50100	NUT	2				0.004	0.0088
100	01133-51225	BOLT	2				0.035	0.077





REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A011-83280	BONNET FRONT UNDER	1				1.66	3.652
020	3A011-83510	NUT SPRING	5				0.012	0.0264
030	01754-50816	BOLT FLANGE	9				0.011	0.0242
040	04015-60080	WASHER PLAIN	4				0.01	0.022
050	3A011-83457	SUPPORT BONNET FRONT	1				1.1	2.42
060	01123-50820	BOLT	2				0.011	0.0242
070	3A011-83306	SEAL RUBBER	1				0.09	0.198








HOOD(BONNET) UPPER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-83022	COMP.BONNET	1				8.7	19.14
020	3A011-83295	BONNET FRONT	1				1.42	3.124
030	01754-50812	BOLT FLANGE	18				0.01	0.022
040	02751-50080	NUT FLANGE	10				0.006	0.0132
050	3A011-83463	SUPPORT BONNET	1				0.105	0.231
060	03016-50614	SCREW CSK-HD	1				0.003	0.0066
070	04412-50060	WASHER TOOTHED	1				0.001	0.0022
080	01754-50610	BOLT FLANGE	1				0.006	0.0132
090	3A151-83310	LINK	1	≤59318			0.505	1.111
090	3A294-83310	LINK	1	≥59319	←		0.55	1.21
095	3A151-83330	SPRING	1				0.021	0.0462
100	04013-60080	WASHER PLAIN	2				0.002	0.0044
110	05511-50215	PIN SPLIT	2				0.001	0.0022
120	6C040-54260	HANDLE MASCOT	1				0.028	0.0616
130	3A011-83473	LEVER HANDLE	1				0.155	0.341
135	3A011-83630	PLUG	1				0.001	0.0022
140	03614-50416	SCREW TAPPING	1				0.002	0.0044
150	3A011-83423	LOCK	1				0.05	0.11
160	02751-50080	NUT FLANGE	4				0.006	0.0132
170	99999-99999	BLANK	0				0	0
180	99999-99999	BLANK	0				0	0
190	01754-50610	BOLT FLANGE	1				0.006	0.0132
200	3A011-83530	GUIDE	1				0.015	0.033
210	3A011-83500	SPRING	2				0.03	0.066
220	41182-61150	PLUG	2				0.003	0.0066
230	3A011-83660	SPRING	1				0.01	0.022
240	3A111-83750	PLUG	1				0.002	0.0044
250	3A011-83600	PIN SNAP	1				0.002	0.0044
260	3A111-83790	INSULATION HEAT	1				0.11	0.242
270	3A151-17170	SPONGE UPPER	1				0.12	0.264







HOOD(BONNET) SIDE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-97330	KIT BONNET SIDE LH	1				2.5	5.5
020	32310-49580	LABEL WARNING	1				0.002	0.0044
030	3A151-83162	COMP.BONNET SIDE	1				2.5	5.5
040	3A011-83240	HOLDER	2				0.18	0.396
050	01754-50610	BOLT FLANGE	8				0.006	0.0132
060	3A751-83220	ASSY GRILLE BONNET	1	≤=57482			0	0
060	3A751-83222	ASSY GRILLE BONNET	1	≥=57483	←		1.43	3.146
065	3A751-17270	SPONGE SIDE	2	≥=57483			0.015	0.033
066	3A751-17280	SPONGE CENTER	1	≥=57483			0.006	0.0132
070	3A011-83490	NUT SPRING	2				0.01	0.022
080	3A011-83260	NUT	20				0.001	0.0022
085	3A851-83340	SPONGE GRILLE	2	≥=58282			0.004	0.0088
090	01754-50610	BOLT FLANGE	4				0.006	0.0132
100	01754-50616	BOLT FLANGE	3				0.006	0.0132
110	04015-60060	WASHER PLAIN	1				0.005	0.011
120	3A111-83810	INSULATION HEAT	2				0.02	0.044
125	3A851-83360	SPONGE SIDE	2	≥=58282			0.006	0.0132
130	3A011-17200	SPONGE SIDE	2				0.026	0.0572
140	02751-50060	NUT FLANGE	1				0.005	0.011
150	6A320-54370	TRIM SKIRT	1	≥=59636			0.008	0.0176
150	6A320-54370	TRIM SKIRT	2	≥=61369			0.008	0.0176



OLD PARTS




3A791-802-11




HOOD(BONNET) SIDE COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-83370	COVER	1	≤55588			0.6	1.32
010	3A791-83370	COVER	1	≥55589	←		0.55	1.21
020	3A751-83380	COVER	1	≤55588			0.63	1.386
020	3A791-83380	COVER	1	≥55589	←		0.52	1.144
030	3A111-83510	NUT SPRING	4				0.012	0.0264
040	01754-50816	BOLT FLANGE	8	≤55588			0.011	0.0242
040	01125-60820	BOLT	8	≥55589	←		0.015	0.033
050	3A151-83350	TRIM SASH	4	≤58281			0.035	0.077
050	3A151-83350	TRIM SASH	2	≥58282			0.035	0.077
055	3A851-83350	TRIM	2	≥58282			0.09	0.198
060	3A151-83410	STAY COVER	2				0.22	0.484
070	01754-50816	BOLT FLANGE	4				0.011	0.0242








CAB FRAME [OLD TYPE]
S.No.;<=58281

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A691-70500	COMP.CAB	1			NOT SALE	0	0
020	08511-01610	BUSH	2				0.005	0.011
030	08511-01220	BUSH	1				0.004	0.0088
040	08511-02030	BUSH	2				0.025	0.055
050	08511-01210	BUSH	2				0.005	0.011
060	3A691-73960	FRAME PEDAL	1				5.5	12.1
070	34070-44360	BEARING NEEDLE	2				0.012	0.0264
080	34070-44140	SEAL OIL	2				0.005	0.011
090	01133-51020	BOLT	5				0.02	0.044
100	02118-50100	NUT	2				0.005	0.011
110	04512-50100	WASHER SPRING	2				0	0
120	64531-11190	PLUG RUBBER	1				0.004	0.0088
130	37150-13920	CUSHION	2				0.005	0.011
140	34550-75420	LABEL FENDER HOLE	1				0.001	0.0022
150	50541-32130	CAP	2				0.001	0.0022
160	36919-52760	CAP RUBBER	2				0.002	0.0044








CAB FRAME [NEW TYPE]
S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A891-70502	COMP.CAB	1			NOT SALE	0	0
020	08511-01610	BUSH	2				0.005	0.011
030	08511-01220	BUSH	1				0.004	0.0088
040	08511-02030	BUSH	2				0.025	0.055
050	08511-01210	BUSH	2				0.005	0.011
060	3A691-73960	FRAME PEDAL	1				5.5	12.1
070	34070-44360	BEARING NEEDLE	2				0.012	0.0264
080	34070-44140	SEAL OIL	2				0.005	0.011
090	01133-51020	BOLT	5				0.02	0.044
100	02118-50100	NUT	2				0.005	0.011
110	04512-50100	WASHER SPRING	2				0	0
120	64531-11190	PLUG RUBBER	1				0.004	0.0088
130	37150-13920	CUSHION	2				0.005	0.011
140	34550-75420	LABEL FENDER HOLE	1				0.001	0.0022
150	50541-32130	CAP	2				0.001	0.0022
160	36919-52760	CAP RUBBER	2				0.002	0.0044








**DOOR RH**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-70670	GLASS DOOR RH	1				18	39.6
020	3G710-70680	SHIELD WEATHER STRIP	1				1.7	3.74
030	3G710-70752	HANDLE DOOR RH	1				1.11	2.442
040	T0270-61750	GASKET DOOR HANDLE	1				0.003	0.0066
050	36919-53702	GASKET	1				0.003	0.0066
060	34070-71050	WASHER	1				0.01	0.022
070	36919-56560	SCREW WITH WASHER	1				0.012	0.0264
080	T0270-70902	DAMPER DOOR	1				0.26	0.572
090	T0270-70950	JOINT BALL	2				0.016	0.0352
100	99999-99999	BLANK	0				0	0
110	3G710-70820	HINGE DOOR	2				0.69	1.518
120	T0270-70800	GASKET DOOR HINGE	4				0.011	0.0242
130	T0270-70910	GASKET DOOR HINGE	2				0.042	0.0924
140	T0270-70930	PLATE DOOR HINGE	1				0.22	0.484
150	36919-56560	SCREW WITH WASHER	4				0.012	0.0264
160	3G710-70842	HINGE DOOR RH	2				0.29	0.638
170	08511-01010	BUSH	4				0.003	0.0066
180	3F760-53460	BUSH	2				0.001	0.0022
190	01133-51025	BOLT	4				0.023	0.0506
200	3F760-53410	PIN DOOR HINGE	2				0.054	0.1188
210	04613-50080	CIR CLIP EXTERNAL	2				0.001	0.0022
220	3A751-70850	GASKET DOOR HINGE	2				0.002	0.0044






DOOR LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-70770	GLASS DOOR LH	1				14	30.8
020	3G710-70680	SHIELD WEATHER STRIP	1				1.7	3.74
030	3G710-70742	HANDLE DOOR LH	1				1.13	2.486
040	T0270-61750	GASKET DOOR HANDLE	1				0.003	0.0066
050	36919-53702	GASKET	1				0.003	0.0066
060	34070-71050	WASHER	1				0.01	0.022
070	36919-56560	SCREW WITH WASHER	1				0.012	0.0264
080	T0270-70902	DAMPER DOOR	1				0.26	0.572
090	T0270-70950	JOINT BALL	2				0.016	0.0352
100	99999-99999	BLANK	0				0	0
110	3G710-70820	HINGE DOOR	2				0.69	1.518
120	T0270-70800	GASKET DOOR HINGE	4				0.011	0.0242
130	T0270-70910	GASKET DOOR HINGE	2				0.042	0.0924
140	T0270-70930	PLATE DOOR HINGE	1				0.22	0.484
150	36919-56560	SCREW WITH WASHER	4				0.012	0.0264
160	3G710-70832	HINGE DOOR LH	2				0.3	0.66
170	08511-01010	BUSH	4				0.003	0.0066
180	3F760-53460	BUSH	2				0.001	0.0022
190	01133-51025	BOLT	4				0.023	0.0506
200	3F760-53410	PIN DOOR HINGE	2				0.054	0.1188
210	04613-50080	CIR CLIP EXTERNAL	2				0.001	0.0022
220	3A751-70850	GASKET DOOR HINGE	2				0.002	0.0044




3A750-090-14



DOOR LOCK RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T0270-86010	COMP.LOCK DOOR RH	1				0.64	1.408
020	T0270-86020	ASSY LOCK DOOR RH	1				0.3	0.66
030	T0270-86030	COMP.BRACKET	1				0.305	0.671
040	T0270-86050	ROD INNER LOCK RH	1				0.017	0.0374
050	T0270-86060	ROD OUTER HANDLE RH	1				0.008	0.0176
060	T0270-85080	SCREW CSK-HD	3				0.009	0.0198
070	3F260-53250	ASSY HANDLE OUTER	1				0.26	0.572
080	T0270-85120	RING KEY CYLINDER	1				0.004	0.0088
090	T0270-85180	SEAL OUTER HANDLE	1				0.006	0.0132
100	3F260-53190	CYLINDER KEY DOOR	1				0.04	0.088
110	T0270-86150	COVER DOOR LOCK RH	1				0.075	0.165
120	T0270-85140	KNOB DOOR LOCK	1				0.016	0.0352
130	T0270-85160	KNOB INNER LOCK	1				0.003	0.0066
140	T0270-85130	SCREW	5				0.002	0.0044
150	T0270-85070	ROD CYLINDER	1				0.008	0.0176
160	01023-50612	BOLT	2				0.005	0.011
170	T0270-85170	STRIKER DOOR LOCK	1				0.095	0.209
180	36530-53420	SHIM DOOR LOCK	1				0.02	0.044
190	T0270-70890	NUT DOOR STRIKER	1				0.058	0.1276
200	3F760-53430	SCREW CSK-HD	2				0.008	0.0176
210	04414-50080	WASHER TOOTHED	2				0.001	0.0022




3A750-091-14



DOOR LOCK LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T0270-85010	COMP.LOCK DOOR LH	1				0.64	1.408
020	T0270-85020	ASSY LOCK DOOR LH	1				0.3	0.66
030	T0270-85030	COMP.BRACKET	1				0.305	0.671
040	T0270-85050	ROD INNER LOCK LH	1				0.017	0.0374
050	T0270-85060	ROD OUTER HANDLE LH	1				0.008	0.0176
060	T0270-85080	SCREW CSK-HD	3				0.009	0.0198
070	3F260-53250	ASSY HANDLE OUTER	1				0.26	0.572
080	T0270-85120	RING KEY CYLINDER	1				0.004	0.0088
090	T0270-85180	SEAL OUTER HANDLE	1				0.006	0.0132
100	3F260-53190	CYLINDER KEY DOOR	1				0.04	0.088
110	T0270-85150	COVER DOOR LOCK LH	1				0.07	0.154
120	T0270-85140	KNOB DOOR LOCK	1				0.016	0.0352
130	T0270-85160	KNOB INNER LOCK	1				0.003	0.0066
140	T0270-85130	SCREW	5				0.002	0.0044
150	T0270-85070	ROD CYLINDER	1				0.008	0.0176
160	01023-50612	BOLT	2				0.005	0.011
170	T0270-85170	STRIKER DOOR LOCK	1				0.095	0.209
180	36530-53420	SHIM DOOR LOCK	1				0.02	0.044
190	T0270-70890	NUT DOOR STRIKER	1				0.058	0.1276
200	3F760-53430	SCREW CSK-HD	2				0.008	0.0176
210	04414-50080	WASHER TOOTHED	2				0.001	0.0022




3A750-092-13



SIDE WINDOW [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-70530	GLASS SIDE	2				4.5	9.9
020	3G710-61912	STRIP SIDE WEATHER	2				0.59	1.298
030	3G710-71490	COMP.LOCK WINDOW	2				0.05	0.11
040	36919-50390	SCREW	4				0.004	0.0088
045	33740-54090	WASHER PLAIN	4				0.003	0.0066
050	30418-61742	RUBBER PROTECTOR	2				0.01	0.022
060	30418-61842	SHIELD	2				0.001	0.0022
070	3F760-53540	WASHER PLAIN	4				0.012	0.0264
080	03056-50525	SCREW CSK-HD	2				0.004	0.0088
090	3F760-54850	NUT CAP	2				0.001	0.0022
100	3G710-71480	SUPPORT SIDE GLASS	4				0.018	0.0396
110	3F760-50390	SCREW	4				0.007	0.0154
120	30418-61742	RUBBER PROTECTOR	4				0.01	0.022
130	30418-61842	SHIELD	4				0.001	0.0022
140	3F760-53500	WASHER PLAIN	4				0.012	0.0264
150	36919-54080	SCREW	4				0.005	0.011
160	34070-71050	WASHER	4				0.01	0.022
170	34070-71060	NUT CAP	4				0.005	0.011








REAR WINDOW [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-71010	GLASS HATCH BACK	1				9	19.8
020	3G710-71042	STRIP REAR WEATHER	1				0.96	2.112
030	3G710-71020	HINGE REAR	2				0.084	0.1848
040	05112-50845	PIN JOINT	2				0.02	0.044
050	04012-50080	WASHER PLAIN	2				0.001	0.0022
060	05525-50800	PIN SNAP	2				0.001	0.0022
070	30418-61742	RUBBER PROTECTOR	2				0.01	0.022
080	30418-61842	SHIELD	2				0.001	0.0022
090	3F760-53500	WASHER PLAIN	2				0.012	0.0264
100	3G710-71090	NUT	2				0.005	0.011
110	3G710-71030	BRACKET DAMPER	2				0.23	0.506
120	T0180-53940	GASKET	2				0.02	0.044
130	30418-61742	RUBBER PROTECTOR	4				0.01	0.022
140	34070-71050	WASHER	4				0.01	0.022
150	34070-71060	NUT CAP	4				0.005	0.011
160	3G710-83050	DAMPER REAR	2				0.18	0.396
170	02763-60080	NUT FLANGE	2				0.005	0.011
180	T0180-83510	HANDLE BODY	1				0.16	0.352
190	T0180-83520	COVER HANDLE	1				0.04	0.088
200	T0180-83540	GASKET	2				0.001	0.0022
210	T0180-83610	SCREW PAN-HD	2				0.005	0.011
220	T0270-71090	BRACKET HANDLE COMP.	1				0.01	0.022
230	03024-50520	SCREW WITH WASHER	2				0.004	0.0088
240	04012-50050	WASHER PLAIN	2				0.001	0.0022
250	T0270-71070	HOLDER	1				0.022	0.0484
260	3A751-71080	SHIELD	1				0.044	0.0968
270	3A751-71090	SHIELD	2				0.005	0.011
280	3A751-55780	PLUG	1				0.012	0.0264
290	3A751-55790	PLUG	2				0.004	0.0088









3A851-047-10



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3F260-53342	ASSY MIRROR REARVIEW	2				0.6	1.32
020	3F260-53360	STAY REARVIEW MIRROR	2				0.77	1.694
030	04816-00140	O RING	2				0.002	0.0044
040	05411-00630	PIN SPRING	2				0.004	0.0088
050	3G710-71620	CAP	2				0.011	0.0242
060	3F760-53880	SPRING	2				0.033	0.0726
070	34070-71630	WASHER	4				0.01	0.022
080	34070-71620	NUT	4				0.01	0.022
090	3A751-53860	ASSY HOLDER	1				0.27	0.594
100	08511-01610	BUSH	2				0.005	0.011
110	34070-41130	BOLT FLANGE	2				0.015	0.033
120	02763-50080	NUT FLANGE	2				0.006	0.0132








INNER ROOF [NEW TYPE]

S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A851-87400	ASSY ROOF INNER	1	<=60312			0	0
010	3A851-87403	ASSY ROOF INNER	1	>=60313	←		10	22
020	3A851-87800	DUCT	1				0.65	1.43
030	3A851-87820	GASKET DUCT	2				0.003	0.0066
040	3A851-87830	GASKET DUCT	2				0.003	0.0066
050	3A851-87840	INSULATION DUCT	1				0.35	0.77
060	3G710-87700	ASSY DAMPER OPEN AIR	1				0.51	1.122
070	PK401-46180	RIVET	8				0.002	0.0044
075	04013-60040	WASHER PLAIN	4				0.002	0.0044
080	3G710-87710	GROMMET	1				0.003	0.0066
090	53652-11530	NUT	1				0.001	0.0022
100	3G710-54230	SUNVISOR	1				0.4	0.88
110	03056-50516	SCREW CSK-HD	4				0.024	0.0528
120	02761-50050	NUT FLANGE	4				0.002	0.0044
130	3A851-87850	GASKET DUCT	1				0.005	0.011
140	3A751-72610	COVER RADIO-CASSETTE	1				0.03	0.066
150	52300-26250	NUT	4				0.001	0.0022
160	3A751-72630	COVER SPEAKER	2				0.035	0.077
170	PL501-85180	NUT	8				0.001	0.0022
175	3A851-87880	GASKET	2	>=60313			0.012	0.0264
176	3A851-87890	GASKET	1	>=60313			0.01	0.022
180	3F760-50390	SCREW	10				0.007	0.0154
190	3F760-56050	ASSY GRILLE AIR-CON.	5	<=59937			0.045	0.099
190	T1275-74190	ASSY GRILLE AIR-CON.	5	>=59938	≠		0.45	0.99
200	36919-55890	SCREW	8				0.005	0.011
210	3G710-87420	RIVET	6				0.001	0.0022
220	3A851-87860	ASSY DUCT	1				0.28	0.616
230	3A851-87870	INSULATION DUCT	1				0.06	0.132
240	3G710-50290	GRILLE FRONT	2				0.24	0.528
250	T0270-72070	FILTER	1				0.065	0.143






OUTER ROOF

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-71512	ROOF OUTER	1	<=56643			0	0
010	3G710-71513	ROOF OUTER	1	>=56644	←		16.5	36.3
020	3G710-71520	SHIELD OUTER ROOF	1				0.22	0.484
030	3G710-71532	GASKET	4				0.01	0.022
035	3G710-71540	GASKET	3				0.002	0.0044
040	T1065-74270	SCREW	8				0.019	0.0418
050	3G710-56350	SCREW	2				0.016	0.0352
060	33740-54090	WASHER PLAIN	2				0.003	0.0066
070	TA043-71600	FILTER PAPER	1				0.25	0.55
080	T0270-72100	PLATE FILTER	1				0.55	1.21
090	36919-56530	SCREW	4				0.011	0.0242
100	3A851-71550	SPONGE FR.AIR DAMPER	1	>=59636			0.01	0.022
110	3A851-71520	SPONGE	1	>=61939			0	0







SEAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	01513-50822	STUD	4				0.01	0.022
020	02763-60080	NUT FLANGE	4				0.005	0.011
030	3A752-75950	BRACKET SEAT	1	<=58436			0	0
030	3A752-75952	BRACKET SEAT	1	>=58437	←		4.9	10.78
040	02763-50080	NUT FLANGE	4				0.006	0.0132
050	01125-60820	BOLT	4				0.015	0.033
060	04015-60080	WASHER PLAIN	4				0.01	0.022
070	3A752-75750	ASSY SEAT	1	<=60820			0	0
070	3A851-75750	ASSY SEAT	1	>=60821	←		0	0



3A750-102-12



3A651-079-14






FENDER COVER RH [A] [OLD TYPE]
S.No.;<=58281

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-99630	KIT COVER R.FENDER A	1				2.1	4.62
020	TA040-49302	LABEL I-PTO CAUTION	1				0.001	0.0022
030	3A751-74340	GROMMET	1				0.005	0.011
040	3A751-74310	COVER ACCEL.LEVER	1				0.009	0.0198
050	3A751-87550	GUIDE HYD.LEVER	1				0.145	0.319
060	3A751-74130	COVER AUX.CONTROL	1				0.105	0.231
070	3A751-74320	COVER	1				0.005	0.011
080	30810-18870	BOLT FLANGE	3				0.012	0.0264
090	36919-54090	WASHER PLAIN	3				0.002	0.0044
100	3G710-74230	RIVET	3				0.001	0.0022
110	3A751-74240	RIVET	2				0.001	0.0022
120	3F760-50390	SCREW	1				0.007	0.0154







FENDER COVER RH [A] [NEW TYPE]
S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-99630	KIT COVER R.FENDER A	1				2.1	4.62
020	TA040-49302	LABEL I-PTO CAUTION	1				0.001	0.0022
030	3A751-74340	GROMMET	1				0.005	0.011
040	3A751-74310	COVER ACCEL.LEVER	1				0.009	0.0198
050	3A751-87550	GUIDE HYD.LEVER	1				0.145	0.319
060	3A851-74132	COVER AUX.CONTROL	1				0.115	0.253
070	31351-93540	NUT	1	>=58437			0.002	0.0044
080	3A851-74150	COVER AUX.CONTROL	1				0.17	0.374
090	3A851-80670	BOLT	2				0.004	0.0088
100	E4194-93310	SCREW TAPPING	1	<=58436			0.002	0.0044
100	36919-55890	SCREW	1	>=58437	←		0.005	0.011
110	3A751-74320	COVER	1				0.005	0.011
120	30810-18870	BOLT FLANGE	3				0.012	0.0264
130	36919-54090	WASHER PLAIN	3				0.002	0.0044
140	3G710-74230	RIVET	3				0.001	0.0022
150	3A751-74240	RIVET	2	<=59125			0.001	0.0022
150	T0270-75350	RIVET PUSH	2	>=59126	←		0.002	0.0044
160	3F760-50390	SCREW	1				0.007	0.0154








PILLAR COVER [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-74260	COVER CENT.PILLAR LH	1				0.245	0.539
020	3A751-99610	KIT COVER RH(A)	1	≤57257			0	0
020	3A751-99612	KIT COVER RH(A)	1	≥57258	←		0.245	0.539
030	3F240-98360	LABEL SAFETY	1	≤57257			0	0
030	3F240-98362	LABEL SAFETY	1	≥57258	←		0.004	0.0088
040	TA040-49020	LABEL CAB WARNING	1				0.002	0.0044
050	3A751-74240	RIVET	8	≤59125			0.001	0.0022
050	T0270-75350	RIVET PUSH	8	≥59126	←		0.002	0.0044
060	3A751-74280	COVER REAR PILLAR LH	1				0.115	0.253
070	3A751-74290	COVER REAR PILLAR RH	1				0.115	0.253
080	3A751-74240	RIVET	4	≤59125			0.001	0.0022
080	T0270-75350	RIVET PUSH	4	≥59126	←		0.002	0.0044



**FENDER RH**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-76010	FENDER RH OUTER	1				2.9	6.38
020	01023-50612	BOLT	5				0.005	0.011
025	3A651-87500	WASHER PLAIN	5				0.003	0.0066
030	30442-15230	BOLT	3				0.01	0.022
040	3A751-68970	COVER FENDER RH	1				0.52	1.144
050	3F760-50390	SCREW	4				0.007	0.0154
060	38240-29250	NUT SPRING	4				0.005	0.011
070	3A751-75960	PLATE FENDER	1				0.5	1.1
080	30400-19060	BOLT FLANGE	3				0.006	0.0132
090	02761-60060	NUT FLANGE	3				0.003	0.0066
100	30400-19060	BOLT FLANGE	2				0.006	0.0132
110	02761-60060	NUT FLANGE	2				0.003	0.0066

**FENDER LH**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-76020	FENDER LH OUTER	1				2.9	6.38
020	3A751-75960	PLATE FENDER	1				0.5	1.1
030	30400-19060	BOLT FLANGE	3				0.006	0.0132
040	02761-60060	NUT FLANGE	3				0.003	0.0066
050	01023-50612	BOLT	5				0.005	0.011
055	3A651-87500	WASHER PLAIN	5				0.003	0.0066
060	30442-15230	BOLT	4				0.01	0.022
070	3A751-68980	COVER FENDER LH	1				0.52	1.144
080	3F760-50390	SCREW	4				0.007	0.0154
090	38240-29250	NUT SPRING	4				0.005	0.011
100	30400-19060	BOLT FLANGE	2				0.006	0.0132
110	02761-60060	NUT FLANGE	2				0.003	0.0066
120	3A751-87950	STAY SMV	1				0.57	1.254
130	3F760-50390	SCREW	1				0.007	0.0154
140	02761-50060	NUT FLANGE	1				0.003	0.0066




3A791-048-13





CAB BRACKET FRONT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-71730	ASSY CUSHION CAB	2				0.49	1.078
020	3A751-71780	BOLT	2				0.193	0.4246
030	04013-60140	WASHER PLAIN	2				0.01	0.022
040	3A751-71740	WASHER	2				0.145	0.319
050	04512-60140	WASHER SPRING	2				0.008	0.0176
060	02076-50140	NUT	2				0.022	0.0484
070	3A751-71714	BRACKET FRONT LH	1				10.7	23.54
080	3A751-71720	BRACKET FRONT RH	1				11.4	25.08
090	01517-61022	STUD	4				0.019	0.0418
100	02783-50100	NUT FLANGE	4				0.01	0.022
110	01173-51845	BOLT	8				0.122	0.2684
120	04512-60180	WASHER SPRING	8				0.02	0.044
130	3A751-87310	STEP RH	1				10.4	22.88
140	3A751-87320	STEP LH	1				10.5	23.1
150	01133-51030	BOLT	6				0.025	0.055










SMV EMBLEM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	7L500-89910	SIGN SMV	1				0.32	0.704
020	99999-99999	BLANK	0				0	0
030	7L500-89920	SOCKET SMV SIGN	1				0.1	0.22
040	7L500-89930	SOCKET-MTG SMV	1				0.05	0.11
050	7L500-89940	BOLT SQUARE NECK	2				0.01	0.022
060	7L500-89950	NUT	2				0.004	0.0088
070	7L500-89960	SPADE SMV SIGN	1				0.24	0.528
080	99999-99999	BLANK	0				0	0
090	7L500-89980	VIS	2				0.02	0.044
100	7L500-89990	NUT	2				0.001	0.0022
110	7L500-89810	BOLT SQUARE NECK	2			OUT OF USE	0.011	0.0242
120	04512-60080	WASHER SPRING	2	>=59813			0.002	0.0044




**AIR CONDITIONER [OLD TYPE]**

S.No.;<=58281

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G910-50032	UNIT AIR-CONDITIONER	1				8	17.6
020	T0270-87340	ASSY EVAPORATOR	1				1.51	3.322
021	T1065-72180	REGISTER AIR-CON.	1	<=54965			0.08	0.176
021	3G910-72180	REGISTER AIR-CON.	1	>=54966	≠		0.075	0.165
022	3G910-72190	CASE	1				3.1	6.82
025	T1065-72170	VALVE EXPANSION	1				0.155	0.341
026	T1065-72200	GASKET	2				0.005	0.011
027	T1065-72160	THERMOSTAT	1				0.07	0.154
028	3G910-72150	ASSY MOTOR	1				1.32	2.904
030	3G710-50770	CABLE	1				0.03	0.066
040	3G710-50760	CABLE VALVE	1				0.01	0.022
050	3G710-50750	CABLE AIR	1				0.03	0.066
060	T0270-87050	CLAMP WIRE	1				0.004	0.0088
070	3G710-50082	PANEL SWITCH	1				0.53	1.166
080	T0270-89990	CLAMP CABLE	3				0.002	0.0044
085	T1065-72120	SWITCH	1				0.09	0.198
090	T0270-87190	E RING	2				0.001	0.0022
100	T0270-87210	SCREW TAPPING	1				0.002	0.0044
110	01023-50630	BOLT	2				0.008	0.0176
120	3A651-87500	WASHER PLAIN	2				0.003	0.0066
130	01125-50825	BOLT	4				0.018	0.0396
140	3G710-50140	BRACKET PANEL SWITCH	1				0.02	0.044
150	01754-50816	BOLT FLANGE	1				0.011	0.0242
160	01754-50616	BOLT FLANGE	1				0.006	0.0132
170	3G710-87730	GROMMET	1				0.014	0.0308
180	36919-50670	SCREW WITH WASHER	2				0.002	0.0044
190	02761-50040	NUT FLANGE	2				0.002	0.0044
200	3G710-87280	HOSE DRAIN	2				0.29	0.638
210	3A751-50110	CASE	1				0.85	1.87
220	3G710-50120	GASKET	1				0.009	0.0198
230	3G710-50130	CLIP	3				0.001	0.0022
240	T0070-70860	BOLT FLANGE	4				0.006	0.0132
250	3G710-87536	BRACKET	1	<=58083			1.34	2.948
250	3G710-87536	BRACKET	1	>=58084	←		1.34	2.948
260	01754-50816	BOLT FLANGE	2				0.011	0.0242
270	04013-60080	WASHER PLAIN	2	>=58084			0.002	0.0044
280	55311-41260	BAND CORD	2				0.007	0.0154



3A851-050-10




AIR CONDITIONER [NEW TYPE]


S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A851-50030	UNIT AIR-CONDITIONER	1	<=59812			0	0
010	3A851-50032	UNIT AIR-CONDITIONER	1	>=59813	←		0	0
010	3A851-50033	UNIT AIR-CONDITIONER	1	>=60687	←		5.5	12.1
020	3A851-72100	ASSY EVAPORATOR	1				1.9	4.18
030	3A851-72130	ASSY CORE HEATER	1				2.3	5.06
040	3A851-72180	REGISTER BLOWER	1				0.1	0.22
050	T1065-72160	THERMOSTAT	1				0.07	0.154
060	3A851-72190	MOTER SERVO THERMO.	1				0.16	0.352
070	T1275-72200	MOTOR SERVO CHANGE	1				0.15	0.33
080	3A851-72150	ASSY MOTOR	1				1.5	3.3
090	3A851-72170	VALVE EXPANSION	1				0.15	0.33
100	01125-50825	BOLT	6				0.018	0.0396
110	3A851-50070	CUSHION	1				0.01	0.022
120	3A751-50110	CASE	1				0.85	1.87
130	3G710-50120	GASKET	1				0.009	0.0198
140	3G710-50130	CLIP	3				0.001	0.0022
150	T0070-70860	BOLT FLANGE	4				0.006	0.0132
160	3A851-87530	BRACKET	1	<=58436		NOT SALE	0	0
160	3A851-87532	BRACKET	1	>=58437	←		1.415	3.113
170	01754-50816	BOLT FLANGE	4				0.011	0.0242
180	04013-60080	WASHER PLAIN	1				0.002	0.0044
190	3A851-54270	STAY RADIO CASSETTE	1				0.255	0.561




[illegible]



3A750-113-12



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	36530-55240	JOINT WATER PIPE	1				0.04	0.088
020	3G700-72532	JOINT	1				0.001	0.0022
030	3A751-72560	UNIT HOSE	1				0.92	2.024
040	3A751-72570	UNIT HOSE	1				0.87	1.914
050	3A751-72590	UNIT HOSE	2				0.145	0.319
060	54800-38250	JOINT HEATER HOSE	2				0.01	0.022
070	3G710-72580	UNIT HOSE	1				0.05	0.11
080	54800-38260	CLAMP HOSE	10				0.006	0.0132
090	3G710-72500	VALVE WATER	1				0.05	0.11
100	T0270-87210	SCREW TAPPING	2				0.002	0.0044
110	3G710-72510	BRACKET	1				0.03	0.066
120	3G710-71140	BOLT	2				0.005	0.011
130	T0070-74893	COVER HEATER HOSE	1				0.016	0.0352
140	55311-41260	BAND CORD	1				0.007	0.0154




**HEATER HOSE [NEW TYPE]**


S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	36530-55240	JOINT WATER PIPE	1				0.04	0.088
020	3G700-72532	JOINT	1				0.001	0.0022
030	3A851-72560	UNIT HOSE	1				0.95	2.09
040	3A751-72572	UNIT HOSE	1				0.87	1.914
050	33760-50220	CLAMP HOSE	1				0.022	0.0484
060	36530-50260	INSULATOR	1				0.01	0.022
070	54800-38250	JOINT HEATER HOSE	2				0.01	0.022
080	54800-38260	CLAMP HOSE	8				0.006	0.0132
090	3A751-72590	UNIT HOSE	2				0.145	0.319
100	3A111-83810	INSULATION HEAT	1	>=58437			0.02	0.044
110	T0070-74893	COVER HEATER HOSE	1				0.016	0.0352
120	55311-41260	BAND CORD	1				0.007	0.0154



OLD PARTS




3A283-805-10

**CONDENSER [CA] [OLD TYPE]**

S.No.;<=58281

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-72610	CLAMP HOSE	2				0.02	0.044
020	01754-50612	BOLT FLANGE	2				0.005	0.011
030	01754-50816	BOLT FLANGE	2				0.011	0.0242
040	02751-50060	NUT FLANGE	2				0.005	0.011
050	3A761-72230	HOSE DISCHARGE	1				0.42	0.924
050	3A791-72230	HOSE DISCHARGE	1		≠		0.41	0.902
060	33760-56970	O RING	2				0.001	0.0022
070	3A761-87110	HOSE SUCTION	1				1.25	2.75
080	33760-56980	O RING	2				0.001	0.0022
090	3A751-87120	HOSE RIQUID	1				0	0
090	3A751-87122	HOSE RIQUID	1		←		0.93	2.046
100	33770-96290	ASSY SWITCH PRESSURE	1				0.024	0.0528
100	3A761-96290	ASSY SWITCH PRESSURE	1		←		0.02	0.044
110	33760-56960	O RING	2				0.001	0.0022
120	36530-50260	INSULATOR	3				0.01	0.022
130	3G710-50040	ASSY CONDENSER	1				4.8	10.56
140	T0070-79270	TANK RECEIVER	1				0.61	1.342
150	3G710-50070	JOINT RECEIVER	1				0.05	0.11
160	33760-56960	O RING	1				0.001	0.0022
170	3G710-50100	PIPE	1				0.06	0.132
180	33760-56960	O RING	2				0.001	0.0022
190	01023-50625	BOLT	2				0.007	0.0154
200	01205-50616	BOLT	2				0.007	0.0154
210	01023-50635	BOLT	2				0.01	0.022
220	T0070-74893	COVER HEATER HOSE	1				0.016	0.0352
230	3A751-79310	NET CONDENSER	1				0.063	0.1386
240	87200-51270	STOPPER	4				0.001	0.0022






CONDENSER [NEW TYPE]
S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A851-50040	CONDENSER	1				1.4	3.08
020	01754-50614	BOLT FLANGE	4				0.005	0.011
030	T1065-72290	NUT CONDENSER	4				0.007	0.0154
040	T0070-79270	TANK RECEIVER	1				0.61	1.342
050	3G710-50070	JOINT RECEIVER	1				0.05	0.11
055	33760-56960	O RING	1				0.001	0.0022
060	3A851-50100	TUBE RIQUID	1				0.095	0.209
070	33760-56960	O RING	2				0.001	0.0022
080	T2055-72390	CLAMP	1				0.005	0.011
090	3A851-79310	NET CONDENSER	1				0.1	0.22
100	3A851-79340	PIN	2				0.007	0.0154
110	67156-54480	RUBBER KNOB	2	<=59125			0.001	0.0022
110	34070-83790	NUT	2	>=59126	←		0.005	0.011
120	50800-51770	GRIP	2				0.004	0.0088
130	T0180-79380	HOLDER RECEIVER	1				0.23	0.506
140	01123-50820	BOLT	2				0.011	0.0242
150	01023-50625	BOLT	2				0.007	0.0154
160	01754-50612	BOLT FLANGE	1				0.005	0.011
170	01023-50630	BOLT	1				0.008	0.0176






AIR CONDITIONER HOSE / CONDENSER HOSE [NEW TYPE]
S.No.;>=58282


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-72610	CLAMP HOSE	1				0.02	0.044
020	01754-50612	BOLT FLANGE	1				0.005	0.011
030	3A851-87110	HOSE SUCTION	1				1.3	2.86
035	33760-56980	O RING	2				0.001	0.0022
040	3A851-87120	HOSE RIQUID	1				0.9	1.98
045	33760-56960	O RING	2				0.001	0.0022
050	3A761-96290	ASSY SWITCH PRESSURE	1				0.02	0.044
060	T1275-72350	JOINT	1				0.032	0.0704
070	3A851-72230	HOSE DISCHARGE	1				0.35	0.77
075	33760-56970	O RING	2				0.001	0.0022
080	01754-50620	BOLT FLANGE	1				0.007	0.0154
090	01023-50635	BOLT	2				0.01	0.022
100	T0270-50230	CLAMP HOSE	1				0.021	0.0462
110	T0070-74893	COVER HEATER HOSE	1				0.016	0.0352
120	01023-50630	BOLT	1				0.008	0.0176
130	36530-50260	INSULATOR	2				0.01	0.022



3A771-009-30

OLD PARTS




3A181-818-10

**COMPRESSOR [OLD TYPE]**

S.No.;<=58281

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	T1065-72213	COMPRESSOR	1			NOT SALE	4.58	10.076
010	6A671-97110	ASSY COMPRESSOR	1		←		5	11
020	T1065-87310	ASSY CLUTCH	1				1.47	3.234
020	6A671-97310	ASSY CLUTH MAGNETIC	1		≠		1.49	3.278
030	T0070-87320	SCREW WITH WASHER	1				0.003	0.0066
040	T1065-87330	ASSY WIRE	1				0.02	0.044
050	T1065-87340	SHIM	1			0.10mm	0.001	0.0022
050	T1065-87350	SHIM	1			0.15mm	0.001	0.0022
050	T1065-87360	SHIM	1			0.40mm	0.001	0.0022
050	T1065-87370	SHIM	1			0.60mm	0.001	0.0022
050	T1065-87380	SHIM	1			1.00mm	0.001	0.0022
060	T1065-87440	CIR CLIP EXTERNAL	1				0.005	0.011
070	T1065-87450	CIR CLIP EXTERNAL	1				0.003	0.0066
080	T1065-87460	BOLT CLUTCH	1				0.007	0.0154
090	3G710-50090	PULLEY TENSION	1				0.41	0.902
100	3A761-72340	NUT COMPRESSOR	1				0.016	0.0352
110	01123-50880	BOLT	3				0.03	0.066
120	01155-50880	BOLT	1				0.03	0.066
130	33760-50090	PULLEY TENSION	1				0.135	0.297
140	04013-60100	WASHER PLAIN	1				0.003	0.0066
150	04512-60100	WASHER SPRING	1				0.002	0.0044
160	02114-50100	NUT	1				0.005	0.011
170	3A761-79320	BELT V	1				0.18	0.396
180	3A791-97190	KIT COMPRESSOR	1			OPTION	6	13.2




**COMPRESSOR [NEW TYPE]**


S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	6A671-97110	ASSY COMPRESSOR	1				5	11
020	6A671-97210	ASSY CLUTH MAGNETIC	1	<=59635			1.43	3.146
020	6A671-97310	ASSY CLUTH MAGNETIC	1	>=59636	≠		1.49	3.278
030	T0070-87320	SCREW WITH WASHER	1				0.003	0.0066
040	T1065-87330	ASSY WIRE	1				0.02	0.044
050	T1065-87340	SHIM	1			0.10mm	0.001	0.0022
050	T1065-87350	SHIM	1			0.15mm	0.001	0.0022
050	T1065-87360	SHIM	1			0.40mm	0.001	0.0022
050	T1065-87370	SHIM	1			0.60mm	0.001	0.0022
050	T1065-87380	SHIM	1			1.00mm	0.001	0.0022
060	T1065-87440	CIR CLIP EXTERNAL	1				0.005	0.011
070	T1065-87450	CIR CLIP EXTERNAL	1				0.003	0.0066
080	T1065-87460	BOLT CLUTCH	1				0.007	0.0154
090	3G710-50090	PULLEY TENSION	1				0.41	0.902
100	3A761-72340	NUT COMPRESSOR	1				0.016	0.0352
110	01123-50880	BOLT	3				0.03	0.066
120	01155-50880	BOLT	1				0.03	0.066
130	33760-50090	PULLEY TENSION	1				0.135	0.297
140	04013-60100	WASHER PLAIN	1				0.003	0.0066
150	04512-60100	WASHER SPRING	1				0.002	0.0044
160	02114-50100	NUT	1				0.005	0.011
170	3A851-79320	BELT V	1				0.18	0.396




3A750-116-13






REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35999-12783	ASSY FRONT WHEEL	1				0	0
020	35999-13713	ASSY FRONT WHEEL RH	1				0	0
030	35999-13132	ASSY TIRE	1				0	0
040	35999-13423	ASSY WHEEL	1				0	0
050	35999-16410	ASSY RIM	1				0	0
060	35999-16420	DISK	1				0	0
070	35999-14292	LABEL TIRE RH	1				0	0
080	35999-13723	ASSY FRONT WHEEL LH	1				0	0
090	35999-13132	ASSY TIRE	1				0	0
100	35999-13423	ASSY WHEEL	1				0	0
110	35999-16410	ASSY RIM	1				0	0
120	35999-16420	DISK	1				0	0
130	35999-14302	LABEL TIRE LH	1				0	0
140	32530-27410	STUD	16				0.08	0.176
150	33251-49170	NUT	16				0.045	0.099



**FRONT WHEEL (12.4R24)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A999-13350	ASSY TIRE	1				45	99
020	35999-13423	ASSY WHEEL	1				0	0
030	35999-16410	ASSY RIM	1				0	0
040	35999-16420	DISK	1				0	0
050	3A999-13360	LABEL TIRE RH	1				0	0
060	3A999-13350	ASSY TIRE	1				45	99
070	35999-13423	ASSY WHEEL	1				0	0
080	35999-16410	ASSY RIM	1				0	0
090	35999-16420	DISK	1				0	0
100	3A999-13370	LABEL TIRE LH	1				0	0
110	32530-27410	STUD	16				0.08	0.176
120	33251-49170	NUT	16				0.045	0.099



**REAR WHEEL (18.4-30)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	35999-12982	ASSY REAR WHEEL	1				0	0
020	35999-14112	ASSY REAR WHEEL RH	1				0	0
030	35999-13282	ASSY TIRE	1				0	0
040	35999-13600	ASSY WHEEL	1				0	0
050	35999-14692	LABEL TIRE RH	1				0	0
060	35999-14122	ASSY REAR WHEEL LH	1				0	0
070	35999-13282	ASSY TIRE	1				0	0
080	35999-13600	ASSY WHEEL	1				0	0
090	35999-14702	LABEL TIRE LH	1				0	0
100	35707-49153	STUD	16				0.1	0.22
110	35707-49170	NUT	16				0.136	0.2992




3A150-138-11




REAR WHEEL (18.4-30)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-12880	ASSY REAR WHEEL	1				0	0
020	3A151-13910	ASSY REAR WHEEL RH	1				0	0
030	35999-13282	ASSY TIRE	1				0	0
040	3A111-13510	ASSY REAR WHEEL	1				0	0
050	3A131-15020	ASSY RIM	1				0	0
060	3A111-15030	DISK REAR WHEEL	1				0	0
063	7L900-10100	BOLT COACH	8				0	0
065	7L900-10110	NUT HEX	8				0	0
067	7L900-10120	WASHER FLAT	8				0	0
070	3A151-14690	LABEL TIRE RH	1				0	0
080	3A151-13920	ASSY REAR WHEEL LH	1				0	0
090	35999-13282	ASSY TIRE	1				0	0
100	3A111-13510	ASSY REAR WHEEL	1				0	0
110	3A131-15020	ASSY RIM	1				0	0
120	3A111-15030	DISK REAR WHEEL	1				0	0
123	7L900-10100	BOLT COACH	8				0	0
125	7L900-10110	NUT HEX	8				0	0
127	7L900-10120	WASHER FLAT	8				0	0
130	3A151-14700	LABEL TIRE LH	1				0	0
140	35707-49153	STUD	16				0.1	0.22
150	3A111-97810	NUT TAPER	16				0.13	0.286







**REAR WHEEL (16.9-34)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-12900	ASSY REAR WHEEL	1				0	0
020	3A151-13950	ASSY REAR WHEEL RH	1				0	0
030	35999-13200	ASSY TIRE	1				0	0
040	3A151-13520	ASSY WHEEL	1				0	0
050	3A151-14490	LABEL TIRE RH	1				0	0
060	3A151-13960	ASSY REAR WHEEL LH	1				0	0
070	35999-13200	ASSY TIRE	1				0	0
080	3A151-13520	ASSY WHEEL	1				0	0
090	3A151-14500	LABEL TIRE LH	1				0	0
100	35707-49153	STUD	16				0.1	0.22
110	35707-49170	NUT	16				0.136	0.2992






**REAR WHEEL (18.4R30)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A999-13262	ASSY TIRE	1				0	0
020	3A111-13510	ASSY REAR WHEEL	1				0	0
030	3A111-15020	ASSY RIM	1				66	145.2
040	3A111-15030	DISK REAR WHEEL	1				0	0
050	3A999-13310	LABEL TIRE RH	1				0	0
060	7L900-10100	BOLT COACH	8				0	0
070	7L900-10110	NUT HEX	8				0	0
080	7L900-10120	WASHER FLAT	8				0	0
090	3A999-13262	ASSY TIRE	1				0	0
100	3A111-13510	ASSY REAR WHEEL	1				0	0
110	3A111-15020	ASSY RIM	1				66	145.2
120	3A111-15030	DISK REAR WHEEL	1				0	0
130	3A999-13320	LABEL TIRE LH	1				0	0
140	7L900-10100	BOLT COACH	8				0	0
150	7L900-10110	NUT HEX	8				0	0
160	7L900-10120	WASHER FLAT	8				0	0
170	35707-49153	STUD	16				0.1	0.22
180	35707-49170	NUT	16				0.136	0.2992






LABEL (FRONT) [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16478-88220	LABEL FILTER	1				0.002	0.0044
020	16478-88230	LABEL RADIATOR	1				0.001	0.0022
030	3A691-97300	KIT LABEL SAFETY (A)	1	≤57257			0.023	0.0506
030	3A691-97302	KIT LABEL SAFETY (A)	1	≥57258	←		0.023	0.0506
040	TA040-49650	LABEL START CAUTION	1				0.004	0.0088
050	32310-49580	LABEL WARNING	1				0.002	0.0044
060	32751-49580	LABEL FAN BELT	2				0.001	0.0022
070	6C150-47430	LABEL PARKING	1				0.002	0.0044
080	3F240-98570	LABEL SHUTTLE CAUTI.	1				0.001	0.0022
090	35080-65350	LABEL KUBOTA	2				0.001	0.0022
100	3A151-98200	MARK MODEL RH	1				0.016	0.0352
110	3A151-98220	MARK MODEL LH	1				0.016	0.0352
120	3A051-98200	LABEL SHUTTLE	2				0.002	0.0044
130	33740-83193	NAMER KUBOTA	1				0.007	0.0154
140	3F240-83200	MARK SYMBOL	1				0.015	0.033
150	3A751-98180	LABEL MAIN SWITCH	1				0.001	0.0022
160	TA040-72950	LABEL COOLER	1	≤58281			0.001	0.0022
160	3A851-72950	LABEL COOLER	1	≥58282	≠		0.001	0.0022
170	34670-65050	LABEL PARKING	1				0.001	0.0022
180	35080-65280	LABEL KEY STOP	1				0.001	0.0022
190	TA040-49562	LABEL FUEL	1				0.002	0.0044
200	99999-99999	NAME PLATE	1				0	0



OLD PARTS

S.No. ;

A:<=54287,B:<=58281



3A891-814-10



LABEL (REAR) [A]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-75330	LABEL DUMMY	2				0.003	0.0066
020	34550-75420	LABEL FENDER HOLE	1				0.001	0.0022
030	3A691-97300	KIT LABEL SAFETY (A)	1	≤57257			0.023	0.0506
030	3A691-97302	KIT LABEL SAFETY (A)	1	≥57258	←		0.023	0.0506
040	TA040-49302	LABEL I-PTO CAUTION	1				0.001	0.0022
050	3F240-98360	LABEL SAFETY	1	≤57257			0	0
050	3F240-98362	LABEL SAFETY	1	≥57258	←		0.004	0.0088
060	TA040-49350	LABEL DRAWBAR	1				0.002	0.0044
070	TA040-49590	LABEL PTO WARNING	1				0.002	0.0044
080	TA040-49020	LABEL CAB WARNING	1				0.002	0.0044
090	3A053-98600	LABEL CLUTCH CAUTION	1				0.001	0.0022
100	3F240-98690	LABEL ACCEL.GRIP	1				0.001	0.0022
110	3A751-98960	LABEL RANGE SHIFT	1				0.003	0.0066
120	3A151-98452	LABEL SPEED	1				0.003	0.0066
130	TA040-49760	MARK DIFF.LOCK	1				0.001	0.0022
140	3A161-98650	LABEL 4WD	1				0.001	0.0022
150	TA470-49330	MARK HYD.ADJUST.	1				0.001	0.0022
160	3A751-98370	LABEL DRAFT	1				0.001	0.0022
170	3A751-98230	LABEL POSITION	1				0.001	0.0022
180	33740-98290	LABEL PTO CLUTCH	1				0.001	0.0022
190	3A111-98563	LABEL LIFT ROD	1				0.002	0.0044
200	3A111-98392	LABEL AUX.CON.VALVE	1				0.001	0.0022
210	3A111-98572	LABEL AUX.CONT.VALVE	1				0.001	0.0022
220	99999-99999	NAME PLATE CAB	1				0	0
230	3A211-75800	REFLECTOR LABEL	2				0.004	0.0088
240	3A851-98170	MARK	2	≥58282			0.003	0.0066

ACCESSORIES AND SERVICE PARTS ACCESSOIRES ET PIECES DE SERVICE SONTIGES ZUBEHOER UND SERVICE-TEILE

TITLE-001-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A691-99710	OPERATOR'S MANUAL	1	≤58281		ENGLISH	0.22	0.484
010	3A891-99710	OPERATOR'S MANUAL	1	≥58282	≠	ENGLISH	0.24	0.528
010	3A881-99710	OPERATOR'S MANUAL	1	≥60821	≠	ENGLISH	0	0
030	32530-27410	STUD	16			FOR FRONT WHEEL	0.08	0.176
040	33251-49170	NUT	16			FOR FRONT WHEEL	0.045	0.099
050	35707-49153	STUD	16			FOR REAR WHEEL	0.1	0.22
060	35707-49170	NUT	16			FOR REAR WHEEL	0.136	0.2992
070	3A151-97820	STUD	16			FOR REAR WHEEL	0.125	0.275
080	3A111-97810	NUT TAPER	16			FOR REAR WHEEL	0.13	0.286
090	51950-29320	FUSE	1			30A	0.005	0.011
100	33780-75550	FUSE	1			65A [A]	0.015	0.033
110	36330-91773	ASSY PIN TOP LINK	1			REF.No.170 and 180	0.55	1.21
120	36330-91762	PIN TOP LINK REAR	1				0.49	1.078
130	36200-91840	ASSY PIN SET	1				0.06	0.132
140	05511-50420	PIN SPLIT	2			FOR LOWER LINK	0.002	0.0044



3A750-122-14




REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-75910	LIGHT WORK	2				0.37	0.814
020	3G710-75900	BULB	2			55W	0.007	0.0154
030	02763-60080	NUT FLANGE	2				0.005	0.011
040	53581-64150	BAND CORD	2				0.002	0.0044
050	3G710-75310	STAY WORKING LIGHT	2				0.1	0.22
060	02763-60080	NUT FLANGE	2				0.005	0.011
070	3G710-75322	STAY WORKING LIGHT	2				0.047	0.1034
080	30810-18870	BOLT FLANGE	2				0.012	0.0264
090	99999-99999	MANUAL INSTRUCTION	1				0	0





3A750-142-12

[illegible]



OLD PARTS




3A891-813-10



RADIO CASSETTE KIT [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-54262	STAY RADIO CASSETTE	1				0.27	0.594
020	01754-50612	BOLT FLANGE	2				0.005	0.011
030	04013-60080	WASHER PLAIN	2				0.002	0.0044
040	3F260-54110	CASSETTE RADIO	1				1.24	2.728
050	T0180-72620	SPEAKER	2	≤58772			0.31	0.682
050	T1155-72620	SPEAKER	2	≥58773	≠		0.425	0.935
060	T0270-72630	COVER SPEAKER	2	≤58772			0.03	0.066
060	T1155-72630	COVER SPEAKER	2	≥58773	≠		0.04	0.088
070	3G710-54140	ANTENNA	1	≤55588			0.21	0.462
070	3A751-54140	ANTENNA	1	≥55589	≠		0.195	0.429
080	3A751-54570	WIRE HARNESS SPEAKER	1	≤58772			0	0
080	3A751-54573	WIRE HARNESS SPEAKER	1	≥58773	←		0.055	0.121
090	36919-50670	SCREW WITH WASHER	8				0.002	0.0044
100	02761-50040	NUT FLANGE	8				0.002	0.0044
110	13582-57820	CUSHION CHOKE ROD	1				0.002	0.0044
120	3G710-71540	GASKET	1				0.002	0.0044
130	3A751-97780	MANUAL INSTRUCTION	1	≤55588			0.01	0.022
130	3A751-97782	MANUAL INSTRUCTION	1	≥55589	≠		0.01	0.022
140	TA147-75980	OPERATOR'S MANUAL	1			RADIO CASSETEE	0.01	0.022






REAR WIPER KIT [A] [OLD TYPE] [OPTION]
S.No.;<=58179

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3F760-55780	MOTOR REAR WIPER	1				0	0
020	99999-99999	BLANK	0				0	0
030	3F760-57430	SEAL REAR WIPER	1				0.015	0.033
040	3F760-57440	WASHER REAR WIPER	1				0.013	0.0286
050	3F760-57450	NUT REAR WIPER	1				0.009	0.0198
060	3F760-57470	CAP REAR WIPER	1				0.002	0.0044
070	3F760-57480	SEAL REAR WIPER	2				0.004	0.0088
080	3F760-57490	BOLT REAR WIPER	2				0.009	0.0198
090	3F760-57500	COVER REAR WIPER	1				0.08	0.176
100	02761-50060	NUT FLANGE	2				0.003	0.0066
110	3F760-54160	ARM REAR WIPER	1				0.126	0.2772
120	02761-50060	NUT FLANGE	1				0.003	0.0066
130	3F760-54170	BLADE REAR WIPER	1				0.108	0.2376
140	3A751-56730	TUBE WASHER	1				0.035	0.077
150	3F760-54180	NOZZLE WASHER	1				0.004	0.0088
160	3F760-54190	STAY WASHER NOZZLE	1				0.01	0.022
170	36919-50390	SCREW	1				0.004	0.0088
180	33740-54090	WASHER PLAIN	1				0.003	0.0066
190	13582-57820	CUSHION CHOKE ROD	1				0.002	0.0044
200	3F760-75340	SWITCH REAR WIPER	1				0.023	0.0506
210	3A751-97760	MANUAL INSTRUCTION	1				0.02	0.044




3A750-124-13

OLD PARTS

S.No. ;

A:≤54287,B:≤58281




3A891-811-10



REAR WIPER KIT [A] [NEW TYPE] [OPTION]
S.No.;>=58180

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3M760-55782	MOTOR REAR WIPER	1				1.59	3.498
020	3M760-57430	SEAL REAR WIPER	1				0.016	0.0352
030	3M760-57440	WASHER REAR WIPER	1				0.014	0.0308
040	3M760-57450	NUT REAR WIPER	1				0.01	0.022
050	3M760-57470	CAP REAR WIPER	1				0.005	0.011
060	3M760-57480	SEAL REAR WIPER	2				0.005	0.011
070	3M760-57510	COLLAR REAR WIPER	2				0.003	0.0066
080	3M760-57490	BOLT REAR WIPER	2				0.009	0.0198
090	3M760-57500	COVER REAR WIPER	1				0.13	0.286
100	02761-50060	NUT FLANGE	2				0.003	0.0066
110	3F760-54160	ARM REAR WIPER	1				0.126	0.2772
120	02761-50060	NUT FLANGE	1				0.003	0.0066
130	3F760-54170	BLADE REAR WIPER	1				0.108	0.2376
140	3A751-56730	TUBE WASHER	1				0.035	0.077
150	3F760-54180	NOZZLE WASHER	1				0.004	0.0088
160	3F760-54190	STAY WASHER NOZZLE	1				0.01	0.022
170	36919-50390	SCREW	1				0.004	0.0088
180	33740-54090	WASHER PLAIN	1				0.003	0.0066
190	13582-57820	CUSHION CHOKE ROD	1				0.002	0.0044
200	3F760-75340	SWITCH REAR WIPER	1				0.023	0.0506
210	3A751-97760	MANUAL INSTRUCTION	1	<=59493			0.02	0.044
210	3A751-97762	MANUAL INSTRUCTION	1	>=59494	←		0.02	0.044






PTO(540/1000) CONVERSION KIT (GEAR CASE) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	33960-21413	CASE GEAR	1				16.2	35.64
020	33960-21520	GUIDE OIL GAUGE	1				0.01	0.022
030	3A151-21470	COVER	1				0.09	0.198
035	01754-50814	BOLT FLANGE	2				0.005	0.011
040	05012-01020	PIN STRAIGHT	2				0.013	0.0286
050	06311-55040	PLUG	1				0.093	0.2046
060	04717-02150	WASHER WITH RUBBER	1				0.004	0.0088
070	01173-51202	BOLT	2				0.1	0.22
080	01173-61204	BOLT	2				0.105	0.231
090	01133-51275	BOLT	2				0.02	0.044
100	04512-60120	WASHER SPRING	4				0.005	0.011
110	01133-51235	BOLT	4				0.043	0.0946
120	3A152-21510	GAUGE OIL	1				0.031	0.0682
130	66591-11290	PLUG	4				0.001	0.0022
140	3A152-79320	BRACKET PTO PROTECTO	1				0.39	0.858
150	01123-50816	BOLT	3				0	0
160	01173-51025	BOLT	2				0.021	0.0462
170	04013-50100	WASHER PLAIN	2				0	0
180	62151-42412	SPRING PLATE	4				0.002	0.0044
190	02116-50100	NUT	2				0.004	0.0088
200	3A153-81880	STOPPER	1				0.69	1.518
210	01133-51235	BOLT	2				0.043	0.0946
220	3A154-89120	DRAWBAR	1				10	22
230	3A151-97420	MANUAL INSTRUCTION	1				0.01	0.022








PTO(540/1000) CONVERSION KIT (GEAR) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A152-79130	SHAFT PTO DRIVE	1				1.125	2.475
020	36730-80150	BEARING BALL	1				0.45	0.99
030	36730-80120	GEAR PTO	1			13T	0.5	1.1
040	35880-79130	COLLAR	1				0.045	0.099
050	33980-79140	GEAR PTO	1			18T	0.78	1.716
060	36330-80060	COLLAR	1				0.014	0.0308
070	35860-79150	BEARING BALL	1				0.45	0.99
080	36530-80090	RACE INNER	1				0.04	0.088
090	04612-00300	CIR CLIP EXTERNAL	1				0.003	0.0066
100	35822-79210	SHAFT PTO	1			6 SPLINE	2.35	5.17
100	35822-79220	SHAFT PTO	1			21 SPLINE	2.51	5.522
110	35880-79230	GEAR PTO	1			49T	5	11
120	38450-25350	BEARING BALL	1				0.345	0.759
130	35880-79170	BEARING BALL	1				0.6	1.32
140	35822-79240	GEAR PTO	1			43T	2.91	6.402
150	35860-79160	BEARING BALL	2				0.42	0.924
160	08131-06012	BEARING BALL	1				0.4	0.88
170	35822-79250	SPACER	1				0.08	0.176
180	33960-79262	HOLDER PTO SHAFT	1				0.42	0.924
190	35822-79270	WASHER THRUST	1				0.03	0.066
200	04612-00600	CIR CLIP EXTERNAL	1				0.012	0.0264
210	04815-50550	O RING	1				0.002	0.0044
220	33960-79280	CIR-CLIP INTERNAL	1				0.01	0.022
230	35822-80380	SEAL OIL	1				0.047	0.1034
240	35822-79310	SUPPORT PTO BEARING	1				4.5	9.9
250	05012-01020	PIN STRAIGHT	2				0.013	0.0286
260	01133-51240	BOLT	4				0.05	0.11








3A750-126-12




AUXILIARY CONTROL VALVE KIT (SCD) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82540	VALVE	1			REFER TO Fig.No.J44701 FOR COMPONENTS.	3.7	8.14
		AUX.CONTROL						
020	04815-07560	O RING	1				0.002	0.0044
030	3G700-82390	SUPPORT	1				0.1	0.22
		AUX.CON.VALV						
040	05122-50518	PIN JOINT	2				0.002	0.0044
050	04012-50050	WASHER PLAIN	4				0.001	0.0022
060	05525-60500	PIN SNAP	2				0.001	0.0022
070	3G710-82380	HOLDER	1				0.26	0.572
080	01023-50612	BOLT	2				0.005	0.011
090	3G700-82070	SPACER	1				0.15	0.33
		AUX.CONTROL						
100	04815-07560	O RING	1				0.002	0.0044
110	3A151-82012	ASSY JOINT COUPLER	2				0.085	0.187
120	04811-00140	O RING	1				0	0
120	04816-00140	O RING	2		↔		0.002	0.0044
130	68011-62140	O RING	2				0.001	0.0022
140	3A111-82010	ASSY COUPLER	2				0.48	1.056
145	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
150	3A751-99854	MANUAL INSTRUCTION	1	≤59493			0	0
150	3A751-99855	MANUAL INSTRUCTION	1	≥59494	←		0.01	0.022



OLD PARTS




3A891-812-10



AUXILIARY CONTROL VALVE KIT (FD) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-82812	VALVE AUX.CONTROL	1	<=55588			0	0
010	3G710-82813	VALVE AUX.CONTROL	1	>=55589	←		3.23	7.106
020	04815-07560	O RING	1				0.002	0.0044
030	3G700-82390	SUPPORT AUX.CON.VALV	1	<=58281			0.1	0.22
030	3A851-82390	SUPPORT AUX.CON.VALV	1	>=58282	≠		0.11	0.242
040	05122-50518	PIN JOINT	2				0.002	0.0044
050	04012-50050	WASHER PLAIN	4				0.001	0.0022
060	05525-60500	PIN SNAP	2				0.001	0.0022
070	3A751-82380	HOLDER	1	<=58281			0.21	0.462
070	3A851-82380	HOLDER	1	>=58282	≠		0.17	0.374
080	01023-50612	BOLT	2				0.005	0.011
090	3G700-82070	SPACER AUX.CONTROL	1				0.15	0.33
100	04815-07560	O RING	1				0.002	0.0044
110	3A151-82012	ASSY JOINT COUPLER	2				0.085	0.187
120	68011-62140	O RING	2				0.001	0.0022
130	04811-00140	O RING	2				0	0
130	04816-00140	O RING	2		↔		0.002	0.0044
140	3A111-82010	ASSY COUPLER	2				0.48	1.056
150	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
160	3A751-99863	MANUAL INSTRUCTION	1	<=58281			0.015	0.033
160	99999-99999	MANUAL INSTRUCTION	1	>=58282	≠		0	0






AUXILIARY CONTROL VALVE KIT (SCD/FC) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82560	VALVE AUX.CONTROL	1				3.65	8.03
020	04815-07560	O RING	1				0.002	0.0044
030	3G700-82390	SUPPORT AUX.CON.VALV	1				0.1	0.22
040	05122-50518	PIN JOINT	2				0.002	0.0044
050	04012-50050	WASHER PLAIN	4				0.001	0.0022
060	05525-60500	PIN SNAP	2				0.001	0.0022
070	3G710-82380	HOLDER	1				0.26	0.572
080	01023-50612	BOLT	2				0.005	0.011
090	3G700-82070	SPACER AUX.CONTROL	1				0.15	0.33
100	04815-07560	O RING	1				0.002	0.0044
110	3A151-82012	ASSY JOINT COUPLER	2				0.085	0.187
120	04811-00140	O RING	2				0	0
120	04816-00140	O RING	2		↔		0.002	0.0044
130	68011-62140	O RING	2				0.001	0.0022
140	3A111-82010	ASSY COUPLER	2				0.48	1.056
145	3A111-94520	ASSY CAP DUST	2				0.019	0.0418
150	3A151-82610	VALVE AUX.CONTROL	1				2.2	4.84
160	04815-07560	O RING	1				0.002	0.0044
170	3G700-82070	SPACER AUX.CONTROL	1				0.15	0.33
180	04815-07560	O RING	1				0.002	0.0044
190	3A151-82220	SHAFT	1				0.09	0.198
200	05411-00414	PIN SPRING	1				0.001	0.0022
210	36919-81530	BOLT STOPPER	1				0.022	0.0484
220	02114-50080	NUT	1				0.005	0.011
230	99999-99999	MANUAL INSTRUCTION	1				0	0



3A750-145-11




AUXILIARY CONTROL VALVE KIT (FC) [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82610	VALVE AUX.CONTROL	1				2.2	4.84
020	04815-07560	O RING	1				0.002	0.0044
030	3G700-82070	SPACER AUX.CONTROL	1				0.15	0.33
040	04815-07560	O RING	1				0.002	0.0044
050	3A151-82220	SHAFT	1				0.09	0.198
060	05411-00414	PIN SPRING	1				0.001	0.0022
070	36919-81530	BOLT STOPPER	1				0.022	0.0484
080	02114-50080	NUT	1				0.005	0.011
090	01176-51004	BOLT	1				0.07	0.154
100	04512-50100	WASHER SPRING	1				0	0
110	01156-50804	BOLT	2				0.041	0.0902
120	04512-60080	WASHER SPRING	2				0.002	0.0044
130	3A151-99890	MANUAL INSTRUCTION	1	≤59493			0.01	0.022
130	3A151-99892	MANUAL INSTRUCTION	1	≥59494	←		0.01	0.022

Reference:01U70501






AUXILIARY CONTROL VALVE (FD) [COMPONENT PARTS] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3G710-82812	VALVE AUX.CONTROL	1	≤55588			0	0
010	3G710-82813	VALVE AUX.CONTROL	1	≥55589	←		3.23	7.106
020	3F740-06020	PLUG	2				0.001	0.0022
030	04815-07560	O RING	1				0.002	0.0044
040	3F740-06040	COVER	4				0.014	0.0308
050	3F740-06050	COVER	1				0.077	0.1694
060	01311-10616	BOLT HEX-SOC-HD	2				0.005	0.011
070	01311-10660	BOLT HEX-SOC-HD	2				0.07	0.154
080	01311-10612	BOLT HEX-SOC-HD	2				0.01	0.022
090	3F740-06650	SPRING	1				0.018	0.0396
100	3F740-06070	SEAT SPRING	2				0.005	0.011
110	3F740-06660	SPACER	1				0.002	0.0044
120	3F740-06080	GASKET	2				0.003	0.0066
130	3F740-06670	COVER	1				0.12	0.264
140	3F740-06680	BUSH	1				0.019	0.0418
150	3F740-06690	RING	1				0.01	0.022
160	07715-03205	BALL	4				0.001	0.0022
170	3F740-06710	BOLT SPACER	1				0.04	0.088
180	3F740-06480	SPRING	1				0.01	0.022
190	3F740-06700	PLUG	1				0.02	0.044
200	3F740-06110	PLUNGER	1				0.011	0.0242
210	3F740-06120	SPRING	1				0.001	0.0022
220	04810-00120	O RING	1				0	0
220	04817-00120	O RING	1		↔		0.001	0.0022
230	3F740-06150	ARM	1				0.032	0.0704






AUXILIARY CONTROL VALVE (SCD/FC) [COMPONENT PARTS] [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-82560	VALVE AUX.CONTROL	1				3.65	8.03
020	3F740-06020	PLUG	4				0.001	0.0022
030	04815-07560	O RING	1				0.002	0.0044
040	04810-00110	O RING	1				0	0
040	04817-00110	O RING	1		↔		0.001	0.0022
050	04810-00090	O RING	1				0	0
050	04817-00090	O RING	1		↔		0.001	0.0022
060	3F740-06040	COVER	1				0.014	0.0308
070	3A151-06420	COVER	1				0.072	0.1584
080	3A151-06430	WASHER	1				0.013	0.0286
090	01311-10616	BOLT HEX-SOC-HD	4				0.005	0.011
100	01311-10612	BOLT HEX-SOC-HD	2				0.01	0.022
110	12631-91030	BOLT HEX-SOC-HD	2				0.02	0.044
120	3F740-06060	SPRING	1				0.015	0.033
130	3A151-06070	SEAT SPRING	2				0.006	0.0132
140	3F740-06080	GASKET	2				0.003	0.0066
150	3A151-06440	BUSH	1				0.019	0.0418
160	07715-03205	BALL	4				0.001	0.0022
170	3A151-06450	BOLT SPACER	1				0.032	0.0704
180	3F740-06460	PISTON	1				0.029	0.0638
190	3F740-06480	SPRING	1				0.01	0.022
200	3F740-06500	O RING	1				0.001	0.0022
210	3F740-06510	RING BACK UP	1				0.001	0.0022
220	3F740-06520	O RING	1				0.001	0.0022
230	3F740-06530	RING BACK UP	1				0.001	0.0022
240	3A111-06540	POPPET	1				0.003	0.0066
250	3F740-06550	BUSH	1				0.006	0.0132
260	3A111-06560	SPRING	1				0.002	0.0044
270	3A111-06570	SPRING	1				0.002	0.0044
280	3A111-06580	SEAT SPRING	1				0.004	0.0088
290	3A111-06590	SEAT SPRING	1				0.005	0.011
300	3A111-06600	PLUNGER	1				0.005	0.011
310	04810-00070	O RING	1				0	0
310	04817-00070	O RING	1		↔		0.001	0.0022
320	99999-99999	BLANK	0				0	0
330	3F740-06620	SCREW ADJUSTING	1				0.005	0.011
340	3F740-06630	NUT	1				0.004	0.0088
350	3F740-06100	PLUG	1				0.015	0.033
360	3F740-06110	PLUNGER	1				0.011	0.0242
370	3F740-06120	SPRING	1				0.001	0.0022
380	04811-00120	O RING	1				0	0
380	04816-00120	O RING	1		↔		0.001	0.0022
390	3F740-06150	ARM	1				0.032	0.0704




3A150-130-10

**AUXILIARY CONTROL VALVE (FC) [COMPONENT PARTS] [OPTION]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A151-82610	VALVE AUX.CONTROL	1				2.2	4.84
020	3F740-06020	PLUG	4				0.001	0.0022
030	04815-07560	O RING	1				0.002	0.0044
040	04810-00140	O RING	2				0	0
040	04817-00140	O RING	2		↔		0.001	0.0022
050	04810-00090	O RING	1				0	0
050	04817-00090	O RING	1		↔		0.001	0.0022
060	04810-00180	O RING	1				0	0
060	04817-00180	O RING	1		↔		0.003	0.0066






AUXILIARY CONTROL VALVE LEVER KIT (2ND) [A] [OLD TYPE] [OPTION]
S.No.;<=58281

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-97090	ASSY LEVER AUX.CON.	1				0.26	0.572
020	08511-01210	BUSH	2				0.005	0.011
030	52300-32640	GRIP LEVER	1				0.04	0.088
040	3A751-82980	WIRE AUX.CONT.VALVE	1				0.31	0.682
050	3F740-82430	NUT LOCK	1				0.004	0.0088
060	02761-50050	NUT FLANGE	1				0.002	0.0044
070	05515-60800	PIN SNAP	1				0.002	0.0044
080	04012-50080	WASHER PLAIN	1				0.001	0.0022
090	3A151-93962	STUD	1			WITH FLOW CONTROL VALVE	0.106	0.2332
100	37300-14190	NUT	1			WITH FLOW CONTROL VALVE	0.009	0.0198
110	04512-60100	WASHER SPRING	1			WITH FLOW CONTROL VALVE	0.002	0.0044
120	3A151-93972	STUD	2			WITH FLOW CONTROL VALVE	0.07	0.154
130	35320-25470	NUT	2			WITH FLOW CONTROL VALVE	0.006	0.0132
140	04512-60080	WASHER SPRING	2			WITH FLOW CONTROL VALVE	0.002	0.0044
150	01176-51004	BOLT	1			W/O FLOW CONTROL VALVE	0.07	0.154
160	04512-50100	WASHER SPRING	1			W/O FLOW CONTROL VALVE	0	0
170	01156-50804	BOLT	2			W/O FLOW CONTROL VALVE	0.041	0.0902
180	04512-60080	WASHER SPRING	2			W/O FLOW CONTROL VALVE	0.002	0.0044






AUXILAIRY CONTROL VALVE LEVER KIT (2ND) [A] [NEW TYPE] [OPTION]
S.No.;>=58282

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A851-97090	ASSY LEVER AUX.CON.	1				0.21	0.462
020	08511-01220	BUSH	1				0.004	0.0088
030	52300-32640	GRIP LEVER	1				0.04	0.088
040	3A751-82980	WIRE AUX.CONT.VALVE	1				0.31	0.682
050	3A851-82970	END ROD	1				0.012	0.0264
060	02761-50050	NUT FLANGE	1				0.002	0.0044
070	02054-50050	NUT	1				0.002	0.0044
080	05515-60800	PIN SNAP	1				0.002	0.0044
090	04012-50080	WASHER PLAIN	1				0.001	0.0022
100	3A151-93962	STUD	1			WITH FLOW CONTROL VALVE	0.106	0.2332
110	37300-14190	NUT	1			WITH FLOW CONTROL VALVE	0.009	0.0198
120	04512-50100	WASHER SPRING	1			WITH FLOW CONTROL VALVE	0	0
130	3A151-93972	STUD	2			WITH FLOW CONTROL VALVE	0.07	0.154
140	35320-25470	NUT	2			WITH FLOW CONTROL VALVE	0.006	0.0132
150	04512-60080	WASHER SPRING	2			WITH FLOW CONTROL VALVE	0.002	0.0044
160	01176-51004	BOLT	1			W/O FLOW CONTROL VALVE	0.07	0.154
170	04512-50100	WASHER SPRING	1			W/O FLOW CONTROL VALVE	0	0
180	01156-50804	BOLT	2			W/O FLOW CONTROL VALVE	0.041	0.0902
190	04512-60080	WASHER SPRING	2			W/O FLOW CONTROL VALVE	0.002	0.0044







REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A751-97110	ASSY LEVER AUX.CON.	1				0.26	0.572
020	08511-01210	BUSH	2				0.005	0.011
030	52300-32640	GRIP LEVER	1				0.04	0.088
040	3A751-82980	WIRE AUX.CONT.VALVE	1				0.31	0.682
050	3F740-82430	NUT LOCK	1				0.004	0.0088
060	02761-50050	NUT FLANGE	1				0.002	0.0044
070	05515-60800	PIN SNAP	1				0.002	0.0044
080	04012-50080	WASHER PLAIN	1				0.001	0.0022
090	3A151-93962	STUD	1				0.106	0.2332
100	37300-14190	NUT	1				0.009	0.0198
110	04512-60100	WASHER SPRING	1				0.002	0.0044
120	3A151-93972	STUD	2				0.07	0.154
130	35320-25470	NUT	2				0.006	0.0132
140	04512-60080	WASHER SPRING	2				0.002	0.0044



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3A851-97110	ASSY LEVER AUX.CON.	1				0.2	0.44
020	08511-01220	BUSH	1				0.004	0.0088
030	52300-32640	GRIP LEVER	1				0.04	0.088
040	3A751-82980	WIRE AUX.CONT.VALVE	1				0.31	0.682
050	3A851-82970	END ROD	1				0.012	0.0264
060	02761-50050	NUT FLANGE	1				0.002	0.0044
070	02054-50050	NUT	1				0.002	0.0044
080	05515-60800	PIN SNAP	1				0.002	0.0044
090	04012-50080	WASHER PLAIN	1				0.001	0.0022
100	3A151-93962	STUD	1				0.106	0.2332
110	37300-14190	NUT	1				0.009	0.0198
120	04512-60100	WASHER SPRING	1				0.002	0.0044
130	3A151-93972	STUD	2				0.07	0.154
140	35320-25470	NUT	2				0.006	0.0132
150	04512-60080	WASHER SPRING	2				0.002	0.0044



[illegible]



3A750-131-11



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	3F260-53342	ASSY MIRROR REARVIEW	1				0.6	1.32
020	3F260-53360	STAY REARVIEW MIRROR	1				0.77	1.694
030	04811-00140	O RING	1				0	0
030	04816-00140	O RING	1		↔		0.002	0.0044
040	05411-00630	PIN SPRING	1				0.004	0.0088
050	3G710-71620	CAP	1				0.011	0.0242
060	3F760-53880	SPRING	1				0.033	0.0726
070	34070-71630	WASHER	2				0.01	0.022
080	34070-71620	NUT	2				0.01	0.022
090	3A751-53860	ASSY HOLDER	1				0.27	0.594
100	08511-01610	BUSH	2				0.005	0.011
110	34070-41130	BOLT FLANGE	2				0.015	0.033
120	02763-60080	NUT FLANGE	2				0.005	0.011
130	3A751-97720	MANUAL INSTRUCTION	1				0.001	0.0022