

# Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

**REF.No** → The number referring to the part on the picture page of the parts book.

**Part No.** → The number assigned to this part at the time of printing the parts book.

**Description** → Discription of part.

**Q'ty** → Quantity of part used on that page.

**S.No.** → Serial number range of the equipment that this part will fit.

**>=** Your serial number should be greater than or equal to the number shown.

**<=** Your serial number should be lesser than or equal to the serial number shown.

**I/C** → Interchangeability of part shown.

**↔** The part shown will work for the older and later serial number.

**#** The part shown is not interchangeable with the other serial number.

**←** new for old

**→** old for new

**Remarks** → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


## Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

| Symbol | Country                  |
|--------|--------------------------|
| A      | United States of America |
| CA     | Canada                   |
| FR     | France                   |
| GR     | Greece                   |
| PO     | Portugal                 |
| AU     | Australia                |

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.


ALL PRODUCT INDEX  
F2100



| Item                 | Part No. | Description                           | Book     |
|----------------------|----------|---------------------------------------|----------|
| ENGINE               | 01G026   | CRANKCASE                             | 100K0175 |
|                      | 01G027   | OIL PAN                               | 100K0175 |
|                      | 01G028   | PISTON/CRANKSHAFT                     | 100K0175 |
|                      | 01G029   | MAIN BEARING CASE                     | 100K0175 |
|                      | 01G030   | FLYWHEEL                              | 100K0175 |
|                      | 01G031   | CYLINDER HEAD                         | 100K0175 |
|                      | 01G032   | VALVE/ROCKER ARM                      | 100K0175 |
|                      | 01G033   | NOZZLE HOLDER                         | 100K0175 |
|                      | 01G034   | NOZZLE HOLDER [COMPONENT PARTS]       | 100K0175 |
|                      | 01G035   | HEAD COVER                            | 100K0175 |
|                      | 01G036   | INLET MANIFOLD                        | 100K0175 |
|                      | 01G039   | CAMSHAFT                              | 100K0175 |
|                      | 01G040   | GEAR CASE                             | 100K0175 |
|                      | 01G041   | WATER PUMP                            | 100K0175 |
|                      | 01G042   | WATER FLANGE                          | 100K0175 |
|                      | 01G043   | FUEL CAMSHAFT                         | 100K0175 |
|                      | 01G044   | INJECTION PUMP                        | 100K0175 |
|                      | 01G045   | INJECTION PUMP [COMPONENT PARTS]      | 100K0175 |
|                      | 01G046   | ENGINE STOP LEVER                     | 100K0175 |
|                      | 01G047   | STOP SOLENOID                         | 100K0175 |
|                      | 01G048   | SPEED CONTROL PLATE                   | 100K0175 |
|                      | 01G049   | GOVERNOR                              | 100K0175 |
|                      | 01G050   | UPPER GASKET KIT                      | 100K0175 |
|                      | 01G051   | LOWER GASKET KIT                      | 100K0175 |
| COOLING WATER SYSTEM | 01G05602 | FAN                                   | 100K0175 |
| ELECTRICAL SYSTEM    | 01G05902 | DYNAMO                                | 100K0175 |
|                      | 01G06002 | DYNAMO [COMPONENT PARTS]              | 100K0175 |
| CLUTCH               | 01G06602 | CLUTCH                                | 100K0175 |
| HYDRAULIC SYSTEM     | 01G10502 | HYDRAULIC PUMP                        | 100K0175 |
|                      | 01G10602 | HYDRAULIC PUMP [COMPONENT PARTS]      | 100K0175 |
| ENGINE               | 02G037   | AIR CLEANER [F2100]                   | 100K0175 |
|                      | 02G038   | MUFFLER [F2100]                       | 100K0175 |
|                      | 02G052   | ACCELERATOR LEVER                     | 100K0175 |
| FUEL SYSTEM          | 02G053   | FUEL TANK                             | 100K0175 |
|                      | 02G05402 | FUEL PIPE [F2100]                     | 100K0175 |
|                      | 02G05502 | FUEL FILTER [F2100] [COMPONENT PARTS] | 100K0175 |
| COOLING WATER SYSTEM | 02G05702 | RADIATOR [F2100]                      | 100K0175 |
| ELECTRICAL SYSTEM    | 02G05802 | DUSTPROOF PLATE [F2100]               | 100K0175 |
|                      | 02G06102 | STARTER [F2100]                       | 100K0175 |
|                      | 02G06202 | STARTER [F2100] [COMPONENT PARTS]     | 100K0175 |
|                      | 02G063   | ELECTRICAL SYSTEM 1                   | 100K0175 |
|                      | 02G064   | ELECTRICAL SYSTEM 2                   | 100K0175 |
| CLUTCH               | 02G065   | LIGHT KIT [OPTION]                    | 100K0175 |
|                      | 02G067   | PROPELLER SHAFT                       | 100K0175 |
|                      | 02G068   | DIFF.LOCK/CLUTCH ROD                  | 100K0175 |
|                      | 02G069   | CLUTCH ROD                            | 100K0175 |
|                      | 02G070   | CLUTCH HOUSING FRAME                  | 100K0175 |
| TRANSMISSION         | 02G071   | TRANSMISSION CASE                     | 100K0175 |
|                      | 02G072   | TRANSMISSION CASE COVER               | 100K0175 |
|                      | 02G07302 | HST [F2100]                           | 100K0175 |
|                      | 02G074   | HST [COMPONENT PARTS]                 | 100K0175 |
|                      | 02G075   | SECOND SHAFT                          | 100K0175 |
| SPEED CHANGE LEVER   | 02G076   | THIRD/FIFTH SHAFT                     | 100K0175 |
|                      | 02G077   | FOURTH SHAFT                          | 100K0175 |
|                      | 02G078   | SPEED CHANGE FORK AND PTO LEVER       | 100K0175 |
|                      | 02G079   | AUX.SPEED CHANGE AND REAR DRIVE LEVER | 100K0175 |

| Item                   | Part No. | Description                       | Book     |
|------------------------|----------|-----------------------------------|----------|
| SPEED CHANGE LEVER     | 02G080   | SPEED CHANGE 1                    | 100K0175 |
|                        | 02G08101 | SPEED CHANGE 2                    | 100K0175 |
|                        | 02G08102 | SPEED CHANGE 2                    | 100K0175 |
|                        | 02G08201 | SPEED CHANGE 3                    | 100K0175 |
|                        | 02G08202 | SPEED CHANGE 3                    | 100K0175 |
| FRONT AXLE/FRONT WHEEL | 02G083   | DIFFERENTIAL                      | 100K0175 |
|                        | 02G084   | AXLE CASE                         | 100K0175 |
|                        | 02G085   | FRONT AXLE                        | 100K0175 |
|                        | 02G086   | FRONT WHEEL (23 X 10.5-12)        | 100K0175 |
| BRAKE                  | 02G087   | BRAKE                             | 100K0175 |
|                        | 02G088   | PEDAL                             | 100K0175 |
|                        | 02G089   | BRAKE ROD                         | 100K0175 |
| REAR AXLE/REAR WHEEL   | 02G090   | WHEEL HUB                         | 100K0175 |
|                        | 02G091   | REAR AXLE CASE                    | 100K0175 |
|                        | 02G092   | REAR AXLE ARM                     | 100K0175 |
|                        | 02G093   | DRIVE SHAFT                       | 100K0175 |
|                        | 02G094   | DIFFERENTIAL                      | 100K0175 |
|                        | 02G095   | MID CASE                          | 100K0175 |
|                        | 02G09601 | UNIVERSAL JOINT                   | 100K0175 |
|                        | 02G09602 | UNIVERSAL JOINT                   | 100K0175 |
|                        | 02G09603 | UNIVERSAL JOINT                   | 100K0175 |
|                        | 02G097   | REAR WHEEL (16 X 6.50-8)          | 100K0175 |
|                        | 02G09802 | REAR AXLE FRAME [F2100]           | 100K0175 |
| STEERING               | 02G099   | KNUCKLE ARM                       | 100K0175 |
|                        | 02G100   | STEERING                          | 100K0175 |
|                        | 02G101   | HANDRE POST                       | 100K0175 |
| HYDRAULIC SYSTEM       | 02G102   | POWER STEERING                    | 100K0175 |
|                        | 02G103   | POWER STEERING [COMPONENT PARTS]  | 100K0175 |
|                        | 02G104   | POWER CYLINDER [COMPONENT PARTS]  | 100K0175 |
|                        | 02G10702 | HYDRAULIC PIPE [F2100]            | 100K0175 |
|                        | 02G10802 | OIL COOLER [F2100]                | 100K0175 |
|                        | 02G109   | CONTROL VALVE                     | 100K0175 |
|                        | 02G110   | CONTROL VALVE [COMPONENT PARTS]   | 100K0175 |
|                        | 02G111   | LIFT CYLINDER [COMPONENT PARTS]   | 100K0175 |
|                        | 02G112   | CONTROL VALVE KIT [OPTION]        | 100K0175 |
|                        | 02G113   | CONTROL VALVE 2 [COMPONENT PARTS] | 100K0175 |
| LINK                   | 02G114   | LINK                              | 100K0175 |
|                        | 02G115   | LINK ARM                          | 100K0175 |
| HOOD (BONNET)/CHASSIS  | 02G116   | HOOD (BONNET)                     | 100K0175 |
|                        | 02G117   | FENDER                            | 100K0175 |
|                        | 02G118   | FRONT FRAME                       | 100K0175 |
|                        | 02G119   | SEAT                              | 100K0175 |
|                        | 02G12001 | SEAT [COMPONENT PARTS]            | 100K0175 |
|                        | 02G12002 | SEAT [COMPONENT PARTS]            | 100K0175 |
|                        | 02G121   | ROPS [A][CA]                      | 100K0175 |
|                        | 02G122   | LABEL                             | 100K0175 |
|                        | 02G123   | ACCESSORIESAND SERVICE PARTS      | 100K0175 |
|                        |          |                                   |          |
| LABELS                 |          |                                   |          |
| ACCESSORIES            |          |                                   |          |

# CRANKCASE






## CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15531-01010 | COMP.CRANKCASE      | 1    |       |     |         | 31           | 68.2        |
| 020    | 15261-96170 | PLUG                | 3    |       |     |         | 0.005        | 0.011       |
| 030    | 15261-96160 | PLUG                | 1    |       |     |         | 0.02         | 0.044       |
| 040    | 15321-96260 | CAP SEALING         | 5    |       |     |         | 0.014        | 0.0308      |
| 050    | 15221-03490 | CAP SEALING         | 1    |       |     |         | 0.02         | 0.044       |
| 060    | 15261-96010 | PLUG                | 6    |       |     |         | 0.002        | 0.0044      |
| 070    | 15521-96020 | PLUG                | 3    |       |     |         | 0.003        | 0.0066      |
| 080    | 15521-96030 | PLUG                | 1    |       |     |         | 0.007        | 0.0154      |
| 090    | 05012-00609 | PIN STRAIGHT        | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 05012-00814 | PIN STRAIGHT        | 2    |       |     |         | 0.006        | 0.0132      |
| 110    | 15221-33650 | PIN PIPE            | 1    |       |     |         | 0.004        | 0.0088      |
| 120    | 15231-33960 | PIN PIPE            | 2    |       |     |         | 0.001        | 0.0022      |
| 130    | 15531-02310 | LINER CYLINDER      | 3    |       |     |         | 0.42         | 0.924       |
| 140    | 15221-33700 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 15261-73910 | COVER WATER         | 1    |       |     |         | 0.13         | 0.286       |
| 160    | 15263-73920 | GASKET WATER COVER  | 1    |       |     |         | 0.002        | 0.0044      |
| 170    | 01023-50618 | BOLT                | 2    |       |     |         | 0.006        | 0.0132      |
| 180    | 15531-73170 | JOINT DRAIN PIPE    | 1    |       |     |         | 0.145        | 0.319       |
| 190    | 15261-35010 | ASSY PUMP OIL       | 1    |       |     |         | 0.32         | 0.704       |
| 200    | 15263-35150 | GASKET OIL PUMP NA  | 1    |       |     |         | 0.001        | 0.0022      |
| 210    | 15261-91022 | BOLT                | 4    |       |     |         | 0.012        | 0.0264      |
| 220    | 15954-35662 | GEAR OIL PUMP DRIVE | 1    |       |     |         | 0.14         | 0.308       |
| 230    | 05712-00410 | KEY FEATHER         | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 02771-60100 | NUT FLANGE          | 1    |       |     |         | 0.01         | 0.022       |
| 250    | 15531-39010 | SWITCH OIL          | 1    |       |     |         | 0.032        | 0.0704      |

## OIL PAN










100 15532-2301-0

110 07715-00401

111 09400-14247

112 66621-1412-0



15687-800-10




# PISTON/CRANKSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS    | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|------------|--------------|-------------|
| 010    | 15532-21110 | PISTON              | 2    |         |     | STD        | 0.365        | 0.803       |
| 010    | 15532-21910 | PISTON              | 2    |         |     | +0.5MM     | 0.365        | 0.803       |
| 020    | 15531-21123 | PISTON              | 1    |         |     | STD        | 0.35         | 0.77        |
| 020    | 15531-21922 | PISTON              | 1    |         |     | +0.5MM     | 0.37         | 0.814       |
| 030    | 15531-21050 | ASSY PISTON RING    | 3    |         |     | STD        | 0.046        | 0.1012      |
| 030    | 15531-21090 | ASSY PISTON RING    | 3    |         |     | +0.5MM     | 0.03         | 0.066       |
| 040    | 15261-21310 | PIN PISTON          | 3    |         |     |            | 0.102        | 0.2244      |
| 050    | 15261-21330 | CIRCLIP PISTON PIN  | 6    |         |     |            | 0.001        | 0.0022      |
| 060    | 15381-22010 | ASSY CONNECTING ROD | 3    | ≤599859 |     |            | 0            | 0           |
| 060    | 15694-22010 | ASSY CONNECTING ROD | 3    | ≥599860 | ↔   |            | 0.5          | 1.1         |
| 070    | 15261-21980 | BUSH PISTON PIN     | 3    |         |     |            | 0.012        | 0.0264      |
| 080    | 15261-22140 | BOLT CONNECTING ROD | 6    | ≤599859 |     |            | 0            | 0           |
| 080    | 15381-22140 | BOLT CONNECTING ROD | 6    | ≥599860 | ≠   |            | 0.02         | 0.044       |
| 090    | 15531-22310 | METAL CRANKPIN      | 3    | ≤751429 |     | SET STD    | 0            | 0           |
| 090    | 15694-22310 | METAL CRANKPIN      | 3    | ≥751430 | ↔   | SET STD    | 0.02         | 0.044       |
| 090    | 15531-22970 | METAL CRANKPIN      | 3    | ≤751429 |     | SET -0.2MM | 0            | 0           |
| 090    | 15694-22970 | METAL CRANKPIN      | 3    | ≥751430 | ↔   | SET -0.2MM | 0.025        | 0.055       |
| 090    | 15531-22970 | METAL CRANKPIN      | 3    | ≤751429 |     | SET -0.4MM | 0            | 0           |
| 090    | 15694-22980 | METAL CRANKPIN      | 3    | ≥751430 | ↔   | SET -0.4MM | 0.02         | 0.044       |
| 100    | 15532-23010 | COMP.CRANKSHAFT     | 1    | ≤831149 |     |            | 8            | 17.6        |
| 100    | 15549-23010 | COMP.CRANKSHAFT     | 1    | ≥831150 | ≠   |            | 8            | 17.6        |
| 110    | 07715-00401 | BALL                | 3    | ≤831149 |     |            | 0.001        | 0.0022      |
| 110    | 07715-03207 | BALL                | 3    | ≥831150 | ≠   |            | 0.001        | 0.0022      |
| 111    | 09400-14247 | SEAL OIL            | 1    | ≤831149 |     |            | 0.004        | 0.0088      |
| 112    | 66621-14120 | BEARING DRY         | 1    | ≤831149 |     |            | 0.006        | 0.0132      |
| 120    | 19215-23280 | SLEEVE CRANKSHAFT   | 1    |         |     |            | 0.05         | 0.11        |
| 130    | 15261-24110 | GEAR CRANK          | 1    |         |     |            | 0.164        | 0.3608      |
| 140    | 05712-00515 | KEY FEATHER         | 1    |         |     |            | 0.003        | 0.0066      |
| 150    | 15261-23310 | SLINGER OIL         | 1    |         |     |            | 0.008        | 0.0176      |
| 160    | 15532-23250 | COLLAR CRANKSHAFT   | 1    |         |     |            | 0.029        | 0.0638      |
| 170    | 04811-10220 | O RING              | 1    |         |     |            | 0.001        | 0.0022      |
| 180    | 15261-23470 | METAL CRANKSHAFT    | 1    | ≤751429 |     | STD        | 0            | 0           |
| 180    | 15694-23470 | METAL CRANKSHAFT    | 1    | ≥751430 | ↔   | STD        | 0.035        | 0.077       |
| 180    | 15261-23910 | METAL CRANKSHAFT    | 1    | ≤751429 |     | -0.2MM     | 0            | 0           |
| 180    | 15694-23910 | METAL CRANKSHAFT    | 1    | ≥751430 | ↔   | -0.2MM     | 0.04         | 0.088       |
| 180    | 15261-23920 | METAL CRANKSHAFT    | 1    | ≤751429 |     | -0.4MM     | 0            | 0           |
| 180    | 15694-23920 | METAL CRANKSHAFT    | 1    | ≥751430 | ↔   | -0.4MM     | 0.045        | 0.099       |
| 190    | 15261-23480 | METAL CRANKSHAFT    | 3    | ≤751429 |     | SET STD    | 0            | 0           |
| 190    | 15694-23480 | METAL CRANKSHAFT    | 3    | ≥751430 | ↔   | SET STD    | 0.04         | 0.088       |
| 190    | 15261-23930 | METAL CRANKSHAFT    | 3    | ≤751429 |     | SET -0.2MM | 0            | 0           |
| 190    | 15694-23930 | METAL CRANKSHAFT    | 3    | ≥751430 | ↔   | SET -0.2MM | 0.05         | 0.11        |
| 190    | 15261-23940 | METAL CRANKSHAFT    | 3    | ≤751429 |     | SET -0.4MM | 0            | 0           |
| 190    | 15694-23940 | METAL CRANKSHAFT    | 3    | ≥751430 | ↔   | SET -0.4MM | 0.046        | 0.1012      |
| 200    | 15261-23530 | METAL SIDE          | 2    |         |     | STD        | 0.006        | 0.0132      |
| 200    | 15261-23950 | METAL SIDE          | 2    |         |     | +0.2MM     | 0.006        | 0.0132      |
| 200    | 15261-23960 | METAL SIDE          | 2    |         |     | +0.4MM     | 0.007        | 0.0154      |
| 210    | 15261-23540 | METAL SIDE          | 2    |         |     | STD        | 0.007        | 0.0154      |
| 210    | 15261-23970 | METAL SIDE          | 2    |         |     | +0.2MM     | 0.006        | 0.0132      |
| 210    | 15261-23980 | METAL SIDE          | 2    |         |     | +0.4MM     | 0.007        | 0.0154      |
| 220    | 07916-28270 | KIT PISTON AND RING | 2    |         |     | STD        | 0.56         | 1.232       |
| 220    | 07916-26540 | KIT PISTON AND RING | 2    |         |     | +0.5MM     | 0.42         | 0.924       |
| 230    | 07916-28280 | KIT PISTON AND RING | 1    |         |     | STD        | 0.55         | 1.21        |
| 230    | 07916-26550 | KIT PISTON AND RING | 1    |         |     | +0.5MM     | 0.52         | 1.144       |
| 240    | 07916-28090 | KIT METAL ENGINE    | 1    |         |     | STD        | 0.25         | 0.55        |

## MAIN BEARING CASE






## MAIN BEARING CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15261-04090 | ASSY CASE MAIN BRG.  | 1    |       |     |         | 0.8          | 1.76        |
| 020    | 15381-04540 | BOLT BEARING CASE    | 6    |       |     |         | 0.02         | 0.044       |
| 040    | 15263-04360 | GASKET BRG.CASE      | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 15549-04810 | COVER BEARING CASE   | 1    |       |     |         | 0.2          | 0.44        |
| 060    | 15263-04820 | GASKET BRG.CASE COV. | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 01023-50620 | BOLT                 | 9    |       |     |         | 0.006        | 0.0132      |
| 080    | 01023-50625 | BOLT                 | 8    |       |     |         | 0.007        | 0.0154      |
| 090    | 19215-04460 | SEAL OIL             | 1    |       |     |         | 0.03         | 0.066       |
| 100    | 15261-04040 | ASSY CASE MAIN BRG.  | 1    |       |     |         | 0.687        | 1.5114      |
| 110    | 15381-04560 | BOLT BEARING CASE    | 2    |       |     |         | 0.02         | 0.044       |
| 120    | 15381-04050 | ASSY CASE MAIN BRG.  | 1    |       |     |         | 0.688        | 1.5136      |



15587-004-10

030 15531-2516-0

040 15531-2517-0



15687-801-10




## FLYWHEEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 15696-25013 | COMP.FLYWHEEL      | 1    | <=831149 |     |         | 0            | 0           |
| 010    | 15531-25013 | COMP.FLYWHEEL      | 1    | >=831150 | ←   |         | 0            | 0           |
| 020    | 15231-63820 | GEAR RING          | 1    | <=831149 |     |         | 0            | 0           |
| 020    | 16261-63820 | GEAR RING          | 1    | >=831150 | ↔   |         | 0            | 0           |
| 030    | 15531-25160 | BOLT FLYWHEEL      | 5    | <=682801 |     |         | 0            | 0           |
| 030    | 15531-25162 | BOLT FLYWHEEL      | 5    | >=682802 | ≠   |         | 0.04         | 0.088       |
| 030    | 15885-25160 | BOLT FLYWHEEL      | 5    | >=831150 | ≠   |         | 0.042        | 0.0924      |
| 040    | 15531-25170 | WASHER FLYWHEEL    | 1    | <=682801 |     |         | 0.04         | 0.088       |
| 050    | 15696-04620 | PLATE REAR END     | 1    |          |     |         | 5            | 11          |
| 060    | 05012-00814 | PIN STRAIGHT       | 1    |          |     |         | 0.006        | 0.0132      |
| 070    | 01133-51028 | BOLT               | 8    |          |     |         | 0.027        | 0.0594      |
| 080    | 01123-50822 | BOLT               | 1    |          |     |         | 0.012        | 0.0264      |
| 090    | 76611-13400 | ASSY FLANGE CLUTCH | 1    | >=831150 |     |         | 1.13         | 2.486       |
| 100    | 66621-14120 | BEARING DRY        | 1    | >=831150 |     |         | 0.006        | 0.0132      |



## CYLINDER HEAD






## CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15221-01750 | HOOK ENGINE          | 2    |       |     |         | 0.04         | 0.088       |
| 020    | 01513-50816 | STUD                 | 1    |       |     |         | 0.009        | 0.0198      |
| 030    | 01754-50820 | BOLT FLANGE          | 1    |       |     |         | 0.015        | 0.033       |
| 040    | 02156-50080 | NUT                  | 1    |       |     |         | 0.004        | 0.0088      |
| 050    | 04512-60080 | WASHER SPRING        | 1    |       |     |         | 0.002        | 0.0044      |
| 060    | 15532-03040 | COMP.CYLINDER HEAD   | 1    |       |     |         | 9            | 19.8        |
| 070    | 15261-03370 | CAP SEALING          | 5    |       |     |         | 0.005        | 0.011       |
| 080    | 15321-96260 | CAP SEALING          | 1    |       |     |         | 0.014        | 0.0308      |
| 090    | 15261-96010 | PLUG                 | 2    |       |     |         | 0.002        | 0.0044      |
| 100    | 15261-13540 | GUIDE INLET VALVE    | 3    |       |     |         | 0.02         | 0.044       |
| 110    | 15261-13560 | GUIDE EXHAUST VALVE  | 3    |       |     |         | 0.02         | 0.044       |
| 120    | 19215-03450 | BOLT CYLINDER HEAD   | 14   |       |     |         | 0.047        | 0.1034      |
| 130    | 15676-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0.065        | 0.143       |
| 140    | 15531-03320 | SHIM CYL.HEAD GASKET | 1    |       |     |         | 0.03         | 0.066       |
| 150    | 38240-32830 | SWITCH THERMOMETER   | 1    |       |     |         | 0.03         | 0.066       |






## VALVE/ROCKER ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15393-13110 | VALVE INLET          | 3    |         |     |         | 0.048        | 0.1056      |
| 020    | 15393-13120 | VALVE EXHAUST        | 3    |         |     |         | 0.048        | 0.1056      |
| 030    | 15261-13240 | SPRING VALVE         | 6    |         |     |         | 0.02         | 0.044       |
| 040    | 16241-13330 | RETAINER VALVE SP.   | 6    |         |     |         | 0.012        | 0.0264      |
| 050    | 15261-13360 | COLLET VALVE SPRING  | 6    |         |     | SET     | 0.004        | 0.0088      |
| 060    | 15261-13150 | SEAL VALVE STEM      | 6    |         |     |         | 0.001        | 0.0022      |
| 070    | 15261-13280 | CAP VALVE            | 6    | ≤821125 |     |         | 0            | 0           |
| 070    | 16241-13280 | CAP VALVE            | 6    | ≥821126 | ↔   |         | 0.005        | 0.011       |
| 080    | 15381-14053 | ASSY SHAFT R-ARM     | 1    |         |     |         | 0.135        | 0.297       |
| 090    | 15381-93610 | SCREW SET            | 2    | ≤821125 |     |         | 0.001        | 0.0022      |
| 090    | 03410-50608 | SCREW SET            | 2    | ≥821126 | ↔   |         | 0.001        | 0.0022      |
| 100    | 15381-14350 | BRACKET ROCKER ARM   | 3    |         |     |         | 0.05         | 0.11        |
| 110    | 15952-14410 | STUD                 | 3    |         |     |         | 0            | 0           |
| 120    | 15261-92010 | NUT                  | 3    |         |     |         | 0.005        | 0.011       |
| 130    | 15261-94010 | WASHER PLAIN         | 3    |         |     |         | 0.002        | 0.0044      |
| 140    | 15261-14420 | SCREW SET.ROCKER ARM | 1    |         |     |         | 0.002        | 0.0044      |
| 150    | 15261-14430 | WASHER R-ARM.SHAFT   | 6    |         |     |         | 0.001        | 0.0022      |
| 160    | 15261-14310 | SPRING ROCKER ARM    | 2    |         |     |         | 0.003        | 0.0066      |
| 170    | 04612-00110 | CIRCLIP EXTERNAL     | 2    |         |     |         | 0.001        | 0.0022      |
| 180    | 15381-14030 | ASSY ROCKER ARM      | 6    | ≤778923 |     |         | 0.05         | 0.11        |
| 180    | 15382-14030 | ASSY ROCKER ARM      | 6    | ≥778924 | →   |         | 0.05         | 0.11        |
| 190    | 15261-14232 | SCREW ADJUSTING      | 6    |         |     |         | 0.006        | 0.0132      |
| 200    | 15261-14240 | NUT                  | 6    |         |     |         | 0.002        | 0.0044      |

# NOZZLE HOLDER



15687-006-10




# NOZZLE HOLDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------------------------------------|--------------|-------------|
| 010    | 15371-42502 | ASSY PIPE OVER FLOW | 1    |          |     |                                       | 0.065        | 0.143       |
| 020    | 15694-42500 | ASSY PIPE OVER FLOW | 1    |          |     |                                       | 0.02         | 0.044       |
| 030    | 14971-42750 | CLIP PIPE           | 2    |          |     |                                       | 0.001        | 0.0022      |
| 040    | 15261-53020 | ASSY HOLDER NOZZLE  | 3    | <=821125 |     | REFER TO L.NO.0C06-L0 FOR COMPONENTS. | 0            | 0           |
| 040    | 19202-53020 | ASSY HOLDER NOZZLE  | 3    | >=821126 | ↔   | REFER TO L.NO.0C06-L0 FOR COMPONENTS. | 0.25         | 0.55        |
| 050    | 17011-53620 | GASKET              | 3    |          |     |                                       | 0.003        | 0.0066      |
| 060    | 15727-53710 | PIPE INJECTION      | 1    |          |     |                                       | 0.1          | 0.22        |
| 070    | 15727-53720 | PIPE INJECTION      | 1    |          |     |                                       | 0.1          | 0.22        |
| 080    | 15727-53730 | PIPE INJECTION      | 1    |          |     |                                       | 0.1          | 0.22        |
| 090    | 15841-53850 | CLAMP PIPE          | 2    |          |     |                                       | 0.01         | 0.022       |
| 100    | 15841-53860 | CLAMP PIPE          | 2    |          |     |                                       | 0.009        | 0.0198      |
| 110    | 03024-50520 | SCREW WITH WASHER   | 2    |          |     |                                       | 0.004        | 0.0088      |
| 120    | 15694-65510 | PLUG GLOW           | 3    |          |     |                                       | 0.02         | 0.044       |
| 130    | 15261-65560 | CORD GLOW PLUG      | 2    |          |     |                                       | 0.005        | 0.011       |
| 140    | 15101-42570 | JOINT PIPE          | 1    |          |     |                                       | 0.006        | 0.0132      |

# NOZZLE HOLDER [COMPONENT PARTS]



110-----T=1,00mm  
 100-----T=1,95mm

15687-007-10




# NOZZLE HOLDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 15261-53020 | ASSY HOLDER NOZZLE | 3    | <=821125 |     |         | 0            | 0           |
| 010    | 19202-53020 | ASSY HOLDER NOZZLE | 3    | >=821126 | ↔   |         | 0.25         | 0.55        |
| 020    | 15221-92020 | NUT                | 3    |          |     |         | 0.011        | 0.0242      |
| 030    | 15221-94020 | WASHER PLAIN       | 3    |          |     |         | 0.002        | 0.0044      |
| 040    | 15221-53230 | WASHER ADJUSTING   | 3    |          |     |         | 0.001        | 0.0022      |
| 050    | 15221-53170 | SPRING NOZZLE      | 3    |          |     |         | 0.01         | 0.022       |
| 060    | 15221-53350 | PIECE DISTANCE     | 3    |          |     |         | 0.016        | 0.0352      |
| 070    | 15221-53160 | PUSH ROD           | 3    |          |     |         | 0.003        | 0.0066      |
| 080    | 15221-53280 | NUT NOZZLE         | 3    |          |     |         | 0.068        | 0.1496      |
| 090    | 15021-53610 | PIECE NOZZLE       | 3    | <=821125 |     |         | 0            | 0           |
| 090    | 19202-53610 | PIECE NOZZLE       | 3    | >=821126 | ←   |         | 0.045        | 0.099       |
| 100    | 15221-98100 | ASSY WASHER ADJUST | 3    |          |     | OPTION  | 0.03         | 0.066       |
| 110    | 15221-98110 | WASHER ADJUSTING   | 3    |          |     | 1.00MM  | 0.001        | 0.0022      |
| 110    | 15221-98120 | WASHER ADJUSTING   | 3    |          |     | 1.05MM  | 0.001        | 0.0022      |
| 110    | 15221-98130 | WASHER ADJUSTING   | 3    |          |     | 1.10MM  | 0.001        | 0.0022      |
| 110    | 15221-98140 | WASHER ADJUSTING   | 3    |          |     | 1.15MM  | 0.001        | 0.0022      |
| 110    | 15221-98150 | WASHER ADJUSTING   | 3    |          |     | 1.20MM  | 0.001        | 0.0022      |
| 110    | 15221-98160 | WASHER ADJUSTING   | 3    |          |     | 1.25MM  | 0.001        | 0.0022      |
| 110    | 15221-98170 | WASHER ADJUSTING   | 3    |          |     | 1.30MM  | 0.001        | 0.0022      |
| 110    | 15221-98180 | WASHER ADJUSTING   | 3    |          |     | 1.35MM  | 0.001        | 0.0022      |
| 110    | 15221-98190 | WASHER ADJUSTING   | 3    |          |     | 1.40MM  | 0.002        | 0.0044      |
| 110    | 15221-98200 | WASHER ADJUSTING   | 3    |          |     | 1.45MM  | 0.001        | 0.0022      |
| 110    | 15221-98210 | WASHER ADJUSTING   | 3    |          |     | 1.50MM  | 0.001        | 0.0022      |
| 110    | 15221-98220 | WASHER ADJUSTING   | 3    |          |     | 1.55MM  | 0.003        | 0.0066      |
| 110    | 15221-98230 | WASHER ADJUSTING   | 3    |          |     | 1.60MM  | 0.003        | 0.0066      |
| 110    | 15221-98240 | WASHER ADJUSTING   | 3    |          |     | 1.65MM  | 0.002        | 0.0044      |
| 110    | 15221-98250 | WASHER ADJUSTING   | 3    |          |     | 1.70MM  | 0.002        | 0.0044      |
| 110    | 15221-98260 | WASHER ADJUSTING   | 3    |          |     | 1.75MM  | 0.002        | 0.0044      |
| 110    | 15221-98270 | WASHER ADJUSTING   | 3    |          |     | 1.80MM  | 0.002        | 0.0044      |
| 110    | 15221-98280 | WASHER ADJUSTING   | 3    |          |     | 1.85MM  | 0.002        | 0.0044      |
| 110    | 15221-98290 | WASHER ADJUSTING   | 3    |          |     | 1.90MM  | 0.002        | 0.0044      |
| 110    | 15221-98300 | WASHER ADJUSTING   | 3    |          |     | 1.95MM  | 0.003        | 0.0066      |



## HEAD COVER




## HEAD COVER

---

080 15232-8821-0

100 15589-1451-0

120 15951-9233-0



080



15687-802-10




## HEAD COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15951-05140 | PLATE B/THER ELEMENT | 1    |         |     |         | 0.005        | 0.011       |
| 020    | 15521-05150 | PLATE B/THER ELEMENT | 1    |         |     |         | 0.01         | 0.022       |
| 030    | 15521-05670 | ELEMENT BREATHER     | 1    |         |     |         | 0.01         | 0.022       |
| 040    | 15951-05370 | OIL SHIELD BREATHER  | 1    |         |     |         | 0.005        | 0.011       |
| 050    | 03024-50510 | SCREW WITH WASHER    | 2    |         |     |         | 0.002        | 0.0044      |
| 060    | 15687-05550 | JOINT BREATHER PIPE  | 1    |         |     |         | 0.08         | 0.176       |
| 070    | 15687-05560 | PIPE BREATHER        | 1    |         |     |         | 0.02         | 0.044       |
| 080    | 15232-88210 | LABEL GLOW PLUG      | 1    | ≤795143 |     |         | 0.001        | 0.0022      |
| 090    | 15687-05570 | PIPE BREATHER        | 1    |         |     |         | 0.202        | 0.4444      |
| 100    | 15589-14510 | COVER CYL.HEAD       | 1    | ≤682801 |     |         | 0.73         | 1.606       |
| 100    | 15542-14510 | COVER CYL.HEAD       | 1    | ≥682802 | ↔   |         | 0.57         | 1.254       |
| 110    | 15381-14520 | GASKET HEAD COVER    | 1    |         |     |         | 0.005        | 0.011       |
| 120    | 15951-92330 | NUT CAP              | 3    |         |     |         | 0            | 0           |
| 120    | 15952-92330 | NUT CAP              | 3    |         | ↔   |         | 0.01         | 0.022       |
| 130    | 15951-96660 | GASKET               | 3    |         |     |         | 0.001        | 0.0022      |
| 140    | 15221-33140 | PLUG OIL FILLER      | 1    | ≤834110 |     |         | 0.038        | 0.0836      |
| 140    | 15852-33140 | PLUG OIL FILLER      | 1    | ≥834111 | ↔   |         | 0.038        | 0.0836      |
| 150    | 15951-33110 | FLANGE OIL FILLER    | 1    |         |     |         | 0.13         | 0.286       |
| 160    | 04811-50300 | O RING               | 2    |         |     |         | 0.001        | 0.0022      |

# INLET MANIFOLD






## INLET MANIFOLD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15727-11760 | MANIFOLD INLET     | 1    |       |     |         | 0.6          | 1.32        |
| 020    | 15263-11820 | GASKET IN-MANIFOLD | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 15263-11830 | GASKET IN-MANIFOLD | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 01023-50620 | BOLT               | 4    |       |     |         | 0.006        | 0.0132      |
| 050    | 01053-50660 | BOLT               | 1    |       |     |         | 0.014        | 0.0308      |
| 060    | 15381-91070 | BOLT               | 1    |       |     |         | 0.016        | 0.0352      |
| 070    | 04512-60060 | WASHER SPRING      | 2    |       |     |         | 0.001        | 0.0022      |
| 080    | 15694-91480 | STUD               | 3    |       |     |         | 0.001        | 0.0022      |
| 090    | 15694-91490 | STUD               | 3    |       |     |         | 0.001        | 0.0022      |
| 100    | 15272-67590 | CLAMP CORD         | 1    |       |     |         | 0.004        | 0.0088      |
| 110    | 15372-87230 | LABEL CAUTION      | 1    |       |     |         | 0.001        | 0.0022      |






## CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15381-16010 | ASSY CAMSHAFT      | 1    |       |     |         | 1.045        | 2.299       |
| 020    | 15381-16110 | COMP. CAMSHAFT     | 1    |       |     |         | 0.965        | 2.123       |
| 030    | 15261-96880 | PLUG               | 2    |       |     |         | 0.002        | 0.0044      |
| 040    | 15261-16510 | GEAR CAM           | 1    |       |     |         | 0.354        | 0.7788      |
| 050    | 05712-00515 | KEY FEATHER        | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 15261-16270 | STOPPER CAMSHAFT   | 1    |       |     |         | 0.034        | 0.0748      |
| 070    | 04612-00180 | CIRCLIP EXTERNAL   | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 01023-50614 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 090    | 15741-24010 | COMP GEAR IDLE     | 1    |       |     |         | 0.64         | 1.408       |
| 100    | 15741-24980 | BUSH IDLE GEAR     | 1    |       |     |         | 0.03         | 0.066       |
| 110    | 15741-24360 | COLLAR IDLE GEAR   | 1    |       |     |         | 0.04         | 0.088       |
| 120    | 15741-24370 | COLLAR IDLE GEAR   | 1    |       |     |         | 0.015        | 0.033       |
| 130    | 15741-24320 | CIR CLIP IDLE GEAR | 1    |       |     |         | 0.01         | 0.022       |
| 140    | 15741-24250 | SHAFT IDLE GEAR    | 1    |       |     |         | 0.35         | 0.77        |
| 150    | 01023-50616 | BOLT               | 3    |       |     |         | 0.005        | 0.011       |
| 160    | 15261-15550 | TAPPET             | 6    |       |     |         | 0.03         | 0.066       |
| 170    | 15261-15110 | PUSH ROD           | 6    |       |     |         | 0.022        | 0.0484      |


# GEAR CASE





050 15531-0413-0

050



15682-811-10




## GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 15531-04020 | COMP.CASE GEAR      | 1    | <=639381 |     |         | 0            | 0           |
| 010    | 15531-04023 | COMP.CASE GEAR      | 1    | >=639382 | ←   |         | 0            | 0           |
| 010    | 15531-04024 | COMP.CASE GEAR      | 1    | >=755815 | ↔   |         | 2.02         | 4.444       |
| 020    | 15261-96020 | PLUG                | 2    | <=775308 |     |         | 0            | 0           |
| 020    | 16851-96010 | PLUG                | 2    | >=775309 | ↔   |         | 0.015        | 0.033       |
| 030    | 04811-06130 | O RING              | 3    |          |     |         | 0.001        | 0.0022      |
| 040    | 15221-56280 | PIN START SPRING    | 1    |          |     |         | 0.006        | 0.0132      |
| 050    | 15531-04130 | GASKET GEAR CASE    | 1    | <=576647 |     |         | 0            | 0           |
| 050    | 15676-04132 | GASKET GEAR CASE    | 1    | >=576648 | ←   |         | 0            | 0           |
| 060    | 01023-50660 | BOLT                | 6    |          |     |         | 0.01         | 0.022       |
| 070    | 15841-91010 | BOLT                | 1    |          |     |         | 0.014        | 0.0308      |
| 080    | 01023-50665 | BOLT                | 4    |          |     |         | 0.015        | 0.033       |
| 090    | 15687-91010 | BOLT                | 1    |          |     |         | 0.011        | 0.0242      |
| 100    | 01023-60670 | BOLT                | 1    |          |     |         | 0.015        | 0.033       |
| 110    | 01023-50675 | BOLT                | 1    |          |     |         | 0.01         | 0.022       |
| 120    | 15241-32290 | JOINT PIPE          | 1    |          |     |         | 0.053        | 0.1166      |
| 130    | 09550-00008 | SEAL OIL            | 1    |          |     |         | 0.01         | 0.022       |
| 140    | 15241-32090 | ASSY CARTRIDGE OIL  | 1    |          |     |         | 0.35         | 0.77        |
| 150    | 15261-36070 | ASSY VALVE RELIEF   | 1    |          |     |         | 0.078        | 0.1716      |
| 160    | 04810-00150 | O RING              | 1    |          |     |         | 0.001        | 0.0022      |
| 170    | 15531-32310 | SUPPORT OIL FILTER  | 1    |          |     |         | 0.215        | 0.473       |
| 180    | 15531-33640 | PLUG                | 2    |          |     |         | 0.006        | 0.0132      |
| 190    | 04811-05140 | O RING              | 2    |          |     |         | 0.001        | 0.0022      |
| 200    | 15221-88210 | STUD                | 1    |          |     |         | 0.005        | 0.011       |
| 210    | 01023-50630 | BOLT                | 1    |          |     |         | 0.008        | 0.0176      |
| 220    | 67111-58810 | ASSY CASE GEAR      | 1    |          |     |         | 0.33         | 0.726       |
| 230    | 15296-88130 | GASKET H/METER UNIT | 1    |          |     |         | 0.002        | 0.0044      |
| 240    | 15221-88210 | STUD                | 4    |          |     |         | 0.005        | 0.011       |
| 250    | 02056-50060 | NUT                 | 4    |          |     |         | 0.002        | 0.0044      |
| 260    | 04512-60060 | WASHER SPRING       | 4    |          |     |         | 0.001        | 0.0022      |
| 270    | 02056-50060 | NUT                 | 2    |          |     |         | 0.002        | 0.0044      |
| 280    | 04512-60060 | WASHER SPRING       | 2    |          |     |         | 0.001        | 0.0022      |
| 290    | 15531-91490 | STUD                | 1    |          |     |         | 0.007        | 0.0154      |
| 300    | 15532-72960 | CLAMP PIPE          | 1    |          |     |         | 0.01         | 0.022       |
| 310    | 15372-87210 | LABEL CAUTION       | 1    | <=929218 |     |         | 0.001        | 0.0022      |
| 310    | 15372-87213 | LABEL CAUTION       | 1    | >=929219 | ≠   |         | 0.001        | 0.0022      |

## WATER PUMP






# WATER PUMP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15442-73030 | ASSY PUMP WATER      | 1    | ≤555225 |     |         | 0            | 0           |
| 010    | 15443-73030 | ASSY PUMP WATER      | 1    | ≥555226 | ≠   |         | 0.68         | 1.496       |
| 020    | 15531-73520 | FLANGE WATER PUMP    | 1    | ≤651889 |     |         | 0.13         | 0.286       |
| 020    | 15852-73520 | FLANGE WATER PUMP    | 1    | ≥651890 | ↔   |         | 0.13         | 0.286       |
| 030    | 15531-73550 | BEARING              | 1    | ≤651889 |     |         | 0.16         | 0.352       |
| 030    | 15443-73550 | BEARING              | 1    | ≥651890 | ↔   |         | 0.18         | 0.396       |
| 040    | 19298-73050 | ASSY SEAL MECHANICAL | 1    | ≤651889 |     |         | 0.016        | 0.0352      |
| 040    | 15852-73050 | ASSY SEAL MECHANICAL | 1    | ≥651890 | ↔   |         | 0.005        | 0.011       |
| 050    | 15531-73510 | IMPELLER WATER PUMP  | 1    | ≤651889 |     |         | 0.112        | 0.2464      |
| 050    | 15443-73510 | IMPELLER WATER PUMP  | 1    | ≥651890 | ↔   |         | 0.12         | 0.264       |
| 060    | 16241-73340 | PIPE WATER RETURN    | 1    | ≤651889 |     |         | 0.006        | 0.0132      |
| 060    | 15852-73340 | PIPE WATER RETURN    | 1    | ≥651890 | ↔   |         | 0.02         | 0.044       |
| 070    | 15676-73430 | GASKET WATER PUMP    | 1    |         |     |         | 0.005        | 0.011       |
| 080    | 01023-50625 | BOLT                 | 4    |         |     |         | 0.007        | 0.0154      |
| 090    | 07916-27450 | KIT REPAIR W/PUMP    | 1    |         |     |         | 0.47         | 1.034       |

# WATER FLANGE



080 15331-7336-0



15687-803-10




## WATER FLANGE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS     | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|-------------|--------------|-------------|
| 010    | 15687-72910 | FLANGE WATER        | 1    |          |     |             | 0.5          | 1.1         |
| 015    | 34150-36730 | PLUG                | 1    | <=627576 |     |             | 0.038        | 0.0836      |
| 015    | 06311-25030 | PLUG                | 1    | >=627577 | ↔   |             | 0.051        | 0.1122      |
| 016    | 04714-00300 | GASKET              | 1    | <=627576 |     |             | 0.002        | 0.0044      |
| 016    | 04724-00170 | GASKET              | 1    | >=627577 | ↔   |             | 0.005        | 0.011       |
| 020    | 15263-72920 | GASKET WATER FLANGE | 1    |          |     |             | 0.003        | 0.0066      |
| 030    | 01023-50616 | BOLT                | 5    |          |     |             | 0.005        | 0.011       |
| 040    | 01513-50660 | STUD                | 1    |          |     |             | 0.013        | 0.0286      |
| 050    | 02751-50060 | NUT FLANGE          | 1    |          |     |             | 0.005        | 0.011       |
| 060    | 15531-73340 | PIPE WATER RETURN   | 1    |          |     |             | 0.01         | 0.022       |
| 070    | 15531-73350 | PIPE WATER RETURN   | 1    |          |     |             | 0.02         | 0.044       |
| 080    | 15531-73360 | BAND PIPE           | 2    | <=669962 |     |             | 0.007        | 0.0154      |
| 080    | 16241-73360 | BAND PIPE           | 2    | >=669963 | ↔   |             | 0.003        | 0.0066      |
| 090    | 15531-73010 | ASSY THERMOSTAT     | 1    |          |     |             | 0.07         | 0.154       |
| 100    | 15531-73260 | COVER THERMOSTAT    | 1    |          |     |             | 0.068        | 0.1496      |
| 110    | 15531-73270 | GASKET              | 1    | <=805384 |     |             | 0            | 0           |
| 110    | 16851-73270 | GASKET              | 1    | >=805385 | ←   |             | 0.003        | 0.0066      |
| 110    | 16264-73270 | GASKET THERMOSTAT   | 1    |          |     | NONASBESTOS | 0.001        | 0.0022      |
| 120    | 01023-50635 | BOLT                | 2    |          |     |             | 0.01         | 0.022       |
| 125    | 76611-58230 | BRACKET OIL COOLER  | 1    |          |     |             | 0.5          | 1.1         |
| 130    | 15554-72860 | PIPE WATER          | 1    |          |     |             | 0.215        | 0.473       |
| 140    | 34150-36730 | PLUG                | 1    | <=627576 |     |             | 0.038        | 0.0836      |
| 140    | 06311-25030 | PLUG                | 1    | >=627577 | ↔   |             | 0.051        | 0.1122      |
| 150    | 04714-00300 | GASKET              | 1    | <=627576 |     |             | 0.002        | 0.0044      |
| 150    | 04724-00170 | GASKET              | 1    | >=627577 | ↔   |             | 0.005        | 0.011       |
| 160    | 15531-72870 | PIPE WATER          | 1    |          |     |             | 0.052        | 0.1144      |
| 170    | 15261-72780 | BAND                | 2    |          |     |             | 0.024        | 0.0528      |

FUEL CAMSHAFT



15667- 022 - 10






## FUEL CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15381-16020 | ASSY CAMSHAFT FUEL   | 1    |         |     |         | 1.1          | 2.42        |
| 020    | 15381-16170 | CAMSHAFT FUEL        | 1    |         |     |         | 0.42         | 0.924       |
| 030    | 08153-06004 | BEARING BALL         | 1    |         |     |         | 0.07         | 0.154       |
| 040    | 15261-51150 | GEAR INJECTION PUMP  | 1    |         |     |         | 0.463        | 1.0186      |
| 050    | 05712-00520 | KEY FEATHER          | 1    |         |     |         | 0.004        | 0.0088      |
| 060    | 15261-55450 | SLEEVE GOVERNOR      | 1    |         |     |         | 0.058        | 0.1276      |
| 070    | 15261-55470 | CIR-CLIP GOV. SLEEVE | 1    |         |     |         | 0.002        | 0.0044      |
| 080    | 15261-55690 | CASE GOVERNOR BALL   | 1    | ≤778923 |     |         | 0            | 0           |
| 080    | 15549-55690 | CASE GOVERNOR BALL   | 1    | ≥778924 | ↔   |         | 0.62         | 1.364       |
| 090    | 07715-03205 | BALL                 | 30   |         |     |         | 0.001        | 0.0022      |
| 100    | 15261-55740 | CIR-CLIP             | 1    |         |     |         | 0.002        | 0.0044      |
| 110    | 07715-03217 | BALL                 | 8    |         |     |         | 0.01         | 0.022       |
| 120    | 04612-00180 | CIRCLIP EXTERNAL     | 1    |         |     |         | 0.001        | 0.0022      |
| 130    | 08103-06004 | BEARING BALL         | 1    |         |     |         | 0.066        | 0.1452      |
| 140    | 04612-00200 | CIRCLIP EXTERNAL     | 1    |         |     |         | 0.001        | 0.0022      |
| 150    | 15261-16320 | STOPPER FUEL.C/SHAFT | 1    |         |     |         | 0.037        | 0.0814      |
| 160    | 01023-50612 | BOLT                 | 2    |         |     |         | 0.005        | 0.011       |

## INJECTION PUMP



15687-013-10




# INJECTION PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------------------------------------|--------------|-------------|
| 010    | 15531-51010 | ASSY PUMP INJECTION  | 1    |         |     | REFER TO L.NO.0C12-R0 FOR COMPONENTS. | 2.1          | 4.62        |
| 020    | 19491-52100 | ASSY SHIM INJECTION  | 1    |         |     |                                       | 0.035        | 0.077       |
| 030    | 15321-52110 | SHIM INJECTION PUMP  | 1    |         |     | 0.15MM                                | 0            | 0           |
| 030    | 16414-52090 | SHIM INJECTION PUMP  | 1    |         |     | 0.20MM                                | 0.001        | 0.0022      |
| 040    | 15531-52110 | SHIM INJECTION PUMP  | 3    |         |     | 0.30MM                                | 0.005        | 0.011       |
| 050    | 01123-50822 | BOLT                 | 2    |         |     |                                       | 0.012        | 0.0264      |
| 060    | 15221-91530 | STUD                 | 2    |         |     |                                       | 0.011        | 0.0242      |
| 070    | 02156-50080 | NUT                  | 2    |         |     |                                       | 0.004        | 0.0088      |
| 080    | 04512-60080 | WASHER SPRING        | 2    |         |     |                                       | 0.002        | 0.0044      |
| 090    | 14311-60504 | ASSY COCK JET START  | 1    |         |     |                                       | 0.034        | 0.0748      |
| 100    | 15263-52030 | ASSY PUMP FUEL       | 1    |         |     |                                       | 0.23         | 0.506       |
| 110    | 15263-52040 | COMP.DIAPHRAGM       | 1    |         |     |                                       | 0.02         | 0.044       |
| 120    | 15263-52140 | GASKET FUEL PUMP     | 1    |         |     |                                       | 0            | 0           |
| 130    | 01513-50616 | STUD                 | 2    |         |     |                                       | 0.004        | 0.0088      |
| 140    | 02056-50060 | NUT                  | 2    |         |     |                                       | 0.002        | 0.0044      |
| 150    | 04512-60060 | WASHER SPRING        | 2    |         |     |                                       | 0.001        | 0.0022      |
| 160    | 15694-42020 | ASSY PIPE FUEL       | 1    | ≤677831 |     |                                       | 0            | 0           |
| 160    | 15263-42010 | ASSY PIPE FUEL       | 1    | ≥677832 | ↔   |                                       | 0.04         | 0.088       |
| 170    | 14301-42750 | BAND PIPE            | 2    | ≤677831 |     |                                       | 0.005        | 0.011       |
| 170    | 16241-42750 | BAND PIPE            | 2    | ≥677832 | ↔   |                                       | 0            | 0           |
| 180    | 15694-42440 | SPRING PIPE PROTECT. | 1    | ≤677831 |     |                                       | 0.007        | 0.0154      |
| 180    | 66591-54250 | SPRING PIPE PROTECT. | 1    | ≥677832 | ↔   |                                       | 0.01         | 0.022       |
| 190    | 14111-42410 | JOINT EYE            | 1    |         |     |                                       | 0.025        | 0.055       |
| 200    | 15694-42870 | ASSY PIPE JET START  | 1    |         |     |                                       | 0.1          | 0.22        |
| 210    | 14971-42750 | CLIP PIPE            | 2    |         |     |                                       | 0.001        | 0.0022      |

# INJECTION PUMP [COMPONENT PARTS]




15656-019-10



## INJECTION PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15531-51010 | ASSY PUMP INJECTION | 1    |       |     |         | 2.1          | 4.62        |
| 020    | 15261-51050 | PLUNGER PUMP        | 3    |       |     |         | 0.04         | 0.088       |
| 030    | 15261-51030 | VALVE DELIVERY      | 3    |       |     |         | 0.011        | 0.0242      |
| 040    | 15331-51230 | SPRING DELIV.VALVE  | 3    |       |     |         | 0.001        | 0.0022      |
| 050    | 15331-51240 | GASKET DELIV.VALVE  | 3    |       |     |         | 0.001        | 0.0022      |
| 060    | 15331-51220 | HOLDER DELIV.VALVE  | 3    |       |     |         | 0.053        | 0.1166      |
| 070    | 15331-96760 | O RING              | 3    |       |     |         | 0.001        | 0.0022      |
| 080    | 15331-51070 | ASSY TAPPET         | 3    |       |     |         | 0.036        | 0.0792      |
| 090    | 15331-51250 | PIN TAPPET GUIDE    | 3    |       |     |         | 0.001        | 0.0022      |
| 100    | 15331-51430 | PIN CLAMP           | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 17331-51280 | SPRING PLUNGER      | 3    |       |     |         | 0.017        | 0.0374      |
| 120    | 15331-51270 | SEAT SPRING UPPER   | 3    |       |     |         | 0.001        | 0.0022      |
| 130    | 15331-51290 | SEAT SPRING LOWER   | 3    |       |     |         | 0.001        | 0.0022      |
| 140    | 15381-51490 | SHIM                | 3    |       |     |         | 0.008        | 0.0176      |
| 150    | 15331-51062 | RACK CONTROL        | 1    |       |     |         | 0.04         | 0.088       |
| 160    | 15331-51380 | SLEEVE CONTROL      | 3    |       |     |         | 0.012        | 0.0264      |
| 170    | 15531-51320 | SCREW FOLLOW        | 1    |       |     |         | 0.034        | 0.0748      |
| 180    | 15331-96650 | GASKET              | 2    |       |     |         | 0.001        | 0.0022      |
| 190    | 15331-51480 | COLLAR              | 2    |       |     |         | 0.005        | 0.011       |
| 200    | 15381-94090 | WASHER SPRING       | 2    |       |     |         | 0.002        | 0.0044      |
| 210    | 15381-51390 | PLATE ADJUSTING     | 1    |       |     |         | 0.008        | 0.0176      |
| 220    | 15331-91010 | BOLT                | 2    |       |     |         | 0.034        | 0.0748      |






## ENGINE STOP LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15752-54092 | ASSY APPARATUS I/D.  | 1    |         |     |         | 0.03         | 0.066       |
| 020    | 15752-54102 | ASSY BOLT ADJUSTING  | 1    |         |     |         | 0.01         | 0.022       |
| 030    | 15261-92020 | NUT                  | 1    |         |     |         | 0.004        | 0.0088      |
| 040    | 15261-92330 | NUT CAP              | 1    |         |     |         | 0.01         | 0.022       |
| 050    | 15021-33660 | GASKET               | 2    |         |     |         | 0.001        | 0.0022      |
| 060    | 15261-54270 | CAP                  | 1    |         |     |         | 0.002        | 0.0044      |
| 070    | 15687-57703 | ASSY LEVER ENG.STOP  | 1    | ≤732040 |     |         | 0.18         | 0.396       |
| 070    | 15687-57704 | ASSY LEVER ENG.STOP  | 1    | ≥732041 | ←   |         | 0.2          | 0.44        |
| 080    | 15949-51650 | COVER INJECTION PUMP | 1    | ≤732040 |     |         | 0            | 0           |
| 080    | 15949-51654 | COVER INJECTION PUMP | 1    | ≥732041 | ←   |         | 0.1          | 0.22        |
| 090    | 15471-57980 | SEAL OIL             | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 05411-00420 | PIN SPRING           | 1    |         |     |         | 0.001        | 0.0022      |
| 110    | 15471-57920 | SPRING RETURN        | 1    |         |     |         | 0.005        | 0.011       |
| 120    | 15263-05130 | GASKET BREATHER      | 1    |         |     |         | 0.001        | 0.0022      |
| 130    | 01023-50618 | BOLT                 | 3    |         |     |         | 0.006        | 0.0132      |
| 140    | 01023-50620 | BOLT                 | 1    |         |     |         | 0.006        | 0.0132      |
| 150    | 15531-57480 | HOLDER WIRE          | 1    |         |     |         | 0.015        | 0.033       |
| 160    | 15949-60110 | SUPPORT SOLENOID     | 1    |         |     |         | 0.16         | 0.352       |
| 170    | 01123-50820 | BOLT                 | 2    |         |     |         | 0.011        | 0.0242      |

## STOP SOLENOID












## SPEED CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15531-54120 | BOLT ADJUSTING      | 1    |         |     |         | 0.009        | 0.0198      |
| 020    | 15531-92030 | NUT                 | 1    |         |     |         | 0.005        | 0.011       |
| 030    | 15601-96650 | GASKET              | 2    |         |     |         | 0.001        | 0.0022      |
| 040    | 15601-54220 | NUT CAP             | 1    | ≤697417 |     |         | 0            | 0           |
| 040    | 15841-14620 | NUT CAP             | 1    | ≥697418 | ↔   |         | 0.01         | 0.022       |
| 050    | 16241-54420 | CAP                 | 1    | ≤924784 |     |         | 0.004        | 0.0088      |
| 050    | 16221-54420 | CAP                 | 1    | ≥924785 | ↔   |         | 0.001        | 0.0022      |
| 060    | 15531-57150 | LEVER SPEED CONTROL | 1    | ≤633345 |     |         | 0.04         | 0.088       |
| 060    | 15531-57152 | LEVER SPEED CONTROL | 1    | ≥633346 | ≠   |         | 0.045        | 0.099       |
| 070    | 15261-95010 | KEY FEATHER         | 1    | ≤633345 |     |         | 0.001        | 0.0022      |
| 070    | 05712-00410 | KEY FEATHER         | 1    | ≥633346 | ≠   |         | 0.001        | 0.0022      |
| 080    | 04811-00070 | O RING              | 1    |         |     |         | 0.001        | 0.0022      |
| 090    | 04013-60060 | WASHER PLAIN        | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 02012-60060 | NUT                 | 2    |         |     |         | 0.005        | 0.011       |
| 110    | 15263-57380 | DISK FRICTION       | 1    | ≤633345 |     |         | 0.005        | 0.011       |
| 110    | 15261-94010 | WASHER PLAIN        | 1    | ≥633346 | ≠   |         | 0.002        | 0.0044      |
| 120    | 15531-57110 | PLATE SPEED CONTROL | 1    |         |     |         | 0.06         | 0.132       |
| 130    | 15263-57210 | GASKET              | 1    |         |     |         | 0.001        | 0.0022      |
| 140    | 01023-50620 | BOLT                | 3    |         |     |         | 0.006        | 0.0132      |
| 150    | 15221-88210 | STUD                | 1    |         |     |         | 0.005        | 0.011       |
| 160    | 04512-60060 | WASHER SPRING       | 1    |         |     |         | 0.001        | 0.0022      |
| 170    | 02056-50060 | NUT                 | 2    |         |     |         | 0.002        | 0.0044      |












## GOVERNOR




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 15221-56480 | SPRING START        | 1    |          |     |         | 0.008        | 0.0176      |
| 020    | 15531-56410 | SPRING GOVERNOR     | 1    |          |     |         | 0.007        | 0.0154      |
| 030    | 15531-56420 | SPRING GOVERNOR     | 1    |          |     |         | 0.003        | 0.0066      |
| 040    | 15531-56020 | COMP.LEVER GOVERNOR | 1    | <=633345 |     |         | 0.026        | 0.0572      |
| 040    | 15531-56022 | COMP.LEVER GOVERNOR | 1    | >=633346 | ≠   |         | 0.02         | 0.044       |
| 050    | 15694-56050 | ASSY LEVER FORK     | 1    |          |     |         | 0.3          | 0.66        |
| 060    | 15694-56040 | COMP.LEVER FORK     | 1    |          |     |         | 0.16         | 0.352       |
| 070    | 15531-56130 | LEVER FORK          | 1    |          |     |         | 0.075        | 0.165       |
| 080    | 15261-56150 | SHAFT FORK LEVER    | 1    |          |     |         | 0.032        | 0.0704      |
| 090    | 01053-50516 | BOLT                | 1    |          |     |         | 0.003        | 0.0066      |
| 100    | 04512-50050 | WASHER SPRING       | 2    |          |     |         | 0            | 0           |
| 110    | 15261-56230 | HOLDER FORK LEVER   | 1    |          |     |         | 0.038        | 0.0836      |
| 120    | 15261-66410 | BOLT                | 1    |          |     |         | 0.003        | 0.0066      |
| 130    | 01023-50628 | BOLT                | 2    |          |     |         | 0.015        | 0.033       |

UPPER GASKET KIT



15687-026-10






## UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-24382 | KIT GASKET UPPER     | 1    |       |     |         | 0            | 0           |
| 020    | 04714-00300 | GASKET               | 2    |       |     |         | 0.002        | 0.0044      |
| 030    | 04811-00080 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 04811-50300 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 15221-33700 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 15263-11820 | GASKET IN-MANIFOLD   | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 15263-11830 | GASKET IN-MANIFOLD   | 2    |       |     |         | 0.001        | 0.0022      |
| 080    | 15261-13150 | SEAL VALVE STEM      | 6    |       |     |         | 0.001        | 0.0022      |
| 090    | 15263-66640 | GASKET NA            | 3    |       |     |         | 0.001        | 0.0022      |
| 100    | 15263-72920 | GASKET WATER FLANGE  | 1    |       |     |         | 0.003        | 0.0066      |
| 110    | 15381-14520 | GASKET HEAD COVER    | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 15531-03320 | SHIM CYL.HEAD GASKET | 1    |       |     |         | 0.03         | 0.066       |
| 130    | 16264-73270 | GASKET THERMOSTAT    | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 15951-96660 | GASKET               | 3    |       |     |         | 0.001        | 0.0022      |
| 150    | 16530-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0.02         | 0.044       |
| 160    | 17011-53620 | GASKET               | 3    |       |     |         | 0.003        | 0.0066      |

## LOWER GASKET KIT








## LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-29862 | KIT GASKET LOWER     | 1    |       |     |         | 0            | 0           |
| 020    | 04714-00100 | GASKET               | 2    |       |     |         | 0.002        | 0.0044      |
| 030    | 04810-00140 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 040    | 04810-00150 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 04811-00070 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04811-05140 | O RING               | 2    |       |     |         | 0.001        | 0.0022      |
| 070    | 04811-05230 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04811-06130 | O RING               | 3    |       |     |         | 0.001        | 0.0022      |
| 090    | 04811-10070 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 100    | 04811-10220 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 09400-14247 | SEAL OIL             | 1    |       |     |         | 0.004        | 0.0088      |
| 120    | 09550-00008 | SEAL OIL             | 1    |       |     |         | 0.01         | 0.022       |
| 130    | 09560-00007 | SEAL OIL             | 1    |       |     |         | 0.029        | 0.0638      |
| 140    | 15021-33660 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 150    | 15109-33660 | GASKET               | 3    |       |     |         | 0.001        | 0.0022      |
| 160    | 15296-88130 | GASKET H/METER UNIT  | 1    |       |     |         | 0.002        | 0.0044      |
| 170    | 15263-05130 | GASKET BREATHER.NA   | 1    |       |     |         | 0.001        | 0.0022      |
| 180    | 15263-87130 | GASKET HYD.PUMP      | 1    |       |     |         | 0.005        | 0.011       |
| 190    | 15263-52140 | GASKET FUEL PUMP     | 1    |       |     |         | 0            | 0           |
| 200    | 15263-04130 | GASKET GEAR CASE NA  | 1    |       |     |         | 0.009        | 0.0198      |
| 210    | 15263-04360 | GASKET BRG.CASE NA   | 1    |       |     |         | 0.005        | 0.011       |
| 220    | 15263-04820 | GASKET BRG.CASE COV. | 1    |       |     |         | 0.001        | 0.0022      |
| 230    | 15263-35150 | GASKET OIL PUMP NA   | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 15263-36430 | GASKET OIL GAUGE NA  | 1    |       |     |         | 0.001        | 0.0022      |
| 250    | 15263-57210 | GASKET NA            | 1    |       |     |         | 0.001        | 0.0022      |
| 260    | 15263-73920 | GASKET WATER COVER   | 1    |       |     |         | 0.002        | 0.0044      |
| 270    | 15679-01620 | GASKET OIL PAN NA    | 1    |       |     |         | 0.025        | 0.055       |
| 280    | 15676-04130 | GASKET GEAR CASE NA  | 1    |       |     |         | 0.01         | 0.022       |
| 290    | 15676-73430 | GASKET WATER PUMP NA | 1    |       |     |         | 0.005        | 0.011       |
| 300    | 15601-96650 | GASKET               | 2    |       |     |         | 0.001        | 0.0022      |
| 310    | 15841-04140 | SEAL OIL             | 1    |       |     |         | 0.012        | 0.0264      |
| 320    | 19215-04460 | SEAL OIL             | 1    |       |     |         | 0.03         | 0.066       |
| 330    | 15676-01620 | GASKET OIL PAN NA    | 1    |       |     |         | 0.01         | 0.022       |
| 340    | 66905-51160 | GASKET NA            | 1    |       |     |         | 0.002        | 0.0044      |
| 350    | 66385-36420 | GASKET NA            | 1    |       |     |         | 0.01         | 0.022       |






## FAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15694-74110 | FAN               | 1    |         |     |         | 0.34         | 0.748       |
| 020    | 15687-91020 | BOLT FLANGE       | 4    | ≤651889 |     |         | 0.01         | 0.022       |
| 020    | 01053-50642 | BOLT FLANGE       | 4    | ≥651890 | ←   |         | 0.011        | 0.0242      |
| 030    | 15687-74150 | COLLAR FAN        | 1    | ≤651889 |     |         | 0            | 0           |
| 030    | 15679-74150 | COLLAR FAN        | 1    | ≥651890 | ↔   |         | 0.13         | 0.286       |
| 040    | 15531-74250 | PULLEY FAN        | 1    |         |     |         | 0.21         | 0.462       |
| 050    | 15694-74280 | PULLEY FAN DRIVE  | 1    |         |     |         | 1.03         | 2.266       |
| 060    | 05712-00515 | KEY FEATHER       | 1    |         |     |         | 0.003        | 0.0066      |
| 070    | 15261-23360 | NUT CRANKSHAFT    | 1    |         |     |         | 0.034        | 0.0748      |
| 080    | 15372-23380 | WASHER CRANKSHAFT | 1    |         |     |         | 0.007        | 0.0154      |
| 090    | 15531-72530 | BELT FAN          | 1    |         |     |         | 0.085        | 0.187       |



**DYNAMO**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------------------------------------|--------------|-------------|
| 010    | 15679-64010 | ASSY<br>DYNAMO  | 1    |       |     | REFER TO L.NO.0D08-L0 FOR COMPONENTS. | 1.9          | 4.18        |
| 020    | 15679-64420 | STAY<br>DYNAMO  | 1    |       |     |                                       | 0.13         | 0.286       |
| 030    | 01754-50620 | BOLT FLANGE     | 1    |       |     |                                       | 0.007        | 0.0154      |
| 040    | 01123-50825 | BOLT            | 1    |       |     |                                       | 0.013        | 0.0286      |
| 045    | 15679-64460 | COLLAR          | 1    |       |     |                                       | 0.04         | 0.088       |
| 050    | 01123-50875 | BOLT            | 1    |       |     |                                       | 0.04         | 0.088       |
| 060    | 02056-50080 | NUT             | 1    |       |     |                                       | 0.005        | 0.011       |
| 070    | 04013-50080 | WASHER<br>PLAIN | 1    |       |     |                                       | 0            | 0           |
| 080    | 04015-60080 | WASHER<br>PLAIN | 1    |       |     |                                       | 0.01         | 0.022       |
| 090    | 15531-05580 | CLAMP PIPE      | 1    |       |     |                                       | 0.019        | 0.0418      |



**DYNAMO [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15679-64010 | ASSY DYNAMO   | 1    |       |     |         | 1.9          | 4.18        |
| 020    | 15679-64120 | COMP.FLYWHEEL | 1    |       |     |         | 0.9          | 1.98        |
| 030    | 15679-64110 | PULLEY        | 1    |       |     |         | 0.1          | 0.22        |
| 040    | 15679-64040 | FLYWHEEL      | 1    |       |     |         | 0.62         | 1.364       |
| 050    | 15679-64140 | COLLAR        | 1    |       |     |         | 0.02         | 0.044       |
| 060    | 15679-74180 | BEARING BALL  | 2    |       |     |         | 0.035        | 0.077       |
| 070    | 15679-74140 | SHAFT         | 1    |       |     |         | 0.07         | 0.154       |
| 080    | 15679-64360 | COMP.STATOR   | 1    |       |     |         | 0.46         | 1.012       |
| 090    | 15679-93010 | BOLT          | 2    |       |     |         | 0.001        | 0.0022      |
| 100    | 15679-64290 | COIL STATOR   | 1    |       |     |         | 0.45         | 0.99        |
| 110    | 15679-64070 | BASE STATOR   | 1    |       |     |         | 0.45         | 0.99        |
| 120    | 15679-74180 | BEARING BALL  | 1    |       |     |         | 0.035        | 0.077       |
| 130    | 15679-93010 | BOLT          | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 15679-64190 | CLAMP         | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 15261-64150 | COLLAR        | 1    |       |     |         | 0.02         | 0.044       |
| 160    | 15261-92030 | NUT           | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 15261-94070 | WASHER SPRING | 1    |       |     |         | 0.003        | 0.0066      |
| 180    | 15261-94020 | WASHER PLAIN  | 1    |       |     |         | 0.007        | 0.0154      |



15656-023-10







## CLUTCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 67111-13310 | COMP.DISK CLUTCH    | 1    | <=867849 |     |         | 0            | 0           |
| 010    | 76621-13310 | COMP.DISK CLUTCH NA | 1    | >=867850 | ↔   |         | 0            | 0           |
| 010    | 76630-13310 | COMP.DISK CLUTCH    | 1    | >=900405 | ←   |         | 1.5          | 3.3         |
| 020    | 67111-13320 | COMP PLATE PRESSURE | 1    |          |     |         | 3.75         | 8.25        |
| 030    | 01123-60816 | BOLT                | 1    |          |     |         | 0.01         | 0.022       |
| 040    | 05012-00814 | PIN STRAIGHT        | 3    |          |     |         | 0.006        | 0.0132      |








060 67211-7624-0

070 04512-50080




15679-800-10




## HYDRAULIC PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67211-76100 | ASSY GEAR PUMP    | 1    |         |     |         | 1.45         | 3.19        |
| 020    | 67211-76120 | COVER HYD.PUMP    | 1    |         |     |         | 0.18         | 0.396       |
| 030    | 04810-00220 | O RING            | 4    |         |     |         | 0.001        | 0.0022      |
| 040    | 04810-00050 | O RING            | 1    |         |     |         | 0.001        | 0.0022      |
| 050    | 04810-50500 | O RING            | 1    |         |     |         | 0.005        | 0.011       |
| 060    | 67211-76240 | BOLT              | 6    | ≤828344 |     |         | 0.014        | 0.0308      |
| 060    | 01123-50825 | BOLT              | 6    | ≥828345 | ↔   |         | 0.013        | 0.0286      |
| 070    | 04512-50080 | WASHER SPRING     | 6    | ≤828344 |     |         | 0            | 0           |
| 080    | 31381-76190 | SEAL OIL          | 1    |         |     |         | 0.007        | 0.0154      |
| 090    | 04611-00280 | CIR CLIP INTERNAL | 1    |         |     |         | 0.002        | 0.0044      |



**110 15221-1172-0**



**76630-804-10**






# AIR CLEANER [F2100]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76611-58410 | ASSY CLEANER AIR     | 1    |         |     |         | 1.31         | 2.882       |
| 020    | 15727-11150 | BODY AIR CLEANER     | 1    |         |     |         | 0.7          | 1.54        |
| 030    | 76611-58470 | ASSY PAN DUST        | 1    |         |     |         | 0.2          | 0.44        |
| 040    | 15221-11410 | COVER BAFFLE         | 1    |         |     |         | 0.104        | 0.2288      |
| 050    | 15221-92620 | BOLT WING            | 1    |         |     |         | 0.04         | 0.088       |
| 060    | 76611-58420 | ASSY ELEMENT A/C     | 1    | <=12449 |     |         | 0            | 0           |
| 060    | 67800-58300 | ASSY ELEMENT CLEANER | 1    | >=12450 | ↔   |         | 0.32         | 0.704       |
| 070    | 15227-87480 | LABEL ELEMENT A/C    | 1    |         |     |         | 0.004        | 0.0088      |
| 080    | 15221-94430 | WASHER WITH RUBBER   | 1    |         |     |         | 0.004        | 0.0088      |
| 090    | 15372-87452 | LABEL AIR CLEANER    | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 76611-58460 | LABEL AIR CLEANER    | 1    |         |     |         | 0.001        | 0.0022      |
| 110    | 15221-11720 | BAND PIPE            | 4    | <=12209 |     |         | 0.03         | 0.066       |
| 110    | 67955-58260 | BAND AIR CLEANER     | 4    | >=12210 | ↔   |         | 0.028        | 0.0616      |
| 120    | 15694-11130 | PIPE INLET           | 1    |         |     |         | 0.18         | 0.396       |
| 130    | 76611-58430 | PIPE INLET           | 1    |         |     |         | 0.135        | 0.297       |
| 140    | 76611-58480 | SUPPORT AIR CLEANER  | 1    |         |     |         | 0.6          | 1.32        |
| 150    | 01754-50816 | BOLT FLANGE          | 1    |         |     |         | 0.011        | 0.0242      |
| 160    | 67401-54290 | BAND AIR CLEANER     | 1    |         |     |         | 0.06         | 0.132       |
| 170    | 67401-54280 | CUSHION              | 1    |         |     |         | 0.01         | 0.022       |
| 180    | 76611-58440 | BREATHER             | 1    |         |     |         | 0.074        | 0.1628      |



040 02056-50060

050 04013-50060

060 04512-50060



76611-800-10




# MUFFLER [F2100]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 76611-58513 | ASSY MUFFLER       | 1    |        |     |         | 7.2          | 15.84       |
| 020    | 76611-58112 | MARK               | 1    |        |     |         | 1.5          | 3.3         |
| 030    | 01754-50610 | BOLT FLANGE        | 4    |        |     |         | 0.006        | 0.0132      |
| 040    | 02056-50060 | NUT                | 6    | ≤11285 |     |         | 0.002        | 0.0044      |
| 040    | 76611-56730 | NUT LOCK           | 6    | ≥11286 | ↔   |         | 0.005        | 0.011       |
| 050    | 04013-50060 | WASHER PLAIN       | 6    | ≤11285 |     |         | 0            | 0           |
| 060    | 04512-50060 | WASHER SPRING      | 6    | ≤11285 |     |         | 0            | 0           |
| 070    | 15676-12350 | GASKET EX-MANIFOLD | 1    |        |     |         | 0.017        | 0.0374      |
| 080    | 76611-58540 | PIPE EXHAUST       | 1    |        |     |         | 0.5          | 1.1         |
| 090    | 76611-58150 | TAPE MUFFLER       | 1    |        |     |         | 0.003        | 0.0066      |
| 100    | 76611-58550 | BAND MUFFLER PIPE  | 1    |        |     |         | 0.104        | 0.2288      |
| 110    | 01754-50835 | BOLT FLANGE        | 1    |        |     |         | 0.019        | 0.0418      |
| 120    | 01754-50816 | BOLT FLANGE        | 1    |        |     |         | 0.011        | 0.0242      |
| 130    | 76611-53120 | PLATE SHUTTER      | 1    |        |     |         | 3.5          | 7.7         |
| 140    | 76611-53130 | TRIM SHUTTER PLATE | 1    |        |     |         | 0.02         | 0.044       |
| 150    | 76611-53150 | TRIM SHUTTER PLATE | 1    |        |     |         | 0.04         | 0.088       |
| 160    | 76611-53160 | TRIM SHUTTER PLATE | 1    |        |     |         | 0.02         | 0.044       |
| 170    | 76611-53170 | TRIM SHUTTER PLATE | 1    |        |     |         | 0.2          | 0.44        |
| 180    | 67061-54650 | CUSHION            | 3    |        |     |         | 0.01         | 0.022       |
| 190    | 63611-52330 | CUSHION            | 1    |        |     |         | 0.01         | 0.022       |
| 200    | 01754-50812 | BOLT FLANGE        | 1    |        |     |         | 0.01         | 0.022       |

## ACCELERATOR LEVER






## ACCELERATOR LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 76611-42413 | ASSY ROD RELEASE | 1    | ≤11661 |     |         | 0            | 0           |
| 010    | 76611-42415 | ASSY ROD RELEASE | 1    | ≥11662 | ←   |         | 0.3          | 0.66        |
| 020    | 67211-43220 | STAY LH          | 1    |        |     |         | 0.02         | 0.044       |
| 030    | 02112-50080 | NUT              | 2    |        |     |         | 0.003        | 0.0066      |
| 040    | 04012-50080 | WASHER PLAIN     | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 05511-50215 | PIN SPLIT        | 1    |        |     |         | 0.001        | 0.0022      |
| 060    | 04013-50060 | WASHER PLAIN     | 1    |        |     |         | 0            | 0           |
| 070    | 05511-51612 | PIN SPLIT        | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 76611-42430 | SHAFT RELEASE    | 1    |        |     |         | 0.3          | 0.66        |
| 090    | 76611-42440 | LEVER RELEASE    | 1    |        |     |         | 0.27         | 0.594       |
| 100    | 67800-44720 | SPRING           | 1    |        |     |         | 0.005        | 0.011       |
| 110    | 04013-60120 | WASHER PLAIN     | 2    |        |     |         | 0.01         | 0.022       |
| 120    | 02174-50120 | NUT              | 1    |        |     |         | 0.01         | 0.022       |
| 130    | 02172-50120 | NUT              | 1    |        |     |         | 0.01         | 0.022       |
| 140    | 35320-17170 | GRIP ACCEL       | 1    |        |     |         | 0.018        | 0.0396      |

## FUEL TANK






## FUEL TANK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-53102 | ASSY TANK FUEL      | 1    |       |     |         | 5.25         | 11.55       |
| 020    | 67211-54720 | ASSY CAP FUEL TANK  | 1    |       |     |         | 0.07         | 0.154       |
| 030    | 35450-41350 | FILTER FUEL         | 1    |       |     |         | 0            | 0           |
| 040    | 10211-41340 | GASKET              | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 76611-53210 | SENSOR FUEL GAUGE   | 1    |       |     |         | 0.22         | 0.484       |
| 060    | 36330-75310 | GASKET              | 1    |       |     |         | 0.005        | 0.011       |
| 070    | 04013-50050 | WASHER PLAIN        | 5    |       |     |         | 0            | 0           |
| 080    | 02054-50050 | NUT                 | 5    |       |     |         | 0.002        | 0.0044      |
| 090    | 76611-53223 | BAND FUEL TANK      | 2    |       |     |         | 0.33         | 0.726       |
| 100    | 01754-50835 | BOLT FLANGE         | 2    |       |     |         | 0.019        | 0.0418      |
| 105    | 36530-04880 | PROTECTOR FUEL PIPE | 2    |       |     |         | 0.02         | 0.044       |
| 110    | 76611-53230 | SUPPORT FUEL TANK   | 1    |       |     |         | 1.8          | 3.96        |
| 120    | 01754-50820 | BOLT FLANGE         | 4    |       |     |         | 0.015        | 0.033       |








## FUEL PIPE [F2100]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description             | Q'ty | S.No.   | I/C | REMARKS                                  | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------------|------|---------|-----|------------------------------------------|--------------|-------------|
| 010    | 67156-54630 | SUPPORT FILTER          | 1    |         |     |                                          | 0.12         | 0.264       |
| 020    | 01754-50816 | BOLT FLANGE             | 2    |         |     |                                          | 0.011        | 0.0242      |
| 030    | 76611-53313 | ASSY PIPE<br>F-OVERFLOW | 1    |         |     |                                          | 0.1          | 0.22        |
| 040    | 14971-42750 | CLIP PIPE               | 2    |         |     |                                          | 0.001        | 0.0022      |
| 050    | 76611-53333 | ASSY PIPE<br>F-OVERFLOW | 1    |         |     |                                          | 0.15         | 0.33        |
| 060    | 14971-42750 | CLIP PIPE               | 2    |         |     |                                          | 0.001        | 0.0022      |
| 070    | 76611-53350 | ASSY PIPE FUEL          | 1    |         |     |                                          | 0.08         | 0.176       |
| 080    | 14301-42750 | CLIP PIPE               | 2    |         |     |                                          | 0.005        | 0.011       |
| 090    | 76611-53370 | SPRING PIPE<br>PROTECT. | 1    |         |     |                                          | 0.01         | 0.022       |
| 100    | 76611-53380 | ASSY PIPE FUEL          | 1    | <=10659 |     |                                          | 0.05         | 0.11        |
| 100    | 67211-58350 | ASSY PIPE FUEL          | 1    | >=10660 | ↔   |                                          | 0.03         | 0.066       |
| 105    | 09661-70160 | TUBE FUEL               | 1    | >=10660 |     |                                          | 0.02         | 0.044       |
| 110    | 14301-42750 | CLIP PIPE               | 2    | <=10659 |     |                                          | 0.005        | 0.011       |
| 110    | 14911-42750 | CLIP PIPE               | 2    | >=10660 | ↔   |                                          | 0.002        | 0.0044      |
| 120    | 67111-53790 | SPRING PIPE<br>PROTECT. | 1    |         |     |                                          | 0.01         | 0.022       |
| 130    | 34150-29390 | CLAMP CORD              | 1    | <=10763 |     |                                          | 0.004        | 0.0088      |
| 130    | 13824-67580 | CLAMP CORD              | 1    | >=10764 | ↔   |                                          | 0.006        | 0.0132      |
| 140    | 01754-50865 | BOLT FLANGE             | 1    |         |     |                                          | 0.027        | 0.0594      |
| 150    | 15751-43010 | ASSY FILTER FUEL        | 1    |         |     | REFER TO L.NO.0D03-L0<br>FOR COMPONENTS. | 0.41         | 0.902       |




Y2001-007-11

**FUEL FILTER [F2100] [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15751-43010 | ASSY FILTER FUEL  | 1    |         |     |         | 0.41         | 0.902       |
| 020    | 15531-43110 | COMP.BODY COCK    | 1    |         |     |         | 0.255        | 0.561       |
| 030    | 14301-43522 | LEVER COCK        | 1    |         |     |         | 0.024        | 0.0528      |
| 040    | 14301-43820 | SPRING VALVE      | 1    |         |     |         | 0.001        | 0.0022      |
| 050    | 14301-43830 | SCREW SET         | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 14301-43840 | O RING LEVER      | 1    |         |     |         | 0.001        | 0.0022      |
| 070    | 17037-43100 | ASSY CUP FILTER   | 1    | >=12581 |     |         | 0.018        | 0.0396      |
| 075    | 15000-34832 | CUP FILTER        | 1    | <=12580 |     |         | 0.07         | 0.154       |
| 075    | 15393-43580 | CUP FILTER        | 1    | >=12581 | ↔   |         | 0.01         | 0.022       |
| 080    | 14301-43590 | RING RETAINING    | 1    |         |     |         | 0.054        | 0.1188      |
| 090    | 14301-43650 | O RING FILTER CUP | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 15231-43560 | ASSY ELEMENT      | 1    |         |     |         | 0.03         | 0.066       |
| 110    | 04811-00100 | O RING FILTER     | 1    |         |     |         | 0.001        | 0.0022      |
| 120    | 66706-58310 | LABEL FUEL FILTER | 1    | <=12580 |     |         | 0.001        | 0.0022      |
| 120    | 16689-88430 | LABEL             | 1    | >=12581 | ↔   |         | 0.001        | 0.0022      |

## RADIATOR [F2100]






## RADIATOR [F2100]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76611-58210 | ASSY RADIATOR       | 1    | >=11611 |     |         | 7.4          | 16.28       |
| 020    | 15272-72020 | ASSY CAP            | 1    |         |     |         | 0.071        | 0.1562      |
| 025    | 19077-87240 | LABEL CAUTION       | 1    |         |     |         | 0.002        | 0.0044      |
| 030    | 15231-73110 | COCK DRAIN          | 1    |         |     |         | 0.006        | 0.0132      |
| 040    | 15241-67580 | CLAMP CORD          | 1    |         |     |         | 0.004        | 0.0088      |
| 050    | 76611-58610 | PIPE WATER          | 1    |         |     |         | 0.06         | 0.132       |
| 060    | 15261-72780 | BAND                | 2    |         |     |         | 0.024        | 0.0528      |
| 070    | 76611-58620 | PIPE WATER          | 1    |         |     |         | 0.15         | 0.33        |
| 080    | 15541-72960 | BAND                | 1    |         |     |         | 0.025        | 0.055       |
| 090    | 15261-72780 | BAND                | 1    |         |     |         | 0.024        | 0.0528      |
| 100    | 76611-58630 | PIPE DRAIN          | 1    |         |     |         | 0.063        | 0.1386      |
| 110    | 15109-73360 | BAND PIPE           | 2    |         |     |         | 0.01         | 0.022       |
| 120    | 76611-58292 | TAPE RADIATOR PLATE | 1    |         |     |         | 0.007        | 0.0154      |
| 130    | 76611-58280 | SUPPORT RADIATOR    | 1    |         |     |         | 0.002        | 0.0044      |
| 140    | 01754-50610 | BOLT FLANGE         | 2    |         |     |         | 0.006        | 0.0132      |




**DUSTPROOF PLATE [F2100]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67111-58710 | BOLT RADIATOR        | 2    |       |     |         | 0.027        | 0.0594      |
| 020    | 04013-50100 | WASHER PLAIN         | 2    |       |     |         | 0            | 0           |
| 030    | 15111-72180 | CUSHION              | 2    |       |     |         | 0.015        | 0.033       |
| 040    | 15111-72200 | WASHER               | 4    |       |     |         | 0.013        | 0.0286      |
| 050    | 05515-61000 | PIN SNAP             | 2    |       |     |         | 0.003        | 0.0066      |
| 060    | 76611-58313 | NET DUSTPROOF        | 1    |       |     |         | 0.232        | 0.5104      |
| 070    | 76611-58323 | HOLDER DUSTPROOF NET | 1    |       |     |         | 0.01         | 0.022       |
| 080    | 01754-50612 | BOLT FLANGE          | 1    |       |     |         | 0.005        | 0.011       |
| 090    | 02014-50060 | NUT                  | 1    |       |     |         | 0.003        | 0.0066      |
| 100    | 76611-58333 | TAPE DUSTPROOF NET   | 1    |       |     |         | 0.003        | 0.0066      |
| 110    | 76611-56910 | PLATE DUSTPROOF      | 1    |       |     |         | 0.26         | 0.572       |
| 120    | 01754-50816 | BOLT FLANGE          | 3    |       |     |         | 0.011        | 0.0242      |
| 130    | 01754-50820 | BOLT FLANGE          | 1    |       |     |         | 0.015        | 0.033       |
| 140    | 76611-56920 | TRIM DUSTPROOF PLATE | 1    |       |     |         | 0.025        | 0.055       |
| 150    | 76611-58140 | SUPPORT MUFFLER      | 1    |       |     |         | 0.05         | 0.11        |
| 160    | 55411-21792 | WHISTLE STEAM        | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 01754-50812 | BOLT FLANGE          | 1    |       |     |         | 0.01         | 0.022       |










**STARTER [F2100] [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15231-63015 | ASSY STARTER        | 1    |       |     |         | 4.7          | 10.34       |
| 020    | 14278-63080 | YOKE                | 1    |       |     |         | 1.42         | 3.124       |
| 030    | 14278-63070 | ARMATURE            | 1    |       |     |         | 1.25         | 2.75        |
| 040    | 14278-63040 | CLUTCH OVER RUNNING | 1    |       |     |         | 0.32         | 0.704       |
| 050    | 15231-63032 | ASSY HOUSING        | 1    |       |     |         | 0.39         | 0.858       |
| 060    | 14278-63200 | ASSY FRAME END      | 1    |       |     |         | 0.2          | 0.44        |
| 070    | 14278-63250 | BUSH                | 1    |       |     |         | 0.002        | 0.0044      |
| 080    | 14278-63380 | ASSY HOLDER BRUSH   | 1    |       |     |         | 0.06         | 0.132       |
| 090    | 14278-63390 | SPRING BRUSH        | 4    |       |     |         | 0.003        | 0.0066      |
| 100    | 14278-63050 | LEVER DRIVE         | 1    |       |     |         | 0.06         | 0.132       |
| 110    | 15231-63022 | SWITCH MAGNETIC     | 1    |       |     |         | 0.65         | 1.43        |
| 120    | 15221-94820 | PIN SNAP            | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 15321-63250 | NUT PINION STOP     | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 14278-63510 | CAP END FRAME       | 1    |       |     |         | 0.015        | 0.033       |
| 150    | 14278-63520 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 14278-63190 | SPRING BRAKE        | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 14278-63180 | SHOE BRAKE          | 1    |       |     |         | 0.005        | 0.011       |
| 180    | 14278-63320 | BOLT THROUGH        | 2    |       |     |         | 0.02         | 0.044       |
| 190    | 03024-50414 | SCREW WITH WASHER   | 2    |       |     |         | 0.002        | 0.0044      |
| 200    | 14278-92010 | NUT                 | 2    |       |     |         | 0.001        | 0.0022      |
| 210    | 14278-63570 | PIPE BREATHER       | 1    |       |     |         | 0.001        | 0.0022      |




**060 66711-5547-0**

**060**




**070 76611-5512-0**

**070 76611-5512-6**



**220 15679-6460-0**




**76630-805-10**



## ELECTRICAL SYSTEM 1


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------------|--------------|-------------|
| 010    | 76611-55110 | ASSY WIRE HARNESS    | 1    | ≤11677 |     |               | 0            | 0           |
| 010    | 76611-55115 | ASSY WIRE HARNESS    | 1    | ≥11678 | ←   |               | 0.95         | 2.09        |
| 010    | 76611-55116 | ASSY WIRE HARNESS    | 1    | ≥12450 | ≠   |               | 0.8          | 1.76        |
| 020    | 76611-55310 | WIRE HARNESS         | 1    | ≤11677 |     |               | 0            | 0           |
| 020    | 76611-55315 | WIRE HARNESS         | 1    | ≥11678 | ←   |               | 0.75         | 1.65        |
| 020    | 76611-55316 | WIRE HARNESS         | 1    | ≥12450 | ≠   |               | 0.6          | 1.32        |
| 030    | 76611-55323 | WIRE HARNESS         | 1    |        |     |               | 0.185        | 0.407       |
| 040    | 55311-41260 | BAND CORD            | 1    | ≤12068 |     |               | 0.007        | 0.0154      |
| 040    | 55311-41260 | BAND CORD            | 4    | ≥12069 | ↔   |               | 0.007        | 0.0154      |
| 050    | 44366-68770 | BAND CORD            | 11   | ≤12068 |     |               | 0.002        | 0.0044      |
| 050    | 53581-64150 | BAND CORD            | 8    | ≥12069 | ↔   |               | 0.002        | 0.0044      |
| 060    | 66711-55470 | CLAMP CORD           | 1    | ≤12068 |     |               | 0.001        | 0.0022      |
| 070    | 76611-55120 | CONTROLLER           | 1    | ≤12449 |     |               | 0            | 0           |
| 070    | 76611-55126 | CONTROLLER           | 1    | ≤12449 | ←   | SERVICE PARTS | 0.37         | 0.814       |
| 070    | 76611-55710 | CONTROLLER           | 1    | ≥12450 | ≠   |               | 0.41         | 0.902       |
| 080    | 01754-50612 | BOLT FLANGE          | 2    |        |     |               | 0.005        | 0.011       |
| 090    | 76611-55150 | ASSY BOX FUSE        | 1    |        |     |               | 0.1          | 0.22        |
| 091    | 31351-33630 | FUSE                 | 2    |        |     | 10A           | 0.002        | 0.0044      |
| 092    | 31351-33640 | FUSE                 | 1    |        |     | 15A           | 0.002        | 0.0044      |
| 100    | 01754-50616 | BOLT FLANGE          | 2    |        |     |               | 0.006        | 0.0132      |
| 110    | 76611-55170 | ASSY BULB            | 1    |        |     |               | 0.319        | 0.7018      |
| 120    | 76611-55190 | BULB HEAD LIGHT      | 1    |        |     |               | 0.01         | 0.022       |
| 130    | 01754-50612 | BOLT FLANGE          | 2    |        |     |               | 0.005        | 0.011       |
| 140    | 66204-32240 | ASSY SWITCH SAFETY   | 1    | ≤10436 |     |               | 0            | 0           |
| 140    | 66416-55810 | ASSY SWITCH SAFETY   | 1    | ≥10437 | ←   |               | 0.11         | 0.242       |
| 150    | 76630-55410 | BATTERY              | 1    |        |     |               | 0            | 0           |
| 160    | 66591-54510 | RUBBER BATTERY       | 2    |        |     |               | 0.02         | 0.044       |
| 170    | 76611-55420 | ASSY CORD BATTERY(+) | 1    |        |     |               | 0.35         | 0.77        |
| 180    | 76611-55430 | ASSY CORD BATTERY(-) | 1    | ≤11827 |     |               | 0            | 0           |
| 180    | 37410-55742 | CORD BATTERY EARTH   | 1    | ≥11828 | ←   |               | 0.175        | 0.385       |
| 190    | 04013-50080 | WASHER PLAIN         | 1    |        |     |               | 0            | 0           |
| 200    | 01754-50812 | BOLT FLANGE          | 1    |        |     |               | 0.01         | 0.022       |
| 210    | 67111-55190 | RING FUSIBLE         | 1    | ≤12383 |     |               | 0.005        | 0.011       |
| 210    | 55611-41620 | RING FUSE            | 1    | ≥12384 | ←   |               | 0.007        | 0.0154      |
| 220    | 15679-64600 | REGULATOR            | 1    | ≤10436 |     |               | 0.33         | 0.726       |
| 220    | 76611-55440 | REGULATOR            | 1    | ≥10437 | ≠   |               | 0.19         | 0.418       |
| 230    | 66704-55260 | RUBBER               | 1    |        |     |               | 0.009        | 0.0198      |
| 240    | 01754-50625 | BOLT FLANGE          | 2    |        |     |               | 0.008        | 0.0176      |





030 58417-4114-0




76611-802-10




## ELECTRICAL SYSTEM 2

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67111-55450 | ASSY OK MONITOR     | 1    |        |     |         | 0.2          | 0.44        |
| 020    | 67111-55460 | BULB OK MONITOR     | 2    |        |     |         | 0.005        | 0.011       |
| 030    | 58417-41140 | SWITCH STARTER      | 1    | ≤12178 |     |         | 0.26         | 0.572       |
| 030    | 76650-54600 | ASSY SWITCH STARTER | 1    | ≥12179 | ←   |         | 0.26         | 0.572       |
| 035    | 76611-55620 | COLLAR              | 1    | ≥12179 |     |         | 0.004        | 0.0088      |
| 040    | 76611-55130 | SWITCH LIGHT        | 1    |        |     |         | 0.08         | 0.176       |
| 050    | 76611-55140 | TACHOMETER          | 1    | ≤11610 |     |         | 0            | 0           |
| 050    | 76611-55142 | TACHOMETER          | 1    | ≥11611 | ←   |         | 0.42         | 0.924       |
| 060    | 04512-50050 | WASHER SPRING       | 2    |        |     |         | 0            | 0           |
| 070    | 02054-50050 | NUT                 | 2    |        |     |         | 0.002        | 0.0044      |
| 080    | 76611-55160 | CABLE HOUR METER    | 1    | ≤10763 |     |         | 0            | 0           |
| 080    | 76611-55162 | CABLE HOUR METER    | 1    | ≥10764 | ←   |         | 0.4          | 0.88        |
| 090    | 31355-84300 | METER COMBINATION   | 1    |        |     |         | 0.34         | 0.748       |
| 100    | 04512-50050 | WASHER SPRING       | 2    |        |     |         | 0            | 0           |
| 110    | 02054-50050 | NUT                 | 2    |        |     |         | 0.002        | 0.0044      |
| 120    | 55364-41180 | KEY STARTER         | 1    |        |     |         | 0.03         | 0.066       |



280 35450-7501-0  
 290 35450-7502-2  
 300 35450-7511-0  
 310 35450-7505-0  
 320 35450-7506-0  
 330 35450-7507-0  
 340 35450-7508-0  
 350 35450-7509-0



76611-803-10




# LIGHT KIT [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-90210 | LIGHT KIT           | 1    |       |     |         | 2            | 4.4         |
| 020    | 76611-55530 | ASSY WIRE HARNESS   | 1    |       |     |         | 0.11         | 0.242       |
| 030    | 32240-34490 | CLAMP CORD          | 1    |       |     |         | 0.003        | 0.0066      |
| 040    | 01123-50814 | BOLT                | 1    |       |     |         | 0            | 0           |
| 050    | 02114-50080 | NUT                 | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 54711-41150 | ASSY SWITCH WINKER  | 1    |       |     |         | 0.045        | 0.099       |
| 070    | 54711-41170 | ASSY LEVER SWITCH   | 1    |       |     |         | 0.002        | 0.0044      |
| 080    | 33430-98440 | MARK                | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 76611-55520 | STAY UNIT FLASHER   | 1    |       |     |         | 0.18         | 0.396       |
| 100    | 01123-50822 | BOLT                | 2    |       |     |         | 0.012        | 0.0264      |
| 110    | 66706-55810 | UNIT FLASHER        | 1    |       |     |         | 0.023        | 0.0506      |
| 120    | 01053-50616 | BOLT                | 1    |       |     |         | 0.005        | 0.011       |
| 130    | 02014-50060 | NUT                 | 1    |       |     |         | 0.003        | 0.0066      |
| 140    | 04512-60060 | WASHER SPRING       | 1    |       |     |         | 0.001        | 0.0022      |
| 150    | 32240-34490 | CLAMP CORD          | 1    |       |     |         | 0.003        | 0.0066      |
| 160    | 01123-60814 | BOLT                | 1    |       |     |         | 0.008        | 0.0176      |
| 170    | 55311-41260 | BAND CORD           | 1    |       |     |         | 0.007        | 0.0154      |
| 180    | 44366-68770 | BAND CORD           | 1    |       |     |         | 0.002        | 0.0044      |
| 190    | 66704-55520 | ASSY LIGHT TAIL     | 2    |       |     |         | 0.11         | 0.242       |
| 200    | 66704-55550 | LENS TAIL LIGHT     | 2    |       |     |         | 0.045        | 0.099       |
| 210    | 66704-55560 | BULB TAIL LIGHT     | 2    |       |     |         | 0.007        | 0.0154      |
| 220    | 66704-55540 | BODY TAIL LIGHT     | 2    |       |     |         | 0.06         | 0.132       |
| 230    | 32400-34190 | HOLDER TAIL LIGHT   | 2    |       |     |         | 0.11         | 0.242       |
| 240    | 76611-55510 | STAY TAIL LAMP      | 2    |       |     |         | 0.075        | 0.165       |
| 250    | 04512-60060 | WASHER SPRING       | 8    |       |     |         | 0.001        | 0.0022      |
| 260    | 02014-50060 | NUT                 | 8    |       |     |         | 0.003        | 0.0066      |
| 270    | 66591-54580 | RUBBER RELEASE ROD  | 2    |       |     |         | 0.003        | 0.0066      |
| 280    | 35450-75010 | ASSY LIGHT FLASHER  | 2    |       |     |         | 0.3          | 0.66        |
| 280    | 32530-33610 | ASSY LIGHT HAZARD   | 2    |       | ↔   |         | 0.5          | 1.1         |
| 290    | 35450-75022 | BULB HAZARD FLASHER | 2    |       |     |         | 0.008        | 0.0176      |
| 290    | 32530-91530 | BULB LIGHT          | 2    |       | ≠   |         | 0.02         | 0.044       |
| 300    | 35450-75110 | LENS                | 4    |       |     |         | 0.07         | 0.154       |
| 300    | 32530-91510 | LENS HAZARD LIGHT   | 4    |       | ≠   |         | 0.085        | 0.187       |
| 310    | 35450-75050 | LENS                | 2    |       |     |         | 0.07         | 0.154       |
| 320    | 35450-75060 | GASKET SEAL         | 2    |       |     |         | 0.02         | 0.044       |
| 330    | 35450-75070 | HOUSING             | 2    |       |     |         | 0.04         | 0.088       |
| 340    | 35450-75080 | SCREW TAPPING       | 6    |       |     |         | 0.005        | 0.011       |
| 340    | 32530-91520 | SCREW TAPPING       | 12   |       | ≠   |         | 0.001        | 0.0022      |
| 350    | 35450-75090 | ASSY SOCKET         | 2    |       |     |         | 0.035        | 0.077       |
| 360    | 02114-50100 | NUT                 | 2    |       |     |         | 0.005        | 0.011       |
| 370    | 04411-50100 | WASHER TOOTHED      | 2    |       |     |         | 0.001        | 0.0022      |
| 380    | 76611-62310 | MANUAL INSTRUCTION  | 1    |       |     |         | 0.6          | 1.32        |

# PROPELLER SHAFT




030 67211-1412-2

040 67111-1371-0

060 67111-1373-0

070 67111-1374-0



76630-800-10




## PROPELLER SHAFT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76611-14100 | ASSY SHAFT PROPELLER | 1    | <=10763 |     |         | 0            | 0           |
| 010    | 76611-14102 | ASSY SHAFT PROPELLER | 1    | >=10764 | ←   |         | 0.5          | 1.1         |
| 010    | 76611-14103 | ASSY SHAFT PROPELLER | 1    | >=12097 | ≠   |         | 0.5          | 1.1         |
| 020    | 05411-00628 | PIN SPRING           | 1    |         |     |         | 0.004        | 0.0088      |
| 030    | 67211-14122 | ASSY JOINT BALL      | 1    | <=10763 |     |         | 0.3          | 0.66        |
| 030    | 76611-14520 | ASSY JOINT BALL      | 1    | >=10764 | ←   |         | 0.22         | 0.484       |
| 040    | 67111-13710 | COUPLING BALL OUTER  | 1    | <=10763 |     |         | 0.225        | 0.495       |
| 040    | 76611-13710 | COUPLING BALL OUTER  | 1    | >=10764 | ←   |         | 0.22         | 0.484       |
| 045    | 06613-10675 | NIPPLE GREASE        | 1    | >=10764 |     |         | 0.003        | 0.0066      |
| 050    | 67211-14133 | COUPLING BALL INNER  | 1    |         |     |         | 0.075        | 0.165       |
| 060    | 67111-13730 | GASKET BALL JOINT    | 2    | <=10763 |     |         | 0.002        | 0.0044      |
| 060    | 67111-13730 | GASKET BALL JOINT    | 1    | >=10764 |     |         | 0.002        | 0.0044      |
| 065    | 76611-13730 | GASKET               | 1    | >=10764 |     |         | 0.004        | 0.0088      |
| 070    | 67111-13740 | SUPPORT GASKET       | 1    | <=10763 |     |         | 0.004        | 0.0088      |
| 070    | 76611-13740 | SUPPORT GASKET       | 1    | >=10764 | ←   |         | 0.007        | 0.0154      |
| 080    | 04611-00350 | CIR CLIP INTERNAL    | 1    |         |     |         | 0.003        | 0.0066      |
| 090    | 07715-00803 | BALL                 | 4    |         |     |         | 0.004        | 0.0088      |
| 095    | 76611-13750 | PIPE                 | 1    | >=10764 |     |         | 0.008        | 0.0176      |
| 100    | 01053-50635 | BOLT                 | 1    |         |     |         | 0.009        | 0.0198      |
| 110    | 76621-51130 | GASKET NA            | 1    |         |     |         | 0.06         | 0.132       |
| 120    | 76611-56730 | NUT LOCK             | 1    |         |     |         | 0.005        | 0.011       |
| 130    | 01123-50825 | BOLT                 | 1    |         |     |         | 0.013        | 0.0286      |
| 140    | 02114-50080 | NUT                  | 1    |         |     |         | 0.005        | 0.011       |
| 150    | 76611-90950 | MANUAL INSTRUCTION   | 1    |         |     |         | 0.016        | 0.0352      |
| 160    | 76611-90910 | KIT DISK CLUTCH      | 1    |         |     |         | 2            | 4.4         |





080 76630-4224-0



76690-801-10




## DIFF.LOCK/CLUTCH ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 76630-42210 | ASSY ROD DIFF.LOCK | 1    |        |     |         | 0.1          | 0.22        |
| 020    | 63753-42350 | U JOINT            | 1    |        |     |         | 0.038        | 0.0836      |
| 030    | 02112-50080 | NUT                | 1    |        |     |         | 0.003        | 0.0066      |
| 040    | 66591-43170 | LEVER DIFF.LOCK    | 1    |        |     |         | 0.041        | 0.0902      |
| 050    | 02118-50100 | NUT                | 1    |        |     |         | 0.005        | 0.011       |
| 060    | 04512-60100 | WASHER SPRING      | 1    |        |     |         | 0.002        | 0.0044      |
| 070    | 76630-42230 | PEDAL DIFF.LOCK    | 1    |        |     |         | 0.28         | 0.616       |
| 080    | 76630-42240 | PIN                | 1    | ≤12156 |     |         | 0            | 0           |
| 080    | 05122-51475 | PIN JOINT          | 1    | ≥12157 | ↔   |         | 0.094        | 0.2068      |
| 090    | 05511-50425 | PIN SPLIT          | 1    |        |     |         | 0.003        | 0.0066      |
| 100    | 04011-50140 | WASHER PLAIN       | 1    |        |     |         | 0.007        | 0.0154      |
| 110    | 05122-50820 | PIN JOINT          | 1    |        |     |         | 0.009        | 0.0198      |
| 120    | 04012-50080 | WASHER PLAIN       | 2    |        |     |         | 0.001        | 0.0022      |
| 130    | 05511-50215 | PIN SPLIT          | 2    |        |     |         | 0.001        | 0.0022      |
| 140    | 76630-42310 | ASSY ROD CLUTCH    | 1    |        |     |         | 0.39         | 0.858       |
| 150    | 76611-42320 | ROD CLUTCH FRONT   | 1    |        |     |         | 0.265        | 0.583       |
| 160    | 66591-42410 | TURNBUCKLE         | 1    |        |     |         | 0.046        | 0.1012      |
| 170    | 02112-50080 | NUT                | 1    |        |     |         | 0.003        | 0.0066      |
| 180    | 04012-50080 | WASHER PLAIN       | 2    |        |     |         | 0.001        | 0.0022      |
| 190    | 05511-50215 | PIN SPLIT          | 2    |        |     |         | 0.001        | 0.0022      |

## CLUTCH ROD




100 76611-1331-2

110 76611-1332-0

120 03054-50512

130 04512-50050

140 02054-50050



76630-812-10



## CLUTCH ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67111-13413 | HOLDER RELEASE BRG  | 1    |         |     |         | 0.5          | 1.1         |
| 020    | 67311-13320 | BEARING BALL        | 1    |         |     |         | 0.21         | 0.462       |
| 030    | 67111-13420 | SEAL OIL            | 1    |         |     |         | 0.008        | 0.0176      |
| 040    | 67111-13430 | SEAL OIL            | 1    |         |     |         | 0.01         | 0.022       |
| 050    | 66611-13340 | SPRING RELEASE      | 1    |         |     |         | 0.006        | 0.0132      |
| 060    | 01202-50610 | BOLT                | 1    |         |     |         | 0.004        | 0.0088      |
| 070    | 04013-60060 | WASHER PLAIN        | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | 06613-10675 | NIPPLE GREASE       | 1    |         |     |         | 0.003        | 0.0066      |
| 090    | 67111-13450 | FORK CLUTCH RELEASE | 1    |         |     |         | 0.15         | 0.33        |
| 100    | 76611-13312 | ROD CLUTCH          | 1    | <=12536 |     |         | 0            | 0           |
| 100    | 76611-13313 | ROD CLUTCH          | 1    | >=12537 | ←   |         | 0.5          | 1.1         |
| 110    | 76611-13320 | SPRING CLUTCH ROD   | 1    | <=12536 |     |         | 0.01         | 0.022       |
| 120    | 03054-50512 | SCREW PAN-HEAD      | 2    | <=12536 |     |         | 0.003        | 0.0066      |
| 130    | 04512-50050 | WASHER SPRING       | 2    | <=12536 |     |         | 0            | 0           |
| 140    | 02054-50050 | NUT                 | 2    | <=12536 |     |         | 0.002        | 0.0044      |
| 150    | 04011-60160 | WASHER PLAIN        | 1    |         |     |         | 0.01         | 0.022       |
| 160    | 05511-50425 | PIN SPLIT           | 1    |         |     |         | 0.003        | 0.0066      |
| 170    | 66711-13320 | BOLT ADJUSTING      | 1    |         |     |         | 0.028        | 0.0616      |
| 180    | 02116-50100 | NUT                 | 1    |         |     |         | 0.004        | 0.0088      |






## CLUTCH HOUSING FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS      | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|--------------|--------------|-------------|
| 010    | 76611-51114 | HOUSING FRAME CLUTCH | 1    | ≤11661 |     |              | 0            | 0           |
| 010    | 76611-51116 | HOUSING FRAME CLUTCH | 1    | ≥11662 | ←   |              | 20           | 44          |
| 020    | 67800-51190 | COVER TIMING HOLE    | 1    | ≤10436 |     |              | 0            | 0           |
| 020    | 67800-51192 | COVER TIMING HOLE    | 1    | ≥10437 | ←   |              | 0.01         | 0.022       |
| 030    | 66204-51150 | BOLT REAMER          | 4    | ≤11642 |     |              | 0            | 0           |
| 030    | 66204-51150 | BOLT REAMER          | 2    | ≥11643 |     |              | 0            | 0           |
| 030    | 67111-51150 | BOLT REAMER          | 2    | ≥12450 | ↔   |              | 0.04         | 0.088       |
| 040    | 04512-60140 | WASHER SPRING        | 4    |        |     |              | 0.006        | 0.0132      |
| 050    | 01153-51230 | BOLT                 | 2    | ≤11642 |     |              | 0.036        | 0.0792      |
| 050    | 01153-51240 | BOLT                 | 2    | ≥11643 | ←   |              | 0.042        | 0.0924      |
| 060    | 01555-51220 | STUD                 | 2    |        |     |              | 0.034        | 0.0748      |
| 070    | 02174-50120 | NUT                  | 2    |        |     |              | 0.01         | 0.022       |
| 080    | 04512-50120 | WASHER SPRING        | 4    |        |     |              | 0            | 0           |
| 100    | 01123-50825 | BOLT                 | 9    |        |     |              | 0.013        | 0.0286      |
| 130    | 01123-50830 | BOLT                 | 2    |        |     |              | 0.015        | 0.033       |
| 140    | 02751-50080 | NUT FLANGE           | 2    |        |     |              | 0.006        | 0.0132      |
| 150    | 67111-51190 | SEAL DUST            | 1    |        |     |              | 0.018        | 0.0396      |
| 160    | 06331-35016 | PLUG                 | 1    |        |     |              | 0.04         | 0.088       |
| 170    | 04717-01600 | WASHER WITH RUBBER   | 1    |        |     |              | 0.003        | 0.0066      |
| 180    | 67061-51280 | PLATE JOINT          | 1    |        |     |              | 0.6          | 1.32        |
| 190    | 01133-51225 | BOLT                 | 2    |        |     |              | 0.038        | 0.0836      |
| 200    | 01123-51230 | BOLT                 | 2    |        |     |              | 0.04         | 0.088       |
| 210    | 76611-51410 | SUPPORT BATTERY      | 1    | ≤11715 |     |              | 0            | 0           |
| 210    | 76611-51413 | SUPPORT BATTERY      | 1    | ≥11716 | ←   |              | 0            | 0           |
| 210    | 76611-51414 | SUPPORT BATTERY      | 1    | ≥12768 | ←   |              | 1.95         | 4.29        |
| 220    | 76611-51420 | RETAINER BATTERY     | 1    |        |     |              | 0.77         | 1.694       |
| 230    | 66591-54490 | BOLT BATTERY SET     | 2    |        |     |              | 0.048        | 0.1056      |
| 240    | 02751-50060 | NUT FLANGE           | 2    |        |     |              | 0.005        | 0.011       |
| 250    | 01774-51016 | BOLT FLANGE          | 4    |        |     |              | 0.02         | 0.044       |
| 260    | 76630-52510 | CASE TOOLS           | 1    |        |     | F2100 OPTION | 1.53         | 3.366       |
| 270    | 01133-51060 | BOLT                 | 2    |        |     | F2100 OPTION | 0.042        | 0.0924      |



## TRANSMISSION CASE






## TRANSMISSION CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66204-11110 | CASE TRANSMISSION  | 1    | <=10763 |     |         | 0            | 0           |
| 010    | 66204-11119 | CASE TRANSMISSION  | 1    | >=10764 | ←   |         | 19           | 41.8        |
| 020    | 02176-50100 | NUT                | 9    |         |     |         | 0.005        | 0.011       |
| 030    | 04512-60100 | WASHER SPRING      | 9    |         |     |         | 0.002        | 0.0044      |
| 040    | 66611-11170 | CASE GEAR          | 1    | <=10436 |     |         | 0            | 0           |
| 040    | 66611-11172 | CASE GEAR          | 1    | >=10437 | ←   |         | 0            | 0           |
| 040    | 66611-11173 | CASE GEAR          | 1    | >=10640 | ←   |         | 0            | 0           |
| 040    | 66611-11174 | CASE DIFF.GEAR     | 1    | >=12097 | ←   |         | 8.5          | 18.7        |
| 050    | 67211-36610 | BOLT               | 2    |         |     |         | 0.015        | 0.033       |
| 055    | 04013-50080 | WASHER PLAIN       | 4    |         |     |         | 0            | 0           |
| 060    | 01555-51035 | STUD               | 6    |         |     |         | 0.029        | 0.0638      |
| 070    | 01555-51050 | STUD               | 3    |         |     |         | 0.038        | 0.0836      |
| 080    | 66611-11160 | PIN KNOCK          | 2    |         |     |         | 0.01         | 0.022       |
| 090    | 01123-50838 | BOLT               | 1    |         |     |         | 0.02         | 0.044       |
| 100    | 01123-50825 | BOLT               | 1    |         |     |         | 0.013        | 0.0286      |
| 110    | 66204-11140 | BOLT               | 1    |         |     |         | 0.097        | 0.2134      |
| 120    | 04512-60100 | WASHER SPRING      | 1    |         |     |         | 0.002        | 0.0044      |
| 130    | 02176-50100 | NUT                | 1    |         |     |         | 0.005        | 0.011       |
| 140    | 66905-11130 | GASKET             | 1    |         |     |         | 0.008        | 0.0176      |
| 150    | 66611-11510 | HOLDER DIFF.BRG.LH | 1    |         |     |         | 0.78         | 1.716       |
| 160    | 01123-50822 | BOLT               | 4    |         |     |         | 0.012        | 0.0264      |
| 170    | 66611-11812 | HOLDER DIFF.BRG.RH | 1    |         |     |         | 0.72         | 1.584       |
| 180    | 01123-50822 | BOLT               | 4    |         |     |         | 0.012        | 0.0264      |
| 190    | 76611-12210 | COVER REAR         | 1    |         |     |         | 1.2          | 2.64        |
| 200    | 05012-00816 | PIN STRAIGHT       | 1    |         |     |         | 0.007        | 0.0154      |
| 210    | 01123-51025 | BOLT               | 2    |         |     |         | 0.02         | 0.044       |
| 220    | 01123-51045 | BOLT               | 4    |         |     |         | 0.032        | 0.0704      |
| 230    | 66905-12220 | GASKET             | 1    |         |     |         | 0.004        | 0.0088      |
| 240    | 76611-21110 | COVER MISSION CASE | 1    |         |     |         | 0.74         | 1.628       |
| 250    | 66203-21220 | GASKET NA          | 1    |         |     |         | 0.005        | 0.011       |
| 260    | 06331-35020 | PLUG               | 1    | <=12767 |     |         | 0.068        | 0.1496      |
| 260    | 06331-35014 | PLUG               | 1    | >=12768 | ≠   |         | 0.03         | 0.066       |
| 270    | 04717-02000 | WASHER WITH RUBBER | 1    | <=12767 |     |         | 0.004        | 0.0088      |
| 270    | 04717-01400 | WASHER WITH RUBBER | 1    | >=12768 | ≠   |         | 0.003        | 0.0066      |
| 280    | 01754-51025 | BOLT FLANGE        | 4    |         |     |         | 0.025        | 0.055       |


## TRANSMISSION CASE COVER



120 76611-1243-2

130 36200-2161-0

140 35820-2162-0




76630-806-10



## TRANSMISSION CASE COVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66204-12410 | COVER UPPER FRONT | 1    |         |     |         | 3.6          | 7.92        |
| 020    | 01123-50828 | BOLT              | 1    |         |     |         | 0.014        | 0.0308      |
| 030    | 01123-51035 | BOLT              | 6    |         |     |         | 0.025        | 0.055       |
| 040    | 01123-50845 | BOLT              | 1    |         |     |         | 0.02         | 0.044       |
| 050    | 05012-00816 | PIN STRAIGHT      | 2    |         |     |         | 0.007        | 0.0154      |
| 060    | 76611-12310 | GAUGE OIL         | 1    |         |     |         | 0.015        | 0.033       |
| 070    | 66591-11460 | CAP               | 1    |         |     |         | 0.016        | 0.0352      |
| 080    | 04713-00400 | GASKET            | 1    |         |     |         | 0.001        | 0.0022      |
| 090    | 66203-12450 | GASKET            | 1    |         |     |         | 0.006        | 0.0132      |
| 100    | 76611-12410 | COVER DIFF CASE   | 1    |         |     |         | 2.7          | 5.94        |
| 110    | 76611-12423 | PIPE DRAIN        | 1    |         |     |         | 0.5          | 1.1         |
| 120    | 76611-12432 | PIPE BREATHER     | 1    | <=12471 |     |         | 0.3          | 0.66        |
| 120    | 76611-90120 | KIT PIPE BREATHER | 1    | >=12472 | ≠   |         | 0.1          | 0.22        |
| 130    | 36200-21610 | BREATHER          | 1    | <=12471 |     |         | 0.008        | 0.0176      |
| 140    | 35820-21620 | BREATHER          | 1    | <=12471 |     |         | 0.007        | 0.0154      |
| 150    | 01123-51035 | BOLT              | 9    |         |     |         | 0.025        | 0.055       |
| 160    | 66905-12520 | GASKET            | 1    |         |     |         | 0.006        | 0.0132      |
| 170    | 63313-32270 | CAP               | 1    | >=12472 |     |         | 0.03         | 0.066       |



**100 01153-51075**

**250 04512-50100**



**76630-807-10**




## HST [F2100]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------------------------------------|--------------|-------------|
| 010    | 67061-36140 | ASSY HST             | 1    |        |     | REFER TO L.NO.0E03-R0 FOR COMPONENTS. | 14           | 30.8        |
| 020    | 66204-36150 | JOINT INLET          | 1    |        |     |                                       | 0.07         | 0.154       |
| 030    | 04811-00180 | RING                 | 1    |        |     |                                       | 0.001        | 0.0022      |
| 040    | 66021-36060 | CARTRIDGE OIL FILTER | 1    |        |     |                                       | 0.34         | 0.748       |
| 050    | 66204-36170 | JOINT FILTER         | 1    |        |     |                                       | 0.018        | 0.0396      |
| 060    | 66203-36180 | GASKET HST           | 1    |        |     |                                       | 0.016        | 0.0352      |
| 070    | 01555-51035 | STUD                 | 4    |        |     |                                       | 0.029        | 0.0638      |
| 080    | 02118-50100 | NUT                  | 4    |        |     |                                       | 0.005        | 0.011       |
| 090    | 04512-60100 | WASHER SPRING        | 4    |        |     |                                       | 0.002        | 0.0044      |
| 100    | 01153-51075 | BOLT                 | 2    | ≤10436 |     |                                       | 0.045        | 0.099       |
| 100    | 01123-51075 | BOLT                 | 2    | ≥10437 | ≠   |                                       | 0.05         | 0.11        |
| 110    | 05012-00816 | PIN STRAIGHT         | 1    |        |     |                                       | 0.007        | 0.0154      |
| 120    | 76611-36160 | PIPE INLET           | 1    |        |     |                                       | 0.3          | 0.66        |
| 130    | 04811-06400 | RING                 | 2    |        |     |                                       | 0.001        | 0.0022      |
| 140    | 66204-36210 | FILTER OIL           | 1    |        |     |                                       | 0.367        | 0.8074      |
| 150    | 66204-36220 | HOSE                 | 1    |        |     |                                       | 0.07         | 0.154       |
| 160    | 66204-36230 | BAND PIPE            | 2    |        |     |                                       | 0.02         | 0.044       |
| 170    | 76611-36172 | PIPE OIL COOLER RH   | 1    | ≤12022 |     |                                       | 0            | 0           |
| 170    | 76611-36174 | PIPE OIL COOLER RH   | 1    | ≥12023 | ←   |                                       | 0.01         | 0.022       |
| 180    | 76611-36180 | JOINT                | 1    |        |     |                                       | 0.1          | 0.22        |
| 190    | 67111-37180 | GASKET               | 2    |        |     |                                       | 0.003        | 0.0066      |
| 200    | 76611-36190 | PIPE OIL COOLER RH   | 1    | ≤11598 |     |                                       | 0.3          | 0.66        |
| 200    | 76611-36194 | PIPE OIL COOLER RH   | 1    | ≥11599 | ≠   |                                       | 0.37         | 0.814       |
| 210    | 66204-36270 | HOSE                 | 1    |        |     |                                       | 0.038        | 0.0836      |
| 220    | 66204-36280 | BAND PIPE            | 2    |        |     |                                       | 0.02         | 0.044       |
| 230    | 66591-36250 | JOINT                | 1    |        |     |                                       | 0.08         | 0.176       |
| 240    | 67111-37180 | GASKET               | 2    |        |     |                                       | 0.003        | 0.0066      |
| 250    | 04512-50100 | WASHER SPRING        | 2    | ≤10436 |     |                                       | 0            | 0           |








## HST [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67061-36140 | ASSY HST           | 1    |       |     |         | 14           | 30.8        |
| 015    | 66204-83350 | PLATE THRUST       | 1    |       |     |         | 0.09         | 0.198       |
| 020    | 67061-84310 | SHAFT(P)           | 1    |       |     |         | 0.75         | 1.65        |
| 030    | 66204-83890 | FLANGE             | 1    |       |     |         | 0.16         | 0.352       |
| 040    | 66204-83720 | SEAL OIL           | 1    |       |     |         | 0.011        | 0.0242      |
| 050    | 66204-83760 | SEAL               | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 66204-83740 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 66204-83780 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 66204-83790 | O RING             | 1    |       |     |         | 0.002        | 0.0044      |
| 090    | 66204-83730 | O RING             | 1    |       |     |         | 0.002        | 0.0044      |
| 100    | 66203-83580 | GASKET             | 1    |       |     |         | 0.007        | 0.0154      |
| 110    | 03056-50512 | SCREW CSK-HD       | 1    |       |     |         | 0.002        | 0.0044      |
| 120    | 03056-50514 | SCREW CSK-HD       | 1    |       |     |         | 0.003        | 0.0066      |
| 130    | 66204-83690 | BEARING NEEDLE     | 1    |       |     |         | 0.04         | 0.088       |
| 140    | 66204-83882 | COVER              | 1    |       |     |         | 0.096        | 0.2112      |
| 150    | 66204-83680 | BEARING NEEDLE     | 1    |       |     |         | 0.04         | 0.088       |
| 160    | 66204-83950 | ASSY PLUG          | 1    |       |     |         | 0.05         | 0.11        |
| 170    | 66204-84500 | ASSY BLOCK CYL.(P) | 1    |       |     |         | 1.2          | 2.64        |
| 180    | 66204-84600 | ASSY BLOCK CYL.(M) | 1    |       |     |         | 1.74         | 3.828       |
| 190    | 66204-83500 | ASSY VALVE NEUTRAL | 1    |       |     |         | 0.12         | 0.264       |
| 200    | 67061-84100 | ASSY PUMP BOOST    | 1    |       |     |         | 0.9          | 1.98        |
| 210    | 66204-84400 | ASSY VALVE RELIEF  | 1    |       |     |         | 0.02         | 0.044       |
| 220    | 66204-83470 | COVER A            | 1    |       |     |         | 0.44         | 0.968       |
| 230    | 66204-83370 | COVER B            | 1    |       |     |         | 0.51         | 1.122       |
| 240    | 66204-83550 | ASSY VALVE CHECK   | 1    |       |     |         | 0.018        | 0.0396      |
| 250    | 66204-83400 | ASSY VALVE RELIEF  | 1    |       |     |         | 0.025        | 0.055       |
| 260    | 66204-83800 | ASSY VALVE         | 1    |       |     |         | 0.2          | 0.44        |
| 270    | 66204-84120 | KEY                | 1    |       |     |         | 0.002        | 0.0044      |
| 280    | 08101-06304 | BEARING BALL       | 1    |       |     |         | 0.146        | 0.3212      |
| 290    | 08103-06205 | BEARING BALL       | 1    |       |     |         | 0.12         | 0.264       |
| 300    | 66204-83790 | O RING             | 1    |       |     |         | 0.002        | 0.0044      |
| 310    | 67061-84110 | PLATE              | 1    |       |     |         | 0.175        | 0.385       |
| 320    | 66204-84320 | SHAFT              | 1    |       |     |         | 0.44         | 0.968       |
| 330    | 66204-83750 | O RING             | 1    |       |     |         | 0.002        | 0.0044      |
| 350    | 66204-84200 | COLLAR             | 1    |       |     |         | 0.023        | 0.0506      |
| 360    | 66204-84210 | PLUG               | 1    |       |     |         | 0.003        | 0.0066      |
| 370    | 66204-84220 | PLUG               | 3    |       |     |         | 0.008        | 0.0176      |
| 380    | 66204-84230 | PLUG               | 2    |       |     |         | 0.011        | 0.0242      |
| 390    | 66204-84240 | BOLT SOCKET HEAD   | 3    |       |     |         | 0.018        | 0.0396      |
| 400    | 66204-84250 | BOLT SOCKET HEAD   | 2    |       |     |         | 0.042        | 0.0924      |
| 410    | 66204-84260 | BOLT SOCKET HEAD   | 6    |       |     |         | 0.032        | 0.0704      |
| 420    | 66204-84270 | WASHER SPRING      | 8    |       |     |         | 0.002        | 0.0044      |

## SECOND SHAFT






## SECOND SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|-----------|--------------|-------------|
| 010    | 76611-14130 | SHAFT SECOND        | 1    |         |     |           | 0.41         | 0.902       |
| 020    | 76611-14140 | GEAR                | 1    |         |     | 15T       | 0.15         | 0.33        |
| 030    | 66204-14220 | GEAR                | 1    |         |     | 14T       | 0.13         | 0.286       |
| 040    | 04612-00200 | CIRCLIP EXTERNAL    | 1    |         |     |           | 0.001        | 0.0022      |
| 050    | 08101-06204 | BEARING BALL        | 2    |         |     |           | 0.102        | 0.2244      |
| 060    | 67311-14270 | BEARING BALL        | 1    |         |     |           | 0.09         | 0.198       |
| 070    | 04611-00470 | CIR CLIP INTERNAL   | 1    |         |     |           | 0.006        | 0.0132      |
| 080    | 67061-14220 | COLLAR THRUST FRONT | 1    |         |     |           | 0.01         | 0.022       |
| 090    | 76611-14150 | GEAR                | 1    |         |     | 26-14-21T | 1.12         | 2.464       |
| 100    | 67061-14240 | BEARING NEEDLE      | 4    |         |     |           | 0.03         | 0.066       |
| 110    | 76611-14160 | COLLAR SHAFT        | 1    |         |     |           | 0.01         | 0.022       |
| 120    | 76611-14170 | COLLAR SHAFT        | 1    |         |     |           | 0.005        | 0.011       |
| 130    | 67061-14220 | COLLAR THRUST FRONT | 1    |         |     |           | 0.01         | 0.022       |
| 140    | 66591-14720 | SPACER              | 1    |         |     |           | 0.002        | 0.0044      |
| 150    | 08221-07303 | BEARING BALL        | 1    |         |     |           | 0.116        | 0.2552      |
| 160    | 67211-14620 | BEARING BALL        | 1    |         |     |           | 0.23         | 0.506       |
| 170    | 38450-21980 | BEARING BALL        | 1    |         |     |           | 0.225        | 0.495       |
| 180    | 04612-00250 | CIRCLIP EXTERNAL    | 1    |         |     |           | 0.002        | 0.0044      |
| 190    | 76611-14310 | GEAR                | 1    |         |     | 18-21T    | 0.26         | 0.572       |
| 200    | 67156-14640 | COLLAR STOP         | 2    |         |     |           | 0.005        | 0.011       |
| 210    | 66611-14650 | GEAR                | 1    |         |     | 16T       | 0.104        | 0.2288      |
| 220    | 67156-14660 | COLLAR              | 1    |         |     |           | 0.01         | 0.022       |
| 230    | 66611-14670 | SHIM                | 1    |         |     | 1.4MM     | 0.008        | 0.0176      |
| 230    | 66611-14680 | SHIM                | 1    |         |     | 1.8MM     | 0.01         | 0.022       |
| 230    | 66611-14690 | SHIM                | 1    |         |     | 0.2MM     | 0.001        | 0.0022      |
| 240    | 66204-14810 | SHAFT FRONT DRIVE   | 1    | <=10763 |     |           | 0.67         | 1.474       |
| 240    | 76611-14810 | SHAFT DRIVE         | 1    | >=10764 | ≠   |           | 0.7          | 1.54        |
| 250    | 66611-14820 | BEARING NEEDLE      | 1    | <=12405 |     |           | 0            | 0           |
| 250    | 67955-14620 | BEARING NEEDLE      | 1    | >=12406 | ↔   |           | 0.005        | 0.011       |
| 260    | 67311-14820 | BEARING BALL        | 1    |         |     |           | 0.07         | 0.154       |
| 270    | 08101-06204 | BEARING BALL        | 1    |         |     |           | 0.102        | 0.2244      |
| 280    | 09500-20428 | SEAL OIL            | 1    |         |     |           | 0.012        | 0.0264      |
| 290    | 08141-06004 | BEARING BALL        | 1    |         |     |           | 0.064        | 0.1408      |
| 300    | 04611-00420 | CIR CLIP INTERNAL   | 1    |         |     |           | 0.006        | 0.0132      |
| 310    | 04612-00200 | CIRCLIP EXTERNAL    | 1    |         |     |           | 0.001        | 0.0022      |
| 320    | 04611-00470 | CIR CLIP INTERNAL   | 1    |         |     |           | 0.006        | 0.0132      |
| 330    | 66611-14830 | COLLAR              | 1    |         |     |           | 0.016        | 0.0352      |
| 340    | 66611-14840 | GEAR                | 1    |         |     | 24T       | 0.26         | 0.572       |
| 350    | 66204-14820 | JOINT FRONT DRIVE   | 1    |         |     |           | 0.12         | 0.264       |
| 360    | 04611-00180 | CIR CLIP INTERNAL   | 1    |         |     |           | 0.001        | 0.0022      |
| 370    | 66204-14830 | SHAFT FRONT DRIVE   | 1    |         |     |           | 0.46         | 1.012       |

## THIRD/FIFTH SHAFT





## THIRD/FIFTH SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 67061-14310 | SHAFT             | 1    |        |     |         | 0.7          | 1.54        |
| 020    | 04611-00470 | CIR CLIP INTERNAL | 1    |        |     |         | 0.006        | 0.0132      |
| 030    | 08101-06303 | BEARING BALL      | 1    |        |     |         | 0.112        | 0.2464      |
| 040    | 08101-06205 | BEARING BALL      | 1    |        |     |         | 0.14         | 0.308       |
| 050    | 66204-14330 | COLLAR SHAFT      | 1    |        |     |         | 0.03         | 0.066       |
| 060    | 66204-14260 | COLLAR SHAFT      | 1    |        |     |         | 0.007        | 0.0154      |
| 070    | 67061-14320 | GEAR FRONT SHAFT  | 1    |        |     | 21T     | 0.37         | 0.814       |
| 080    | 08822-52913 | BEARING NEEDLE    | 2    |        |     |         | 0.02         | 0.044       |
| 090    | 67061-14340 | BOSS SPLINE       | 1    |        |     |         | 0.1          | 0.22        |
| 100    | 76611-14210 | SHIFTER           | 1    |        |     |         | 0.2          | 0.44        |
| 110    | 76611-14220 | GEAR              | 1    |        |     | 14T     | 0.15         | 0.33        |
| 120    | 08822-52913 | BEARING NEEDLE    | 2    |        |     |         | 0.02         | 0.044       |
| 130    | 67061-14370 | CIR-CLIP          | 1    |        |     |         | 0.002        | 0.0044      |
| 140    | 67061-14380 | COLLAR            | 1    |        |     |         | 0.01         | 0.022       |
| 150    | 67061-14390 | SPACER            | 1    |        |     |         | 0.02         | 0.044       |
| 160    | 04611-00520 | CIR CLIP INTERNAL | 1    |        |     |         | 0.009        | 0.0198      |
| 170    | 76611-14230 | BOSS SPLINE       | 1    |        |     |         | 0.15         | 0.33        |
| 180    | 76611-14270 | SHAFT             | 1    |        |     |         | 1.35         | 2.97        |
| 190    | 67121-56760 | BEARING BALL      | 1    | ≤11880 |     |         | 0            | 0           |
| 190    | 67121-56770 | BEARING BALL      | 1    | ≥11881 | ←   |         | 0.127        | 0.2794      |
| 200    | 08101-06305 | BEARING BALL      | 1    |        |     |         | 0.23         | 0.506       |
| 210    | 04612-00250 | CIRCLIP EXTERNAL  | 1    |        |     |         | 0.002        | 0.0044      |
| 220    | 76611-14280 | COLLAR SHAFT      | 1    |        |     |         | 0.08         | 0.176       |
| 230    | 66301-15850 | SEAL OIL          | 1    |        |     |         | 0.025        | 0.055       |






## FOURTH SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-14120 | GEAR SHAFT        | 1    |       |     | 17T     | 0.15         | 0.33        |
| 020    | 04612-00200 | CIRCLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 44366-23820 | COLLAR BACK SHAFT | 1    |       |     |         | 0.002        | 0.0044      |
| 040    | 08101-06304 | BEARING BALL      | 1    |       |     |         | 0.146        | 0.3212      |
| 050    | 04612-00190 | CIRCLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 66204-14152 | GEAR              | 1    |       |     | 16T     | 0.15         | 0.33        |
| 070    | 04612-00200 | CIRCLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 66204-14410 | SHAFT             | 1    |       |     |         | 0.35         | 0.77        |
| 090    | 76611-14250 | GEAR              | 1    |       |     | 20T     | 0.25         | 0.55        |
| 100    | 04612-00200 | CIRCLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 08101-06202 | BEARING BALL      | 2    |       |     |         | 0.044        | 0.0968      |
| 120    | 04611-00520 | CIR CLIP INTERNAL | 1    |       |     |         | 0.009        | 0.0198      |
| 130    | 08101-06304 | BEARING BALL      | 1    |       |     |         | 0.146        | 0.3212      |
| 140    | 76611-14260 | GEAR              | 1    |       |     | 17T     | 0.2          | 0.44        |
| 150    | 04612-00220 | CIRCLIP EXTERNAL  | 2    |       |     |         | 0.001        | 0.0022      |
| 160    | 66204-14440 | GEAR REAR SHAFT   | 1    |       |     | 23T     | 0.35         | 0.77        |
| 170    | 66611-14470 | COLLAR            | 1    |       |     |         | 0.019        | 0.0418      |
| 180    | 66204-81410 | SHIM A            | 1    |       |     | 0.6MM   | 0.001        | 0.0022      |
| 180    | 66204-81420 | SHIM B            | 1    |       |     | 0.3MM   | 0.001        | 0.0022      |



## SPEED CHANGE FORK AND PTO LEVER






## SPEED CHANGE FORK AND PTO LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67061-18610 | SHAFT PTO FORK       | 1    |       |     |         | 0.2          | 0.44        |
| 020    | 67061-18620 | FORK PTO SHIFT       | 1    |       |     |         | 0.18         | 0.396       |
| 030    | 62061-18260 | SPRING STOPPER       | 1    |       |     |         | 0.002        | 0.0044      |
| 040    | 07715-01605 | BALL                 | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 05511-50322 | PIN SPLIT            | 1    |       |     |         | 0.002        | 0.0044      |
| 060    | 66591-18220 | ARM                  | 1    |       |     |         | 0.12         | 0.264       |
| 070    | 04811-00160 | RING                 | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 66591-18180 | RETAINER FORK ROD    | 1    |       |     |         | 0.012        | 0.0264      |
| 090    | 01202-50614 | BOLT                 | 2    |       |     |         | 0.006        | 0.0132      |
| 100    | 66611-19310 | RETAINER ROD         | 1    |       |     |         | 0.129        | 0.2838      |
| 110    | 76611-43130 | LEVER PTO            | 1    |       |     |         | 0.51         | 1.122       |
| 120    | 31351-24970 | GRIP LEVER           | 1    |       |     |         | 0.05         | 0.11        |
| 130    | 05411-00630 | PIN SPRING           | 1    |       |     |         | 0.004        | 0.0088      |
| 150    | 76611-43410 | PLATE PTO SENSER     | 1    |       |     |         | 0.03         | 0.066       |
| 160    | 76611-43420 | PLATE PTO SENSER SET | 1    |       |     |         | 0.24         | 0.528       |
| 170    | 66031-42760 | SWITCH MAGNET        | 1    |       |     |         | 0.02         | 0.044       |
| 180    | 03024-50518 | SCREW WITH WASHER    | 2    |       |     |         | 0.003        | 0.0066      |
| 190    | 01754-50616 | BOLT FLANGE          | 2    |       |     |         | 0.006        | 0.0132      |






## AUX.SPEED CHANGE AND REAR DRIVE LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-18110 | SHAFT HI-LO FORK  | 1    |       |     |         | 0.1          | 0.22        |
| 020    | 66204-18420 | FORK RANGE SHIFT  | 1    |       |     |         | 0.165        | 0.363       |
| 030    | 62061-18260 | SPRING STOPPER    | 1    |       |     |         | 0.002        | 0.0044      |
| 040    | 07715-01605 | BALL              | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 66591-18170 | ARM HI-LO SHIFT   | 1    |       |     |         | 0.106        | 0.2332      |
| 060    | 04811-00160 | RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 66591-18180 | RETAINER FORK ROD | 1    |       |     |         | 0.012        | 0.0264      |
| 080    | 01202-50614 | BOLT              | 2    |       |     |         | 0.006        | 0.0132      |
| 090    | 66611-19210 | LEVER FORK        | 1    |       |     |         | 0.12         | 0.264       |
| 100    | 04811-00160 | RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 66204-19220 | RETAINER FORK ROD | 1    |       |     |         | 0.03         | 0.066       |
| 120    | 01202-50614 | BOLT              | 2    |       |     |         | 0.006        | 0.0132      |
| 130    | 66611-19230 | SHIFTER           | 1    |       |     |         | 0.012        | 0.0264      |
| 140    | 76611-43112 | LEVER HI-LO SHIFT | 1    |       |     |         | 0.5          | 1.1         |
| 150    | 31351-24970 | GRIP LEVER        | 1    |       |     |         | 0.05         | 0.11        |
| 160    | 05411-00630 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 76611-43120 | LEVER FRONT DRIVE | 1    |       |     |         | 0.67         | 1.474       |
| 180    | 31351-24970 | GRIP LEVER        | 1    |       |     |         | 0.05         | 0.11        |
| 190    | 05411-00630 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 200    | 62061-18260 | SPRING STOPPER    | 1    |       |     |         | 0.002        | 0.0044      |
| 210    | 07715-01605 | BALL              | 1    |       |     |         | 0.003        | 0.0066      |



030 66204-4332-3

050 66204-4365-0


100 66204-4334-3



040 66204-4333-0



210 76611-4252-3




76630-811-10



## SPEED CHANGE 1

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66204-43310 | HOLDER NEUTRAL     | 1    |        |     |         | 0.28         | 0.616       |
| 020    | 01123-50828 | BOLT               | 1    |        |     |         | 0.014        | 0.0308      |
| 030    | 66204-43323 | SPRING             | 1    | ≤12580 |     |         | 0.055        | 0.121       |
| 030    | 76611-43320 | ASSY SPRING        | 1    | ≥12581 |     |         | 0.067        | 0.1474      |
| 031    | 66204-43324 | SPRING             | 1    | ≥12581 |     |         | 0            | 0           |
| 032    | 76611-43330 | HOSE               | 1    | ≥12581 |     |         | 0.066        | 0.1452      |
| 040    | 66204-43330 | HOLDER SPRING      | 1    | ≤12449 |     |         | 0.095        | 0.209       |
| 040    | 76611-43370 | PLATE              | 1    | ≥12450 | ≠   |         | 0.05         | 0.11        |
| 050    | 66204-43650 | BOLT SPRING ADJUST | 1    | ≤12449 |     |         | 0.07         | 0.154       |
| 050    | 76611-43360 | ROD ADJUSTING      | 1    | ≥12450 | ↔   |         | 0.08         | 0.176       |
| 055    | 76611-43380 | PLATE              | 1    | ≥12450 |     |         | 0.025        | 0.055       |
| 060    | 02172-50120 | NUT                | 1    |        |     |         | 0.01         | 0.022       |
| 070    | 02174-50120 | NUT                | 1    |        |     |         | 0.01         | 0.022       |
| 080    | 04011-50120 | WASHER PLAIN       | 1    |        |     |         | 0.005        | 0.011       |
| 090    | 01202-50614 | BOLT               | 3    |        |     |         | 0.006        | 0.0132      |
| 100    | 66204-43343 | ARM NEUTRAL HOLDER | 1    | ≤10763 |     |         | 0.13         | 0.286       |
| 100    | 76611-43340 | ARM                | 1    | ≥10764 | ←   |         | 0.03         | 0.066       |
| 110    | 66204-43572 | BUSH               | 1    |        |     |         | 0.003        | 0.0066      |
| 120    | 66204-43352 | SHAFT HOLDER       | 1    |        |     |         | 0.072        | 0.1584      |
| 130    | 04012-50080 | WASHER PLAIN       | 1    |        |     |         | 0.001        | 0.0022      |
| 140    | 01123-50832 | BOLT               | 1    |        |     |         | 0.016        | 0.0352      |
| 150    | 08121-06000 | BEARING BALL       | 1    |        |     |         | 0.02         | 0.044       |
| 160    | 04011-50100 | WASHER PLAIN       | 1    |        |     |         | 0.002        | 0.0044      |
| 170    | 04612-00100 | CIRCLIP EXTERNAL   | 1    |        |     |         | 0.001        | 0.0022      |
| 180    | 76611-42510 | ROD                | 1    |        |     |         | 0.11         | 0.242       |
| 190    | 04012-50080 | WASHER PLAIN       | 2    |        |     |         | 0.001        | 0.0022      |
| 200    | 05511-50215 | PIN SPLIT          | 2    |        |     |         | 0.001        | 0.0022      |
| 210    | 76611-42523 | BOSS               | 1    | ≤12202 |     |         | 0            | 0           |
| 210    | 76611-42525 | BOSS HST FULCRUM   | 1    | ≥12203 | ←   |         | 0.7          | 1.54        |
| 220    | 01754-51020 | BOLT FLANGE        | 2    |        |     |         | 0.02         | 0.044       |
| 230    | 76611-42530 | SHAFT FULCRUM      | 1    |        |     |         | 0.37         | 0.814       |
| 240    | 76611-42540 | FULCRUM            | 1    |        |     |         | 0.06         | 0.132       |
| 250    | 05411-00625 | PIN SPRING         | 1    |        |     |         | 0.004        | 0.0088      |
| 270    | 08511-01610 | BUSH               | 2    |        |     |         | 0.005        | 0.011       |
| 280    | 67211-42940 | NIPPLE GREASE      | 1    |        |     |         | 0.001        | 0.0022      |
| 290    | 01153-50825 | BOLT               | 1    | ≥12203 |     |         | 0.012        | 0.0264      |
| 300    | 02112-50080 | NUT                | 1    | ≥12203 |     |         | 0.003        | 0.0066      |






**SPEED CHANGE 2**

S.No.;&lt;=10658


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-42560 | ASSY ROD S-CHANGE  | 1    |       |     |         | 0.26         | 0.572       |
| 020    | 76611-42570 | ROD SPEED CHANGE   | 1    |       |     |         | 0.161        | 0.3542      |
| 030    | 31351-24210 | SCREW ROD-END LH   | 1    |       |     |         | 0.04         | 0.088       |
| 040    | 31351-24260 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 050    | 02112-50080 | NUT                | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 31351-24220 | SCREW ROD-END RH   | 1    |       |     |         | 0.04         | 0.088       |
| 070    | 76611-42580 | ASSY ROD S-CHANGE  | 1    |       |     |         | 0.37         | 0.814       |
| 080    | 76611-42590 | ROD SPEED CHANGE   | 1    |       |     |         | 0.28         | 0.616       |
| 090    | 31351-24210 | SCREW ROD END LH   | 1    |       |     |         | 0.04         | 0.088       |
| 100    | 31351-24260 | NUT                | 1    |       |     |         | 0.005        | 0.011       |
| 110    | 02112-50080 | NUT                | 1    |       |     |         | 0.003        | 0.0066      |
| 120    | 54721-31840 | BALL LINK          | 1    |       |     |         | 0.065        | 0.143       |
| 130    | 04512-60080 | WASHER SPRING      | 4    |       |     |         | 0.002        | 0.0044      |
| 140    | 02156-50080 | NUT                | 4    |       |     |         | 0.004        | 0.0088      |
| 150    | 76611-42610 | ROD SPEED CHANGE   | 1    |       |     |         | 0.1          | 0.22        |
| 160    | 04012-50080 | WASHER PLAIN       | 2    |       |     |         | 0.001        | 0.0022      |
| 170    | 05511-50215 | PIN SPLIT          | 2    |       |     |         | 0.001        | 0.0022      |
| 180    | 76611-42620 | SHAFT FULCRUM      | 1    |       |     |         | 0            | 0           |
| 190    | 76611-42630 | FULCRUM            | 1    |       |     |         | 0.04         | 0.088       |
| 200    | 05411-00625 | PIN SPRING         | 1    |       |     |         | 0.004        | 0.0088      |
| 210    | 76611-42642 | FULCRUM            | 1    |       |     |         | 0.1          | 0.22        |
| 220    | 76611-42650 | SHAFT FULCRUM      | 1    |       |     |         | 0.35         | 0.77        |
| 230    | 76611-42660 | ARM PEDAL LH       | 1    |       |     |         | 0.37         | 0.814       |
| 240    | 76611-42674 | ARM PEDAL RH       | 1    |       |     |         | 0.05         | 0.11        |
| 250    | 08511-01815 | BUSH               | 2    |       |     |         | 0.007        | 0.0154      |
| 260    | 05411-00630 | PIN SPRING         | 2    |       |     |         | 0.004        | 0.0088      |
| 270    | 36330-10230 | COLLAR ACCEL PEDAL | 2    |       |     |         | 0.001        | 0.0022      |
| 280    | 04613-00070 | CIRCLIP EXTERNAL   | 2    |       |     |         | 0            | 0           |




030 31351-2421-0

180 76611-4262-2



190 76611-4263-0




76611-804-10

**SPEED CHANGE 2**

S.No.;&gt;=10659

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76611-42560 | ASSY ROD S-CHANGE | 1    | <=12178 |     |         | 0.26         | 0.572       |
| 010    | 76611-42562 | ASSY ROD SHIFT    | 1    | >=12179 | ←   |         | 0.276        | 0.6072      |
| 020    | 76611-42570 | ROD SPEED CHANGE  | 1    |         |     |         | 0.161        | 0.3542      |
| 030    | 31351-24210 | SCREW ROD-END LH  | 1    | <=12178 |     |         | 0.04         | 0.088       |
| 030    | 66021-43360 | SCREW ROD END     | 1    | >=12179 | ≠   |         | 0.11         | 0.242       |
| 040    | 31351-24260 | NUT               | 1    |         |     |         | 0.005        | 0.011       |
| 050    | 02112-50080 | NUT               | 1    |         |     |         | 0.003        | 0.0066      |
| 060    | 31351-24220 | SCREW ROD-END RH  | 1    |         |     |         | 0.04         | 0.088       |
| 130    | 04512-60080 | WASHER SPRING     | 2    |         |     |         | 0.002        | 0.0044      |
| 140    | 02156-50080 | NUT               | 2    |         |     |         | 0.004        | 0.0088      |
| 150    | 76611-42610 | ROD SPEED CHANGE  | 1    |         |     |         | 0.1          | 0.22        |
| 160    | 04012-50080 | WASHER PLAIN      | 2    |         |     |         | 0.001        | 0.0022      |
| 170    | 05511-50215 | PIN SPLIT         | 2    |         |     |         | 0.001        | 0.0022      |
| 180    | 76611-42620 | SHAFT FULCRUM     | 1    | <=11850 |     |         | 0            | 0           |
| 180    | 76611-42622 | SHAFT FULCRUM     | 1    | >=11851 | ↔   |         | 0.18         | 0.396       |
| 180    | 76650-32360 | SHAFT FULCRUM     | 1    | >=12179 |     |         | 0.12         | 0.264       |
| 190    | 76611-42630 | ARM FURCLUM       | 1    | <=12178 |     |         | 0.04         | 0.088       |
| 190    | 76611-42634 | ARM FURCLUM       | 1    | >=12179 | ≠   |         | 0.09         | 0.198       |
| 200    | 05411-00625 | PIN SPRING        | 1    |         |     |         | 0.004        | 0.0088      |
| 210    | 76611-42643 | FULCRUM           | 1    |         |     |         | 0.1          | 0.22        |
| 220    | 76611-42770 | SHAFT             | 1    |         |     |         | 0.3          | 0.66        |
| 230    | 76611-42760 | ARM PEDAL         | 1    |         |     |         | 1            | 2.2         |
| 240    | 05411-00630 | PIN SPRING        | 2    |         |     |         | 0.004        | 0.0088      |




**SPEED CHANGE 3**

S.No.;&lt;=12202

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS             | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------------------|--------------|-------------|
| 010    | 76611-42730 | ASSY ROD SPEED LOCK  | 1    |       |     |                     | 0.15         | 0.33        |
| 015    | 76611-42740 | ROD SPEED LOCK FRONT | 1    |       |     | ORDER BY REF.No.010 | 0.061        | 0.1342      |
| 020    | 76611-42682 | ROD SPEED LOCK       | 1    |       |     | ORDER BY REF.No.010 | 0.1          | 0.22        |
| 030    | 02156-50080 | NUT                  | 1    |       |     |                     | 0.004        | 0.0088      |
| 035    | 66591-42410 | TURNBUCKLE           | 1    |       |     |                     | 0.046        | 0.1012      |
| 040    | 05122-50820 | PIN JOINT            | 1    |       |     |                     | 0.009        | 0.0198      |
| 050    | 04012-50080 | WASHER PLAIN         | 1    |       |     |                     | 0.001        | 0.0022      |
| 060    | 05511-50215 | PIN SPLIT            | 1    |       |     |                     | 0.001        | 0.0022      |
| 070    | 76611-42690 | SHAFT SPEED LOCK     | 1    |       |     |                     | 0.2          | 0.44        |
| 080    | 04013-60120 | WASHER PLAIN         | 1    |       |     |                     | 0.01         | 0.022       |
| 090    | 67061-43582 | SPRING               | 1    |       |     |                     | 0.152        | 0.3344      |
| 100    | 36330-87090 | COLLAR               | 1    |       |     |                     | 0.04         | 0.088       |
| 110    | 76611-42710 | ARM                  | 1    |       |     |                     | 0.23         | 0.506       |
| 120    | 67061-43560 | DISK FRICTION        | 4    |       |     |                     | 0.004        | 0.0088      |
| 130    | 67061-43610 | WASHER LOCK          | 1    |       |     |                     | 0.035        | 0.077       |
| 140    | 66301-43620 | PLATE STEEL          | 2    |       |     |                     | 0.02         | 0.044       |
| 150    | 04015-60120 | WASHER PLAIN         | 1    |       |     |                     | 0.022        | 0.0484      |
| 160    | 02174-50120 | NUT                  | 1    |       |     |                     | 0.01         | 0.022       |
| 170    | 02172-50120 | NUT                  | 1    |       |     |                     | 0.01         | 0.022       |
| 180    | 76611-42720 | LEVER SPEED LOCK     | 1    |       |     |                     | 0.31         | 0.682       |
| 190    | 05411-00522 | PIN SPRING           | 1    |       |     |                     | 0.002        | 0.0044      |
| 200    | 54201-23270 | GRIP                 | 1    |       |     |                     | 0.02         | 0.044       |
| 210    | 66301-43710 | DAMPER LEVER         | 1    |       |     |                     | 0.27         | 0.594       |
| 220    | 05122-50830 | PIN JOINT            | 2    |       |     |                     | 0.014        | 0.0308      |
| 230    | 04012-50080 | WASHER PLAIN         | 2    |       |     |                     | 0.001        | 0.0022      |
| 240    | 05511-50215 | PIN SPLIT            | 2    |       |     |                     | 0.001        | 0.0022      |



**SPEED CHANGE 3**


S.No.;&gt;=12203

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-42750 | ASSY ROD             | 1    |       |     |         | 0.15         | 0.33        |
| 020    | 67008-22710 | ROD BRAKE            | 1    |       |     |         | 0.077        | 0.1694      |
| 030    | 67061-42820 | ROD BRAKE FRONT      | 1    |       |     |         | 0.04         | 0.088       |
| 040    | 66591-42410 | TURNBUCKLE           | 1    |       |     |         | 0.046        | 0.1012      |
| 050    | 02112-50080 | NUT                  | 1    |       |     |         | 0.003        | 0.0066      |
| 060    | 76630-42520 | SPRING               | 1    |       |     |         | 0.008        | 0.0176      |
| 070    | 76630-42510 | ARM FURCLUM          | 1    |       |     |         | 0.06         | 0.132       |
| 080    | 04012-50080 | WASHER PLAIN         | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 05511-50315 | PIN SPLIT            | 2    |       |     |         | 0.002        | 0.0044      |
| 100    | 66101-42312 | SHAFT CRUISE CONTROL | 1    |       |     |         | 0.15         | 0.33        |
| 110    | 04015-60120 | WASHER PLAIN         | 1    |       |     |         | 0.022        | 0.0484      |
| 120    | 67061-43582 | SPRING               | 1    |       |     |         | 0.152        | 0.3344      |
| 130    | 35533-48160 | COLLAR REAR AXLE     | 1    |       |     |         | 0.05         | 0.11        |
| 140    | 66101-42320 | CAM                  | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 66101-42352 | DISK FRICTION        | 2    |       |     |         | 0.002        | 0.0044      |
| 160    | 66101-42330 | CAM                  | 1    |       |     |         | 0.1          | 0.22        |
| 170    | 05411-00840 | PIN SPRING           | 1    |       |     |         | 0.008        | 0.0176      |
| 180    | 02174-50120 | NUT                  | 1    |       |     |         | 0.01         | 0.022       |
| 190    | 02172-50120 | NUT                  | 1    |       |     |         | 0.01         | 0.022       |
| 200    | 76611-42722 | LEVER CONTROL        | 1    |       |     |         | 0.6          | 1.32        |
| 210    | 05411-00622 | PIN SPRING           | 1    |       |     |         | 0.003        | 0.0066      |
| 220    | 54201-23270 | GRIP                 | 1    |       |     |         | 0.02         | 0.044       |
| 230    | 66301-43710 | DAMPER LEVER         | 1    |       |     |         | 0.27         | 0.594       |
| 240    | 05122-50830 | PIN JOINT            | 1    |       |     |         | 0.014        | 0.0308      |
| 245    | 05122-50825 | PIN JOINT            | 1    |       |     |         | 0.011        | 0.0242      |
| 250    | 04012-50080 | WASHER PLAIN         | 2    |       |     |         | 0.001        | 0.0022      |
| 260    | 05511-50215 | PIN SPLIT            | 2    |       |     |         | 0.001        | 0.0022      |




# DIFFERENTIAL



76690-024-11

**050 67211-1493-0**




**76630-808-10**



## DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66204-81302 | ASSY DIFF REAR       | 1    | <=10436 |     |         | 0            | 0           |
| 010    | 66204-81303 | ASSY DIFF REAR       | 1    | >=10437 | ≠   |         | 4.1          | 9.02        |
| 020    | 67311-14973 | CASE DIFFERENTIAL    | 1    |         |     |         | 0.7          | 1.54        |
| 030    | 67711-14912 | SHAFT DIFF.PINION    | 1    |         |     |         | 0.14         | 0.308       |
| 040    | 67711-14920 | PINION DIFF.         | 2    |         |     |         | 0.11         | 0.242       |
| 050    | 67211-14930 | BUSH                 | 2    | <=10436 |     |         | 0.01         | 0.022       |
| 060    | 67311-14980 | COLLAR PINION THRUST | 2    |         |     |         | 0.002        | 0.0044      |
| 070    | 66591-14860 | COLLAR THRUST        | 1    |         |     |         | 0.102        | 0.2244      |
| 080    | 67211-15150 | GEAR DIFF.SIDE       | 2    |         |     |         | 0.158        | 0.3476      |
| 090    | 67211-15160 | SHIM                 | 1    |         |     | 1.0MM   | 0.01         | 0.022       |
| 090    | 67211-15170 | SHIM                 | 1    |         |     | 0.8MM   | 0.008        | 0.0176      |
| 090    | 67211-15180 | SHIM                 | 1    |         |     | 1.2MM   | 0.01         | 0.022       |
| 100    | 66591-14792 | PIN KNOCK            | 1    |         |     |         | 0.003        | 0.0066      |
| 110    | 66591-14783 | PIN STRAIGHT         | 1    |         |     |         | 0.01         | 0.022       |
| 120    | 67810-56680 | BOLT UBS             | 6    |         |     |         | 0.013        | 0.0286      |
| 130    | 08101-06009 | BEARING BALL         | 1    |         |     |         | 0.22         | 0.484       |
| 140    | 08101-06010 | BEARING BALL         | 1    |         |     |         | 0.262        | 0.5764      |
| 150    | 66591-14980 | SHIM DIFF.SIDE       | 1    |         |     | 0.5MM   | 0.005        | 0.011       |
| 150    | 66591-14990 | SHIM DIFF.SIDE       | 1    |         |     | 0.2MM   | 0.002        | 0.0044      |
| 160    | 67401-14940 | SHAFT DIFF.GEAR LH   | 1    |         |     |         | 0.6          | 1.32        |
| 170    | 67401-14950 | SHAFT DIFF.GEAR RH   | 1    |         |     |         | 0.69         | 1.518       |
| 180    | 67211-14990 | SHIM DIFF.GEAR SHAFT | 1    |         |     | 0.3MM   | 0.002        | 0.0044      |
| 180    | 66621-15240 | SHIM DIFF.GEAR SHAFT | 1    |         |     | 0.2MM   | 0.001        | 0.0022      |
| 180    | 66621-15250 | SHIM DIFF.GEAR SHAFT | 1    |         |     | 0.5MM   | 0.003        | 0.0066      |
| 190    | 66611-15130 | CLUTCH DIFF.LOCK     | 1    |         |     |         | 0.2          | 0.44        |
| 200    | 08101-06305 | BEARING BALL         | 2    |         |     |         | 0.23         | 0.506       |
| 210    | 67401-14960 | SEAL OIL             | 2    | <=12743 |     |         | 0.015        | 0.033       |
| 210    | 66466-14960 | SEAL OIL             | 2    | >=12744 | ←   |         | 0.025        | 0.055       |
| 220    | 67401-14970 | SLEEVE               | 2    |         |     |         | 0.015        | 0.033       |
| 230    | 66611-15140 | SHIM DIFF.SIDE       | 1    |         |     | 0.5MM   | 0.006        | 0.0132      |
| 230    | 66611-15150 | SHIM DIFF.SIDE       | 1    |         |     | 0.2MM   | 0.002        | 0.0044      |
| 240    | 66611-14950 | BUSH                 | 1    |         |     |         | 0.032        | 0.0704      |
| 250    | 66611-19100 | ASSY FORK DIFF.LOCK  | 1    |         |     |         | 0.42         | 0.924       |
| 280    | 04811-10120 | RING                 | 1    |         |     |         | 0.001        | 0.0022      |
| 290    | 66591-18340 | SHIM                 | 2    |         |     |         | 0.001        | 0.0022      |
| 300    | 66591-18320 | SPRING               | 1    |         |     |         | 0.02         | 0.044       |
| 310    | 66204-82713 | ASSY GEAR BEVEL      | 1    | <=10436 |     | 6-37T   | 0            | 0           |
| 310    | 66204-82714 | ASSY GEAR BEVEL      | 1    | >=10437 | ≠   | 6-37T   | 1.5          | 3.3         |






## AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67401-12613 | CASE AXLE LH       | 1    |       |     |         | 8.7          | 19.14       |
| 020    | 01123-51035 | BOLT               | 4    |       |     |         | 0.025        | 0.055       |
| 030    | 01123-51250 | BOLT               | 6    |       |     |         | 0.055        | 0.121       |
| 040    | 05012-00816 | PIN STRAIGHT       | 2    |       |     |         | 0.007        | 0.0154      |
| 050    | 06331-35012 | PLUG               | 1    |       |     |         | 0.022        | 0.0484      |
| 060    | 04717-01200 | WASHER WITH RUBBER | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 76621-11240 | GASKET             | 1    |       |     |         | 0.07         | 0.154       |
| 080    | 67401-12710 | CASE AXLE RH       | 1    |       |     |         | 10           | 22          |
| 090    | 01123-51035 | BOLT               | 4    |       |     |         | 0.025        | 0.055       |
| 100    | 01123-51250 | BOLT               | 6    |       |     |         | 0.055        | 0.121       |
| 110    | 05012-00816 | PIN STRAIGHT       | 2    |       |     |         | 0.007        | 0.0154      |
| 120    | 06331-35012 | PLUG               | 1    |       |     |         | 0.022        | 0.0484      |
| 130    | 04717-01200 | WASHER WITH RUBBER | 1    |       |     |         | 0.002        | 0.0044      |
| 140    | 76621-11240 | GASKET             | 1    |       |     |         | 0.07         | 0.154       |

## FRONT AXLE





FRONT WHEEL (23 X 10.5-12)








# FRONT WHEEL (23 X 10.5-12)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|-----------|--------------|-------------|
| 010    | 76613-61110 | ASSY REAR WHEEL    | 1    |       |     | [AU] [NZ] | 16.5         | 36.3        |
| 020    | 76613-61120 | ASSY REAR WHEEL RH | 1    |       |     | [AU] [NZ] | 18           | 39.6        |
| 030    | 76613-61130 | TIRE               | 1    |       |     | [AU] [NZ] | 9.1          | 20.02       |
| 040    | 66022-17150 | WHEEL              | 1    |       |     | [AU] [NZ] | 7.5          | 16.5        |
| 050    | 34159-11850 | VALVE TIRE         | 1    |       |     | [AU] [NZ] | 0.013        | 0.0286      |
| 060    | 76611-47320 | LABEL TIRE RH      | 1    |       |     | [AU] [NZ] | 0.002        | 0.0044      |
| 070    | 76613-61150 | ASSY REAR WHEEL    | 1    |       |     | [AU] [NZ] | 16.7         | 36.74       |
| 080    | 76613-61130 | TIRE               | 1    |       |     | [AU] [NZ] | 9.1          | 20.02       |
| 090    | 66022-17150 | WHEEL              | 1    |       |     | [AU] [NZ] | 7.5          | 16.5        |
| 100    | 34159-11850 | VALVE TIRE         | 1    |       |     | [AU] [NZ] | 0.013        | 0.0286      |
| 110    | 76611-47310 | LABEL TIRE LH      | 1    |       |     | [AU] [NZ] | 0.002        | 0.0044      |
| 120    | 76650-24000 | ASSY TIRE FRONT    | 1    |       |     | [A] [CA]  | 0            | 0           |
| 130    | 76650-24010 | ASSY TIRE FRONT    | 2    |       |     | [A] [CA]  | 0            | 0           |
| 140    | 66120-17180 | WHEEL              | 2    |       |     | [A] [CA]  | 4            | 8.8         |
| 150    | 76650-24030 | TIRE               | 2    |       |     | [A] [CA]  | 0            | 0           |
| 160    | 76650-24040 | LABEL              | 2    |       |     | [A] [CA]  | 0            | 0           |
| 170    | 66120-17190 | VALVE TIRE         | 2    |       |     | [A] [CA]  | 0.012        | 0.0264      |

## BRAKE



010 76630-2212-0

120 76630-2214-0



76690-805-10




## BRAKE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76630-22120 | ASSY BRAKE LH    | 1    | <=11677 |     |         | 0            | 0           |
| 010    | 76630-22122 | ASSY BRAKE LH    | 1    | >=11678 | ≠   |         | 2.5          | 5.5         |
| 020    | 76611-22130 | COVER BRAKE LH   | 1    |         |     |         | 1            | 2.2         |
| 030    | 66591-22330 | CAM BRAKE LH     | 1    |         |     |         | 0.204        | 0.4488      |
| 040    | 04811-05170 | RING             | 2    |         |     |         | 0.001        | 0.0022      |
| 050    | 04612-00200 | CIRCLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 66905-22390 | SHOE BRAKE       | 2    |         |     |         | 0.35         | 0.77        |
| 070    | 66591-22350 | SPRING RETURN    | 1    |         |     |         | 0.003        | 0.0066      |
| 080    | 66709-22360 | DRUM BRAKE       | 1    |         |     |         | 0.95         | 2.09        |
| 081    | 63753-42350 | U JOINT          | 1    | >=11678 |     |         | 0.038        | 0.0836      |
| 082    | 05122-50820 | PIN JOINT        | 1    | >=11678 |     |         | 0.009        | 0.0198      |
| 083    | 04012-50080 | WASHER PLAIN     | 1    | >=11678 |     |         | 0.001        | 0.0022      |
| 084    | 05511-50215 | PIN SPLIT        | 1    | >=11678 |     |         | 0.001        | 0.0022      |
| 090    | 04612-00220 | CIRCLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 66905-22410 | GASKET BRAKE     | 1    |         |     |         | 0.01         | 0.022       |
| 110    | 01123-50822 | BOLT             | 4    |         |     |         | 0.012        | 0.0264      |
| 120    | 76630-22140 | ASSY BRAKE RH    | 1    | <=11677 |     |         | 2.54         | 5.588       |
| 120    | 76630-22142 | ASSY BRAKE RH    | 1    | >=11678 | ≠   |         | 0            | 0           |
| 130    | 76611-22150 | COVER BRAKE RH   | 1    |         |     |         | 0.97         | 2.134       |
| 140    | 66591-22370 | CAM BRAKE RH     | 1    |         |     |         | 0.204        | 0.4488      |
| 150    | 04811-05170 | RING             | 2    |         |     |         | 0.001        | 0.0022      |
| 160    | 04612-00200 | CIRCLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 170    | 66905-22390 | SHOE BRAKE       | 2    |         |     |         | 0.35         | 0.77        |
| 180    | 66591-22350 | SPRING RETURN    | 2    |         |     |         | 0.003        | 0.0066      |
| 190    | 66709-22360 | DRUM BRAKE       | 1    |         |     |         | 0.95         | 2.09        |
| 191    | 63753-42350 | U JOINT          | 1    | >=11678 |     |         | 0.038        | 0.0836      |
| 192    | 05122-50820 | PIN JOINT        | 1    | >=11678 |     |         | 0.009        | 0.0198      |
| 193    | 04012-50080 | WASHER PLAIN     | 1    | >=11678 |     |         | 0.001        | 0.0022      |
| 194    | 05511-50215 | PIN SPLIT        | 1    | >=11678 |     |         | 0.001        | 0.0022      |
| 200    | 04612-00220 | CIRCLIP EXTERNAL | 1    |         |     |         | 0.001        | 0.0022      |
| 210    | 66905-22410 | GASKET BRAKE     | 1    |         |     |         | 0.01         | 0.022       |
| 220    | 01123-50822 | BOLT             | 4    |         |     |         | 0.012        | 0.0264      |

# PEDAL



230 76611-5155-0

240 01754-50610

250 76611-5164-0

260 76611-5165-0


270 76611-5156-2

280 76611-5157-0


290 05112-50655

300 04012-50060

310 05511-51612



060 76630-4214-4






# PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76630-42340 | PEDAL CLUTCH        | 1    |         |     |         | 1.7          | 3.74        |
| 020    | 04612-00250 | CIRCLIP EXTERNAL    | 1    |         |     |         | 0.002        | 0.0044      |
| 030    | 67211-42940 | NIPPLE GREASE       | 1    |         |     |         | 0.001        | 0.0022      |
| 040    | 66204-43390 | COVER PEDAL FRONT   | 1    |         |     |         | 0.06         | 0.132       |
| 050    | 76630-42130 | SHAFT BRAKE PEDAL   | 1    |         |     |         | 1.23         | 2.706       |
| 060    | 76630-42140 | PEDAL BRAKE         | 1    | <=10659 |     |         | 0            | 0           |
| 060    | 76630-42144 | PEDAL BRAKE         | 1    | >=10660 | ←   |         | 0            | 0           |
| 060    | 76630-42146 | PEDAL BRAKE         | 1    | >=12097 | ←   |         | 1.8          | 3.96        |
| 060    | 76630-42149 | PEDAL BRAKE         | 1    | >=12622 | ≠   |         | 1.99         | 4.378       |
| 070    | 76630-42610 | SPRING BRAKE PEDAL  | 1    |         |     |         | 0.012        | 0.0264      |
| 080    | 08511-03512 | BUSH                | 2    |         |     |         | 0.021        | 0.0462      |
| 090    | 76630-42150 | ARM BRAKE PEDAL LH  | 1    |         |     |         | 0.45         | 0.99        |
| 100    | 76630-42190 | PEDAL TURNING BRAKE | 1    |         |     |         | 0.07         | 0.154       |
| 110    | 02172-50120 | NUT                 | 1    |         |     |         | 0.01         | 0.022       |
| 120    | 05112-50845 | PIN JOINT           | 1    |         |     |         | 0.02         | 0.044       |
| 130    | 04012-50080 | WASHER PLAIN        | 1    |         |     |         | 0.001        | 0.0022      |
| 140    | 05511-50215 | PIN SPLIT           | 1    |         |     |         | 0.001        | 0.0022      |
| 150    | 76630-42170 | FULCRUM             | 1    |         |     |         | 0.24         | 0.528       |
| 160    | 05712-00725 | KEY FEATHER         | 1    |         |     |         | 0.009        | 0.0198      |
| 170    | 76630-42280 | COVER BRAKE PEDAL   | 1    |         |     |         | 0.05         | 0.11        |
| 180    | 67211-42940 | NIPPLE GREASE       | 1    |         |     |         | 0.001        | 0.0022      |
| 190    | 76630-42160 | ARM BRAKE PEDAL RH  | 1    |         |     |         | 1.58         | 3.476       |
| 200    | 76630-42190 | PEDAL TURNING BRAKE | 1    |         |     |         | 0.07         | 0.154       |
| 210    | 02172-50120 | NUT                 | 1    |         |     |         | 0.01         | 0.022       |
| 220    | 66021-42830 | COVER PEDAL         | 2    |         |     |         | 0.025        | 0.055       |
| 230    | 76611-51550 | STAY PEDAL          | 2    | <=10659 |     |         | 0.03         | 0.066       |
| 230    | 76611-43710 | PEDAL FRONT         | 1    | >=10660 | ≠   |         | 0.07         | 0.154       |
| 240    | 01754-50610 | BOLT FLANGE         | 4    | <=10659 |     |         | 0.006        | 0.0132      |
| 240    | 76611-43730 | PEDAL               | 1    | >=10660 | ≠   |         | 0.07         | 0.154       |
| 250    | 76611-51640 | RUBBER PEDAL        | 1    | <=10659 |     |         | 0.1          | 0.22        |
| 250    | 02172-50140 | NUT                 | 1    | >=10660 | ≠   |         | 0.01         | 0.022       |
| 260    | 76611-51650 | RUBBER PEDAL        | 1    | <=10659 |     |         | 0.09         | 0.198       |
| 260    | 76611-43750 | SPRING RETURN       | 1    | >=10660 | ≠   |         | 0.015        | 0.033       |
| 270    | 76611-51562 | PEDAL HST           | 2    | <=10659 |     |         | 0.25         | 0.55        |
| 270    | 76611-43770 | COVER PEDAL         | 2    | >=10660 | ≠   |         | 0.022        | 0.0484      |
| 280    | 76611-51570 | SPRING PEDAL RETURN | 2    | <=10659 |     |         | 0.005        | 0.011       |
| 280    | 04613-00070 | CIRCLIP EXTERNAL    | 1    | >=10660 | ≠   |         | 0            | 0           |
| 290    | 05112-50655 | PIN JOINT           | 2    | <=10659 |     |         | 0.003        | 0.0066      |
| 300    | 04012-50060 | WASHER PLAIN        | 2    | <=10659 |     |         | 0.001        | 0.0022      |
| 310    | 05511-51612 | PIN SPLIT           | 2    | <=10659 |     |         | 0.001        | 0.0022      |
| 320    | 76630-90710 | KIT BRAKE           | 1    |         |     |         | 2.25         | 4.95        |
| 330    | 76630-90720 | MANUAL ASSEMBLY     | 1    |         |     |         | 0.1          | 0.22        |

# BRAKE ROD






BRAKE ROD

010 76611-2231-0

020 05122-50820

030 04012-50080

040 05511-50215




050 76611-2231-0

060 05122-50820

070 04012-50080

080 05511-50215



76690-803-10




## BRAKE ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76611-22310 | ROD BRAKE REAR      | 1    | <=11677 |     |         | 0.12         | 0.264       |
| 010    | 76611-22312 | ROD BRAKE REAR      | 1    | >=11678 | ≠   |         | 0.08         | 0.176       |
| 015    | 02112-50080 | NUT                 | 1    | >=11678 |     |         | 0.003        | 0.0066      |
| 020    | 05122-50820 | PIN JOINT           | 1    | <=11677 |     |         | 0.009        | 0.0198      |
| 030    | 04012-50080 | WASHER PLAIN        | 1    | <=11677 |     |         | 0.001        | 0.0022      |
| 040    | 05511-50215 | PIN SPLIT           | 1    | <=11677 |     |         | 0.001        | 0.0022      |
| 050    | 76611-22310 | ROD BRAKE REAR      | 1    | <=11677 |     |         | 0.12         | 0.264       |
| 050    | 76611-22312 | ROD BRAKE REAR      | 1    | >=11678 | ≠   |         | 0.08         | 0.176       |
| 055    | 02112-50080 | NUT                 | 1    | >=11678 |     |         | 0.003        | 0.0066      |
| 060    | 05122-50820 | PIN JOINT           | 1    | <=11677 |     |         | 0.009        | 0.0198      |
| 070    | 04012-50080 | WASHER PLAIN        | 1    | <=11677 |     |         | 0.001        | 0.0022      |
| 080    | 05511-50215 | PIN SPLIT           | 1    | <=11677 |     |         | 0.001        | 0.0022      |
| 090    | 76611-42110 | ASSY ROD BRAKE      | 1    |         |     |         | 0.08         | 0.176       |
| 100    | 67061-42820 | ROD BRAKE FRONT     | 1    |         |     |         | 0.04         | 0.088       |
| 110    | 66591-42410 | TURNBUCKLE          | 1    |         |     |         | 0.046        | 0.1012      |
| 120    | 02112-50080 | NUT                 | 1    |         |     |         | 0.003        | 0.0066      |
| 130    | 04012-50080 | WASHER PLAIN        | 2    |         |     |         | 0.001        | 0.0022      |
| 140    | 05511-50215 | PIN SPLIT           | 2    |         |     |         | 0.001        | 0.0022      |
| 150    | 66591-43190 | SPRING BRAKE RETURN | 4    |         |     |         | 0.044        | 0.0968      |
| 160    | 76611-42124 | LEVER BRAKE LOCK    | 1    | <=12621 |     |         | 0.128        | 0.2816      |
| 160    | 76611-42240 | LEVER BRAKE LOCK    | 1    | >=12622 | ≠   |         | 0.122        | 0.2684      |
| 170    | 76611-42170 | RUBBER SKIDPROOF    | 1    |         |     |         | 0.006        | 0.0132      |
| 180    | 76611-42160 | SPRING BRAKE LOCK   | 1    | <=12621 |     |         | 0.01         | 0.022       |
| 180    | 76611-42190 | SPRING BRAKE LOCK   | 1    | >=12622 | ≠   |         | 0.005        | 0.011       |
| 190    | 02172-50120 | NUT                 | 2    |         |     |         | 0.01         | 0.022       |
| 200    | 76630-42110 | ASSY ROD BRAKE LH   | 1    |         |     |         | 0.07         | 0.154       |
| 210    | 76630-42820 | ROD BRAKE LH        | 1    |         |     |         | 0.04         | 0.088       |
| 220    | 66591-42410 | TURNBUCKLE          | 1    |         |     |         | 0.046        | 0.1012      |
| 230    | 02112-50080 | NUT                 | 1    |         |     |         | 0.003        | 0.0066      |

## WHEEL HUB






## WHEEL HUB

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 67910-56810 | SHAFT BEVEL GEAR  | 2    |       |     |         | 0.53         | 1.166       |
| 020    | 67910-56820 | GEAR BEVEL B      | 2    |       |     | 12T     | 0.24         | 0.528       |
| 030    | 04612-00250 | CIRCLIP EXTERNAL  | 2    |       |     |         | 0.002        | 0.0044      |
| 040    | 04612-00200 | CIRCLIP EXTERNAL  | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 08141-06303 | BEARING BALL      | 2    |       |     |         | 0.108        | 0.2376      |
| 060    | 67910-56830 | COLLAR SUPPORT    | 2    |       |     |         | 0.06         | 0.132       |
| 070    | 04811-00200 | RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 080    | 67910-56840 | SEAL OIL          | 4    |       |     |         | 0.01         | 0.022       |
| 090    | 04611-00470 | CIR CLIP INTERNAL | 4    |       |     |         | 0.006        | 0.0132      |
| 100    | 08101-06204 | BEARING BALL      | 4    |       |     |         | 0.102        | 0.2244      |
| 110    | 67910-56850 | GEAR BEVEL        | 2    |       |     | 14T     | 0.35         | 0.77        |
| 120    | 08101-06006 | BEARING BALL      | 2    |       |     |         | 0.13         | 0.286       |
| 130    | 67910-56880 | GEAR BEVEL        | 2    |       |     | 34T     | 1.83         | 4.026       |
| 140    | 67156-56820 | COLLAR SET        | 4    |       |     |         | 0.004        | 0.0088      |
| 150    | 76611-56330 | HUB FRONT WHEEL   | 2    |       |     |         | 1.52         | 3.344       |
| 160    | 08101-06305 | BEARING BALL      | 2    |       |     |         | 0.23         | 0.506       |
| 170    | 08101-06206 | BEARING BALL      | 2    |       |     |         | 0.196        | 0.4312      |
| 180    | 63733-17150 | SEAL OIL          | 2    |       |     |         | 0.04         | 0.088       |
| 190    | 66591-56564 | BOLT STUD         | 8    |       |     |         | 0.028        | 0.0616      |
| 200    | 02174-50120 | NUT               | 8    |       |     |         | 0.01         | 0.022       |
| 210    | 04512-60120 | WASHER SPRING     | 8    |       |     |         | 0.005        | 0.011       |
| 220    | 04013-60120 | WASHER PLAIN      | 8    |       |     |         | 0.01         | 0.022       |

## REAR AXLE CASE






# REAR AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 76630-56310 | CASE REAR AXLE LH  | 1    |        |     |         | 0            | 0           |
| 020    | 76630-56320 | CASE REAR AXLE RH  | 1    |        |     |         | 0            | 0           |
| 030    | 06331-35012 | PLUG               | 2    |        |     |         | 0.022        | 0.0484      |
| 040    | 04717-01200 | WASHER WITH RUBBER | 2    |        |     |         | 0.002        | 0.0044      |
| 050    | 66591-56440 | BOLT ADJUSTING     | 2    |        |     |         | 0.02         | 0.044       |
| 060    | 02112-50100 | NUT                | 2    |        |     |         | 0.004        | 0.0088      |
| 070    | 76611-56640 | COVER BEVEL        | 2    |        |     |         | 0.7          | 1.54        |
| 080    | 76621-56340 | GASKET             | 2    |        |     |         | 0.002        | 0.0044      |
| 090    | 01123-50822 | BOLT               | 8    |        |     |         | 0.012        | 0.0264      |
| 100    | 68311-13380 | PLUG               | 2    | ≤12449 |     |         | 0.003        | 0.0066      |
| 100    | 15521-96020 | PLUG               | 2    | ≥12450 | ↔   |         | 0.003        | 0.0066      |
| 110    | 76611-56250 | COVER FRONT AXLE   | 2    |        |     |         | 1.92         | 4.224       |
| 120    | 76621-56380 | GASKET             | 2    |        |     |         | 0            | 0           |
| 130    | 01123-51028 | BOLT               | 12   |        |     |         | 0.025        | 0.055       |

## REAR AXLE ARM






## REAR AXLE ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 67910-56110 | ARM FRONT AXLE LH   | 1    |         |     |         | 4            | 8.8         |
| 020    | 76611-56510 | ARM KNUCKLE RH      | 1    | <=12449 |     |         | 0            | 0           |
| 020    | 67910-56120 | ARM KNUCKLE RH      | 1    | >=12450 | ↔   |         | 8.8          | 19.36       |
| 030    | 66591-56120 | BUSH                | 2    |         |     |         | 0.074        | 0.1628      |
| 040    | 04811-50250 | RING                | 2    |         |     |         | 0.001        | 0.0022      |
| 050    | 04811-00200 | RING                | 2    |         |     |         | 0.001        | 0.0022      |
| 060    | 06331-35010 | PLUG                | 1    |         |     |         | 0.012        | 0.0264      |
| 070    | 04717-01000 | WASHER WITH RUBBER  | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | 06331-35016 | PLUG                | 1    |         |     |         | 0.04         | 0.088       |
| 090    | 04717-01600 | WASHER WITH RUBBER  | 1    |         |     |         | 0.003        | 0.0066      |
| 100    | 76621-56130 | GASKET              | 1    |         |     |         | 0.005        | 0.011       |
| 110    | 05012-00816 | PIN STRAIGHT        | 1    |         |     |         | 0.007        | 0.0154      |
| 120    | 01123-51030 | BOLT                | 6    | <=11677 |     |         | 0.025        | 0.055       |
| 120    | 01123-51028 | BOLT                | 6    | >=11678 | ←   |         | 0.025        | 0.055       |
| 130    | 04811-10630 | RING                | 2    |         |     |         | 0.001        | 0.0022      |
| 140    | 67910-56212 | CASE BEVEL GEAR     | 2    |         |     |         | 2.14         | 4.708       |
| 150    | 67910-56220 | SHIM                | 4    |         |     | 0.5MM   | 0.003        | 0.0066      |
| 150    | 67910-56230 | SHIM                | 4    |         |     | 0.3MM   | 0.002        | 0.0044      |
| 150    | 67910-56240 | SHIM                | 4    |         |     | 0.2MM   | 0.002        | 0.0044      |
| 160    | 05012-00816 | PIN STRAIGHT        | 2    |         |     |         | 0.007        | 0.0154      |
| 170    | 01123-51030 | BOLT                | 8    |         |     |         | 0.025        | 0.055       |
| 180    | 67910-56250 | SEAL DUST           | 2    |         |     |         | 0.001        | 0.0022      |
| 190    | 67910-56260 | SUPPORT KNUCKLE ARM | 2    |         |     |         | 0.34         | 0.748       |
| 200    | 67910-56270 | GASKET              | 2    | <=11610 |     |         | 0            | 0           |
| 200    | 76621-56270 | GASKET              | 2    | >=11611 | ↔   |         | 0.005        | 0.011       |
| 210    | 01123-50818 | BOLT                | 8    |         |     |         | 0.012        | 0.0264      |



## DRIVE SHAFT






## DRIVE SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66591-14920 | SHIM DIFF.SIDE   | 1    |       |     | 0.5MM   | 0.006        | 0.0132      |
| 010    | 66591-14930 | SHIM DIFF.SIDE   | 1    |       |     | 0.2MM   | 0.002        | 0.0044      |
| 020    | 67910-56710 | GEAR BEVEL       | 1    |       |     | 23T     | 0.72         | 1.584       |
| 030    | 08101-06008 | BEARING BALL     | 1    |       |     |         | 0.19         | 0.418       |
| 040    | 08101-06207 | BEARING BALL     | 1    |       |     |         | 0.282        | 0.6204      |
| 050    | 67910-56720 | SHIM             | 1    |       |     | 0.5MM   | 0.002        | 0.0044      |
| 050    | 67910-56730 | SHIM             | 1    |       |     | 0.3MM   | 0.001        | 0.0022      |
| 050    | 67910-56740 | SHIM             | 1    |       |     | 0.2MM   | 0.001        | 0.0022      |
| 060    | 67910-56750 | SHAFT DRIVE LH   | 1    |       |     |         | 1            | 2.2         |
| 070    | 67910-56760 | SHAFT DRIVE RH   | 1    |       |     |         | 0.488        | 1.0736      |
| 080    | 67910-56770 | GEAR BEVEL A     | 2    |       |     | 12T     | 0.3          | 0.66        |
| 090    | 04612-00200 | CIRCLIP EXTERNAL | 4    |       |     |         | 0.001        | 0.0022      |
| 100    | 08101-06304 | BEARING BALL     | 2    |       |     |         | 0.146        | 0.3212      |






## DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-56310 | PINION FRONT         | 1    |       |     |         | 0.5          | 1.1         |
| 020    | 76611-56320 | BEARING BALL         | 1    |       |     |         | 0            | 0           |
| 030    | 67910-56620 | GEAR BEVEL           | 1    |       |     | 13T     | 0.31         | 0.682       |
| 040    | 04612-00200 | CIRCLIP EXTERNAL     | 2    |       |     |         | 0.001        | 0.0022      |
| 050    | 67910-56600 | ASSY DIFF. FRONT     | 1    |       |     |         | 2.37         | 5.214       |
| 060    | 66711-56712 | CASE DIFF.FRONT      | 1    |       |     |         | 0.81         | 1.782       |
| 070    | 67910-56630 | SHAFT FRONT DIFF.    | 1    |       |     |         | 1.06         | 2.332       |
| 080    | 67910-56640 | SHAFT DIFF.PINION    | 1    |       |     |         | 0.12         | 0.264       |
| 090    | 66591-14792 | PIN KNOCK            | 1    |       |     |         | 0.003        | 0.0066      |
| 100    | 67910-56650 | PIN STRAIGHT         | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 67910-56660 | GEAR DIFF.PINION     | 2    |       |     | 11T     | 0.1          | 0.22        |
| 120    | 66591-14850 | COLLAR PINION THRUST | 2    |       |     |         | 0.006        | 0.0132      |
| 130    | 66591-14870 | GEAR DIFF.SIDE       | 2    |       |     | 15T     | 0.18         | 0.396       |
| 140    | 67910-56670 | SHIM                 | 1    |       |     | 1.0MM   | 0.006        | 0.0132      |
| 140    | 67910-56680 | SHIM                 | 1    |       |     | 1.2MM   | 0.008        | 0.0176      |
| 150    | 67810-56680 | BOLT UBS             | 4    |       |     |         | 0.013        | 0.0286      |






## MID CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76611-56340 | CASE MID           | 1    |         |     |         | 1.58         | 3.476       |
| 020    | 76611-56350 | COVER CASE         | 1    |         |     |         | 0.91         | 2.002       |
| 030    | 76621-56360 | GASKET             | 1    |         |     |         | 0.002        | 0.0044      |
| 040    | 76621-56370 | GASKET             | 1    |         |     |         | 0.005        | 0.011       |
| 050    | 01123-50820 | BOLT               | 4    |         |     |         | 0.011        | 0.0242      |
| 060    | 01123-50850 | BOLT               | 2    |         |     |         | 0.02         | 0.044       |
| 070    | 01123-50820 | BOLT               | 3    |         |     |         | 0.011        | 0.0242      |
| 080    | 05012-00816 | PIN STRAIGHT       | 1    |         |     |         | 0.007        | 0.0154      |
| 090    | 76611-56380 | GEAR               | 1    |         |     | 31T     | 0.538        | 1.1836      |
| 100    | 08101-06204 | BEARING BALL       | 1    |         |     |         | 0.102        | 0.2244      |
| 110    | 76611-56430 | SHIM               | 1    |         |     | 0.5MM   | 0.005        | 0.011       |
| 110    | 76611-56440 | SHIM               | 1    |         |     | 0.3MM   | 0.005        | 0.011       |
| 110    | 76611-56450 | SHIM               | 1    |         |     | 0.2MM   | 0.005        | 0.011       |
| 120    | 76611-56410 | SHAFT GEAR         | 1    | <=10763 |     |         | 0.318        | 0.6996      |
| 120    | 76611-56413 | SHAFT GEAR         | 1    | >=10764 | ≠   |         | 0.33         | 0.726       |
| 130    | 76611-56460 | BEARING NEEDLE     | 1    |         |     |         | 0.03         | 0.066       |
| 140    | 44366-23820 | COLLAR BACK SHAFT  | 1    |         |     |         | 0.002        | 0.0044      |
| 150    | 04612-00200 | CIRCLIP EXTERNAL   | 1    |         |     |         | 0.001        | 0.0022      |
| 160    | 08101-06004 | BEARING BALL       | 2    |         |     |         | 0.065        | 0.143       |
| 170    | 04611-00420 | CIR CLIP INTERNAL  | 1    |         |     |         | 0.006        | 0.0132      |
| 180    | 76611-12130 | SEAL OIL           | 1    |         |     |         | 0.08         | 0.176       |
| 190    | 06331-35010 | PLUG               | 1    |         |     |         | 0.012        | 0.0264      |
| 200    | 04717-01000 | WASHER WITH RUBBER | 1    |         |     |         | 0.001        | 0.0022      |
| 210    | 76611-56610 | SHAFT CENTER       | 1    | <=11610 |     |         | 0            | 0           |
| 210    | 76611-56612 | SHAFT CENTER       | 1    | >=11611 | ←   |         | 0.48         | 1.056       |
| 220    | 67401-51220 | WASHER LOCK        | 1    |         |     |         | 0.08         | 0.176       |
| 230    | 01123-50822 | BOLT               | 2    |         |     |         | 0.012        | 0.0264      |
| 240    | 02174-50180 | NUT                | 1    |         |     |         | 0.029        | 0.0638      |

## UNIVERSAL JOINT






**UNIVERSAL JOINT**  
S.No.;<=10763

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-56710 | ASSY SHAFT DRIVE  | 1    |       |     |         | 1.5          | 3.3         |
| 020    | 76611-56720 | SHAFT DRIVE       | 1    |       |     |         | 0.78         | 1.716       |
| 030    | 67121-57230 | ASSY JOINT REAR   | 1    |       |     |         | 0.7          | 1.54        |
| 040    | 66591-56410 | JOINT             | 2    |       |     |         | 0.252        | 0.5544      |
| 050    | 66591-56320 | ASSY JOINT CROSS  | 1    |       |     |         | 0.185        | 0.407       |
| 060    | 04611-00200 | CIR CLIP INTERNAL | 4    |       |     |         | 0.001        | 0.0022      |
| 070    | 05411-00628 | PIN SPRING        | 1    |       |     |         | 0.004        | 0.0088      |
| 090    | 67121-57250 | ASSY JOINT FRONT  | 1    |       |     |         | 0.77         | 1.694       |
| 100    | 66591-56340 | JOINT             | 1    |       |     |         | 0.338        | 0.7436      |
| 110    | 66591-56410 | JOINT             | 1    |       |     |         | 0.252        | 0.5544      |
| 120    | 66591-56320 | ASSY JOINT CROSS  | 1    |       |     |         | 0.185        | 0.407       |
| 130    | 04611-00200 | CIR CLIP INTERNAL | 4    |       |     |         | 0.001        | 0.0022      |
| 140    | 01053-50640 | BOLT              | 1    |       |     |         | 0.011        | 0.0242      |
| 150    | 76611-56730 | NUT LOCK          | 1    |       |     |         | 0.005        | 0.011       |



# UNIVERSAL JOINT






**UNIVERSAL JOINT**  
S.No.;10764 to 12449

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-90610 | ASSY JOINT UNIVERSAL | 1    |       |     |         | 0            | 0           |
| 020    | 76611-90620 | ASSY JOINT FRONT     | 1    |       |     |         | 0            | 0           |
| 030    | 76611-90630 | ASSY JOINT REAR      | 1    |       |     |         | 0            | 0           |
| 040    | 76611-90640 | YOKE CLAMP           | 1    |       |     |         | 0            | 0           |
| 045    | 76539-32120 | RING SNAP            | 4    |       |     |         | 0.003        | 0.0066      |
| 050    | 76611-57350 | YOKE SHAFT           | 1    |       |     |         | 1.02         | 2.244       |
| 060    | 76611-57370 | ASSY JOINT CROSS     | 1    |       |     |         | 0            | 0           |
| 070    | 76611-57360 | YOKE SLEEVE          | 1    |       |     |         | 0.46         | 1.012       |
| 075    | 76539-32120 | RING SNAP            | 4    |       |     |         | 0.003        | 0.0066      |
| 080    | 76611-57370 | ASSY JOINT CROSS     | 1    |       |     |         | 0            | 0           |
| 090    | 76611-90640 | YOKE CLAMP           | 1    |       |     |         | 0            | 0           |
| 100    | 76539-31210 | NIPPLE GREASE        | 2    |       |     |         | 0.01         | 0.022       |
| 110    | 76611-56730 | NUT LOCK             | 2    |       |     |         | 0.005        | 0.011       |
| 120    | 01053-50645 | BOLT                 | 2    |       |     |         | 0.012        | 0.0264      |
| 130    | 76611-90650 | MANUAL ASSEMBLY      | 1    |       |     |         | 0.56         | 1.232       |

# UNIVERSAL JOINT






**UNIVERSAL JOINT**  
S.No.;>=12450

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-90615 | KIT JOINT UNIVERSAL | 1    |       |     |         | 2.9          | 6.38        |
| 020    | 76611-57350 | YOKE SHAFT          | 1    |       |     |         | 1.02         | 2.244       |
| 030    | 76539-31180 | ASSY JOINT CROSS    | 1    |       |     |         | 0.21         | 0.462       |
| 040    | 76539-31210 | NIPPLE GREASE       | 1    |       |     |         | 0.01         | 0.022       |
| 050    | 76539-32120 | RING SNAP           | 4    |       |     |         | 0.003        | 0.0066      |
| 060    | 76611-57360 | YOKE SLEEVE         | 1    |       |     |         | 0.46         | 1.012       |
| 070    | 76539-31180 | ASSY JOINT CROSS    | 1    |       |     |         | 0.21         | 0.462       |
| 080    | 76539-31210 | NIPPLE GREASE       | 1    |       |     |         | 0.01         | 0.022       |
| 090    | 76539-32120 | RING SNAP           | 4    |       |     |         | 0.003        | 0.0066      |
| 100    | 01123-50828 | BOLT                | 1    |       |     |         | 0.014        | 0.0308      |
| 110    | 76611-43380 | PLATE               | 1    |       |     |         | 0.025        | 0.055       |
| 120    | 76611-43370 | PLATE               | 1    |       |     |         | 0.05         | 0.11        |
| 130    | 76611-43360 | ROD ADJUSTING       | 1    |       |     |         | 0.08         | 0.176       |
| 140    | 76611-56730 | NUT LOCK            | 1    |       |     |         | 0.005        | 0.011       |
| 150    | 01053-50645 | BOLT                | 1    |       |     |         | 0.012        | 0.0264      |
| 160    | 76611-90652 | MANUAL ASSEMBLY     | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 01123-50828 | BOLT                | 1    |       |     |         | 0.014        | 0.0308      |
| 180    | 76611-56730 | NUT LOCK            | 2    |       |     |         | 0.005        | 0.011       |
| 190    | 01053-50645 | BOLT                | 2    |       |     |         | 0.012        | 0.0264      |
| 200    | 76611-90660 | KIT JOINT FRONT     | 1    |       |     |         | 1.8          | 3.96        |
| 210    | 76611-90670 | KIT JOINT REAR      | 1    |       |     |         | 1.03         | 2.266       |
| 220    | 76611-90680 | KIT YOKE CLAMP      | 1    |       |     |         | 0.55         | 1.21        |


REAR WHEEL (16 X 6.50-8)



**REAR WHEEL (16 X 6.50-8)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|-----------|--------------|-------------|
| 010    | 76613-71110 | ASSY FRONT WHEEL    | 1    |       |     | [AU] [NZ] | 11           | 24.2        |
| 020    | 76613-71120 | ASSY FRONT WHEEL RH | 1    |       |     | [AU] [NZ] | 5.5          | 12.1        |
| 030    | 76613-71130 | TIRE                | 1    |       |     | [AU] [NZ] | 3.1          | 6.82        |
| 040    | 76613-71140 | WHEEL               | 1    |       |     | [AU] [NZ] | 2.3          | 5.06        |
| 050    | 34159-11850 | VALVE TIRE          | 1    |       |     | [AU] [NZ] | 0.013        | 0.0286      |
| 060    | 76611-47340 | LABEL TIRE RH       | 1    |       |     | [AU] [NZ] | 0.002        | 0.0044      |
| 070    | 76613-71150 | ASSY FRONT WHEEL LH | 1    |       |     | [AU] [NZ] | 5.5          | 12.1        |
| 080    | 76613-71130 | TIRE                | 1    |       |     | [AU] [NZ] | 3.1          | 6.82        |
| 090    | 76613-71140 | WHEEL               | 1    |       |     | [AU] [NZ] | 2.3          | 5.06        |
| 100    | 34159-11850 | VALVE TIRE          | 1    |       |     | [AU] [NZ] | 0.013        | 0.0286      |
| 110    | 76611-47330 | LABEL TIRE LH       | 1    |       |     | [AU] [NZ] | 0.002        | 0.0044      |
| 120    | 76613-71500 | ASSY TIRE REAR      | 1    |       |     | [A] [CA]  | 0            | 0           |
| 130    | 76613-71510 | ASSY TIRE REAR      | 2    |       |     | [A] [CA]  | 0            | 0           |
| 140    | 66101-56420 | TIRE                | 2    |       |     | [A] [CA]  | 0            | 0           |
| 150    | 76613-71530 | WHEEL               | 2    |       |     | [A] [CA]  | 2            | 4.4         |
| 160    | 76613-71540 | LABEL               | 2    |       |     | [A] [CA]  | 0            | 0           |
| 170    | 66120-17190 | VALVE TIRE          | 2    |       |     | [A] [CA]  | 0.012        | 0.0264      |




**REAR AXLE FRAME [F2100]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-56110 | FRAME FRONT AXLE     | 1    |       |     |         | 12.2         | 26.84       |
| 020    | 01133-51020 | BOLT                 | 16   |       |     |         | 0.02         | 0.044       |
| 030    | 67800-51994 | SUPPORT RADIATOR     | 2    |       |     |         | 0.127        | 0.2794      |
| 040    | 01754-50816 | BOLT FLANGE          | 4    |       |     |         | 0.011        | 0.0242      |
| 050    | 76611-56123 | COVER SIDE LH        | 1    |       |     |         | 0.68         | 1.496       |
| 060    | 76611-56940 | RIM RUBBER           | 1    |       |     |         | 0.005        | 0.011       |
| 070    | 76611-56873 | TAPE SIDE COVER LH   | 1    |       |     |         | 0.014        | 0.0308      |
| 080    | 76611-56880 | TAPE SIDE COVER LH   | 1    |       |     |         | 0.02         | 0.044       |
| 090    | 76611-56890 | TAPE SIDE COVER LH   | 1    |       |     |         | 0.005        | 0.011       |
| 100    | 76611-56930 | TAPE SIDE COVER LH   | 1    |       |     |         | 0.01         | 0.022       |
| 110    | 76611-56810 | TRIM SIDE COVER LH   | 1    |       |     |         | 0.02         | 0.044       |
| 120    | 76611-56820 | TRIM SIDE COVER      | 1    |       |     |         | 0.09         | 0.198       |
| 130    | 76611-56830 | TRIM SIDE COVER REAR | 1    |       |     |         | 0.02         | 0.044       |
| 140    | 76611-56130 | COVER SIDE RH        | 1    |       |     |         | 0.6          | 1.32        |
| 150    | 76611-56840 | TRIM SIDE COVER RH   | 1    |       |     |         | 0.02         | 0.044       |
| 160    | 76611-56820 | TRIM SIDE COVER      | 1    |       |     |         | 0.09         | 0.198       |
| 170    | 76611-56860 | TRIM SIDE COVER RH   | 1    |       |     |         | 0.03         | 0.066       |
| 180    | 32150-29180 | CAP RUBBER           | 1    |       |     |         | 0.002        | 0.0044      |
| 190    | 01754-50812 | BOLT FLANGE          | 2    |       |     |         | 0.01         | 0.022       |
| 200    | 01754-50812 | BOLT FLANGE          | 2    |       |     |         | 0.01         | 0.022       |
| 210    | 01754-50610 | BOLT FLANGE          | 2    |       |     |         | 0.006        | 0.0132      |



# KNUCKLE ARM






# **KNUCKLE ARM**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76630-56220 | ARM KNUCKLE LH   | 1    | <=10763 |     |         | 1.88         | 4.136       |
| 010    | 76630-56223 | ARM KNUCKLE LH   | 1    | >=10764 | ≠   |         | 0            | 0           |
| 020    | 76630-56230 | ARM KNUCKLE RH   | 1    |         |     |         | 0            | 0           |
| 030    | 04811-00200 | RING             | 2    |         |     |         | 0.001        | 0.0022      |
| 040    | 67910-56430 | BUSH             | 2    |         |     |         | 0.004        | 0.0088      |
| 050    | 01123-51230 | BOLT             | 4    |         |     |         | 0.04         | 0.088       |
| 060    | 01123-51038 | BOLT             | 4    |         |     |         | 0.028        | 0.0616      |
| 070    | 76630-56240 | SHIM KNUCKLE ARM | 2    |         |     | 0.5MM   | 0.009        | 0.0198      |
| 070    | 76630-56250 | SHIM KNUCKLE ARM | 2    |         |     | 0.3MM   | 0.006        | 0.0132      |
| 070    | 76630-56260 | SHIM KNUCKLE ARM | 2    |         |     | 0.2MM   | 0.004        | 0.0088      |
| 080    | 76611-56630 | ASSY ROD TIE     | 1    |         |     |         | 1.86         | 4.092       |
| 090    | 38240-12210 | LINK DRAG        | 1    |         |     |         | 1.36         | 2.992       |
| 100    | 76611-56480 | END TIE ROD LH   | 1    |         |     |         | 0.245        | 0.539       |
| 110    | 67121-56560 | COVER DUST       | 1    |         |     |         | 0.008        | 0.0176      |
| 120    | 67121-56570 | CLIP             | 1    |         |     |         | 0.003        | 0.0066      |
| 130    | 76611-56470 | END TIE ROD RH   | 1    |         |     |         | 0.24         | 0.528       |
| 140    | 67121-56560 | COVER DUST       | 1    |         |     |         | 0.008        | 0.0176      |
| 150    | 67121-56570 | CLIP             | 1    |         |     |         | 0.003        | 0.0066      |
| 160    | 04512-60100 | WASHER SPRING    | 2    |         |     |         | 0.002        | 0.0044      |
| 170    | 66591-56780 | NUT              | 2    |         |     |         | 0.01         | 0.022       |
| 180    | 05511-52520 | PIN SPLIT        | 2    |         |     |         | 0.001        | 0.0022      |
| 190    | 02172-50160 | NUT              | 1    |         |     |         | 0.017        | 0.0374      |
| 200    | 32240-12280 | NUT              | 1    |         |     |         | 0.017        | 0.0374      |






## STEERING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76630-41110 | SHAFT STEERING      | 1    |         |     |         | 0.95         | 2.09        |
| 020    | 76630-41210 | SHAFT STEERING      | 1    |         |     |         | 0.38         | 0.836       |
| 030    | 76630-41310 | JOINT STEERING      | 1    |         |     |         | 0.29         | 0.638       |
| 040    | 01123-50825 | BOLT                | 1    |         |     |         | 0.013        | 0.0286      |
| 060    | 37410-41320 | COLLAR              | 1    |         |     |         | 0.005        | 0.011       |
| 070    | 76630-41120 | COMP.POST STEERING  | 1    |         |     |         | 3.62         | 7.964       |
| 080    | 76630-41220 | LEVER TILT          | 1    |         |     |         | 0.04         | 0.088       |
| 090    | 33251-80170 | GRIP                | 1    |         |     |         | 0.008        | 0.0176      |
| 100    | 76630-41230 | HOLDER TILT PIN     | 1    |         |     |         | 0.2          | 0.44        |
| 110    | 32530-16460 | PIN TILT            | 1    |         |     |         | 0.06         | 0.132       |
| 120    | 36330-62210 | SPRING              | 1    |         |     |         | 0.005        | 0.011       |
| 130    | 01123-60816 | BOLT                | 2    |         |     |         | 0.01         | 0.022       |
| 140    | 05122-50518 | PIN JOINT           | 1    |         |     |         | 0.002        | 0.0044      |
| 150    | 04013-50050 | WASHER PLAIN        | 1    |         |     |         | 0            | 0           |
| 160    | 05511-51210 | PIN SPLIT           | 1    |         |     |         | 0.001        | 0.0022      |
| 170    | 08141-06003 | BEARING BALL        | 1    |         |     |         | 0.037        | 0.0814      |
| 180    | 04612-00170 | CIRCLIP EXTERNAL    | 1    |         |     |         | 0.001        | 0.0022      |
| 190    | 04611-00350 | CIR CLIP INTERNAL   | 2    |         |     |         | 0.003        | 0.0066      |
| 200    | 37410-41340 | BUSH POST           | 1    |         |     |         | 0.015        | 0.033       |
| 210    | 01311-10612 | BOLT HEX-SOC-HD     | 1    |         |     |         | 0.01         | 0.022       |
| 220    | 66021-41000 | ASSY WHEEL STEERING | 1    | <=11610 |     |         | 0            | 0           |
| 220    | 66021-41002 | ASSY WHEEL STEERING | 1    | >=11611 |     |         | 2            | 4.4         |
| 230    | 66021-41020 | MARK                | 1    | <=11610 |     |         | 0            | 0           |
| 230    | 66021-41022 | MARK                | 1    | >=11611 |     |         | 0.035        | 0.077       |
| 240    | 04512-60120 | WASHER SPRING       | 1    |         |     |         | 0.005        | 0.011       |
| 250    | 02174-50120 | NUT                 | 1    |         |     |         | 0.01         | 0.022       |
| 260    | 02771-60100 | NUT FLANGE          | 4    |         |     |         | 0.01         | 0.022       |






## HANDRE POST

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|--------|-----|---------|--------------|-------------|
| 010    | 76630-51610 | POST HANDLE     | 1    |        |     |         | 2.52         | 5.544       |
| 020    | 01754-50616 | BOLT FLANGE     | 4    |        |     |         | 0.006        | 0.0132      |
| 030    | 01754-50812 | BOLT FLANGE     | 2    | ≤11858 |     |         | 0.01         | 0.022       |
| 030    | 01754-50812 | BOLT FLANGE     | 3    | ≥11859 |     |         | 0.01         | 0.022       |
| 040    | 76630-51710 | COVER POST      | 1    |        |     |         | 0.23         | 0.506       |
| 050    | 76611-51720 | GRILLE LIGHT    | 1    | ≤11610 |     |         | 0            | 0           |
| 050    | 76611-51722 | GRILLE LIGHT    | 1    | ≥11611 | ←   |         | 0.085        | 0.187       |
| 060    | 55611-44190 | NUT             | 4    |        |     |         | 0.004        | 0.0088      |
| 070    | 55611-44210 | PLATE WASHER    | 4    |        |     |         | 0.007        | 0.0154      |
| 080    | 76611-51583 | STAY            | 1    |        |     |         | 0.35         | 0.77        |
| 090    | 01774-61020 | BOLT FLANGE     | 2    |        |     |         | 0.022        | 0.0484      |
| 100    | 76630-51720 | PIPE POST COVER | 1    |        |     |         | 0.17         | 0.374       |

## POWER STEERING






## POWER STEERING

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.  | I/C | REMARKS                                   | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|--------|-----|-------------------------------------------|--------------|-------------|
| 010    | 76611-36143 | PIPE DELIVERY  | 1    |        |     |                                           | 0.25         | 0.55        |
| 020    | 31351-45270 | PIPE RUBBER    | 1    |        |     |                                           | 0.005        | 0.011       |
| 030    | 04714-00300 | GASKET         | 2    | ≤11400 |     |                                           | 0.002        | 0.0044      |
| 030    | 67111-37180 | GASKET         | 2    | ≥11401 | ←   |                                           | 0.003        | 0.0066      |
| 040    | 66591-36250 | JOINT          | 1    |        |     |                                           | 0.08         | 0.176       |
| 050    | 36530-27632 | UNION          | 1    |        |     |                                           | 0.075        | 0.165       |
| 060    | 76611-36610 | RUBBER PIPE    | 1    |        |     |                                           | 0.01         | 0.022       |
|        |             | PROTECT        |      |        |     |                                           |              |             |
| 070    | 66204-36230 | BAND PIPE      | 1    |        |     |                                           | 0.02         | 0.044       |
| 080    | 76611-36412 | ASSY STEERING  | 1    |        |     | REFER TO L.NO. 0F08-L0<br>FOR COMPONENTS. | 7.1          | 15.62       |
|        |             | POWER          |      |        |     |                                           |              |             |
| 090    | 01555-51025 | STUD           | 4    |        |     |                                           | 0.02         | 0.044       |
| 100    | 76611-36670 | FITTING        | 1    |        |     |                                           | 0.11         | 0.242       |
|        |             | P-STEERING     |      |        |     |                                           |              |             |
| 110    | 67111-37180 | GASKET         | 2    |        |     |                                           | 0.003        | 0.0066      |
| 120    | 66591-36250 | JOINT          | 1    |        |     |                                           | 0.08         | 0.176       |
| 130    | 76611-36230 | JOINT          | 2    |        |     |                                           | 0.1          | 0.22        |
| 140    | 04811-00180 | RING           | 2    |        |     |                                           | 0.001        | 0.0022      |
| 150    | 76611-36440 | ADAPTER        | 2    |        |     |                                           | 0.1          | 0.22        |
| 160    | 76611-36450 | HOSE POWER     | 1    |        |     |                                           | 0.42         | 0.924       |
|        |             | CYLINDER       |      |        |     |                                           |              |             |
| 170    | 76611-36460 | HOSE POWER     | 1    |        |     |                                           | 0.38         | 0.836       |
|        |             | CYLINDER       |      |        |     |                                           |              |             |
| 180    | 36830-63030 | JOINT CYLINDER | 2    |        |     |                                           | 0.054        | 0.1188      |
| 190    | 76611-36470 | CYLINDER       | 1    |        |     | REFER TO L.NO. 0F09-L0<br>FOR COMPONENTS. | 1.92         | 4.224       |
|        |             | POWER          |      |        |     |                                           |              |             |
| 200    | 76611-36480 | END ROD        | 1    |        |     |                                           | 0.194        | 0.4268      |
| 210    | 02152-50160 | NUT            | 1    |        |     |                                           | 0.018        | 0.0396      |
| 220    | 04013-60120 | WASHER PLAIN   | 1    |        |     |                                           | 0.01         | 0.022       |
| 230    | 02372-50120 | NUT            | 1    |        |     |                                           | 0.008        | 0.0176      |
| 240    | 05511-50325 | PIN SPLIT      | 1    |        |     |                                           | 0.002        | 0.0044      |
| 250    | 38180-12600 | ASSY END TIE   | 1    | ≤10763 |     |                                           | 0.245        | 0.539       |
|        |             | ROD RH         |      |        |     |                                           |              |             |
| 250    | 76611-37560 | ASSY END ROD   | 1    | ≥10764 | ≠   |                                           | 0.25         | 0.55        |
|        |             | RH             |      |        |     |                                           |              |             |
| 260    | 05511-52520 | PIN SPLIT      | 1    |        |     |                                           | 0.001        | 0.0022      |
| 270    | 66591-56780 | NUT            | 1    |        |     |                                           | 0.01         | 0.022       |
| 280    | 02172-50140 | NUT            | 1    |        |     |                                           | 0.01         | 0.022       |
| 290    | 76611-36512 | PIPE DELIVERY  | 1    |        |     |                                           | 0.21         | 0.462       |
| 300    | 76611-36650 | HOSE RETURN    | 1    |        |     |                                           | 0.5          | 1.1         |
| 310    | 06918-88016 | CLAMP HOSE     | 2    |        |     |                                           | 0.004        | 0.0088      |
| 320    | 76611-36552 | PIPE DELIVERY  | 1    |        |     |                                           | 0.27         | 0.594       |








## POWER STEERING [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-36412 | ASSY STEERING POWER  | 1    |       |     |         | 7.1          | 15.62       |
| 015    | 76611-37110 | SCREW                | 7    |       |     |         | 0.01         | 0.022       |
| 020    | 76611-37120 | CAP END              | 1    |       |     |         | 0.5          | 1.1         |
| 030    | 76611-37130 | ROTOR                | 1    |       |     |         | 0.2          | 0.44        |
| 040    | 76611-37140 | SPACER PLATE         | 1    |       |     |         | 0.135        | 0.297       |
| 050    | 76611-37150 | DRIVE                | 1    |       |     |         | 0.123        | 0.2706      |
| 060    | 76611-37160 | ASSY PARTS CONTROL   | 1    |       |     |         | 3.66         | 8.052       |
| 070    | 76611-37170 | SCREW SET            | 1    |       |     |         | 0.02         | 0.044       |
| 080    | 76611-37180 | O RING               | 1    |       |     |         | 0.002        | 0.0044      |
| 090    | 76611-37190 | SEAT CHECK           | 1    |       |     |         | 0.015        | 0.033       |
| 100    | 76611-37200 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 76611-37210 | BALL                 | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 76611-37220 | BALL RETAINER CHECK  | 1    |       |     |         | 0.002        | 0.0044      |
| 130    | 76611-37230 | O RING               | 3    |       |     |         | 0.002        | 0.0044      |
| 140    | 76611-37240 | RACE BEARING         | 2    |       |     |         | 0.015        | 0.033       |
| 150    | 76611-37250 | NEEDLE THRUST        | 1    |       |     |         | 0.006        | 0.0132      |
| 160    | 76611-37260 | O RING               | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 76611-37270 | SEAL OIL             | 1    |       |     |         | 0.005        | 0.011       |
| 180    | 76611-37280 | SEAL DUST            | 1    |       |     |         | 0.005        | 0.011       |
| 190    | 76611-37290 | RING RETAINING       | 1    |       |     |         | 0.01         | 0.022       |
| 200    | 76611-37300 | BUSH                 | 1    |       |     |         | 0.103        | 0.2266      |
| 210    | 76611-37470 | KIT SEAL             | 1    |       |     | OPTION  | 0.009        | 0.0198      |
| 220    | 76611-37310 | ASSY HOUSING-SPOOL   | 1    |       |     |         | 1.9          | 4.18        |
| 230    | 76611-37320 | BALL                 | 1    |       |     |         | 0            | 0           |
| 240    | 76611-37330 | GUIDE BALL           | 1    |       |     |         | 0.002        | 0.0044      |
| 250    | 76611-37340 | SPRING RELIEF        | 1    |       |     |         | 0.01         | 0.022       |
| 260    | 76611-37350 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 270    | 76611-37360 | PLUG                 | 1    |       |     |         | 0.03         | 0.066       |
| 280    | 76611-37370 | O RING               | 3    |       |     |         | 0.001        | 0.0022      |
| 290    | 76611-37380 | SCREW ADJUSTING      | 1    |       |     |         | 0.006        | 0.0132      |
| 300    | 76611-37390 | NUT LOCK             | 1    |       |     |         | 0.001        | 0.0022      |
| 310    | 76611-37400 | PLUG SPOOL           | 2    |       |     |         | 0.02         | 0.044       |
| 320    | 76611-37410 | SPRING CONTROL       | 1    |       |     |         | 0.005        | 0.011       |
| 330    | 76611-37420 | ASSY VALVE CHECK(CF) | 1    |       |     |         | 0.015        | 0.033       |
| 340    | 76611-37430 | VALVE CHECK ORIFICE  | 1    |       |     |         | 0            | 0           |
| 350    | 76611-37440 | O RING               | 4    |       |     |         | 0.001        | 0.0022      |
| 360    | 76611-37450 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 370    | 76611-37460 | BOLT                 | 2    |       |     |         | 0.036        | 0.0792      |
| 380    | 76611-37480 | KIT SEAL             | 1    |       |     | OPTION  | 0            | 0           |






## POWER CYLINDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-36470 | CYLINDER POWER | 1    |       |     |         | 1.92         | 4.224       |
| 020    | 76611-37510 | ASSY CYLINDER  | 1    |       |     |         | 2            | 4.4         |
| 030    | 76611-37520 | ASSY ROD       | 1    |       |     |         | 0.8          | 1.76        |
| 040    | 76611-37530 | ROD            | 1    |       |     |         | 0.5          | 1.1         |
| 050    | 96319-38770 | PISTON         | 1    |       |     |         | 0.045        | 0.099       |
| 060    | 96319-38780 | NUT            | 1    |       |     |         | 0.015        | 0.033       |
| 070    | 04811-07230 | RING           | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 96319-38790 | ASSY BOX       | 1    |       |     |         | 0.22         | 0.484       |
| 120    | 96319-38810 | RING SNAP      | 1    |       |     |         | 0.002        | 0.0044      |
| 130    | 04811-50250 | RING           | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 76611-37540 | KIT SEAL       | 1    |       |     | OPTION  | 0.01         | 0.022       |







## HYDRAULIC PIPE [F2100]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 76611-36110 | PIPE OIL COOLER LH  | 1    |        |     |         | 0.25         | 0.55        |
| 020    | 66591-36250 | JOINT               | 1    |        |     |         | 0.08         | 0.176       |
| 030    | 67111-37180 | GASKET              | 2    |        |     |         | 0.003        | 0.0066      |
| 040    | 66204-36270 | HOSE                | 1    |        |     |         | 0.038        | 0.0836      |
| 050    | 66204-36280 | BAND PIPE           | 2    |        |     |         | 0.02         | 0.044       |
| 060    | 76611-36120 | PIPE SUCTION        | 1    |        |     |         | 0.54         | 1.188       |
| 070    | 32170-38170 | BOLT HYD.PIPE JOINT | 1    |        |     |         | 0.09         | 0.198       |
| 080    | 04811-00220 | RING                | 2    |        |     |         | 0.001        | 0.0022      |
| 090    | 66204-36720 | HOSE                | 1    |        |     |         | 0.04         | 0.088       |
| 100    | 66204-36230 | BAND PIPE           | 2    |        |     |         | 0.02         | 0.044       |
| 110    | 76611-36133 | PIPE SUCTION        | 1    |        |     |         | 0.49         | 1.078       |
| 120    | 04811-10300 | RING                | 2    |        |     |         | 0.001        | 0.0022      |
| 130    | 67156-36120 | FILTER OIL          | 1    | ≤11615 |     |         | 0.22         | 0.484       |
| 130    | 66021-36390 | FILTER OIL          | 1    | ≥11616 | ↔   |         | 0.185        | 0.407       |
| 140    | 01774-51016 | BOLT FLANGE         | 1    |        |     |         | 0.02         | 0.044       |



010 76611-5822-0




030 76611-5825-0

035 76611-5834-0

040 76611-5826-0

050 03024-50408

060 02054-50040




76611-807-10





CONTROL VALVE



76611-031-10




## CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------------------------------------|--------------|-------------|
| 010    | 76611-36210 | ASSY VALVE CONTROL | 1    |         |     | REFER TO L.NO.0F14-L0 FOR COMPONENTS. | 6            | 13.2        |
| 020    | 01774-51025 | BOLT FLANGE        | 3    |         |     |                                       | 0.02         | 0.044       |
| 030    | 76611-36310 | LEVER              | 1    |         |     |                                       | 0.15         | 0.33        |
|        |             | HYDRAULIC          |      |         |     |                                       |              |             |
| 040    | 55411-33420 | GRIP LEVER         | 1    | <=12131 |     |                                       | 0.035        | 0.077       |
| 040    | 55611-31460 | GRIP LEVER         | 1    | >=12132 | ↔   |                                       | 0.03         | 0.066       |
| 050    | 05122-50518 | PIN JOINT          | 2    |         |     |                                       | 0.002        | 0.0044      |
| 060    | 04013-50050 | WASHER PLAIN       | 2    |         |     |                                       | 0            | 0           |
| 070    | 05511-51208 | PIN SPLIT          | 2    |         |     |                                       | 0.001        | 0.0022      |
| 080    | 76611-36230 | JOINT              | 2    |         |     |                                       | 0.1          | 0.22        |
| 090    | 04811-00180 | RING               | 2    |         |     |                                       | 0.001        | 0.0022      |
| 100    | 68051-63620 | ADAPTER            | 1    |         |     |                                       | 0.06         | 0.132       |
| 110    | 04811-00140 | RING               | 1    |         |     |                                       | 0.001        | 0.0022      |
| 120    | 76611-36240 | HOSE CYLINDER      | 1    |         |     |                                       | 0.2          | 0.44        |
| 130    | 36830-63030 | JOINT CYLINDER     | 1    |         |     |                                       | 0.054        | 0.1188      |
| 140    | 76611-36260 | CYLINDER LIFT      | 1    |         |     | REFER TO L.NO.0F15-L0 FOR COMPONENTS. | 4.05         | 8.91        |
| 150    | 76611-36270 | HOSE CYLINDER      | 1    |         |     |                                       | 0.11         | 0.242       |
| 160    | 06918-88016 | CLAMP HOSE         | 2    |         |     |                                       | 0.004        | 0.0088      |
| 170    | 76611-36640 | FILTER RETURN      | 1    |         |     |                                       | 0.45         | 0.99        |
| 180    | 30401-37580 | CARTRIDGE          | 1    |         |     |                                       | 0.34         | 0.748       |
|        |             | FILTER             |      |         |     |                                       |              |             |
| 190    | 76611-36680 | RETURN PIPE VALVE  | 1    |         |     |                                       | 0.095        | 0.209       |
| 200    | 76611-36690 | RETURN PIPE VALVE  | 1    |         |     |                                       | 0.06         | 0.132       |
| 210    | 76611-36630 | JOINT              | 1    |         |     |                                       | 0.06         | 0.132       |
| 220    | 76611-36620 | JOINT              | 1    |         |     |                                       | 0.061        | 0.1342      |
| 230    | 01754-50812 | BOLT FLANGE        | 2    |         |     |                                       | 0.01         | 0.022       |
| 240    | 36730-27660 | ELBOW              | 1    |         |     |                                       | 0.06         | 0.132       |

# CONTROL VALVE [COMPONENT PARTS]






## CONTROL VALVE [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-36210 | ASSY VALVE CONTROL | 1    |       |     |         | 6            | 13.2        |
| 020    | 76611-38110 | PLATE CONNECTION   | 1    |       |     |         | 1.55         | 3.41        |
| 030    | 76611-38120 | PLATE END          | 1    |       |     |         | 1.102        | 2.4244      |
| 040    | 76611-38130 | VALVE CHECK        | 1    |       |     |         | 0.008        | 0.0176      |
| 050    | 76611-38140 | SPRING             | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 76611-38150 | WASHER PLAIN       | 1    |       |     |         | 0.003        | 0.0066      |
| 070    | 76611-38160 | O RING             | 2    |       |     |         | 0.003        | 0.0066      |
| 080    | 76611-38170 | BOLT               | 2    |       |     |         | 0.08         | 0.176       |
| 090    | 76611-38180 | NUT                | 2    |       |     |         | 0.01         | 0.022       |
| 100    | 76611-38190 | BOLT               | 1    |       |     |         | 0.03         | 0.066       |
| 110    | 76611-38200 | NUT                | 4    |       |     |         | 0.005        | 0.011       |
| 120    | 76611-38210 | SEAL OIL           | 2    |       |     |         | 0.01         | 0.022       |
| 130    | 76611-38220 | PLATE              | 2    |       |     |         | 0.05         | 0.11        |
| 140    | 76611-38230 | SEAT SPRING        | 1    |       |     |         | 0.01         | 0.022       |
| 150    | 76611-38240 | SPRING             | 1    |       |     |         | 0.013        | 0.0286      |
| 160    | 76611-38250 | BOLT               | 1    |       |     |         | 0.03         | 0.066       |
| 170    | 76611-38260 | BALL               | 2    |       |     |         | 0.005        | 0.011       |
| 180    | 76611-38270 | SPRING             | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | 76611-38280 | WASHER PLAIN       | 1    |       |     |         | 0.01         | 0.022       |
| 200    | 76611-38290 | BUSH               | 1    |       |     |         | 0.02         | 0.044       |
| 210    | 76611-38300 | SPACER             | 1    |       |     |         | 0.02         | 0.044       |
| 220    | 76611-38310 | NUT                | 1    |       |     |         | 0.042        | 0.0924      |
| 230    | 76611-38320 | BOLT               | 2    |       |     |         | 0.02         | 0.044       |
| 240    | 76611-38330 | BOLT               | 2    |       |     |         | 0.005        | 0.011       |
| 250    | 76611-38340 | VALVE RELIEF       | 1    |       |     |         | 0.235        | 0.517       |
| 260    | 76611-38350 | SPRING             | 1    |       |     |         | 0.005        | 0.011       |
| 270    | 76611-38360 | VALVE              | 1    |       |     |         | 0.04         | 0.088       |
| 280    | 76611-38370 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 290    | 76611-38380 | O RING             | 2    |       |     |         | 0.002        | 0.0044      |
| 300    | 76611-38390 | BODY               | 1    |       |     |         | 0.03         | 0.066       |
| 310    | 76611-38400 | BOLT               | 1    |       |     |         | 0.015        | 0.033       |
| 320    | 76611-38410 | NUT                | 1    |       |     |         | 0.01         | 0.022       |
| 330    | 76611-38420 | PLUG               | 1    |       |     |         | 0.02         | 0.044       |
| 340    | 76611-38430 | PLUG               | 1    |       |     |         | 0.02         | 0.044       |
| 350    | 76611-38440 | PLUG               | 1    |       |     |         | 0.01         | 0.022       |
| 360    | 76611-38450 | PLUG               | 2    |       |     |         | 0.005        | 0.011       |
| 370    | 76611-38460 | BRACKET            | 1    |       |     |         | 0.01         | 0.022       |



120 76611-1243-3

130 36200-2161-0

140 35820-2162-0



76633-800-10




## LIFT CYLINDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 76611-36260 | CYLINDER LIFT      | 1    |        |     |         | 4.05         | 8.91        |
| 020    | 76611-37710 | COMP.TUBE CYLINDER | 1    |        |     |         | 2            | 4.4         |
| 030    | 76611-37720 | COMP ROD CYLINDER  | 1    |        |     |         | 1.05         | 2.31        |
| 040    | 76611-37730 | END                | 1    | ≤12716 |     |         | 0.56         | 1.232       |
| 040    | 76611-37732 | END                | 1    | ≥12717 | ≠   |         | 0.51         | 1.122       |
| 050    | 76611-37740 | PISTON             | 1    |        |     |         | 0.48         | 1.056       |
| 060    | 76611-37750 | SCRAPER            | 1    | ≤12716 |     |         | 0.012        | 0.0264      |
| 060    | 68701-72170 | SCRAPER            | 1    | ≥12717 | ≠   |         | 0.006        | 0.0132      |
| 070    | 76611-37760 | CIR-CLIP           | 1    | ≤12716 |     |         | 0.001        | 0.0022      |
| 080    | 04811-50550 | RING               | 1    |        |     |         | 0.002        | 0.0044      |
| 090    | 71611-93160 | CIR-CLIP           | 1    |        |     |         | 0.01         | 0.022       |
| 100    | 71611-93140 | SQUARE RING        | 1    | ≤12716 |     |         | 0.01         | 0.022       |
| 110    | 71611-93150 | RING               | 1    | ≤12716 |     |         | 0.01         | 0.022       |
| 110    | 69191-72320 | SEAL PISTON        | 1    | ≥12717 | ≠   |         | 0.008        | 0.0176      |
| 120    | 71611-93110 | WEARING            | 1    |        |     |         | 0.01         | 0.022       |
| 130    | 70765-75210 | U-NUT              | 1    | ≤12716 |     |         | 0            | 0           |
| 130    | 76650-26940 | NUT LOCK           | 1    | ≥12717 | ≠   |         | 0.055        | 0.121       |
| 140    | 08511-01815 | BUSH               | 2    | ≤12716 |     |         | 0.007        | 0.0154      |





090 76611-4525-0

110 01123-51235



76611-806-10




# CONTROL VALVE KIT [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS                               | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------------------------------------|--------------|-------------|
| 010    | 76611-36770 | VALVE CONTROL      | 1    |         |     | REFER TO L.NO.0F16-L0 FOR COMPONENTS. | 2.35         | 5.17        |
| 020    | 05122-50518 | PIN JOINT          | 2    |         |     |                                       | 0.002        | 0.0044      |
| 030    | 76611-36790 | BOLT               | 2    |         |     |                                       | 0.05         | 0.11        |
| 040    | 76611-36780 | BOLT               | 1    |         |     |                                       | 0.1          | 0.22        |
| 050    | 76611-36750 | ADAPTER            | 1    |         |     |                                       | 0.155        | 0.341       |
| 060    | 76611-36760 | ADAPTER            | 1    |         |     |                                       | 0.1          | 0.22        |
| 070    | 76611-36740 | ASSY JOINT FEMALE  | 2    |         |     |                                       | 0.03         | 0.066       |
| 075    | 76611-36330 | PLUG               | 2    |         |     |                                       | 0.004        | 0.0088      |
| 080    | 76611-45260 | STAY REINFORCING   | 1    |         |     |                                       | 0.2          | 0.44        |
| 090    | 76611-45250 | PIPE REINFORCING 2 | 1    | <=11805 |     |                                       | 0.25         | 0.55        |
| 100    | 76611-36720 | LEVER HYDRAULIC    | 1    |         |     |                                       | 0.15         | 0.33        |
| 110    | 01123-51235 | BOLT               | 1    | <=11805 |     |                                       | 0.041        | 0.0902      |
| 120    | 01173-51020 | BOLT               | 1    |         |     |                                       | 0.017        | 0.0374      |
| 130    | 01173-51025 | BOLT               | 1    |         |     |                                       | 0.021        | 0.0462      |
| 140    | 02118-50100 | NUT                | 2    |         |     |                                       | 0.005        | 0.011       |
| 150    | 04512-60100 | WASHER SPRING      | 2    |         |     |                                       | 0.002        | 0.0044      |
| 160    | 04013-50100 | WASHER PLAIN       | 1    |         |     |                                       | 0            | 0           |
| 170    | 55411-33420 | GRIP LEVER         | 1    | <=12131 |     |                                       | 0.035        | 0.077       |
| 170    | 55611-31460 | GRIP LEVER         | 1    | >=12132 | ≠   |                                       | 0.03         | 0.066       |
| 180    | 05511-51208 | PIN SPLIT          | 2    |         |     |                                       | 0.001        | 0.0022      |
| 190    | 04013-50050 | WASHER PLAIN       | 2    |         |     |                                       | 0            | 0           |
| 200    | 76611-36730 | ASSY JOINT MALE    | 2    |         |     |                                       | 0.065        | 0.143       |
| 210    | 76611-36320 | CAP                | 2    |         |     |                                       | 0.003        | 0.0066      |
| 220    | 76611-62210 | MANUAL INSTRUCTION | 1    |         |     |                                       | 0.02         | 0.044       |

## CONTROL VALVE 2 [COMPONENT PARTS]






## CONTROL VALVE 2 [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-36770 | VALVE CONTROL | 1    |       |     |         | 2.35         | 5.17        |
| 020    | 76611-38510 | VALVE         | 1    |       |     |         | 0.11         | 0.242       |
| 030    | 04810-00100 | O RING        | 1    |       |     |         | 0.001        | 0.0022      |
| 040    | 76611-38520 | O RING        | 1    |       |     |         | 0.002        | 0.0044      |
| 050    | 76611-38530 | RING BACK UP  | 1    |       |     |         | 0.001        | 0.0022      |
| 060    | 04810-00220 | O RING        | 1    |       |     |         | 0.001        | 0.0022      |
| 070    | 76611-38160 | O RING        | 1    |       |     |         | 0.003        | 0.0066      |
| 080    | 76611-38130 | VALVE CHECK   | 1    |       |     |         | 0.008        | 0.0176      |
| 090    | 76611-38140 | SPRING        | 1    |       |     |         | 0.005        | 0.011       |
| 100    | 76611-38150 | WASHER PLAIN  | 1    |       |     |         | 0.003        | 0.0066      |
| 110    | 76611-38210 | SEAL OIL      | 2    |       |     |         | 0.01         | 0.022       |
| 120    | 76611-38220 | PLATE         | 1    |       |     |         | 0.05         | 0.11        |
| 130    | 76611-38230 | SEAT SPRING   | 2    |       |     |         | 0.01         | 0.022       |
| 140    | 76611-38240 | SPRING        | 1    |       |     |         | 0.013        | 0.0286      |
| 150    | 76611-38540 | BOLT          | 1    |       |     |         | 0.01         | 0.022       |
| 160    | 76611-38310 | NUT           | 1    |       |     |         | 0.042        | 0.0924      |
| 170    | 76611-38320 | BOLT          | 2    |       |     |         | 0.02         | 0.044       |
| 180    | 76611-38330 | BOLT          | 2    |       |     |         | 0.005        | 0.011       |
| 190    | 76611-38550 | PLUG          | 1    |       |     |         | 0.05         | 0.11        |
| 200    | 04810-00220 | O RING        | 1    |       |     |         | 0.001        | 0.0022      |
| 210    | 76611-38560 | RING BACK UP  | 1    |       |     |         | 0.001        | 0.0022      |
| 220    | 76611-38570 | O RING        | 1    |       |     |         | 0.002        | 0.0044      |
| 230    | 76611-38460 | BRACKET       | 1    |       |     |         | 0.01         | 0.022       |
| 240    | 76611-38420 | PLUG          | 2    |       |     |         | 0.02         | 0.044       |
| 250    | 04810-00100 | O RING        | 2    |       |     |         | 0.001        | 0.0022      |
| 260    | 76611-38580 | SHIM          | 1    |       |     |         | 0.002        | 0.0044      |






LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS                                                                              | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|--------------------------------------------------------------------------------------|--------------|-------------|
| 010    | 76611-65113 | BRACKET LH           | 1    |         |     | ORDER NEW PARTS SET WITH REF.No. 010 100<br>ORDER NEW PARTS SET WITH REF.No. 020 110 | 2.04         | 4.488       |
| 020    | 76611-65123 | BRACKET RH           | 1    |         |     |                                                                                      | 2.2          | 4.84        |
| 030    | 01153-51235 | BOLT                 | 4    |         |     |                                                                                      | 0.039        | 0.0858      |
| 040    | 04512-50120 | WASHER<br>SPRING     | 4    |         |     |                                                                                      | 0            | 0           |
| 041    | 04013-60120 | WASHER PLAIN         | 4    |         |     |                                                                                      | 0.01         | 0.022       |
| 050    | 01555-51225 | STUD                 | 6    |         |     |                                                                                      | 0.039        | 0.0858      |
| 060    | 76611-65310 | NUT LOCK             | 6    |         |     |                                                                                      | 0.01         | 0.022       |
| 070    | 76611-65240 | PIN LIFT ARM         | 1    |         |     |                                                                                      | 0.192        | 0.4224      |
| 080    | 04011-50180 | WASHER PLAIN         | 1    |         |     |                                                                                      | 0.012        | 0.0264      |
| 090    | 05511-50530 | PIN SPLIT            | 1    |         |     |                                                                                      | 0.006        | 0.0132      |
| 100    | 76611-65132 | SHAFT LH             | 1    |         |     | ORDER NEW PARTS SET WITH REF.No. 010 100<br>ORDER NEW PARTS SET WITH REF.No. 020 110 | 0.35         | 0.77        |
| 110    | 76611-65142 | SHAFT RH             | 1    |         |     |                                                                                      | 0.27         | 0.594       |
| 120    | 01514-51018 | STUD                 | 2    |         |     |                                                                                      | 0.017        | 0.0374      |
| 122    | 04512-60100 | WASHER<br>SPRING     | 2    |         |     |                                                                                      | 0.002        | 0.0044      |
| 123    | 02118-50100 | NUT                  | 2    |         |     |                                                                                      | 0.005        | 0.011       |
| 130    | 76611-65154 | LINK 1 LH            | 1    |         |     |                                                                                      | 7.1          | 15.62       |
| 135    | 08511-01825 | BUSH                 | 2    |         |     |                                                                                      | 0.01         | 0.022       |
| 140    | 76611-65164 | LINK 1 RH            | 1    |         |     |                                                                                      | 7.15         | 15.73       |
| 145    | 08511-01825 | BUSH                 | 2    |         |     |                                                                                      | 0.01         | 0.022       |
| 150    | 06613-10675 | NIPPLE<br>GREASE     | 2    | >=10764 |     |                                                                                      | 0.003        | 0.0066      |
| 160    | 76611-65170 | PIN STOPPER          | 2    |         |     |                                                                                      | 0.382        | 0.8404      |
| 170    | 70314-71860 | SPRING               | 2    |         |     |                                                                                      | 0.035        | 0.077       |
| 180    | 04011-60160 | WASHER PLAIN         | 4    |         |     |                                                                                      | 0.01         | 0.022       |
| 190    | 04611-00320 | CIR CLIP<br>INTERNAL | 2    |         |     |                                                                                      | 0.002        | 0.0044      |
| 200    | 04612-00160 | CIRCLIP<br>EXTERNAL  | 2    |         |     |                                                                                      | 0.001        | 0.0022      |

# LINK ARM






**LINK ARM**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-65180 | SHAFT LIFT ARM   | 1    |       |     |         | 3.5          | 7.7         |
| 020    | 76611-65190 | ARM LIFT         | 1    |       |     |         | 0.84         | 1.848       |
| 030    | 04612-00300 | CIRCLIP EXTERNAL | 1    |       |     |         | 0.003        | 0.0066      |
| 035    | 76611-65280 | ASSY ROD LIFT    | 2    |       |     |         | 0.6          | 1.32        |
| 040    | 76611-65210 | ROD LIFT         | 2    |       |     |         | 0.43         | 0.946       |
| 050    | 76611-65260 | ROD LIFT         | 2    |       |     |         | 0.2          | 0.44        |
| 060    | 76611-65232 | PIN LIFT         | 2    |       |     |         | 0.18         | 0.396       |
| 070    | 05122-51235 | PIN JOINT        | 2    |       |     |         | 0.034        | 0.0748      |
| 080    | 04013-60120 | WASHER PLAIN     | 2    |       |     |         | 0.01         | 0.022       |
| 090    | 05511-50425 | PIN SPLIT        | 2    |       |     |         | 0.003        | 0.0066      |
| 100    | 04512-60160 | WASHER SPRING    | 2    |       |     |         | 0.01         | 0.022       |
| 110    | 02174-50160 | NUT              | 2    |       |     |         | 0.022        | 0.0484      |
| 120    | 04013-60160 | WASHER PLAIN     | 2    |       |     |         | 0.01         | 0.022       |
| 130    | 05511-50425 | PIN SPLIT        | 2    |       |     |         | 0.003        | 0.0066      |

## HOOD (BONNET)






## HOOD (BONNET)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76611-54113 | BONNET              | 1    |       |     |         | 13.65        | 30.03       |
| 020    | 76611-54120 | TRIM BONNET FRONT   | 1    |       |     |         | 0.15         | 0.33        |
| 030    | 76611-54130 | TRIM BONNET REAR    | 1    |       |     |         | 0.15         | 0.33        |
| 040    | 76611-54160 | TAPE RADIATOR SIDE  | 2    |       |     |         | 0.08         | 0.176       |
| 051    | 76611-54140 | TAPE RADIATOR UPPER | 1    |       |     |         | 0.09         | 0.198       |
| 052    | 76611-54150 | TAPE RADIATOR LOWER | 1    |       |     |         | 0.09         | 0.198       |
| 060    | 76611-54360 | SPRING              | 2    |       |     |         | 0.012        | 0.0264      |
| 070    | 76611-54370 | HOOK BONNET         | 2    |       |     |         | 0.033        | 0.0726      |
| 080    | 04013-50060 | WASHER PLAIN        | 2    |       |     |         | 0            | 0           |
| 090    | 01023-50614 | BOLT                | 2    |       |     |         | 0.005        | 0.011       |
| 100    | 66711-54150 | BOLT                | 2    |       |     |         | 0.026        | 0.0572      |
| 110    | 04015-50100 | WASHER PLAIN        | 2    |       |     |         | 0.016        | 0.0352      |
| 120    | 34150-18180 | CUSHION             | 2    |       |     |         | 0.003        | 0.0066      |
| 130    | 05515-61000 | PIN SNAP            | 2    |       |     |         | 0.003        | 0.0066      |
| 140    | 76611-54340 | BAND BONNET         | 1    |       |     |         | 0.04         | 0.088       |
| 150    | 01123-60816 | BOLT                | 1    |       |     |         | 0.01         | 0.022       |
| 160    | 02156-50080 | NUT                 | 1    |       |     |         | 0.004        | 0.0088      |
| 170    | 04013-50080 | WASHER PLAIN        | 2    |       |     |         | 0            | 0           |
| 180    | 76630-47810 | REFLECTOR           | 2    |       |     |         | 0.001        | 0.0022      |



070 32260-2918-0

080 04013-5014-0



76611-808-10




## FENDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76611-52110 | FENDER LH          | 1    |         |     |         | 6            | 13.2        |
| 015    | 36330-83890 | PLUG               | 1    | >=12537 |     |         | 0.001        | 0.0022      |
| 020    | 76611-52130 | FENDER RH          | 1    |         |     |         | 5            | 11          |
| 030    | 76611-52140 | PLATE FENDER JOINT | 1    | <=12178 |     |         | 0.83         | 1.826       |
| 030    | 76611-52144 | PLATE FENDER JOINT | 1    | >=12179 | ←   |         | 0.8          | 1.76        |
| 040    | 01754-50816 | BOLT FLANGE        | 22   |         |     |         | 0.011        | 0.0242      |
| 050    | 76611-52150 | STAY FENDER        | 1    |         |     |         | 0.95         | 2.09        |
| 055    | 66591-54510 | RUBBER BATTERY     | 1    |         |     |         | 0.02         | 0.044       |
| 056    | 76611-52170 | STAY FENDER RH     | 1    |         |     |         | 1.1          | 2.42        |
| 060    | 31351-29440 | HANDRAIL           | 1    |         |     |         | 0            | 0           |
| 070    | 32260-29180 | CUSHION            | 4    | <=11858 |     |         | 0.005        | 0.011       |
| 080    | 04013-60140 | WASHER PLAIN       | 2    | <=11858 |     |         | 0.01         | 0.022       |
| 080    | 04512-60140 | WASHER SPRING      | 2    | >=11859 | ≠   |         | 0.006        | 0.0132      |
| 090    | 02174-50140 | NUT                | 2    |         |     |         | 0.014        | 0.0308      |
| 100    | 76611-52160 | PLATE              | 1    |         |     |         | 0.94         | 2.068       |
| 110    | 01754-50812 | BOLT FLANGE        | 4    |         |     |         | 0.01         | 0.022       |

## FRONT FRAME



130 76630-5153-0

160 76630-5154-0



76611-809-10






# FRONT FRAME


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | 76630-51510 | FRAME FRONT   | 1    | ≤10655 |     |         | 0            | 0           |
| 010    | 76630-51512 | FRAME FRONT   | 1    | ≥10656 | ←   |         | 12.1         | 26.62       |
| 020    | 01754-51230 | BOLT FLANGE   | 6    | ≤10763 |     |         | 0.04         | 0.088       |
| 020    | 01123-51230 | BOLT          | 6    | ≥10764 | ←   |         | 0.04         | 0.088       |
| 030    | 01774-51260 | BOLT FLANGE   | 2    |        |     |         | 0.061        | 0.1342      |
| 040    | 04015-60120 | WASHER PLAIN  | 2    |        |     |         | 0.022        | 0.0484      |
| 050    | 04512-50120 | WASHER SPRING | 2    |        |     |         | 0            | 0           |
| 060    | 02174-50120 | NUT           | 2    |        |     |         | 0.01         | 0.022       |
| 070    | 67211-42940 | NIPPLE GREASE | 2    |        |     |         | 0.001        | 0.0022      |
| 080    | 04012-50080 | WASHER PLAIN  | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 76611-51520 | FRAME STEP    | 1    |        |     |         | 3.08         | 6.776       |
| 100    | 01774-51045 | BOLT FLANGE   | 4    |        |     |         | 0.035        | 0.077       |
| 110    | 02771-60100 | NUT FLANGE    | 4    |        |     |         | 0.01         | 0.022       |
| 120    | 01754-50820 | BOLT FLANGE   | 4    |        |     |         | 0.015        | 0.033       |
| 130    | 76630-51530 | STEP          | 1    | ≤10659 |     |         | 5.1          | 11.22       |
| 130    | 76630-51532 | STEP          | 1    | ≥10660 | ≠   |         | 6            | 13.2        |
| 140    | 01754-50816 | BOLT FLANGE   | 15   |        |     |         | 0.011        | 0.0242      |
| 150    | 02751-50080 | NUT FLANGE    | 2    |        |     |         | 0.006        | 0.0132      |
| 160    | 76630-51540 | CUSHION STEP  | 1    | ≤10659 |     |         | 2.2          | 4.84        |
| 160    | 76630-51542 | CUSHION STEP  | 1    | ≥10660 | ≠   |         | 2.1          | 4.62        |
| 170    | 38240-29870 | CUSHION       | 2    |        |     |         | 0.004        | 0.0088      |
| 180    | 08511-03220 | BUSH          | 2    |        |     |         | 0.04         | 0.088       |
| 190    | 08511-01815 | BUSH          | 1    |        |     |         | 0.007        | 0.0154      |




010 76612-4531-0

010 76612-4531-2



080 76611-4521-4



76630-810-10




## SEAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------------------------------------|--------------|-------------|
| 010    | 76612-45310 | SEAT                 | 1    | ≤12283 |     | REFER TO L.NO. 0G03-R0 FOR COMPONENTS. | 0            | 0           |
| 010    | 76612-45312 | SEAT                 | 1    | ≥12284 | ↔   | REFER TO L.NO. 0G03-R0 FOR COMPONENTS. | 0            | 0           |
| 010    | 76650-35102 | ASSY SEAT            | 1    | ≥12406 | ↔   | REFER TO L.NO. 0G04-R0 FOR COMPONENTS. | 24.26        | 53.372      |
| 020    | 76650-35200 | ASSY SWITCH LIMIT    | 1    | ≥12406 |     |                                        | 0.145        | 0.319       |
| 030    | 01123-51020 | BOLT                 | 4    | ≤12096 |     |                                        | 0.02         | 0.044       |
| 030    | 01133-51020 | BOLT                 | 4    | ≥12097 | ←   |                                        | 0.02         | 0.044       |
| 040    | 76611-45133 | SEAT FLOWER          | 1    | ≤12096 |     |                                        | 5.6          | 12.32       |
| 040    | 76611-45136 | SEAT FLOOR           | 1    | ≥12097 | ←   |                                        | 5.9          | 12.98       |
| 050    | 05122-51045 | PIN JOINT            | 2    |        |     |                                        | 0            | 0           |
| 060    | 05515-61000 | PIN SNAP             | 2    |        |     |                                        | 0.003        | 0.0066      |
| 070    | 66021-55510 | CLIP WIRE            | 2    |        |     |                                        | 0.005        | 0.011       |
| 080    | 76611-45214 | STAY SEAT FRONT      | 1    | ≤12178 |     |                                        | 2.3          | 5.06        |
| 080    | 76611-45215 | STAY SEAT FRONT      | 1    | ≥12179 | ≠   |                                        | 2.2          | 4.84        |
| 090    | 08511-01610 | BUSH                 | 2    |        |     |                                        | 0.005        | 0.011       |
| 100    | 13824-67590 | CLAMP CORD           | 1    |        |     |                                        | 0.002        | 0.0044      |
| 110    | 01754-50812 | BOLT FLANGE          | 1    |        |     |                                        | 0.01         | 0.022       |
| 120    | 76611-45220 | STAY SEAT REAR       | 1    |        |     |                                        | 3.5          | 7.7         |
| 130    | 01754-51020 | BOLT FLANGE          | 2    |        |     |                                        | 0.02         | 0.044       |
| 140    | 01774-61020 | BOLT FLANGE          | 3    |        |     |                                        | 0.022        | 0.0484      |
| 150    | 76611-45230 | SPRING FLOOR SEAT    | 1    |        |     |                                        | 0.007        | 0.0154      |
| 160    | 76611-45140 | CUSHION              | 2    |        |     |                                        | 0.02         | 0.044       |
| 170    | 76611-45153 | HOLDER FLOOR SEAT    | 1    |        |     |                                        | 0.13         | 0.286       |
| 180    | 05411-00212 | PIN SPRING           | 1    |        |     |                                        | 0.001        | 0.0022      |
| 190    | 04012-50080 | WASHER PLAIN         | 1    |        |     |                                        | 0.001        | 0.0022      |
| 200    | 05511-50215 | PIN SPLIT            | 1    |        |     |                                        | 0.001        | 0.0022      |
| 210    | 33251-83900 | SPRING BONNET HOLDER | 1    |        |     |                                        | 0.008        | 0.0176      |
| 220    | 03054-50508 | SCREW PAN-HEAD       | 2    |        |     |                                        | 0.002        | 0.0044      |
| 230    | 04411-50050 | WASHER TOOTHED       | 2    |        |     |                                        | 0.001        | 0.0022      |

## SEAT [COMPONENT PARTS]






## SEAT [COMPONENT PARTS]

S.No.;&lt;=12405

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76612-45310 | SEAT              | 1    | <=12283 |     |         | 0            | 0           |
| 010    | 76612-45312 | SEAT              | 1    | >=12284 | ↔   |         | 0            | 0           |
| 020    | 76611-45420 | COMP.CASE OUTER   | 1    |         |     |         | 3.1          | 6.82        |
| 030    | 36530-85290 | COMP.NUT HANGER   | 1    |         |     |         | 0.09         | 0.198       |
| 040    | 05411-00414 | PIN SPRING        | 1    |         |     |         | 0.001        | 0.0022      |
| 050    | 35820-85460 | COMP.ROLLER       | 2    |         |     |         | 0.014        | 0.0308      |
| 060    | 35820-85300 | SHAFT             | 2    |         |     |         | 0.04         | 0.088       |
| 070    | 04613-00050 | CIRCLIP EXTERNAL  | 4    |         |     |         | 0            | 0           |
| 080    | 76611-45430 | COMP.CASE INNER   | 1    | <=12283 |     |         | 0            | 0           |
| 080    | 76611-45432 | COMP.CASE INNER   | 1    | >=12284 | ↔   |         | 2.6          | 5.72        |
| 090    | 36530-85260 | SPRING COIL       | 2    |         |     |         | 0.4          | 0.88        |
| 100    | 36530-85270 | DAMPER OIL        | 1    |         |     |         | 0.25         | 0.55        |
| 110    | 36530-85340 | PIN DAMPER        | 1    |         |     |         | 0.01         | 0.022       |
| 120    | 04613-00030 | CIRCLIP EXTERNAL  | 1    |         |     |         | 0            | 0           |
| 130    | 04612-00100 | CIRCLIP EXTERNAL  | 1    |         |     |         | 0.001        | 0.0022      |
| 140    | 36530-85470 | ROLLER            | 2    |         |     |         | 0.022        | 0.0484      |
| 150    | 35820-85400 | ASSY ARM REST     | 1    |         |     |         | 2.48         | 5.456       |
| 160    | 35820-85502 | ASSY CUSHION SEAT | 1    |         |     |         | 3.68         | 8.096       |
| 170    | 35820-85190 | COMP.ARM SWING    | 1    |         |     |         | 1.65         | 3.63        |
| 175    | 76611-45450 | BUSH              | 4    |         |     |         | 0.005        | 0.011       |
| 180    | 36530-85210 | COMP.PLATE BASE   | 1    |         |     |         | 1.93         | 4.246       |
| 190    | 36530-85220 | ADJUSTER SEAT LH  | 1    |         |     |         | 1.25         | 2.75        |
| 200    | 36530-85200 | SPRING            | 1    |         |     |         | 0.38         | 0.836       |
| 210    | 36530-85230 | ADJUSTER SEAT RH  | 1    |         |     |         | 1.06         | 2.332       |
| 220    | 36530-85180 | COMP.GASSET       | 1    |         |     |         | 2            | 4.4         |
| 230    | 36530-85580 | LABEL             | 1    |         |     |         | 0.001        | 0.0022      |
| 240    | 36530-85590 | MARK TRIANGLE     | 2    |         |     |         | 0.001        | 0.0022      |
| 250    | 36530-85550 | BOLT FLANGE       | 4    |         |     |         | 0.014        | 0.0308      |
| 260    | 36530-85380 | WASHER PLAIN      | 4    |         |     |         | 0.025        | 0.055       |
| 270    | 35820-85422 | BOLT              | 2    |         |     |         | 0.03         | 0.066       |
| 280    | 36530-85390 | WASHER PLAIN      | 2    |         |     |         | 0.002        | 0.0044      |
| 290    | 35820-85560 | NUT SELF LOCKING  | 2    |         |     |         | 0.02         | 0.044       |
| 300    | 02751-50080 | NUT FLANGE        | 6    |         |     |         | 0.006        | 0.0132      |
| 310    | 35820-85622 | BOLT              | 2    |         |     |         | 0.025        | 0.055       |
| 320    | 35820-85630 | NUT               | 2    |         |     |         | 0.02         | 0.044       |
| 330    | 35820-85642 | NUT WING          | 2    |         |     |         | 0.02         | 0.044       |
| 340    | 36530-85280 | SHAFT             | 1    |         |     |         | 0.2          | 0.44        |
| 350    | 04613-00100 | CIRCLIP EXTERNAL  | 4    |         |     |         | 0.001        | 0.0022      |
| 360    | 35820-85280 | SHAFT             | 1    |         |     |         | 0.2          | 0.44        |
| 370    | 35820-85482 | WASHER PLAIN      | 2    |         |     |         | 0.01         | 0.022       |
| 380    | 36530-85240 | RUBBER STOPPER    | 1    |         |     |         | 0.025        | 0.055       |
| 390    | 35820-85432 | NUT FLANGE        | 2    |         |     |         | 0.01         | 0.022       |
| 400    | 36530-85450 | RUBBER PROTECTOR  | 2    |         |     |         | 0.003        | 0.0066      |
| 410    | 36530-85310 | HANDLE ADJUSTING  | 1    |         |     |         | 0.09         | 0.198       |
| 420    | 76611-45410 | SWITCH SEAT       | 1    |         |     |         | 0.03         | 0.066       |
| 430    | 76611-45440 | RUBBER PROTECTOR  | 1    |         |     |         | 0.003        | 0.0066      |

# SEAT [COMPONENT PARTS]






## SEAT [COMPONENT PARTS]

S.No.;&gt;=12406

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 76650-35102 | ASSY SEAT         | 1    |       |     |         | 24.26        | 53.372      |
| 020    | 76650-35120 | COMP.CASE OUTER   | 1    |       |     |         | 3            | 6.6         |
| 030    | 36530-85290 | COMP.NUT HANGER   | 1    |       |     |         | 0.09         | 0.198       |
| 040    | 05411-00414 | PIN SPRING        | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 35820-85460 | COMP.ROLLER       | 2    |       |     |         | 0.014        | 0.0308      |
| 060    | 35820-85300 | SHAFT             | 2    |       |     |         | 0.04         | 0.088       |
| 070    | 04613-00050 | CIRCLIP EXTERNAL  | 4    |       |     |         | 0            | 0           |
| 080    | 76611-45432 | COMP.CASE INNER   | 1    |       |     |         | 2.6          | 5.72        |
| 090    | 36530-85260 | SPRING COIL       | 2    |       |     |         | 0.4          | 0.88        |
| 100    | 76650-35130 | DAMPER            | 1    |       |     |         | 0.4          | 0.88        |
| 110    | 36530-85340 | PIN DAMPER        | 1    |       |     |         | 0.01         | 0.022       |
| 120    | 04613-00030 | CIRCLIP EXTERNAL  | 1    |       |     |         | 0            | 0           |
| 130    | 04612-00100 | CIRCLIP EXTERNAL  | 1    |       |     |         | 0.001        | 0.0022      |
| 140    | 36530-85470 | ROLLER            | 2    |       |     |         | 0.022        | 0.0484      |
| 150    | 76650-35160 | ASSY SEAT BACK    | 1    |       |     |         | 3.56         | 7.832       |
| 160    | 76650-35170 | ASSY CUSHION SEAT | 2    |       |     |         | 4.5          | 9.9         |
| 170    | 35820-85190 | COMP.ARM SWING    | 1    |       |     |         | 1.65         | 3.63        |
| 175    | 76650-35150 | BUSH              | 4    |       |     |         | 0.004        | 0.0088      |
| 180    | 36530-85210 | COMP.PLATE BASE   | 1    |       |     |         | 1.93         | 4.246       |
| 190    | 36530-85220 | ADJUSTER SEAT LH  | 1    |       |     |         | 1.25         | 2.75        |
| 200    | 36530-85200 | SPRING            | 1    |       |     |         | 0.38         | 0.836       |
| 210    | 36530-85230 | ADJUSTER SEAT RH  | 1    |       |     |         | 1.06         | 2.332       |
| 220    | 36530-85180 | COMP.GASSET       | 1    |       |     |         | 2            | 4.4         |
| 230    | 36530-85580 | LABEL             | 1    |       |     |         | 0.001        | 0.0022      |
| 240    | 36530-85590 | MARK TRIANGLE     | 2    |       |     |         | 0.001        | 0.0022      |
| 250    | 36530-85550 | BOLT FLANGE       | 4    |       |     |         | 0.014        | 0.0308      |
| 260    | 36530-85380 | WASHER PLAIN      | 4    |       |     |         | 0.025        | 0.055       |
| 270    | 35820-85422 | BOLT              | 2    |       |     |         | 0.03         | 0.066       |
| 290    | 76650-35180 | NUT LOCK          | 2    |       |     |         | 0.007        | 0.0154      |
| 300    | 02751-50080 | NUT FLANGE        | 6    |       |     |         | 0.006        | 0.0132      |
| 310    | 35820-85622 | BOLT              | 2    |       |     |         | 0.025        | 0.055       |
| 320    | 76650-35140 | NUT               | 2    |       |     |         | 0.014        | 0.0308      |
| 340    | 36530-85280 | SHAFT             | 1    |       |     |         | 0.2          | 0.44        |
| 350    | 04613-00100 | CIRCLIP EXTERNAL  | 4    |       |     |         | 0.001        | 0.0022      |
| 360    | 35820-85280 | SHAFT             | 1    |       |     |         | 0.2          | 0.44        |
| 370    | 35820-85482 | WASHER PLAIN      | 2    |       |     |         | 0.01         | 0.022       |
| 380    | 36530-85240 | RUBBER STOPPER    | 1    |       |     |         | 0.025        | 0.055       |
| 390    | 35820-85432 | NUT FLANGE        | 2    |       |     |         | 0.01         | 0.022       |
| 400    | 36530-85450 | RUBBER PROTECTOR  | 2    |       |     |         | 0.003        | 0.0066      |
| 410    | 36530-85310 | HANDLE ADJUSTING  | 1    |       |     |         | 0.09         | 0.198       |
| 420    | 76611-45440 | RUBBER PROTECTOR  | 1    |       |     |         | 0.003        | 0.0066      |








# ROPS [A][CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 76630-90010 | KIT ROPS          | 1    |         |     |         | 0            | 0           |
| 020    | 01173-51275 | BOLT              | 4    |         |     |         | 0.071        | 0.1562      |
| 030    | 01133-51030 | BOLT              | 2    |         |     |         | 0.025        | 0.055       |
| 040    | 04512-50120 | WASHER SPRING     | 4    |         |     |         | 0            | 0           |
| 050    | 02174-50120 | WASHER SPRING     | 4    |         |     |         | 0.01         | 0.022       |
| 060    | 01173-51430 | BOLT              | 2    |         |     |         | 0.052        | 0.1144      |
| 070    | 04512-60140 | WASHER SPRING     | 2    |         |     |         | 0.006        | 0.0132      |
| 080    | 76630-72240 | BOLT REAMER       | 2    |         |     |         | 0.06         | 0.132       |
| 090    | 04512-60140 | WASHER SPRING     | 2    |         |     |         | 0.006        | 0.0132      |
| 100    | 01153-51240 | BOLT              | 2    |         |     |         | 0.042        | 0.0924      |
| 110    | 04512-50120 | WASHER SPRING     | 2    |         |     |         | 0            | 0           |
| 120    | 01173-51035 | BOLT              | 8    |         |     |         | 0.025        | 0.055       |
| 130    | 04512-60100 | WASHER SPRING     | 8    |         |     |         | 0.002        | 0.0044      |
| 140    | 01133-51225 | BOLT              | 2    |         |     |         | 0.038        | 0.0836      |
| 150    | 01123-51230 | BOLT              | 2    |         |     |         | 0.04         | 0.088       |
| 160    | 01173-51255 | BOLT              | 4    |         |     |         | 0.057        | 0.1254      |
| 170    | 04512-50120 | WASHER SPRING     | 4    |         |     |         | 0            | 0           |
| 180    | 02174-50120 | NUT               | 4    |         |     |         | 0.01         | 0.022       |
| 190    | 01173-51235 | BOLT              | 4    |         |     |         | 0.04         | 0.088       |
| 200    | 02174-50120 | NUT               | 4    |         |     |         | 0.01         | 0.022       |
| 210    | 04512-50120 | WASHER SPRING     | 4    |         |     |         | 0            | 0           |
| 220    | 01173-51025 | BOLT              | 2    | <=11661 |     |         | 0.021        | 0.0462      |
| 220    | 01135-61025 | BOLT              | 2    | >=11662 | ←   |         | 0.04         | 0.088       |
| 230    | 04512-60100 | WASHER SPRING     | 2    |         |     |         | 0.002        | 0.0044      |
| 240    | 35870-85062 | ASSY BELT SEAT    | 1    | <=11661 |     |         | 0.87         | 1.914       |
| 240    | 35080-18550 | ASSY BELT SEAT    | 1    | >=11662 | ≠   |         | 0.75         | 1.65        |
| 250    | 01133-51030 | BOLT              | 2    |         |     |         | 0.025        | 0.055       |
| 260    | 04015-50100 | WASHER PLANT      | 2    |         |     |         | 0.016        | 0.0352      |
| 270    | 02118-50100 | NUT               | 4    |         |     |         | 0.005        | 0.011       |
| 280    | 76630-72530 | BRACKET SEAT BELT | 2    |         |     |         | 0            | 0           |
| 290    | 04013-50100 | WASHER PLAIN      | 4    |         |     |         | 0            | 0           |





## LABEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS     | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|-------------|--------------|-------------|
| 010    | 66041-47134 | LABEL CAUTION        | 1    |        |     | ENGLISH     | 0.009        | 0.0198      |
| 010    | 76613-47130 | LABEL CAUTION        | 1    |        |     | [CA] FRENCH | 0.001        | 0.0022      |
| 020    | 35260-29782 | LABEL ROPS WARNING   | 1    | ≤12509 |     | ENGLISH     | 0.001        | 0.0022      |
| 020    | TA040-49320 | LABEL ROPS WARNING   | 1    | ≥12510 | ↔   | ENGLISH     | 0.001        | 0.0022      |
| 020    | TA040-49150 | LABEL ROPS WARNING   | 1    | ≥12510 |     | [CA] FRENCH | 0.003        | 0.0066      |
| 030    | 67061-43240 | LABEL SPEED SET      | 1    |        |     |             | 0.001        | 0.0022      |
| 040    | 67061-47240 | LABEL SPEED LOCK     | 1    | ≤12602 |     |             | 0.001        | 0.0022      |
| 040    | 76611-47240 | LABEL START CAUTION  | 1    | ≥12603 | ←   |             | 0.001        | 0.0022      |
| 050    | 76611-47520 | LABEL DIFF.LOCK      | 1    |        |     |             | 0.001        | 0.0022      |
| 060    | 76611-47530 | LABEL RANGE SHIFT    | 1    |        |     |             | 0.003        | 0.0066      |
| 070    | 76611-47540 | LABEL CHANGE         | 1    |        |     |             | 0.001        | 0.0022      |
| 080    | 76611-47553 | LABEL CONTROL PANEL  | 1    |        |     |             | 0.031        | 0.0682      |
| 090    | 76611-47740 | LABEL PTO            | 1    |        |     |             | 0.001        | 0.0022      |
| 100    | 76630-47560 | LABEL PARKING BRAKE  | 1    |        |     |             | 0.002        | 0.0044      |
| 110    | 35820-98632 | LABEL START CAUTION  | 1    | ≤12618 |     |             | 0.003        | 0.0066      |
| 110    | 76611-47230 | LABEL START CAUTION  | 1    | ≥12619 | ←   |             | 0.001        | 0.0022      |
| 120    | 76622-47570 | NAME PLATE MODEL     | 1    | ≤11610 |     | NON SALE    | 0            | 0           |
| 120    | 76622-47572 | NAME PLATE           | 1    | ≥11611 | ←   | NON SALE    | 0            | 0           |
| 130    | 76611-47670 | LABEL                | 1    |        |     |             | 0.001        | 0.0022      |
| 140    | 76611-47610 | NAME PLATE FENDER LH | 1    |        |     |             | 0.01         | 0.022       |
| 150    | 76611-47620 | NAME PLATE FENDER RH | 1    |        |     |             | 0.01         | 0.022       |
| 160    | 76622-47630 | LABEL BONNET LH      | 1    |        |     |             | 0.02         | 0.044       |
| 170    | 76622-47640 | LABEL BONNET RH      | 1    |        |     |             | 0.02         | 0.044       |
| 180    | 76611-47693 | LABEL KUBOTA         | 2    | ≤11610 |     |             | 0            | 0           |
| 180    | 76611-47694 | LABEL KUBOTA         | 2    | ≥11611 | ←   |             | 0.01         | 0.022       |
| 190    | 67401-47260 | LABEL                | 1    |        |     |             | 0.002        | 0.0044      |
| 200    | 76630-47150 | MARK NOISE LEVEL     | 1    |        |     | [AU]        | 0.002        | 0.0044      |



## ACCESSORIESAND SERVICE PARTS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------------|--------------|-------------|
| 010    | 76630-62110 | MANUAL INSTRUCTION | 1    | ≤10659 |     | [A] [AU] [NZ] | 0.12         | 0.264       |
| 010    | 76630-62112 | MANUAL INSTRUCTION | 1    | ≥10660 | ≠   | [A] [AU] [NZ] | 0.2          | 0.44        |
| 010    | 76630-62118 | MANUAL INSTRUCTION | 1    | ≥12203 | ≠   | [A] [AU] [NZ] | 0.115        | 0.253       |
| 010    | 76624-62118 | MANUAL INSTRUCTION | 1    |        |     | [CA] ENGLISH  | 0.13         | 0.286       |
| 010    | 76624-62138 | MANUAL INSTRUCTION | 1    |        |     | [CA] FRENCH   | 0            | 0           |
| 020    | 15241-86612 | WRENCH FILTER      | 1    |        |     |               | 0.115        | 0.253       |
| 030    | 67111-55190 | RING FUSIBLE       | 1    | ≤12383 |     |               | 0.005        | 0.011       |
| 030    | 55611-41620 | RING FUSE          | 1    | ≥12384 | ←   |               | 0.007        | 0.0154      |
| 040    | 35170-18370 | CARD               | 1    | ≤10655 |     |               | 0.001        | 0.0022      |