

# Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

**REF.No** → The number referring to the part on the picture page of the parts book.

**Part No.** → The number assigned to this part at the time of printing the parts book.

**Description** → Discription of part.

**Q'ty** → Quantity of part used on that page.

**S.No.** → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

**I/C** → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

# The part shown is not interchangeable with the other serial number.

← new for old

→ old for new

**Remarks** → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


## Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

| Symbol | Country                  |
|--------|--------------------------|
| A      | United States of America |
| CA     | Canada                   |
| FR     | France                   |
| GR     | Greece                   |
| PO     | Portugal                 |
| AU     | Australia                |

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.


ALL PRODUCT INDEX  
G1800



LABELS  
ACCESSORIES

| Item                 | Part No. | Description                      | Book     |
|----------------------|----------|----------------------------------|----------|
| ENGINE               | 01G001   | CRANKCASE                        | 100K0179 |
|                      | 01G002   | OIL PAN                          | 100K0179 |
|                      | 01G003   | PISTON/CRANKSHAFT                | 100K0179 |
|                      | 01G004   | MAIN BEARING CASE                | 100K0179 |
|                      | 01G005   | FLYWHEEL                         | 100K0179 |
|                      | 01G006   | CYLINDER HEAD                    | 100K0179 |
|                      | 01G007   | VALVE/ROCKER ARM                 | 100K0179 |
|                      | 01G008   | NOZZLE HOLDER/GLOW PLUG          | 100K0179 |
|                      | 01G009   | NOZZLE HOLDER [COMPONENT PARTS]  | 100K0179 |
|                      | 01G010   | HEAD COVER                       | 100K0179 |
|                      | 01G011   | INLET MANIFOLD                   | 100K0179 |
|                      | 01G013   | EXHAUST MANIFOLD                 | 100K0179 |
|                      | 01G015   | CAMSHAFT                         | 100K0179 |
|                      | 01G016   | GEAR CASE                        | 100K0179 |
|                      | 01G017   | WATER PUMP                       | 100K0179 |
|                      | 01G018   | WATER FLANGE/THERMOSTAT          | 100K0179 |
|                      | 01G019   | INJECTION PUMP                   | 100K0179 |
|                      | 01G020   | INJECTION PUMP [COMPONENT PARTS] | 100K0179 |
|                      | 01G021   | SPEED CONTROL PLATE              | 100K0179 |
|                      | 01G022   | GOVERNOR                         | 100K0179 |
|                      | 01G023   | STOP SOLENOID                    | 100K0179 |
|                      | 01G024   | UPPER GASKET KIT                 | 100K0179 |
|                      | 01G025   | LOWER GASKET KIT                 | 100K0179 |
|                      | 02G012   | AIR CLEANER                      | 100K0179 |
|                      | 02G014   | MUFFLER                          | 100K0179 |
|                      | 02G026   | ACCELERATOR LEVER                | 100K0179 |
| FUEL SYSTEM          | 02G052   | FUEL TANK                        | 100K0179 |
| COOLING WATER SYSTEM | 02G053   | FUEL PIPE                        | 100K0179 |
|                      | 02G055   | RADIATOR                         | 100K0179 |
| ELECTRICAL SYSTEM    | 02G056   | FAN                              | 100K0179 |
|                      | 02G057   | DYNAMO                           | 100K0179 |
|                      | 02G058   | DYNAMO [COMPONENT PARTS]         | 100K0179 |
|                      | 02G059   | STARTER [COMPONENT PARTS]        | 100K0179 |
|                      | 02G060   | STARTER [COMPONENT PARTS]        | 100K0179 |
|                      | 02G062   | BATTERY                          | 100K0179 |
|                      | 02G064   | LIGHT                            | 100K0179 |
|                      | 02G065   | DASHBOARD                        | 100K0179 |
|                      | 02G066   | DASHBOARD                        | 100K0179 |
|                      | 02G068   | WIRE HARNESS                     | 100K0179 |
| TRANSMISSION         | 02G070   | TRANSMISSION CASE                | 100K0179 |
|                      | 02G071   | HST                              | 100K0179 |
|                      | 02G072   | HST [COMPONENT PARTS]            | 100K0179 |
|                      | 02G073   | UNIVERSAL JOINT/HST FAN          | 100K0179 |
|                      | 02G074   | UNIVERSAL JOINT/HST FAN          | 100K0179 |
|                      | 02G075   | PTO SHAFT                        | 100K0179 |
|                      | 02G076   | TENSION PULLEY                   | 100K0179 |
|                      | 02G077   | BELT RETAINER                    | 100K0179 |
|                      | 02G078   | REAR PTO                         | 100K0179 |
|                      | 02G079   | REAR PTO [COMPONENT PARTS]       | 100K0179 |
| SPEED CHANGE         | 02G080   | CRUISE CONTROL PLATE             | 100K0179 |
|                      | 02G081   | CRUISE CONTROL LEVER             | 100K0179 |
|                      | 02G082   | SPEED CONTROL PEDAL              | 100K0179 |
| REAR AXLE            | 02G083   | REAR DIFFERENTIAL                | 100K0179 |
|                      | 02G084   | REAR AXLE CASE                   | 100K0179 |
|                      | 02G085   | REAR AXLE [2WS]                  | 100K0179 |
| BRAKE                | 02G086   | REAR WHEEL (23 X 10.5-12) [2WS]  | 100K0179 |
|                      | 02G093   | PTO BRAKE                        | 100K0179 |
|                      | 02G094   | BRAKE SHAFT                      | 100K0179 |
|                      | 02G095   | BRAKE                            | 100K0179 |
|                      | 02G096   | BRAKE ROD                        | 100K0179 |

| Item                | Part No. | Description                          | Book     |
|---------------------|----------|--------------------------------------|----------|
| BRAKE               | 02G097   | BRAKE PEDAL                          | 100K0179 |
|                     | 02G098   | FRONT AXLE/KNUCKLE ARM               | 100K0179 |
| FRONT AXLE          | 02G099   | TIE ROD/DAG LINK                     | 100K0179 |
|                     | 02G100   | FRONT WHEEL (16 X 6.50-8)            | 100K0179 |
| STEERING            | 02G101   | FRAME                                | 100K0179 |
|                     | 02G102   | STEERING GEAR CASE                   | 100K0179 |
|                     | 02G103   | STEERING WHEEL                       | 100K0179 |
| HYDRAULIC SYSTEM    | 02G104   | CONTROL VALVE                        | 100K0179 |
|                     | 02G105   | CONTROL VALVE [COMPONENT PARTS]      | 100K0179 |
|                     | 02G106   | HYDRAULIC PIPE 1                     | 100K0179 |
|                     | 02G107   | HYDRAULIC PIPE 2                     | 100K0179 |
|                     | 02G108   | LIFT CYLINDER                        | 100K0179 |
|                     | 02G109   | HYDRAULIC OUTLET [OLD TYPE] [OPTION] | 100K0179 |
|                     | 02G110   | HYDRAULIC OUTLET [NEW TYPE] [OPTION] | 100K0179 |
|                     | 02G111   | 3-POINT LINKAGE [OPTION]             | 100K0179 |
|                     | 02G112   | MOWER ASSIST SPRING [OPTION]         | 100K0179 |
|                     | 02G113   | MOWER SWING STOPPER [OPTION]         | 100K0179 |
| BONNET/HOOD/CHASSIS | 02G114   | HOOD (BONNET)                        | 100K0179 |
|                     | 02G115   | PANEL                                | 100K0179 |
|                     | 02G116   | FENDER                               | 100K0179 |
|                     | 02G117   | SEAT [A] [CA]                        | 100K0179 |
| LABELS              | 02G118   | SEAT [AU] [NZ]                       | 100K0179 |
|                     | 02G119   | LABEL                                | 100K0179 |
| ACCESSORIES         | 02G145   | ACCESSORIES AND SERVICE PARTS        | 100K0179 |






## CRANKCASE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16861-01010 | COMP.CRANKCASE      | 1    | <=183560 |     |         | 0            | 0           |
| 010    | 16861-01012 | COMP.CRANKCASE      | 1    | >=183561 | ←   |         | 22.8         | 50.16       |
| 020    | 16851-96260 | CAP SEALING         | 3    |          |     |         | 0.005        | 0.011       |
| 030    | 16851-96270 | CAP SEALING         | 5    |          |     |         | 0.005        | 0.011       |
| 040    | 15451-96270 | CAP SEALING         | 2    |          |     |         | 0.012        | 0.0264      |
| 050    | 15261-96010 | PLUG                | 5    |          |     |         | 0.002        | 0.0044      |
| 060    | 15521-96020 | PLUG                | 3    |          |     |         | 0.003        | 0.0066      |
| 070    | 15521-96030 | PLUG                | 1    |          |     |         | 0.007        | 0.0154      |
| 080    | 15261-96160 | PLUG EXPANSION      | 1    |          |     |         | 0.02         | 0.044       |
| 090    | 05012-00508 | PIN STRAIGHT        | 2    |          |     |         | 0.001        | 0.0022      |
| 100    | 05012-00814 | PIN STRAIGHT        | 2    |          |     |         | 0.006        | 0.0132      |
| 110    | 15221-33650 | PIN PIPE            | 1    |          |     |         | 0.004        | 0.0088      |
| 120    | 15231-33960 | PIN PIPE            | 2    |          |     |         | 0.001        | 0.0022      |
| 130    | 16851-16210 | COVER FUEL CAMSHAFT | 1    | <=746723 |     |         | 0            | 0           |
| 130    | 16851-16212 | COVER FUEL CAMSHAFT | 1    | >=746724 | ←   |         | 0.03         | 0.066       |
| 140    | 15221-33700 | O RING              | 1    |          |     |         | 0.001        | 0.0022      |
| 150    | 15841-73020 | ASSY COCK DRAIN     | 1    |          |     |         | 0.03         | 0.066       |
| 160    | 16851-35010 | ASSY PUMP OIL       | 1    |          |     |         | 0.24         | 0.528       |
| 170    | 15862-35152 | GASKET OIL PUMP     | 1    | <=752018 |     |         | 0            | 0           |
| 170    | 16851-35152 | GASKET OIL PUMP     | 1    | >=752019 | ←   |         | 0.001        | 0.0022      |
| 180    | 15841-91050 | BOLT                | 3    |          |     |         | 0.01         | 0.022       |
| 190    | 15841-35660 | GEAR OIL PUMP DRIVE | 1    |          |     |         | 0.113        | 0.2486      |
| 200    | 05712-00408 | KEY FEATHER         | 1    |          |     |         | 0.001        | 0.0022      |
| 210    | 02783-50100 | NUT FLANGE          | 1    |          |     |         | 0.01         | 0.022       |
| 230    | 15531-39010 | SWITCH OIL          | 1    |          |     |         | 0.032        | 0.0704      |
| 240    | 17331-59190 | PIN PIPE            | 2    |          |     |         | 0.02         | 0.044       |



020 15861-0162-0

030 01023-50612




12692-801-10



## OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15862-01500 | COMP.OIL PAN   | 1    |         |     |         | 1.11         | 2.442       |
| 020    | 15861-01620 | GASKET OIL PAN | 1    | ≤169246 |     |         | 0            | 0           |
| 030    | 01023-50612 | BOLT           | 18   | ≤169246 |     |         | 0.005        | 0.011       |
| 030    | 01754-50610 | BOLT FLANGE    | 18   | ≥169247 | ≠   |         | 0.006        | 0.0132      |
| 040    | 15221-33750 | PLUG           | 1    |         |     |         | 0.032        | 0.0704      |
| 050    | 15109-33660 | GASKET         | 1    |         |     |         | 0.001        | 0.0022      |
| 060    | 16851-32110 | FILTER OIL     | 1    |         |     |         | 0.11         | 0.242       |
| 070    | 04811-00160 | O RING         | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | 01123-60814 | BOLT           | 1    |         |     |         | 0.008        | 0.0176      |
| 090    | 16851-36410 | GAUGE OIL      | 1    |         |     |         | 0.03         | 0.066       |







# PISTON/CRANKSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS    | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|------------|--------------|-------------|
| 010    | 16861-21110 | PISTON              | 3    | ≤197819 |     | STD        | 0            | 0           |
| 010    | 16861-21113 | PISTON              | 3    | ≥197820 | ←   | STD        | 0.22         | 0.484       |
| 010    | 16861-21910 | PISTON              | 3    | ≤197819 |     | +0.5MM     | 0            | 0           |
| 010    | 16861-21900 | PISTON              | 3    | ≥197820 | ←   | +0.25MM    | 0.17         | 0.374       |
| 020    | 16861-21050 | ASSY PISTON RING    | 3    | ≤197819 |     | STD        | 0.1          | 0.22        |
| 020    | 16861-21052 | ASSY PISTON RING    | 3    | ≥197820 | ←   | STD        | 0.03         | 0.066       |
| 020    | 16861-21090 | ASSY PISTON RING    | 3    | ≤197819 |     | +0.5MM     | 0.03         | 0.066       |
| 020    | 16861-21093 | ASSY PISTON RING    | 3    | ≥197820 | ←   | +0.25MM    | 0            | 0           |
| 030    | 16851-21310 | PIN PISTON          | 3    |         |     |            | 0.1          | 0.22        |
| 040    | 15261-21330 | CIRCLIP PISTON PIN  | 6    |         |     |            | 0.001        | 0.0022      |
| 050    | 16851-22010 | ASSY CONNECTING ROD | 3    |         |     |            | 0.47         | 1.034       |
| 060    | 16851-21980 | BUSH PISTON PIN     | 3    |         |     |            | 0.01         | 0.022       |
| 070    | 16851-22140 | BOLT CONNECTING ROD | 6    |         |     |            | 0.012        | 0.0264      |
| 080    | 16851-22320 | METAL CRANKPIN M    | 3    |         |     | SET STD    | 0.04         | 0.088       |
| 080    | 15861-22970 | METAL CRANKPIN      | 3    |         |     | SET -0.2MM | 0.03         | 0.066       |
| 080    | 15861-22980 | METAL CRANKPIN      | 3    |         |     | SET -0.4MM | 0.03         | 0.066       |
| 090    | 16861-23010 | COMP.CRANKSHAFT     | 1    |         |     |            | 5.56         | 12.232      |
| 100    | 07715-03207 | BALL                | 3    |         |     |            | 0.001        | 0.0022      |
| 110    | 15841-24110 | GEAR CRANK          | 1    |         |     |            | 0.14         | 0.308       |
| 120    | 05712-00515 | KEY FEATHER         | 1    |         |     |            | 0.003        | 0.0066      |
| 130    | 15861-23470 | METAL CRANKSHAFT    | 1    |         |     | STD        | 0.03         | 0.066       |
| 130    | 15861-23910 | METAL CRANKSHAFT    | 1    |         |     | -0.2MM     | 0.04         | 0.088       |
| 130    | 15861-23920 | METAL CRANKSHAFT    | 1    |         |     | -0.4MM     | 0.04         | 0.088       |
| 140    | 16861-23490 | METAL CRANKSHAFT    | 2    |         |     | SET STD    | 0.02         | 0.044       |
| 140    | 15861-23860 | METAL CRANKSHAFT    | 2    |         |     | SET -0.2MM | 0.03         | 0.066       |
| 140    | 15861-23870 | METAL CRANKSHAFT    | 2    |         |     | SET -0.4MM | 0.03         | 0.066       |
| 150    | 16861-23480 | METAL CRANKSHAFT    | 1    |         |     | SET STD    | 0.03         | 0.066       |
| 150    | 15694-23930 | METAL CRANKSHAFT    | 1    |         |     | SET -0.2MM | 0.05         | 0.11        |
| 150    | 15694-23940 | METAL CRANKSHAFT    | 1    |         |     | SET -0.4MM | 0.046        | 0.1012      |
| 160    | 15261-23530 | METAL SIDE          | 2    |         |     | STD        | 0.006        | 0.0132      |
| 160    | 15261-23950 | METAL SIDE          | 2    |         |     | +0.2MM     | 0.006        | 0.0132      |
| 160    | 15261-23960 | METAL SIDE          | 2    |         |     | +0.4MM     | 0.007        | 0.0154      |
| 170    | 15261-23540 | METAL SIDE          | 2    |         |     | STD        | 0.007        | 0.0154      |
| 170    | 15261-23970 | METAL SIDE          | 2    |         |     | +0.2MM     | 0.006        | 0.0132      |
| 170    | 15261-23980 | METAL SIDE          | 2    |         |     | +0.4MM     | 0.007        | 0.0154      |
| 180    | 15841-23250 | COLLAR CRANKSHAFT   | 1    |         |     |            | 0.05         | 0.11        |
| 190    | 15881-23310 | SLINGER OIL         | 1    |         |     |            | 0.004        | 0.0088      |
| 200    | 04811-16220 | O RING              | 1    |         |     |            | 0.001        | 0.0022      |
| 210    | 16861-21000 | KIT PISTON          | 1    |         |     |            | 1.05         | 2.31        |








16871-041-10






16871-042-10

030 16861-0304-0

030 16861-0304-2

030 16871-0304-0

030 16871-0304-2




16871-807-10



## CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15841-01750 | HOOK ENGINE          | 2    |         |     |         | 0            | 0           |
| 020    | 01123-60814 | BOLT                 | 2    |         |     |         | 0.008        | 0.0176      |
| 030    | 16861-03040 | COMP.CYLINDER HEAD   | 1    | ≤233416 |     |         | 0            | 0           |
| 030    | 16861-03042 | COMP.CYLINDER HEAD   | 1    | ≥233417 | ←   |         | 0            | 0           |
| 030    | 16862-03040 | COMP.CYLINDER HEAD   | 1    | ≥370694 | ↔   |         | 6.7          | 14.74       |
| 030    | 16862-03042 | COMP.CYLINDER HEAD   | 1    | ≥489916 | ≠   |         | 7.35         | 16.17       |
| 040    | 15321-96260 | CAP SEALING          | 1    |         |     |         | 0.014        | 0.0308      |
| 050    | 15261-96010 | PLUG                 | 1    |         |     |         | 0.002        | 0.0044      |
| 060    | 15841-13540 | GUIDE INLET VALVE    | 3    |         |     |         | 0.014        | 0.0308      |
| 070    | 15841-13560 | GUIDE EXHAUST VALVE  | 3    |         |     |         | 0.014        | 0.0308      |
| 080    | 66021-55330 | SENSOR THERMO        | 1    |         |     |         | 0.01         | 0.022       |
| 090    | 15261-03370 | CAP SEALING          | 2    |         |     |         | 0.005        | 0.011       |
| 100    | 14601-03450 | BOLT CYLINDER HEAD   | 14   |         |     |         | 0.035        | 0.077       |
| 110    | 16861-03310 | GASKET CYLINDER HEAD | 1    |         |     |         | 0.083        | 0.1826      |






## VALVE/ROCKER ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|-------------------|--------------|-------------|
| 010    | 14601-13110 | VALVE INLET          | 3    |         |     |                   | 0.03         | 0.066       |
| 020    | 14601-13120 | VALVE EXHAUSET       | 3    |         |     |                   | 0.028        | 0.0616      |
| 030    | 14601-13240 | SPRING VALVE         | 6    |         |     |                   | 0.015        | 0.033       |
| 040    | 14601-13330 | RETAINER SPRING      | 6    |         |     |                   | 0.01         | 0.022       |
| 050    | 14601-13360 | COLLET VALVE SPRING  | 6    |         |     | SET               | 0.001        | 0.0022      |
| 060    | 14601-13280 | CAP VALVE            | 6    | ≤302306 |     |                   | 0            | 0           |
| 060    | 16851-13280 | CAP VALVE            | 6    | ≥302307 | ↔   |                   | 0.005        | 0.011       |
| 070    | 15841-13150 | SEAL VALVE STEM      | 6    |         |     |                   | 0.015        | 0.033       |
| 080    | 15861-14260 | SHAFT ROCKER ARM     | 1    |         |     |                   | 0.1          | 0.22        |
| 090    | 15841-14320 | SPRING THRUST        | 6    | ≤445506 |     |                   | 0            | 0           |
| 090    | 16871-14430 | WASHER               | 6    | ≥445507 | ↔   |                   | 0.002        | 0.0044      |
| 090    | 16871-14430 | WASHER               | 2    | ≥741871 |     |                   | 0.002        | 0.0044      |
| 100    | 15841-94020 | WASHER PLAIN         | 2    |         |     |                   | 0.003        | 0.0066      |
| 110    | 01023-50610 | BOLT                 | 2    |         |     |                   | 0.005        | 0.011       |
| 120    | 15841-14350 | BRACKET ROCKER ARM   | 3    |         |     |                   | 0.026        | 0.0572      |
| 130    | 14601-14410 | STUD                 | 3    |         |     |                   | 0.015        | 0.033       |
| 140    | 02056-50060 | NUT                  | 3    |         |     |                   | 0.002        | 0.0044      |
| 150    | 04012-50060 | WASHER PLAIN         | 3    |         |     |                   | 0.001        | 0.0022      |
| 160    | 04512-60060 | WASHER SPRING        | 3    |         |     |                   | 0.001        | 0.0022      |
| 170    | 14601-14420 | SCREW SET.ROCKER ARM | 1    |         |     |                   | 0.006        | 0.0132      |
| 180    | 14601-14430 | WASHER R-ARM.SHAFT   | 2    | ≤445506 |     | NOT SHOWN IN FIG. | 0.004        | 0.0088      |
| 190    | 14601-14310 | SPRING ROCKER ARM    | 2    |         |     |                   | 0.005        | 0.011       |
| 200    | 15841-14030 | ASSY ROCKER ARM      | 6    |         |     |                   | 0.04         | 0.088       |
| 210    | 15841-14230 | SCREW ADJUSTING      | 6    |         |     |                   | 0.003        | 0.0066      |
| 220    | 14601-14240 | NUT                  | 6    |         |     |                   | 0.007        | 0.0154      |




16871-007-11



## NOZZLE HOLDER/GLOW PLUG

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|----------------------------------------|--------------|-------------|
| 010    | 15862-42500 | ASSY PIPE OVER FLOW | 1    | ≤497380 |     |                                        | 0            | 0           |
| 010    | 15862-42502 | ASSY PIPE OVER FLOW | 1    | ≥497381 | ←   |                                        | 0.042        | 0.0924      |
| 020    | 15841-42500 | ASSY PIPE OVER FLOW | 1    |         |     | ID4 X OD8 X 135L                       | 0.015        | 0.033       |
| 030    | 14971-42750 | CLIP PIPE           | 2    |         |     |                                        | 0.001        | 0.0022      |
| 040    | 15841-51360 | SCREW AIR BREEDER   | 1    |         |     |                                        | 0.008        | 0.0176      |
| 050    | 15601-96650 | GASKET              | 1    |         |     |                                        | 0.001        | 0.0022      |
| 060    | 16851-53000 | ASSY HOLDER NOZZLE  | 3    | ≤489915 |     | REFER TO L.NO. 0B05-R0 FOR COMPONENTS. | 0            | 0           |
| 060    | 16001-53000 | ASSY HOLDER NOZZLE  | 3    | ≥489916 | ←   | REFER TO L.NO. 0B05-R0 FOR COMPONENTS. | 0.13         | 0.286       |
| 070    | 15841-53620 | GASKET              | 3    |         |     |                                        | 0            | 0           |
| 080    | 19077-53650 | SEAL HEAT           | 3    | ≥489916 |     |                                        | 0.005        | 0.011       |
| 090    | 16851-53710 | PIPE INJECTION      | 1    | ≤489915 |     |                                        | 0            | 0           |
| 090    | 16851-53712 | PIPE INJECTION      | 1    | ≥489916 | ←   |                                        | 0.1          | 0.22        |
| 100    | 16851-53720 | PIPE INJECTION      | 1    | ≤489915 |     |                                        | 0            | 0           |
| 100    | 16851-53722 | PIPE INJECTION      | 1    | ≥489916 | ←   |                                        | 0.1          | 0.22        |
| 110    | 16861-53730 | PIPE INJECTION      | 1    | ≤489915 |     |                                        | 0            | 0           |
| 110    | 16861-53732 | PIPE INJECTION      | 1    | ≥489916 | ←   |                                        | 0.1          | 0.22        |
| 120    | 15841-53850 | CLAMP PIPE          | 2    |         |     |                                        | 0.01         | 0.022       |
| 130    | 15841-53860 | CLAMP PIPE          | 2    |         |     |                                        | 0.009        | 0.0198      |
| 140    | 03024-50520 | SCREW WITH WASHER   | 2    |         |     |                                        | 0.004        | 0.0088      |
| 150    | 16851-65510 | PLUG GLOW           | 3    |         |     |                                        | 0.02         | 0.044       |
| 160    | 16861-65560 | CORD GLOW PLUG      | 1    |         |     |                                        | 0.02         | 0.044       |




16871-008-10




# NOZZLE HOLDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16851-53000 | ASSY HOLDER NOZZLE | 3    | <=489915 |     |         | 0            | 0           |
| 010    | 16001-53000 | ASSY HOLDER NOZZLE | 3    | >=489916 | ←   |         | 0.13         | 0.286       |
| 020    | 15841-92030 | NUT                | 3    |          |     |         | 0.005        | 0.011       |
| 030    | 15841-53230 | WASHER ADJUSTING   | 3    |          |     |         | 0.001        | 0.0022      |
| 040    | 15841-53170 | SPRING NOZZLE      | 3    |          |     |         | 0.004        | 0.0088      |
| 050    | 15841-53350 | PIECE DISTANCE     | 3    |          |     |         | 0.004        | 0.0088      |
| 060    | 15841-53160 | PUSH ROD           | 3    |          |     |         | 0.001        | 0.0022      |
| 070    | 15841-53280 | NUT NOZZLE         | 3    | <=183560 |     |         | 0.03         | 0.066       |
| 070    | 16851-53280 | NUT NOZZLE         | 3    | >=183561 | ↔   |         | 0            | 0           |
| 080    | 15841-94040 | WASHER             | 3    |          |     |         | 0.001        | 0.0022      |
| 090    | 16851-53610 | PIECE NOZZLE       | 3    |          |     |         | 0.03         | 0.066       |
| 100    | 15841-98100 | ASSY WASHER ADJUST | 3    |          |     | OPTION  | 0.043        | 0.0946      |
| 110    | 15841-53230 | WASHER ADJUSTING   | 3    |          |     | 0.900MM | 0.001        | 0.0022      |
| 110    | 15841-98510 | WASHER ADJUSTING   | 3    |          |     | 0.925MM | 0.001        | 0.0022      |
| 110    | 15841-98520 | WASHER ADJUSTING   | 3    |          |     | 0.950MM | 0.001        | 0.0022      |
| 110    | 15841-98530 | WASHER ADJUSTING   | 3    |          |     | 0.975MM | 0.001        | 0.0022      |
| 110    | 15841-98540 | WASHER ADJUSTING   | 3    |          |     | 1.000MM | 0.001        | 0.0022      |
| 110    | 15841-98550 | WASHER ADJUSTING   | 3    |          |     | 1.025MM | 0.001        | 0.0022      |
| 110    | 15841-98560 | WASHER ADJUSTING   | 3    |          |     | 1.050MM | 0.001        | 0.0022      |
| 110    | 15841-98570 | WASHER ADJUSTING   | 3    |          |     | 1.075MM | 0.001        | 0.0022      |
| 110    | 15841-98580 | WASHER ADJUSTING   | 3    |          |     | 1.100MM | 0.001        | 0.0022      |
| 110    | 15841-98590 | WASHER ADJUSTING   | 3    |          |     | 1.125MM | 0.001        | 0.0022      |
| 110    | 15841-98600 | WASHER ADJUSTING   | 3    |          |     | 1.150MM | 0.001        | 0.0022      |
| 110    | 15841-98610 | WASHER ADJUSTING   | 3    |          |     | 1.175MM | 0.001        | 0.0022      |
| 110    | 15841-98620 | WASHER ADJUSTING   | 3    |          |     | 1.200MM | 0.001        | 0.0022      |
| 110    | 15841-98630 | WASHER ADJUSTING   | 3    |          |     | 1.225MM | 0.001        | 0.0022      |
| 110    | 15841-98640 | WASHER ADJUSTING   | 3    |          |     | 1.250MM | 0.001        | 0.0022      |
| 110    | 15841-98650 | WASHER ADJUSTING   | 3    |          |     | 1.275MM | 0.001        | 0.0022      |
| 110    | 15841-98660 | WASHER ADJUSTING   | 3    |          |     | 1.300MM | 0.001        | 0.0022      |
| 110    | 15841-98670 | WASHER ADJUSTING   | 3    |          |     | 1.325MM | 0.001        | 0.0022      |
| 110    | 15841-98680 | WASHER ADJUSTING   | 3    |          |     | 1.350MM | 0.001        | 0.0022      |
| 110    | 15841-98690 | WASHER ADJUSTING   | 3    |          |     | 1.375MM | 0.001        | 0.0022      |
| 110    | 15841-98700 | WASHER ADJUSTING   | 3    |          |     | 1.400MM | 0.001        | 0.0022      |
| 110    | 15841-98710 | WASHER ADJUSTING   | 3    |          |     | 1.425MM | 0.001        | 0.0022      |
| 110    | 15841-98720 | WASHER ADJUSTING   | 3    |          |     | 1.450MM | 0.001        | 0.0022      |
| 110    | 15841-98730 | WASHER ADJUSTING   | 3    |          |     | 1.475MM | 0.001        | 0.0022      |
| 110    | 15841-98740 | WASHER ADJUSTING   | 3    |          |     | 1.500MM | 0.001        | 0.0022      |
| 110    | 15841-98750 | WASHER ADJUSTING   | 3    |          |     | 1.525MM | 0.001        | 0.0022      |
| 110    | 15841-98760 | WASHER ADJUSTING   | 3    |          |     | 1.550MM | 0.001        | 0.0022      |
| 110    | 15841-98770 | WASHER ADJUSTING   | 3    |          |     | 1.575MM | 0.001        | 0.0022      |
| 110    | 15841-98780 | WASHER ADJUSTING   | 3    |          |     | 1.600MM | 0.002        | 0.0044      |
| 110    | 15841-98790 | WASHER ADJUSTING   | 3    |          |     | 1.625MM | 0.001        | 0.0022      |
| 110    | 15841-98800 | WASHER ADJUSTING   | 3    |          |     | 1.650MM | 0.001        | 0.0022      |
| 110    | 15841-98810 | WASHER ADJUSTING   | 3    |          |     | 1.675MM | 0.004        | 0.0088      |
| 110    | 15841-98820 | WASHER ADJUSTING   | 3    |          |     | 1.700MM | 0.001        | 0.0022      |
| 110    | 15841-98830 | WASHER ADJUSTING   | 3    |          |     | 1.725MM | 0.001        | 0.0022      |
| 110    | 15841-98840 | WASHER ADJUSTING   | 3    |          |     | 1.750MM | 0.001        | 0.0022      |
| 110    | 15841-98850 | WASHER ADJUSTING   | 3    |          |     | 1.775MM | 0.001        | 0.0022      |
| 110    | 15841-98860 | WASHER ADJUSTING   | 3    |          |     | 1.800MM | 0.001        | 0.0022      |
| 110    | 15841-98870 | WASHER ADJUSTING   | 3    |          |     | 1.825MM | 0.001        | 0.0022      |
| 110    | 15841-98880 | WASHER ADJUSTING   | 3    |          |     | 1.850MM | 0.001        | 0.0022      |
| 110    | 15841-98890 | WASHER ADJUSTING   | 3    |          |     | 1.875MM | 0.001        | 0.0022      |
| 110    | 15841-98900 | WASHER ADJUSTING   | 3    |          |     | 1.900MM | 0.001        | 0.0022      |
| 110    | 15841-98910 | WASHER ADJUSTING   | 3    |          |     | 1.925MM | 0.001        | 0.0022      |
| 110    | 15841-98920 | WASHER ADJUSTING   | 3    |          |     | 1.950MM | 0.001        | 0.0022      |



110 16861-1451-0



130 14601-1462-0




16871-810-10



## HEAD COVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15841-05550 | JOINT BREATHER PIPE  | 1    |         |     |         | 0.025        | 0.055       |
| 020    | 15841-05140 | PLATE B/THER ELEMENT | 1    |         |     |         | 0.005        | 0.011       |
| 030    | 15841-05150 | PLATE B/THER ELEMENT | 1    |         |     |         | 0.005        | 0.011       |
| 040    | 15841-05670 | ELEMENT BREATHER     | 1    |         |     |         | 0.01         | 0.022       |
| 050    | 15841-05370 | OIL SHIELD BREATHER  | 1    |         |     |         | 0.003        | 0.0066      |
| 060    | 03024-50510 | SCREW WITH WASHER    | 2    | ≤384779 |     |         | 0.002        | 0.0044      |
| 060    | 16861-93310 | SCREW                | 2    | ≥384780 | ≠   |         | 0.001        | 0.0022      |
| 070    | 15841-05510 | PIPE BREATHER        | 1    |         |     |         | 0.04         | 0.088       |
| 080    | 15841-05590 | CLAMP PIPE           | 1    |         |     |         | 0.005        | 0.011       |
| 090    | 02114-50080 | NUT                  | 1    |         |     |         | 0.005        | 0.011       |
| 100    | 04013-50080 | WASHER PLAIN         | 2    |         |     |         | 0            | 0           |
| 110    | 16861-14510 | COVER CYL.HEAD       | 1    | ≤384799 |     |         | 0.47         | 1.034       |
| 110    | 16861-14513 | COVER CYL.HEAD       | 1    | ≥384780 | ≠   |         | 0.38         | 0.836       |
| 120    | 16861-14520 | GASKET HEAD COVER    | 1    |         |     |         | 0            | 0           |
| 130    | 14601-14620 | NUT CAP              | 3    | ≤173620 |     |         | 0            | 0           |
| 130    | 15841-14620 | NUT CAP              | 3    | ≥173621 | ↔   |         | 0.01         | 0.022       |
| 140    | 15601-96650 | GASKET               | 3    |         |     |         | 0.001        | 0.0022      |
| 150    | 15852-33140 | PLUG OIL FILLER      | 1    |         |     |         | 0.038        | 0.0836      |
| 160    | 04811-50300 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |




16871-043-11





16871-044-10








## CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16851-15550 | TAPPET           | 6    |         |     |         | 0.025        | 0.055       |
| 020    | 16851-15110 | PUSH ROD         | 6    |         |     |         | 0.02         | 0.044       |
| 030    | 15861-16010 | ASSY CAMSHAFT    | 1    | ≤604086 |     |         | 0.9          | 1.98        |
| 030    | 16864-16010 | ASSY CAMSHAFT    | 1    | ≥604087 | ↔   |         | 1.05         | 2.31        |
| 040    | 03410-50608 | SCREW SET        | 1    | ≤203090 |     |         | 0.001        | 0.0022      |
| 040    | 15521-93610 | SCREW SET        | 1    | ≥203091 | ≠   |         | 0.002        | 0.0044      |
| 050    | 15841-16510 | GEAR CAM         | 1    | ≤604086 |     |         | 0.27         | 0.594       |
| 050    | 16864-16510 | GEAR CAM         | 1    | ≥604087 | ↔   |         | 0.262        | 0.5764      |
| 060    | 05712-00518 | KEY FEATHER      | 1    |         |     |         | 0.003        | 0.0066      |
| 070    | 15841-16270 | STOPPER CAMSHAFT | 1    |         |     |         | 0.027        | 0.0594      |
| 080    | 01023-50612 | BOLT             | 2    |         |     |         | 0.005        | 0.011       |
| 090    | 15875-24013 | COMP GEAR IDLE   | 1    |         |     |         | 0.38         | 0.836       |
| 100    | 15875-24282 | BUSH             | 1    |         |     |         | 0.01         | 0.022       |
| 110    | 15875-24370 | COLLAR IDLE GEAR | 1    |         |     |         | 0.006        | 0.0132      |
| 120    | 15875-24320 | RING SNAP        | 1    |         |     |         | 0.003        | 0.0066      |
| 130    | 15875-24250 | SHAFT IDLE GEAR  | 1    |         |     |         | 0.13         | 0.286       |
| 140    | 01023-50614 | BOLT             | 3    |         |     |         | 0.005        | 0.011       |







## GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16851-04020 | COMP.CASE GEAR       | 1    | <=243640 |     |         | 0            | 0           |
| 010    | 16851-04024 | COMP.CASE GEAR       | 1    | >=243641 | ←   |         | 1.73         | 3.806       |
| 020    | 16851-96010 | PLUG                 | 2    |          |     |         | 0.015        | 0.033       |
| 030    | 15841-56280 | PIN START SPRING     | 1    |          |     |         | 0.005        | 0.011       |
| 040    | 04811-06130 | O RING               | 3    |          |     |         | 0.001        | 0.0022      |
| 050    | 15862-04170 | GASKET GEAR CASE     | 1    |          |     |         | 0            | 0           |
| 060    | 01023-50618 | BOLT                 | 1    |          |     |         | 0.006        | 0.0132      |
| 070    | 01023-60650 | BOLT                 | 8    |          |     |         | 0.015        | 0.033       |
| 080    | 15841-91010 | BOLT                 | 5    |          |     |         | 0.014        | 0.0308      |
| 090    | 01023-60670 | BOLT                 | 1    |          |     |         | 0.015        | 0.033       |
| 100    | 01023-50675 | BOLT                 | 1    |          |     |         | 0.01         | 0.022       |
| 110    | 15241-32290 | JOINT PIPE           | 1    |          |     |         | 0.053        | 0.1166      |
| 120    | 15841-94010 | WASHER PLAIN         | 1    |          |     |         | 0.003        | 0.0066      |
| 130    | 15841-04140 | SEAL OIL             | 1    |          |     |         | 0.012        | 0.0264      |
| 140    | 15841-32430 | CARTRIDGE OIL FILTER | 1    | <=338135 |     |         | 0.31         | 0.682       |
| 140    | 15853-99170 | CARTRIDGE OIL FILTER | 1    | >=338136 | ↔   |         | 0            | 0           |
| 150    | 16851-36950 | SPRING               | 1    |          |     |         | 0.02         | 0.044       |
| 160    | 15841-36930 | SEAT VALVE           | 1    |          |     |         | 0.01         | 0.022       |
| 170    | 07715-03211 | BALL                 | 1    |          |     |         | 0.003        | 0.0066      |








090 15841-7326-0



150 02056-50060

160 04512-60060

170 04012-50060




16871-802-11



# WATER FLANGE/THERMOSTAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16851-72700 | COMP.FLANGE WATER   | 1    |         |     |         | 0            | 0           |
| 020    | 16241-73340 | PIPE WATER RETURN   | 1    | ≤302306 |     |         | 0.006        | 0.0132      |
| 020    | 16241-73370 | PIPE WATER RETURN   | 1    | ≥302307 | ≠   |         | 0.007        | 0.0154      |
| 030    | 15862-72920 | GASKET WATER FLANGE | 1    | ≤771520 |     |         | 0            | 0           |
| 030    | 15841-72922 | GASKET WATER FLANGE | 1    | ≥771521 | ←   |         | 0.001        | 0.0022      |
| 040    | 01023-50616 | BOLT                | 2    |         |     |         | 0.005        | 0.011       |
| 050    | 15881-91020 | BOLT                | 1    |         |     |         | 0.01         | 0.022       |
| 060    | 16851-73350 | PIPE WATER RETURN   | 1    |         |     |         | 0.15         | 0.33        |
| 070    | 16241-73360 | BAND PIPE           | 2    |         |     |         | 0.003        | 0.0066      |
| 080    | 15531-73010 | ASSY THERMOSTAT     | 1    |         |     |         | 0.07         | 0.154       |
| 090    | 15841-73260 | COVER THERMOSTAT    | 1    | ≤208209 |     |         | 0.04         | 0.088       |
| 090    | 16851-73260 | COVER THERMOSTAT    | 1    | ≥208210 | ≠   |         | 0.06         | 0.132       |
| 100    | 15676-73270 | GASKET THERMOSTAT   | 1    |         |     |         | 0.005        | 0.011       |
| 110    | 01023-50622 | BOLT                | 2    |         |     |         | 0.005        | 0.011       |
| 120    | 15841-72860 | PIPE WATER          | 1    |         |     |         | 0.09         | 0.198       |
| 130    | 15881-72870 | PIPE WATER          | 1    |         |     |         | 0.03         | 0.066       |
| 140    | 15841-91510 | STUD                | 1    |         |     |         | 0.007        | 0.0154      |
| 150    | 02056-50060 | NUT                 | 1    | ≤746723 |     |         | 0.002        | 0.0044      |
| 150    | 02751-50060 | NUT FLANGE          | 1    | ≥746724 | ≠   |         | 0.005        | 0.011       |
| 160    | 04512-60060 | WASHER SPRING       | 1    | ≤746723 |     |         | 0.001        | 0.0022      |
| 170    | 04012-50060 | WASHER PLAIN        | 1    | ≤746723 |     |         | 0.001        | 0.0022      |
| 180    | 09318-89030 | CLAMP HOSE          | 2    |         |     |         | 0.02         | 0.044       |



16871-016-11

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.    | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|----------|-----|----------------------------------------|--------------|-------------|
| 010    | 16861-51010 | ASSY PUMP INJECTION  | 1    | <=489915 |     | REFER TO L.No. 0B11-R0 FOR COMPONENTS. | 0            | 0           |
| 010    | 16006-51010 | ASSY PUMP INJECTION  | 1    | >=489916 | ≠   | REFER TO L.No. 0B11-R0 FOR COMPONENTS. | 1.1          | 2.42        |
| 020    | 15861-52110 | SHIM INJECTION PUMP  | 1    | <=489915 |     | 0.15MM                                 | 0            | 0           |
| 020    | 16006-52092 | SHIM INJECTION       | 1    | >=489916 | ←   | 0.20MM                                 | 0.004        | 0.0088      |
| 020    | 15861-52120 | SHIM INJECTION PUMP  | 2    | <=489915 |     | 0.30MM                                 | 0            | 0           |
| 020    | 16006-52112 | SHIM INJECTION       | 1    | >=489916 | ←   | 0.25MM                                 | 0.004        | 0.0088      |
| 020    | 16006-52122 | SHIM INJECTION       | 1    | >=489916 |     | 0.30MM                                 | 0.006        | 0.0132      |
| 030    | 01311-10620 | BOLT HEX-SOC-HD      | 2    |          |     |                                        | 0.012        | 0.0264      |
| 040    | 15841-91500 | STUD                 | 2    |          |     |                                        | 0.04         | 0.088       |
| 050    | 15841-92320 | NUT CAP              | 2    |          |     |                                        | 0.01         | 0.022       |
| 060    | 04512-60060 | WASHER SPRING        | 4    |          |     |                                        | 0.001        | 0.0022      |
| 070    | 15841-95680 | JOINT EYE            | 1    |          |     |                                        | 0.03         | 0.066       |
| 080    | 16861-16020 | ASSY CAMSHAFT FUEL   | 1    |          |     |                                        | 0.856        | 1.8832      |
| 090    | 15875-16170 | CAMSHAFT FUEL        | 1    |          |     |                                        | 0.316        | 0.6952      |
| 100    | 08153-06203 | BEARING BALL         | 1    |          |     |                                        | 0.08         | 0.176       |
| 110    | 16851-51150 | GEAR INJECTION PUMP  | 1    |          |     |                                        | 0.2          | 0.44        |
| 120    | 05712-00515 | KEY FEATHER          | 1    |          |     |                                        | 0.003        | 0.0066      |
| 130    | 15841-55450 | SLEEVE GOVERNOR      | 1    |          |     |                                        | 0.05         | 0.11        |
| 140    | 15841-55690 | CASE GOVERNOR BALL   | 1    |          |     |                                        | 0.02         | 0.044       |
| 150    | 07715-00801 | BALL                 | 32   |          |     |                                        | 0.001        | 0.0022      |
| 160    | 15261-55470 | CIR-CLIP GOV. SLEEVE | 1    |          |     |                                        | 0.002        | 0.0044      |
| 170    | 07715-03217 | BALL                 | 8    |          |     |                                        | 0.01         | 0.022       |
| 180    | 08103-06203 | BEARING BALL         | 1    |          |     |                                        | 0.065        | 0.143       |
| 190    | 04612-00170 | CIRCLIP EXTERNAL     | 1    |          |     |                                        | 0.001        | 0.0022      |
| 200    | 15841-16320 | STOPPER FUEL.C/SHAFT | 1    |          |     |                                        | 0.015        | 0.033       |
| 210    | 01023-50612 | BOLT                 | 2    |          |     |                                        | 0.005        | 0.011       |






# INJECTION PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 16861-51010 | ASSY PUMP INJECTION | 1    | <=489915 |     |         | 0            | 0           |
| 010    | 16006-51010 | ASSY PUMP INJECTION | 1    | >=489916 | ≠   |         | 1.1          | 2.42        |
| 020    | 16851-51050 | PLUNGER PUMP        | 3    |          |     |         | 0.035        | 0.077       |
| 030    | 15841-51030 | VALVE DELIVERY      | 3    |          |     |         | 0.015        | 0.033       |
| 040    | 15841-51230 | SPRING DELIV.VALVE  | 3    |          |     |         | 0.004        | 0.0088      |
| 050    | 15841-51240 | GASKET DELIV.VALVE  | 3    |          |     |         | 0.001        | 0.0022      |
| 060    | 16851-51220 | HOLDER DELIVE.VALVE | 3    |          |     |         | 0.045        | 0.099       |
| 070    | 15841-96760 | O RING              | 3    |          |     |         | 0.001        | 0.0022      |
| 080    | 15841-51560 | FLANGE SLEEVE       | 3    |          |     |         | 0.06         | 0.132       |
| 090    | 15841-94570 | PIN JOINT           | 3    |          |     |         | 0.001        | 0.0022      |
| 100    | 15841-51200 | O RING              | 6    |          |     |         | 0.001        | 0.0022      |
| 110    | 15862-91430 | SCREW               | 6    |          |     |         | 0.01         | 0.022       |
| 120    | 15852-51470 | WASHER              | 6    |          |     |         | 0.002        | 0.0044      |
| 130    | 15841-51070 | ASSY TAPPET         | 3    |          |     |         | 0.03         | 0.066       |
| 140    | 15841-51250 | PIN TAPPET GUIDE    | 3    |          |     |         | 0.001        | 0.0022      |
| 150    | 15861-51430 | PIN CLAMP           | 1    |          |     |         | 0.002        | 0.0044      |
| 160    | 15841-51280 | SPRING PLUNGER      | 3    |          |     |         | 0.015        | 0.033       |
| 170    | 15841-51270 | SEAT SPRING UPPER   | 3    |          |     |         | 0.005        | 0.011       |
| 180    | 15841-51290 | SEAT SPRING LOWER   | 3    |          |     |         | 0.005        | 0.011       |
| 190    | 15841-51490 | SHIM                | 3    |          |     |         | 0.005        | 0.011       |
| 200    | 15861-51060 | RACK CONTROL        | 1    |          |     |         | 0.02         | 0.044       |
| 210    | 15861-51540 | PLATE               | 1    |          |     |         | 0.02         | 0.044       |
| 220    | 15841-93110 | SCREW CSK-HD        | 4    |          |     |         | 0.001        | 0.0022      |
| 230    | 15841-51380 | SLEEVE CONTROL      | 3    |          |     |         | 0.006        | 0.0132      |
| 240    | 15841-51320 | SCREW FOLLOW        | 1    |          |     |         | 0.024        | 0.0528      |
| 250    | 15841-96650 | GASKET              | 2    |          |     |         | 0.001        | 0.0022      |
| 260    | 15841-51350 | SCREW               | 1    |          |     |         | 0.005        | 0.011       |
| 270    | 15841-96660 | GASKET              | 1    |          |     |         | 0.001        | 0.0022      |
| 280    | 15861-91010 | BOLT                | 1    |          |     |         | 0.013        | 0.0286      |
| 280    | 16030-96010 | PLUG                | 1    |          | ↔   |         | 0.008        | 0.0176      |
| 290    | 15861-96650 | GASKET              | 1    |          |     |         | 0.001        | 0.0022      |







## SPEED CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.    | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|----------|-----|---------|--------------|-------------|
| 010    | 15841-57110 | PLATE SPEED CONTROL | 1    |          |     |         | 0.12         | 0.264       |
| 020    | 15862-57210 | GASKET              | 1    | <=752018 |     |         | 0            | 0           |
| 020    | 15841-57212 | GASKET              | 1    | >=752019 | ←   |         | 0.001        | 0.0022      |
| 030    | 01023-50618 | BOLT                | 2    |          |     |         | 0.006        | 0.0132      |
| 040    | 01053-50618 | BOLT                | 2    |          |     |         | 0.006        | 0.0132      |
| 050    | 15601-96650 | GASKET              | 2    |          |     |         | 0.001        | 0.0022      |
| 060    | 15841-56110 | LEVER GOVERNOR      | 1    |          |     |         | 0.06         | 0.132       |
| 070    | 15841-57240 | COLLAR              | 1    |          |     |         | 0.01         | 0.022       |
| 080    | 04811-10160 | RING                | 1    |          |     |         | 0.001        | 0.0022      |
| 090    | 15841-57150 | LEVER SPEED CONTROL | 1    | <=445081 |     |         | 0.042        | 0.0924      |
| 090    | 16667-57150 | LEVER SPEED CONTROL | 1    | >=445082 | ↔   |         | 0.045        | 0.099       |
| 100    | 15841-92010 | NUT SPEED CONTROL   | 2    |          |     |         | 0.007        | 0.0154      |
| 110    | 15841-57740 | SHAFT LEVER         | 1    | <=338135 |     |         | 0            | 0           |
| 110    | 19643-57740 | SHAFT LEVER         | 1    | >=338136 | ↔   |         | 0            | 0           |
| 110    | 16878-57740 | SHAFT LEVER         | 1    | >=445082 | ↔   |         | 0.041        | 0.0902      |
| 120    | 16851-57720 | LEVER ENGINE STOP   | 1    | <=761958 |     |         | 0.06         | 0.132       |
| 120    | 17580-57720 | LEVER ENGINE STOP   | 1    | >=761959 | ↔   |         | 0.055        | 0.121       |
| 130    | 05411-00318 | PIN SPRING          | 1    |          |     |         | 0.001        | 0.0022      |
| 140    | 04811-10070 | RING                | 1    |          |     |         | 0.001        | 0.0022      |
| 150    | 15841-57920 | SPRING RETURN       | 1    | <=404632 |     |         | 0.008        | 0.0176      |
| 150    | 16866-57920 | SPRING RETURN       | 1    | >=404633 | ←   |         | 0            | 0           |
| 150    | 16878-57920 | SPRING RETURN       | 1    | >=445082 | ↔   |         | 0.005        | 0.011       |
| 160    | 16866-57300 | CAP                 | 1    |          |     |         | 0.003        | 0.0066      |
| 170    | 16851-57000 | PLATE SPEED CONTROL | 1    | <=404632 |     |         | 0            | 0           |
| 170    | 16866-57000 | PLATE SPEED CONTROL | 1    | >=404633 | ↔   |         | 0            | 0           |




| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16851-56480 | SPRING START      | 1    |       |     |         | 0.02         | 0.044       |
| 020    | 16851-56410 | SPRING GOVERNOR   | 1    |       |     |         | 0.02         | 0.044       |
| 030    | 16851-56050 | ASSY LEVER FORK   | 1    |       |     |         | 0.25         | 0.55        |
| 040    | 16851-56040 | COMP.LEVER FORK   | 1    |       |     |         | 0.12         | 0.264       |
| 050    | 15841-56060 | ASSY LEVER FORK   | 1    |       |     |         | 0.095        | 0.209       |
| 060    | 15841-56130 | LEVER FORK        | 1    |       |     |         | 0.06         | 0.132       |
| 070    | 15841-56150 | SHAFT FORK LEVER  | 1    |       |     |         | 0.035        | 0.077       |
| 080    | 05411-00318 | PIN SPRING        | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 15261-66410 | BOLT              | 1    |       |     |         | 0.003        | 0.0066      |
| 100    | 04512-50050 | WASHER SPRING     | 1    |       |     |         | 0            | 0           |
| 110    | 15841-56230 | HOLDER FORK LEVER | 1    |       |     |         | 0.035        | 0.077       |
| 120    | 01023-50635 | BOLT              | 2    |       |     |         | 0.01         | 0.022       |



16871-020-11

150 66101-5805-0



**150**


16871-803-10



## STOP SOLENOID

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 15852-52850 | COVER               | 1    |         |     |         | 0.06         | 0.132       |
| 020    | 16264-52140 | GASKET FUEL PUMP    | 1    |         |     |         | 0.001        | 0.0022      |
| 030    | 01023-50618 | BOLT                | 2    |         |     |         | 0.006        | 0.0132      |
| 040    | 15841-54092 | ASSY APPARATUS IDLE | 1    |         |     |         | 0.02         | 0.044       |
| 050    | 15841-54100 | ASSY BOLT ADJUSTING | 1    |         |     |         | 0.009        | 0.0198      |
| 060    | 15261-92020 | NUT                 | 1    |         |     |         | 0.004        | 0.0088      |
| 070    | 15841-54220 | NUT CAP             | 1    |         |     |         | 0.006        | 0.0132      |
| 080    | 15021-33660 | GASKET              | 2    |         |     |         | 0.001        | 0.0022      |
| 090    | 15841-54270 | CAP                 | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 15841-54122 | BOLT ADJUSTING      | 1    |         |     |         | 0.008        | 0.0176      |
| 110    | 15841-92020 | NUT                 | 1    |         |     |         | 0.004        | 0.0088      |
| 120    | 15601-96650 | GASKET              | 2    |         |     |         | 0.001        | 0.0022      |
| 130    | 15841-92330 | NUT CAP             | 1    | ≤193249 |     |         | 0.006        | 0.0132      |
| 130    | 15852-92330 | NUT CAP             | 1    | ≥193250 | ↔   |         | 0            | 0           |
| 140    | 16241-54420 | CAP                 | 1    | ≤193249 |     |         | 0.004        | 0.0088      |
| 140    | 15841-54420 | CAP                 | 1    | ≥193250 | ↔   |         | 0            | 0           |
| 150    | 66101-58050 | CLAMP WIRE          | 1    | ≤370693 |     |         | 0            | 0           |
| 150    | 66101-58053 | CLAMP WIRE          | 1    | ≥370694 | ←   |         | 0.2          | 0.44        |
| 160    | 16851-60010 | SOLENOID STOP       | 1    |         |     |         | 0.44         | 0.968       |
| 170    | 01754-50612 | BOLT FLANGE         | 2    |         |     |         | 0.005        | 0.011       |
| 180    | 03014-50635 | SCREW PAN-HEAD      | 1    |         |     |         | 0.008        | 0.0176      |
| 190    | 02014-50060 | NUT                 | 2    |         |     |         | 0.003        | 0.0066      |




16871-001-20



## UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 07916-29465 | KIT GASKET UPPER     | 1    |       |     |         | 0            | 0           |
| 020    | 16861-03310 | GASKET CYLINDER HEAD | 1    |       |     |         | 0.083        | 0.1826      |
| 030    | 15862-12350 | GASKET               | 1    |       |     |         | 0.01         | 0.022       |
| 040    | 15861-11820 | GASKET IN-MANIFOLD   | 1    |       |     |         | 0.001        | 0.0022      |
| 050    | 16861-14520 | GASKET HEAD COVER    | 1    |       |     |         | 0            | 0           |
| 060    | 15841-13150 | SEAL VALVE STEM      | 1    |       |     |         | 0.015        | 0.033       |
| 070    | 15221-33700 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 080    | 04811-50300 | O RING               | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 15601-96650 | GASKET               | 3    |       |     |         | 0.001        | 0.0022      |
| 100    | 15841-53620 | GASKET               | 3    |       |     |         | 0            | 0           |






## LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 07916-29485 | KIT GASKET LOWER     | 1    |         |     |         | 0.22         | 0.484       |
| 020    | 15862-04170 | GASKET GEAR CASE     | 1    |         |     |         | 0            | 0           |
| 030    | 15862-35152 | GASKET OIL PUMP      | 1    | ≤752018 |     |         | 0            | 0           |
| 030    | 16851-35152 | GASKET OIL PUMP      | 1    | ≥752019 | ←   |         | 0.001        | 0.0022      |
| 040    | 19883-73430 | GASKET WATER PUMP    | 1    | ≤746723 |     |         | 0            | 0           |
| 040    | 15881-73432 | GASKET WATER PUMP    | 1    | ≥746724 | ←   |         | 0.002        | 0.0044      |
| 050    | 15862-72920 | GASKET WATER FLANGE  | 1    | ≤771520 |     |         | 0            | 0           |
| 050    | 15841-72922 | GASKET WATER FLANGE  | 1    | ≥771521 | ←   |         | 0.001        | 0.0022      |
| 060    | 15676-73270 | GASKET THERMOSTAT    | 1    |         |     |         | 0.005        | 0.011       |
| 070    | 16264-52140 | GASKET FUEL PUMP     | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | 15862-04360 | GASKET BRG.CASE      | 1    |         |     |         | 0            | 0           |
| 090    | 15862-04820 | GASKET BRG.CASE COV. | 1    |         |     |         | 0            | 0           |
| 100    | 15841-04140 | SEAL OIL             | 1    |         |     |         | 0.012        | 0.0264      |
| 110    | 09560-00007 | SEAL OIL             | 1    |         |     |         | 0.029        | 0.0638      |
| 120    | 15862-57210 | GASKET               | 1    | ≤752018 |     |         | 0            | 0           |
| 120    | 15841-57212 | GASKET               | 1    | ≥752019 | ←   |         | 0.001        | 0.0022      |
| 130    | 15109-33660 | GASKET               | 1    |         |     |         | 0.001        | 0.0022      |
| 140    | 15841-96650 | GASKET               | 2    |         |     |         | 0.001        | 0.0022      |
| 150    | 15841-96660 | GASKET               | 1    |         |     |         | 0.001        | 0.0022      |
| 160    | 15021-33660 | GASKET               | 2    |         |     |         | 0.001        | 0.0022      |
| 170    | 15601-96650 | GASKET               | 2    |         |     |         | 0.001        | 0.0022      |
| 180    | 04811-06130 | O RING               | 3    |         |     |         | 0.001        | 0.0022      |
| 190    | 04811-16220 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 200    | 04811-00160 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 210    | 04811-10160 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |
| 220    | 04811-10070 | O RING               | 1    |         |     |         | 0.001        | 0.0022      |






## AIR CLEANER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 16861-11010 | ASSY CLEANER AIR     | 1    |        |     |         | 1.1          | 2.42        |
| 020    | 16861-11150 | BODY AIR CLEANER     | 1    |        |     |         | 0.76         | 1.672       |
| 030    | 15852-11080 | ASSY ELEMENT CLEANER | 1    |        |     |         | 0.45         | 0.99        |
| 040    | 15227-87480 | LABEL ELEMENT A/C    | 1    |        |     |         | 0.004        | 0.0088      |
| 050    | 15221-94430 | WASHER WITH RUBBER   | 1    |        |     |         | 0.004        | 0.0088      |
| 060    | 15221-92620 | BOLT WING            | 1    |        |     |         | 0.04         | 0.088       |
| 070    | 15372-87452 | LABEL AIR CLEANER    | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 15852-11470 | VALVE                | 1    |        |     |         | 0.03         | 0.066       |
| 090    | 66101-58222 | STAY AIR CLEANER     | 1    |        |     |         | 0.37         | 0.814       |
| 100    | 67401-54280 | CUSHION              | 1    |        |     |         | 0.01         | 0.022       |
| 110    | 67401-54290 | BAND AIR CLEANER     | 1    |        |     |         | 0.06         | 0.132       |
| 120    | 01123-50820 | BOLT                 | 2    | ≤16446 |     |         | 0.011        | 0.0242      |
| 120    | 01754-50816 | BOLT FLANGE          | 2    | ≥16447 | ↔   |         | 0.011        | 0.0242      |
| 130    | 66101-58250 | PIPE INLET           | 1    |        |     |         | 0.3          | 0.66        |
| 140    | 15221-11720 | BAND PIPE            | 1    |        |     |         | 0.03         | 0.066       |
| 150    | 66101-58260 | PIPE INLET           | 1    | ≤10252 |     |         | 0            | 0           |
| 150    | 66101-58262 | PIPE INLET           | 1    | ≥10253 | ←   |         | 0.8          | 1.76        |
| 160    | 15221-11720 | BAND PIPE            | 1    |        |     |         | 0.03         | 0.066       |
| 170    | 66101-58030 | STAY AIR CLEANER     | 1    |        |     |         | 0.2          | 0.44        |
| 180    | 01123-50822 | BOLT                 | 2    |        |     |         | 0.012        | 0.0264      |
| 190    | 15261-11720 | BAND PIPE            | 1    |        |     |         | 0.03         | 0.066       |



050 01202-50610

060 04013-50060




66101-800-10



## MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 16861-12112 | MUFFLER           | 1    |        |     |         | 1.46         | 3.212       |
| 020    | 15852-12230 | GASKET MUFFLER    | 1    | ≤10762 |     |         | 0.01         | 0.022       |
| 020    | 15862-12230 | GASKET MUFFLER NA | 1    | ≥10763 | ←   |         | 0.015        | 0.033       |
| 030    | 01123-50830 | BOLT              | 3    |        |     |         | 0.015        | 0.033       |
| 040    | 66101-58132 | MARK              | 1    |        |     |         | 0.22         | 0.484       |
| 050    | 01202-50610 | BOLT              | 4    | ≤10683 |     |         | 0.004        | 0.0088      |
| 050    | 01754-50610 | BOLT FLANGE       | 4    | ≥10684 | ←   |         | 0.006        | 0.0132      |
| 060    | 04013-50060 | WASHER PLAIN      | 4    | ≤10683 |     |         | 0            | 0           |
| 070    | 66101-58100 | ASSY MUFFLER      | 1    |        |     |         | 2            | 4.4         |




66101-058-10



## ACCELERATOR LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-43210 | LEVER ACCEL      | 1    |        |     |         | 0.14         | 0.308       |
| 020    | 66101-43220 | PIN SNAP         | 1    |        |     |         | 0.015        | 0.033       |
| 030    | 67111-54920 | BUSH             | 1    |        |     |         | 0.01         | 0.022       |
| 040    | 66101-43230 | ARM ACCELERATOR  | 1    |        |     |         | 0.1          | 0.22        |
| 050    | 32210-17190 | SPRING           | 1    |        |     |         | 0.005        | 0.011       |
| 060    | 04015-50100 | WASHER PLAIN     | 1    |        |     |         | 0.016        | 0.0352      |
| 070    | 02118-50100 | NUT              | 2    |        |     |         | 0.005        | 0.011       |
| 080    | 66101-43240 | WIRE ACCELERATOR | 1    | ≤11091 |     |         | 0            | 0           |
| 080    | 66101-43243 | WIRE ACCELERATOR | 1    | ≥11092 | ←   |         | 0.14         | 0.308       |
| 090    | 05122-50618 | PIN JOINT        | 2    |        |     |         | 0            | 0           |
| 100    | 04012-50060 | WASHER PLAIN     | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 05511-51612 | PIN SPLIT        | 2    |        |     |         | 0.001        | 0.0022      |
| 120    | 67156-43320 | GRIP             | 1    |        |     |         | 0.026        | 0.0572      |




66101-059-10





160 66101-5835-0




6G101-826-10



## FUEL PIPE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-58310 | ASSY PIPE FUEL       | 1    |        |     |         | 0.015        | 0.033       |
| 020    | 14911-42750 | CLIP PIPE            | 2    |        |     |         | 0.002        | 0.0044      |
| 030    | 17365-42020 | ASSY PIPE FUEL       | 1    | ≤10683 |     |         | 0.045        | 0.099       |
| 030    | 66101-58520 | ASSY PIPE FUEL       | 1    | ≥10684 | ↔   |         | 0.06         | 0.132       |
| 040    | 66021-58340 | SPRING PIPE PROTECT. | 1    | ≤10683 |     |         | 0.025        | 0.055       |
| 040    | 32510-10990 | SPRING PIPE PROTECT. | 1    | ≥10684 | ↔   |         | 0.024        | 0.0528      |
| 050    | 14301-42750 | CLIP PIPE            | 2    |        |     |         | 0.005        | 0.011       |
| 060    | 14612-42010 | ASSY PIPE FUEL       | 1    | ≤10683 |     |         | 0.021        | 0.0462      |
| 060    | 66101-58530 | ASSY PIPE FUEL       | 1    | ≥10684 | ↔   |         | 0.023        | 0.0506      |
| 070    | 14301-42750 | CLIP PIPE            | 2    |        |     |         | 0.005        | 0.011       |
| 080    | 66101-58380 | ASSY PIPE FUEL       | 1    |        |     |         | 0.015        | 0.033       |
| 090    | 14301-42750 | CLIP PIPE            | 2    |        |     |         | 0.005        | 0.011       |
| 100    | 15371-42020 | ASSY PIPE FUEL       | 1    | ≤10683 |     |         | 0.034        | 0.0748      |
| 100    | 66101-58510 | ASSY PIPE FUEL       | 1    | ≥10684 | ↔   |         | 0.04         | 0.088       |
| 110    | 14301-42750 | CLIP PIPE            | 2    |        |     |         | 0.005        | 0.011       |
| 120    | 66101-58470 | ASSY PIPE OVER FLOW  | 1    |        |     |         | 0.02         | 0.044       |
| 125    | 09661-50200 | TUBE FUEL            | 1    |        |     |         | 0.013        | 0.0286      |
| 130    | 10244-42320 | CLIP PIPE            | 2    |        |     |         | 0.001        | 0.0022      |
| 140    | 66101-58340 | PIPE FUEL            | 1    |        |     |         | 0.15         | 0.33        |
| 150    | 01202-50616 | BOLT                 | 2    | ≤16446 |     |         | 0.006        | 0.0132      |
| 150    | 01754-50616 | BOLT FLANGE          | 2    | ≥16447 | ↔   |         | 0.006        | 0.0132      |
| 160    | 66101-58350 | PIPE FUEL RETURN     | 1    | ≤10369 |     |         | 0.14         | 0.308       |
| 160    | 66101-58353 | PIPE FUEL RETURN     | 1    | ≥10370 | ≠   |         | 0            | 0           |
| 160    | 66101-58354 | PIPE FUEL RETURN     | 1    | ≥10902 | ←   |         | 0.15         | 0.33        |
| 170    | 01202-50616 | BOLT                 | 3    | ≤16446 |     |         | 0.006        | 0.0132      |
| 170    | 01754-50616 | BOLT FLANGE          | 3    | ≥16447 | ↔   |         | 0.006        | 0.0132      |
| 180    | 13351-43010 | ASSY FILTER FUEL     | 2    | ≤14778 |     |         | 0            | 0           |
| 180    | 12581-43010 | ASSY FILTER FUEL     | 2    | ≥14779 | ↔   |         | 0            | 0           |
| 180    | 12581-43012 | ASSY FILTER FUEL     | 2    | ≥15344 | ←   |         | 0.035        | 0.077       |
| 190    | 66103-58330 | BAND FILTER          | 2    | ≤16446 |     |         | 0.01         | 0.022       |
| 190    | 66021-58330 | BAND FILTER          | 2    | ≥16447 | ↔   |         | 0.037        | 0.0814      |
| 200    | 01202-50618 | BOLT                 | 2    |        |     |         | 0.006        | 0.0132      |
| 210    | 66101-58400 | ASSY PIPE OVER FLOW  | 1    | ≤10735 |     |         | 0            | 0           |
| 210    | 66101-58402 | ASSY PIPE OVER FLOW  | 1    | ≥10736 | ←   |         | 0.015        | 0.033       |
| 220    | 10244-42320 | CLIP PIPE            | 2    | ≤10735 |     |         | 0.001        | 0.0022      |
| 220    | 14971-42750 | CLIP PIPE            | 2    | ≥10736 | ≠   |         | 0.001        | 0.0022      |
| 230    | 16851-52030 | ASSY PUMP FUEL       | 1    |        |     |         | 0.2          | 0.44        |
| 240    | 01202-50616 | BOLT                 | 1    |        |     |         | 0.006        | 0.0132      |
| 250    | 01123-60816 | BOLT                 | 1    |        |     |         | 0.01         | 0.022       |



270 66091-5827-0

280 04013-50060




66101-822-10




## RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 16861-72060 | ASSY RADIATOR       | 1    |         |     |         | 5.5          | 12.1        |
| 020    | 16861-72330 | SHROUD FAN          | 1    |         |     |         | 0.65         | 1.43        |
| 030    | 16861-72020 | ASSY CAP            | 1    |         |     |         | 0.08         | 0.176       |
| 040    | 16851-73110 | COCK DRAIN          | 1    |         |     |         | 0.01         | 0.022       |
| 050    | 16851-72712 | PIPE WATER OVERFLOW | 1    |         |     |         | 0.05         | 0.11        |
| 060    | 16851-72470 | CLAMP PIPE          | 2    |         |     |         | 0.003        | 0.0066      |
| 070    | 16851-96690 | GASKET              | 1    |         |     |         | 0.002        | 0.0044      |
| 080    | 16851-72400 | ASSY TANK RESERVE   | 1    |         |     |         | 0.22         | 0.484       |
| 090    | 16851-72420 | CAP                 | 1    |         |     |         | 0.05         | 0.11        |
| 100    | 16851-72440 | PIPE OVER FLOW      | 1    |         |     |         | 0.04         | 0.088       |
| 110    | 01205-50614 | BOLT                | 3    |         |     |         | 0.006        | 0.0132      |
| 120    | 16851-72180 | CUSHION UPPER       | 2    |         |     |         | 0.025        | 0.055       |
| 130    | 15111-72180 | CUSHION             | 2    |         |     |         | 0.015        | 0.033       |
| 140    | 15111-72200 | WASHER              | 4    |         |     |         | 0.013        | 0.0286      |
| 150    | 66021-52430 | BOLT RADIATOR       | 2    | <=12756 |     |         | 0.027        | 0.0594      |
| 150    | 67111-58710 | BOLT RADIATOR       | 2    | >=12757 | ↔   |         | 0.027        | 0.0594      |
| 155    | 04013-50100 | WASHER PLAIN        | 2    | >=12708 |     |         | 0            | 0           |
| 160    | 05515-61000 | PIN SNAP            | 2    |         |     |         | 0.003        | 0.0066      |
| 170    | 16861-72850 | PIPE WATER          | 1    |         |     |         | 0.06         | 0.132       |
| 180    | 16861-72940 | PIPE WATER          | 1    | <=11581 |     |         | 0.1          | 0.22        |
| 180    | 16871-72940 | PIPE WATER          | 1    | >=11582 | ≠   |         | 0.075        | 0.165       |
| 190    | 09318-89030 | CLAMP HOSE          | 2    | <=10002 |     |         | 0.02         | 0.044       |
| 190    | 15841-72960 | BAND PIPE           | 2    | >=10003 | ≠   |         | 0.025        | 0.055       |
| 190    | 67980-58640 | CLAMP HOSE          | 2    | >=15344 | ↔   |         | 0.02         | 0.044       |
| 200    | 09318-89036 | CLAMP HOSE          | 1    |         |     |         | 0.025        | 0.055       |
| 210    | 66101-58413 | NET DUSTPROOF       | 1    |         |     |         | 0.5          | 1.1         |
| 220    | 66101-51160 | SUPPORT RADIATOR    | 2    |         |     |         | 0.2          | 0.44        |
| 230    | 66101-53230 | COVER               | 1    |         |     |         | 0.005        | 0.011       |
| 240    | 01123-50820 | BOLT                | 4    |         |     |         | 0.011        | 0.0242      |
| 250    | 66101-53240 | TRIM SASH           | 1    | <=10803 |     |         | 0            | 0           |
| 250    | 66101-53242 | TRIM SASH           | 1    | >=10804 | ≠   |         | 0.08         | 0.176       |
| 260    | 02054-50050 | NUT                 | 4    |         |     |         | 0.002        | 0.0044      |
| 270    | 66091-58270 | SUPPORT PIPE        | 1    | <=10072 |     |         | 0.01         | 0.022       |
| 280    | 04013-50060 | WASHER PLAIN        | 1    | <=10072 |     |         | 0            | 0           |








16871-021-10

**DYNAMO**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No. | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|-------|-----|----------------------------------------|--------------|-------------|
| 010    | 15531-64010 | ASSY DYNAMO      | 1    |       |     | REFER TO L.NO. 0D01-L0 FOR COMPONENTS. | 0            | 0           |
| 020    | 15872-64420 | STAY DYNAMO      | 1    |       |     |                                        | 0            | 0           |
| 030    | 01123-50825 | BOLT             | 1    |       |     |                                        | 0.013        | 0.0286      |
| 040    | 01153-50855 | BOLT             | 1    |       |     |                                        | 0.023        | 0.0506      |
| 050    | 04013-50080 | WASHER PLAIN     | 2    |       |     |                                        | 0            | 0           |
| 060    | 02114-50080 | NUT              | 1    |       |     |                                        | 0.005        | 0.011       |
| 070    | 04512-60080 | WASHER<br>SPRING | 1    |       |     |                                        | 0.002        | 0.0044      |
| 080    | 04015-60080 | WASHER PLAIN     | 1    |       |     |                                        | 0.01         | 0.022       |
| 090    | 01023-50616 | BOLT             | 2    |       |     |                                        | 0.005        | 0.011       |






## DYNAMO [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 15531-64010 | ASSY DYNAMO      | 1    |        |     |         | 0            | 0           |
| 020    | 15531-64122 | COMP.STATOR      | 1    | ≤20754 |     |         | 0.76         | 1.672       |
| 020    | 15381-64120 | COMP.STATOR      | 1    | ≥20755 | ≠   |         | 0.67         | 1.474       |
| 030    | 15531-64110 | PULLEY           | 1    |        |     |         | 0.15         | 0.33        |
| 040    | 15531-64040 | ROTOR            | 1    | ≤20754 |     |         | 0.5          | 1.1         |
| 040    | 15381-64040 | ROTOR            | 1    | ≥20755 | ≠   |         | 0.48         | 1.056       |
| 050    | 6C040-82860 | COLLAR           | 1    |        |     |         | 0.014        | 0.0308      |
| 060    | 15531-74180 | BEARING BALL     | 2    | ≤20754 |     |         | 0.04         | 0.088       |
| 060    | 15531-74180 | BEARING BALL     | 1    | ≥20755 |     |         | 0.04         | 0.088       |
| 070    | 15531-74140 | SHAFT FAN        | 1    | ≤20754 |     |         | 0.075        | 0.165       |
| 070    | 15381-74140 | SHAFT FAN        | 1    | ≥20755 | ≠   |         | 0.07         | 0.154       |
| 080    | 15531-64363 | COMP.STATOR      | 1    | ≤20754 |     |         | 0.555        | 1.221       |
| 080    | 15381-64360 | COMP.STATOR      | 1    | ≥20755 | ≠   |         | 0.59         | 1.298       |
| 090    | 15261-93010 | SCREW ROUND HEAD | 2    |        |     |         | 0.003        | 0.0066      |
| 100    | 15531-64292 | STATOR           | 1    | ≤20754 |     |         | 0.29         | 0.638       |
| 100    | 15381-64290 | STATOR           | 1    | ≥20755 | ≠   |         | 0.24         | 0.528       |
| 110    | 15531-64072 | PLATE            | 1    | ≤20754 |     |         | 0.3          | 0.66        |
| 110    | 15381-64070 | PLATE            | 1    | ≥20755 | ≠   |         | 0.26         | 0.572       |
| 120    | 15531-74180 | BEARING BALL     | 1    |        |     |         | 0.04         | 0.088       |
| 130    | 15531-93010 | SCREW ROUND HEAD | 1    |        |     |         | 0.002        | 0.0044      |
| 140    | 15531-64190 | CLAMP CORD       | 1    | ≤20754 |     |         | 0.005        | 0.011       |
| 140    | 15381-64190 | CLAMP CORD       | 1    | ≥20755 | ≠   |         | 0.001        | 0.0022      |
| 150    | 15261-64150 | COLLAR           | 1    | ≤20754 |     |         | 0.02         | 0.044       |
| 150    | 15381-64150 | COLLAR           | 1    | ≥20755 | ≠   |         | 0.025        | 0.055       |
| 160    | 15261-92030 | NUT              | 1    |        |     |         | 0.01         | 0.022       |
| 170    | 15261-94070 | WASHER SPRING    | 1    |        |     |         | 0.003        | 0.0066      |
| 180    | 15261-94020 | WASHER PLAIN     | 1    |        |     |         | 0.007        | 0.0154      |




**STARTER [COMPONENT PARTS]**

S.No.:G1800;&lt;=12699, G1800-S;&lt;=13011, G1900;&lt;=11410, G1900-S;&lt;=12487

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 15231-63015 | ASSY STARTER        | 1    |       |     |         | 4.7          | 10.34       |
| 020    | 14278-63080 | YOKE                | 1    |       |     |         | 1.42         | 3.124       |
| 030    | 14278-63070 | ARMATURE            | 1    |       |     |         | 1.25         | 2.75        |
| 040    | 14278-63040 | CLUTCH OVER RUNNING | 1    |       |     |         | 0.32         | 0.704       |
| 050    | 15231-63032 | ASSY HOUSING        | 1    |       |     |         | 0.39         | 0.858       |
| 060    | 14278-63200 | ASSY FRAME END      | 1    |       |     |         | 0.2          | 0.44        |
| 070    | 14278-63250 | BUSH                | 1    |       |     |         | 0.002        | 0.0044      |
| 080    | 14278-63380 | ASSY HOLDER BRUSH   | 1    |       |     |         | 0.06         | 0.132       |
| 090    | 14278-63390 | SPRING BRUSH        | 4    |       |     |         | 0.003        | 0.0066      |
| 100    | 14278-63050 | LEVER DRIVE         | 1    |       |     |         | 0.06         | 0.132       |
| 110    | 15231-63022 | SWITCH MAGNETIC     | 1    |       |     |         | 0.65         | 1.43        |
| 120    | 15221-94820 | PIN SNAP            | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 15321-63250 | NUT PINION STOP     | 1    |       |     |         | 0.005        | 0.011       |
| 140    | 14278-63510 | CAP END FRAME       | 1    |       |     |         | 0.015        | 0.033       |
| 150    | 14278-63520 | GASKET              | 1    |       |     |         | 0.001        | 0.0022      |
| 160    | 14278-63190 | SPRING BRAKE        | 1    |       |     |         | 0.01         | 0.022       |
| 170    | 14278-63180 | SHOE BRAKE          | 1    |       |     |         | 0.005        | 0.011       |
| 180    | 14278-63320 | BOLT THROUGH        | 2    |       |     |         | 0.02         | 0.044       |
| 190    | 03024-50414 | SCREW WITH WASHER   | 2    |       |     |         | 0.002        | 0.0044      |
| 200    | 14278-92010 | NUT                 | 2    |       |     |         | 0.001        | 0.0022      |
| 210    | 14278-63570 | PIPE BREATHER       | 1    |       |     |         | 0.001        | 0.0022      |
| 220    | 01123-50828 | BOLT                | 1    |       |     |         | 0.014        | 0.0308      |
| 230    | 01123-50835 | BOLT                | 1    |       |     |         | 0.02         | 0.044       |




**STARTER [COMPONENT PARTS]**

S.No.:G1800;&gt;=12700, G1800-S;&gt;=13012, G1900;&gt;=11448, G1900-S;&gt;=12618


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 16871-63010 | ASSY STARTER        | 1    |       |     |         | 4.2          | 9.24        |
| 020    | 15501-63080 | YOKE                | 1    |       |     |         | 0.675        | 1.485       |
| 030    | 15501-63370 | BRUSH               | 2    |       |     |         | 0.01         | 0.022       |
| 040    | 15501-63070 | ARMATURE            | 1    |       |     |         | 0.78         | 1.716       |
| 050    | 15504-63500 | BEARING BALL        | 1    |       |     |         | 0.02         | 0.044       |
| 060    | 15504-63530 | BEARING BALL        | 1    |       |     |         | 0.04         | 0.088       |
| 070    | 16871-63040 | CLUTCH OVER RUNNING | 1    |       |     |         | 0.72         | 1.584       |
| 080    | 15504-63030 | HOUSING             | 1    |       |     |         | 0.385        | 0.847       |
| 090    | 16871-63020 | SWITCH MAGNETIC     | 1    |       |     |         | 1.2          | 2.64        |
| 100    | 15501-63380 | HOLDER BRUSH        | 1    |       |     |         | 0.075        | 0.165       |
| 110    | 15401-63390 | SPRING BRUSH        | 4    |       |     |         | 0.003        | 0.0066      |
| 120    | 15501-63200 | FRAME END           | 1    |       |     |         | 0.08         | 0.176       |
| 130    | 11233-63280 | GEAR PISTON         | 1    |       |     |         | 0.1          | 0.22        |
| 140    | 19212-63100 | ROLLER              | 5    |       |     |         | 0.002        | 0.0044      |
| 150    | 19212-63110 | RETAINER            | 1    |       |     |         | 0.002        | 0.0044      |
| 160    | 19212-97130 | BALL                | 1    |       |     |         | 0.003        | 0.0066      |
| 170    | 19212-63120 | SPRING              | 1    |       |     |         | 0.004        | 0.0088      |
| 180    | 15501-96670 | WASHER FELT         | 1    |       |     |         | 0.005        | 0.011       |
| 190    | 15501-93310 | SCREW               | 2    |       |     |         | 0.01         | 0.022       |
| 200    | 15501-63320 | BOLT THROUGH        | 2    |       |     |         | 0.03         | 0.066       |
| 210    | 15501-91020 | BOLT                | 2    |       |     |         | 0.01         | 0.022       |
| 220    | 13963-92010 | NUT HEXAGON         | 1    |       |     |         | 0.005        | 0.011       |
| 230    | 15504-63120 | COVER CORD          | 1    |       |     |         | 0.06         | 0.132       |
| 240    | 19616-92010 | NUT HEXAGON         | 1    |       |     |         | 0.04         | 0.088       |
| 250    | 04512-60080 | WASHER SPRING       | 1    |       |     |         | 0.002        | 0.0044      |
| 260    | 01123-50828 | BOLT                | 1    |       |     |         | 0.014        | 0.0308      |
| 270    | 01123-50835 | BOLT                | 1    |       |     |         | 0.02         | 0.044       |



66101-136-11


010 66704-5543-0



020 66101-5542-2


040 02014-50060

050 04512-50060



080 01123-50820


090 04013-50080



100 67211-5546-0



100 66641-5543-0




66101-840-11



## BATTERY


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS            | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|--------------------|--------------|-------------|
| 010    | 66704-55430 | ASSY BATTERY         | 1    | <=13282 |     | [A] [CA]           | 9.3          | 20.46       |
| 010    | 66101-55520 | ASSY BATTERY         | 1    | >=13283 | ↔   | [A] [CA]           | 0            | 0           |
| 010    | 66704-55430 | ASSY BATTERY         | 1    | <=11794 |     | [AU] [NZ]          | 9.3          | 20.46       |
| 010    | 66120-55520 | ASSY BATTERY         | 1    | >=11795 | ←   | [AU] [NZ]          | 0            | 0           |
| 010    | 66101-55520 | ASSY BATTERY         | 1    | >=13283 | ↔   | [AU] [NZ]          | 0            | 0           |
| 020    | 66101-55422 | RETAINER BATTERY     | 1    | <=11013 |     | [A] [CA]           | 0.16         | 0.352       |
| 020    | 66101-55410 | RETAINER BATTERY     | 1    | >=11014 | ↔   | [A] [CA]           | 0.15         | 0.33        |
| 020    | 66101-55422 | RETAINER BATTERY     | 1    | <=11794 |     | [AU] [NZ]          | 0.16         | 0.352       |
| 020    | 66101-55410 | RETAINER BATTERY     | 1    | >=11795 | ↔   | [AU] [NZ]          | 0.15         | 0.33        |
| 030    | 66101-55440 | BOLT BATTERY         | 2    |         |     |                    | 0.02         | 0.044       |
| 040    | 02014-50060 | NUT                  | 2    | <=11794 |     |                    | 0.003        | 0.0066      |
| 040    | 02751-50060 | NUT FLANGE           | 2    | >=11795 | ←   |                    | 0.005        | 0.011       |
| 050    | 04512-60060 | WASHER SPRING        | 2    | <=11794 |     |                    | 0.001        | 0.0022      |
| 060    | 66101-55450 | ASSY CORD BATTERY(+) | 1    | <=17317 |     |                    | 0            | 0           |
| 060    | 66101-55452 | ASSY CORD BATTERY(+) | 1    | >=17318 | ←   |                    | 0.25         | 0.55        |
| 070    | 66101-55470 | CORD BATTERY(-)      | 1    |         |     |                    | 0.03         | 0.066       |
| 080    | 01123-50820 | BOLT                 | 1    | <=16446 |     |                    | 0.011        | 0.0242      |
| 080    | 01125-50822 | BOLT                 | 1    | >=16447 | ←   |                    | 0.015        | 0.033       |
| 090    | 04013-50080 | WASHER PLAIN         | 1    | <=16402 |     |                    | 0            | 0           |
| 100    | 67211-55460 | COVER BATTERY        | 2    | >=10804 |     |                    | 0.01         | 0.022       |
| 100    | 67211-55460 | COVER BATTERY        | 2    | <=11613 |     |                    | 0.01         | 0.022       |
| 100    | 66641-55430 | COVER BATTERY        | 1    | >=11014 |     | [A] [CA] [AU] [NZ] | 0.07         | 0.154       |
| 100    | 66641-55430 | COVER BATTERY        | 1    | <=11794 |     | [A] [CA] [AU] [NZ] | 0.07         | 0.154       |
| 110    | 55311-41260 | BAND CORD            | 1    | >=10902 |     |                    | 0.007        | 0.0154      |
| 120    | 66101-85900 | KIT CORD(-)          | 1    | >=15931 |     |                    | 0.058        | 0.1276      |
| 130    | 01123-50820 | BOLT                 | 1    | >=15931 |     |                    | 0.011        | 0.0242      |
| 140    | 04013-50080 | WASHER PLAIN         | 1    | >=15931 |     |                    | 0            | 0           |
| 150    | 04512-50080 | WASHER SPRING        | 1    | >=16647 |     |                    | 0            | 0           |
| 160    | 02114-50080 | NUT                  | 1    | >=16647 |     |                    | 0.005        | 0.011       |



66101-063-10






66101-064-10


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.   | I/C | REMARKS                                 | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|---------|-----|-----------------------------------------|--------------|-------------|
| 010    | 66416-55810 | ASSY SWITCH SAFETY   | 1    |         |     |                                         | 0.11         | 0.242       |
| 020    | 66101-42770 | SWITCH SAFETY        | 1    | <=15082 |     |                                         | 0            | 0           |
| 020    | 66101-42772 | SWITCH SAFETY        | 1    | >=15083 | ←   |                                         | 0.095        | 0.209       |
| 030    | 66101-55120 | ASSY DASHBOARD       | 1    | <=12365 |     | REFER TO L. No. 0D05-L0 FOR COMPONENTS. | 0            | 0           |
| 030    | 66101-55122 | ASSY DASHBOARD       | 1    | >=12366 | ←   | REFER TO L. No. 0D05-L0 FOR COMPONENTS. | 0.93         | 2.046       |
| 040    | 66021-55230 | SCREW PAN-HEAD       | 4    | <=11689 |     |                                         | 0.005        | 0.011       |
| 040    | 66071-55130 | SCREW                | 4    | >=11690 | ≠   |                                         | 0.01         | 0.022       |
| 050    | 66021-55260 | WASHER PLAIN         | 4    | <=11689 |     | NOT SHOWN IN FIG.                       | 0.001        | 0.0022      |
| 060    | 66101-55200 | ASSY SWITCH STARTER  | 1    |         |     |                                         | 0.3          | 0.66        |
| 070    | 37410-55150 | KEY STARTER          | 1    |         |     |                                         | 0.025        | 0.055       |
| 080    | 66101-55220 | BOX COMBINATION      | 1    | <=20703 |     |                                         | 0            | 0           |
| 080    | 66101-55920 | BOX COMBINATION      | 1    | >=20704 | ↔   |                                         | 0.22         | 0.484       |
| 090    | 01023-50622 | BOLT                 | 2    |         |     |                                         | 0.005        | 0.011       |
| 100    | 04013-60060 | WASHER PLAIN         | 2    |         |     |                                         | 0.001        | 0.0022      |
| 110    | 19267-64600 | COMP.REGULATOR       | 1    | <=11325 |     |                                         | 0            | 0           |
| 110    | 19267-64602 | ASSY REGULATOR       | 1    | >=11326 | ←   |                                         | 0.188        | 0.4136      |
| 110    | RP201-53710 | ASSY REGULATOR       | 1    | >=16447 | ↔   |                                         | 0.185        | 0.407       |
| 120    | 01023-50632 | BOLT                 | 2    |         |     |                                         | 0.01         | 0.022       |
| 130    | 55311-41120 | SWITCH LIGHT         | 1    |         |     |                                         | 0.05         | 0.11        |
| 140    | 67401-99120 | ASSY KNOB LIGHT SW.  | 1    |         |     |                                         | 0.005        | 0.011       |
| 150    | 66101-55530 | BRACKET              | 1    |         |     |                                         | 0.2          | 0.44        |
| 160    | 01123-60816 | BOLT                 | 2    |         |     |                                         | 0.01         | 0.022       |
| 170    | 66021-55280 | WASHER SPRING        | 4    | <=11689 |     | NOT SHOWN IN FIG.                       | 0.001        | 0.0022      |
| 180    | 16851-83040 | SENSOR THERMO-SWITCH | 1    | >=11582 |     |                                         | 0.03         | 0.066       |
| 190    | 36530-55630 | RELAY                | 1    | >=11582 |     |                                         | 0.06         | 0.132       |
| 200    | 01025-50616 | BOLT                 | 1    | >=11582 |     |                                         | 0.005        | 0.011       |
| 210    | 54711-41550 | HORN                 | 1    | >=11582 |     |                                         | 0.18         | 0.396       |
| 220    | 01023-50612 | BOLT                 | 2    | >=11582 |     |                                         | 0.005        | 0.011       |




↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS           | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|-------------------|--------------|-------------|
| 010    | 66101-55710 | ASSY METER HOUR   | 1    |        |     |                   | 0.05         | 0.11        |
| 020    | 66101-55720 | VISOR             | 1    |        |     |                   | 0.255        | 0.561       |
| 030    | 66101-55730 | GLASS             | 1    |        |     |                   | 0.12         | 0.264       |
| 040    | 66101-55740 | ASSY FRAME INSIDE | 1    |        |     |                   | 0.04         | 0.088       |
| 050    | 66101-55750 | ASSY CASE         | 1    |        |     |                   | 0.22         | 0.484       |
| 060    | 66101-55760 | WIRE HARNESS      | 1    |        |     |                   | 0.07         | 0.154       |
| 070    | 66101-55770 | LIGHT             | 5    |        |     |                   | 0.001        | 0.0022      |
| 080    | 66101-55780 | STOPPER           | 1    | ≤14949 |     | NOT SHOWN IN FIG. | 0.001        | 0.0022      |
| 090    | 66101-55790 | SCREW             | 6    |        |     |                   | 0.002        | 0.0044      |
| 100    | 66101-55810 | SCREW             | 6    |        |     |                   | 0.001        | 0.0022      |
| 110    | 66101-55820 | SCREW             | 2    |        |     |                   | 0.003        | 0.0066      |
| 120    | 66101-55120 | ASSY DASHBOARD    | 1    | ≤12365 |     |                   | 0            | 0           |
| 120    | 66101-55122 | ASSY DASHBOARD    | 1    | ≥12366 | ←   |                   | 0.93         | 2.046       |



050 66101-5529-0




66101-820-10




## WIRE HARNESS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-55232 | ASSY WIRE HARNESS | 1    | ≤10252 |     |         | 0            | 0           |
| 010    | 66101-55233 | ASSY WIRE HARNESS | 1    | ≥10253 | ←   |         | 0            | 0           |
| 010    | 66101-55234 | ASSY WIRE HARNESS | 1    | ≥10684 | ←   |         | 0.83         | 1.826       |
| 010    | 66101-56530 | ASSY WIRE HARNESS | 1    | ≥11582 | ≠   |         | 0.9          | 1.98        |
| 020    | 66101-55260 | WIRE HARNESS      | 1    |        |     |         | 0.09         | 0.198       |
| 030    | 66101-55270 | WIRE HARNESS      | 1    | ≤11581 |     |         | 0.55         | 1.21        |
| 030    | 66101-56570 | WIRE HARNESS      | 1    | ≥11582 | ≠   |         | 0.5          | 1.1         |
| 040    | 66101-55282 | WIRE HARNESS      | 1    |        |     |         | 0.13         | 0.286       |
| 050    | 66101-55290 | WIRE HARNESS      | 1    | ≤11581 |     |         | 0.13         | 0.286       |
| 050    | 66101-56590 | WIRE HARNESS      | 1    | ≥11582 | ≠   |         | 0.11         | 0.242       |
| 060    | 53581-64150 | BAND CORD         | 6    | ≤17147 |     |         | 0.002        | 0.0044      |
| 060    | 53581-64150 | BAND CORD         | 7    | ≥17148 |     |         | 0.002        | 0.0044      |
| 070    | 66101-55250 | CLAMP CORD        | 3    |        |     |         | 0.01         | 0.022       |
| 080    | 67111-55190 | RING FUSIBLE      | 1    | ≤14778 |     |         | 0.005        | 0.011       |
| 080    | 55611-41620 | RING FUSE         | 1    | ≥14779 | ←   |         | 0.007        | 0.0154      |
| 090    | 52200-41620 | FUSE AUTO         | 1    |        |     | 15A     | 0.003        | 0.0066      |
| 100    | 36919-56650 | FUSE AUTO         | 1    |        |     | 20A     | 0.002        | 0.0044      |
| 105    | 36730-75550 | FUSE AUTO         | 1    |        |     | 10A     | 0.001        | 0.0022      |
| 110    | 53581-64150 | BAND CORD         | 3    | ≤10252 |     |         | 0.002        | 0.0044      |
| 110    | 53581-64150 | BAND CORD         | 2    | ≥10253 |     |         | 0.002        | 0.0044      |
| 120    | 44366-68770 | BAND CORD         | 1    | ≤13506 |     |         | 0.002        | 0.0044      |
| 120    | 53581-64150 | BAND CORD         | 1    | ≥13507 | ↔   |         | 0.002        | 0.0044      |
| 130    | 15272-67590 | CLAMP CORD        | 1    | ≥10253 |     |         | 0.004        | 0.0088      |
| 140    | 55311-41260 | BAND CORD         | 1    | ≥17148 |     |         | 0.007        | 0.0154      |








66101-068-10



HST

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description  | Q'ty | S.No.   | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------|------|---------|-----|----------------------------------------|--------------|-------------|
| 010    | 66101-36010 | ASSY HST     | 1    | <=13838 |     | REFER TO L.NO. 0D08-L0 FOR COMPONENTS. | 0            | 0           |
| 010    | 66101-36015 | ASSY HST     | 1    | >=13839 | ←   | REFER TO L.NO. 0D08-L0 FOR COMPONENTS. | 12           | 26.4        |
| 020    | 66101-36020 | COLLAR       | 1    |         |     |                                        | 0.06         | 0.132       |
| 030    | 04811-06470 | RING         | 1    |         |     |                                        | 0.001        | 0.0022      |
| 040    | 66101-11220 | BOLT         | 2    |         |     |                                        | 0.01         | 0.022       |
| 050    | 04512-60080 | WASHER       | 2    |         |     |                                        | 0.002        | 0.0044      |
|        |             | SPRING       |      |         |     |                                        |              |             |
| 060    | 04013-50080 | WASHER PLAIN | 2    |         |     |                                        | 0            | 0           |
| 070    | 66101-11230 | BOLT         | 2    |         |     |                                        | 0.02         | 0.044       |
| 080    | 66101-36030 | COVER PTO    | 1    |         |     |                                        | 0.005        | 0.011       |




66101-013-11



## HST [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66101-36010 | ASSY HST            | 1    | <=13838 |     |         | 0            | 0           |
| 010    | 66101-36015 | ASSY HST            | 1    | >=13839 | ←   |         | 12           | 26.4        |
| 020    | 66101-36710 | SEAL OIL            | 1    |         |     |         | 0.02         | 0.044       |
| 030    | 66101-36720 | SEAL OIL            | 1    |         |     |         | 0.007        | 0.0154      |
| 040    | 66101-36730 | PLUG SOCKET HEAD    | 6    |         |     |         | 0.025        | 0.055       |
| 050    | 66101-36740 | O RING              | 6    |         |     |         | 0.002        | 0.0044      |
| 060    | 66101-36750 | O RING              | 2    |         |     |         | 0.002        | 0.0044      |
| 070    | 66071-83750 | O RING              | 1    |         |     |         | 0.001        | 0.0022      |
| 080    | 66101-36770 | O RING              | 1    | <=16670 |     |         | 0.002        | 0.0044      |
| 080    | 66071-83760 | O RING              | 1    | >=16671 | ↔   |         | 0.001        | 0.0022      |
| 090    | 66101-36780 | SEAL OIL            | 1    |         |     |         | 0.01         | 0.022       |
| 100    | 66101-36790 | O RING              | 1    |         |     |         | 0.002        | 0.0044      |
| 110    | 66101-36810 | SEAL OIL            | 2    |         |     |         | 0.008        | 0.0176      |
| 120    | 66101-36820 | GASKET              | 1    |         |     |         | 0.005        | 0.011       |
| 130    | 66101-36830 | KIT CYL-BLOCK PUMP  | 1    |         |     |         | 0.94         | 2.068       |
| 140    | 66101-36840 | KIT CYL-BLOCK MOTOR | 1    |         |     |         | 0.2          | 0.44        |
| 150    | 66101-36850 | ORIFICE CHECK       | 2    |         |     |         | 0.01         | 0.022       |
| 160    | 66101-36860 | SPRING CHECK        | 2    |         |     |         | 0.005        | 0.011       |
| 170    | 66101-36870 | PLUG                | 2    |         |     |         | 0.02         | 0.044       |
| 180    | 66101-36880 | ASSY GEROTOR        | 1    |         |     |         | 0.065        | 0.143       |
| 190    | 66101-36890 | O RING              | 1    |         |     |         | 0.003        | 0.0066      |
| 200    | 66101-36910 | O RING              | 1    |         |     |         | 0.003        | 0.0066      |
| 210    | 66101-36920 | PLATE SPACER        | 1    |         |     |         | 0.135        | 0.297       |
| 220    | 66101-36930 | CONE RELIEF VALVE   | 1    |         |     |         | 0.007        | 0.0154      |
| 230    | 66101-36940 | SPRING RELIEF       | 1    | <=13838 |     |         | 0.003        | 0.0066      |
| 230    | 66101-37450 | SPRING RELIEF       | 1    | >=13839 | ←   |         | 0.001        | 0.0022      |
| 240    | 66101-36950 | SHIM                | 1    |         |     |         | 0.002        | 0.0044      |
| 250    | 66101-36960 | PLUG                | 1    |         |     |         | 0.015        | 0.033       |
| 260    | 66101-37010 | SHAFT PUMP          | 1    |         |     |         | 0.47         | 1.034       |
| 270    | 66101-37020 | CLIP                | 4    |         |     |         | 0.001        | 0.0022      |
| 280    | 66101-37030 | COLLAR THRUST       | 1    |         |     |         | 0.035        | 0.077       |
| 290    | 66101-37040 | BRG THRUST ROLLER   | 1    |         |     |         | 0.07         | 0.154       |
| 300    | 66101-37050 | COLLAR THRUST       | 1    |         |     |         | 0.08         | 0.176       |
| 310    | 66101-37060 | WASHER PLAIN        | 2    |         |     |         | 0.001        | 0.0022      |
| 320    | 66101-37070 | SPRING              | 2    |         |     |         | 0.005        | 0.011       |
| 330    | 66101-37080 | BEARING NEEDLE      | 2    |         |     |         | 0.015        | 0.033       |
| 340    | 66101-37110 | CIR CLIP INTERNAL   | 1    |         |     |         | 0.002        | 0.0044      |
| 350    | 66101-37120 | BEARING NEEDLE      | 1    |         |     |         | 0.015        | 0.033       |
| 360    | 66101-37130 | PIN                 | 1    |         |     |         | 0.002        | 0.0044      |
| 370    | 66101-37210 | SHAFT MOTOR         | 1    |         |     |         | 0.3          | 0.66        |
| 380    | 66101-37220 | BEARING THRUST BALL | 1    |         |     |         | 0.25         | 0.55        |
| 390    | 66101-37230 | PLATE               | 1    |         |     |         | 0.003        | 0.0066      |
| 400    | 66101-37240 | BEARING NEEDLE      | 1    |         |     |         | 0.017        | 0.0374      |
| 410    | 66101-37310 | ASSY SWASHPLATE     | 1    |         |     |         | 0.75         | 1.65        |
| 420    | 66101-37320 | BEARING CRADLE      | 2    |         |     |         | 0.02         | 0.044       |
| 430    | 66101-37330 | ARM TRUNNION        | 1    |         |     |         | 0.075        | 0.165       |
| 440    | 66101-37340 | BEARING JOURNAL     | 1    |         |     |         | 0.02         | 0.044       |
| 450    | 66071-36250 | GUIDE THROTTLE      | 1    |         |     |         | 0.005        | 0.011       |
| 460    | 66101-37410 | SPOOL               | 1    |         |     |         | 0.02         | 0.044       |
| 470    | 08101-06303 | BEARING BALL        | 1    |         |     |         | 0.112        | 0.2464      |
| 480    | 66101-36970 | HOUSING             | 1    |         |     |         | 0.94         | 2.068       |
| 490    | 66101-37430 | PLUG                | 1    | <=16589 |     |         | 0.001        | 0.0022      |
| 490    | 66101-37430 | PLUG                | 2    | >=16590 |     |         | 0.001        | 0.0022      |
| 500    | 66101-37510 | CIR-CLIP            | 1    |         |     |         | 0.006        | 0.0132      |
| 510    | 66101-37520 | SPACER              | 1    |         |     |         | 0.005        | 0.011       |
| 520    | 66071-36580 | PIN STRAIGHT        | 2    |         |     |         | 0.002        | 0.0044      |
| 530    | 66071-36610 | PLUG                | 1    |         |     |         | 0.013        | 0.0286      |
| 540    | 66071-36640 | SCREW               | 10   |         |     |         | 0.017        | 0.0374      |
| 550    | 66101-37540 | PIN                 | 2    |         |     |         | 0.002        | 0.0044      |



REF.NO.140 KIT JOINT, UNIVERSAL (NEW TYPE)... SEE FIG.NO.G042-2 REF.NO.150


090 66101-1355-0

100 66101-1356-0

110 66101-1357-0

120 66101-1358-0

130 66101-1366-0




66101-843-11



**UNIVERSAL JOINT/HST FAN**  
TO DECEMBER,1991

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-13510 | KIT JOINT UNIVERSAL | 1    |        |     |         | 1.8          | 3.96        |
| 020    | 66101-13530 | PIN JOINT           | 1    |        |     |         | 0.015        | 0.033       |
| 030    | 66101-13520 | FLANGE              | 1    |        |     |         | 0.08         | 0.176       |
| 040    | 03650-50608 | SCREW SET           | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 66021-13550 | FAN HST             | 1    |        |     |         | 0.015        | 0.033       |
| 060    | 01123-50820 | BOLT                | 2    |        |     |         | 0.011        | 0.0242      |
| 070    | 04013-50080 | WASHER PLAIN        | 2    |        |     |         | 0            | 0           |
| 080    | 66611-14130 | PIN SET             | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 66101-13550 | ROD                 | 1    | ≤11794 |     |         | 0.94         | 2.068       |
| 090    | 66101-81550 | ROD                 | 1    | ≥11795 | ≠   |         | 0.96         | 2.112       |
| 100    | 66101-13560 | YOKE CLAMP          | 1    | ≤11744 |     |         | 0.28         | 0.616       |
| 100    | 66101-81530 | YOKE CLAMP          | 1    | ≥11795 | ≠   |         | 0.26         | 0.572       |
| 110    | 66101-13570 | YOKE CLAMP          | 1    | ≥11794 |     |         | 0.3          | 0.66        |
| 110    | 66101-81540 | YOKE SLEEVE         | 1    | ≥11795 | ≠   |         | 0.3          | 0.66        |
| 120    | 66101-13580 | ASSY JOINT CROSS    | 2    | ≤11794 |     |         | 0            | 0           |
| 120    | 37410-13722 | KIT JOINT           | 2    | ≥11795 | ≠   |         | 0.18         | 0.396       |
| 130    | 66101-13660 | RING SNAP           | 8    | ≤11794 |     |         | 0            | 0           |
| 130    | 37410-13760 | CIRCLIP EXTERNAL    | 8    | ≥11795 | ≠   |         | 0.002        | 0.0044      |



66101-069-10




| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------------|--------------|-------------|
| 010    | 66101-13600 | ASSY JOINT UNIVERSAL | 1    |       |     |               | 1.98         | 4.356       |
| 020    | 01123-50830 | BOLT                 | 1    |       |     |               | 0.015        | 0.033       |
| 050    | 66101-13540 | FAN HST              | 1    |       |     |               | 0.07         | 0.154       |
| 060    | 01125-50818 | BOLT                 | 2    |       |     |               | 0.015        | 0.033       |
| 090    | 66101-81550 | ROD                  | 1    |       |     |               | 0.96         | 2.112       |
| 100    | 66101-81630 | YOKE CLAMP           | 1    |       |     |               | 0.385        | 0.847       |
| 110    | 66101-81640 | YOKE SLEEVE          | 1    |       |     |               | 0.285        | 0.627       |
| 120    | 37410-13722 | KIT JOINT            | 2    |       |     |               | 0.18         | 0.396       |
| 130    | 37410-13760 | CIRCLIP EXTERNAL     | 8    |       |     |               | 0.002        | 0.0044      |
| 140    | 67211-42940 | NIPPLE GREASE        | 1    |       |     |               | 0.001        | 0.0022      |
| 150    | 66101-81810 | KIT JOINT UNIVERSAL  | 1    |       |     | S.No. >=10001 | 2.1          | 4.62        |



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-25010 | SHAFT PTO          | 1    |        |     |         | 0.84         | 1.848       |
| 020    | 04612-00250 | CIRCLIP EXTERNAL   | 1    |        |     |         | 0.002        | 0.0044      |
| 030    | 08131-06205 | BEARING BALL       | 1    |        |     |         | 0.13         | 0.286       |
| 040    | 08812-53220 | BEARING NEEDLE     | 1    |        |     |         | 0.03         | 0.066       |
| 050    | 66101-25030 | SEAL OIL           | 1    |        |     |         | 0.01         | 0.022       |
| 060    | 66021-25042 | SUPPORT FRONT AXLE | 1    |        |     |         | 0.85         | 1.87        |
| 070    | 01133-51020 | BOLT               | 4    |        |     |         | 0.02         | 0.044       |
| 080    | 04611-00520 | CIR CLIP INTERNAL  | 1    |        |     |         | 0.009        | 0.0198      |
| 090    | 66101-25050 | PULLEY             | 1    |        |     |         | 1.6          | 3.52        |
| 100    | 01123-60816 | BOLT               | 4    |        |     |         | 0.01         | 0.022       |
| 110    | 66101-25000 | ASSY BELT V(W)     | 1    |        |     |         | 0.3          | 0.66        |
| 120    | 66101-25080 | BELT V(W)          | 2    |        |     |         | 0.15         | 0.33        |
| 130    | 66101-58060 | PULLEY DRIVE       | 1    |        |     |         | 2.34         | 5.148       |
| 140    | 01123-50822 | BOLT               | 5    |        |     |         | 0.012        | 0.0264      |
| 150    | 66021-25070 | COVER FLYWHEEL     | 1    | ≤13838 |     |         | 0            | 0           |
| 150    | 66021-25076 | COVER FLYWHEEL     | 1    | ≥13839 | ←   |         | 0.2          | 0.44        |
| 160    | 01123-50820 | BOLT               | 1    | ≤16646 |     |         | 0.011        | 0.0242      |
| 160    | 01754-50816 | BOLT FLANGE        | 1    | ≥16647 | ↔   |         | 0.011        | 0.0242      |
| 170    | 04512-60080 | WASHER SPRING      | 1    |        |     |         | 0.002        | 0.0044      |
| 180    | 02114-50080 | NUT                | 1    |        |     |         | 0.005        | 0.011       |
| 190    | 66101-82500 | KIT PTO FRONT      | 1    |        |     | OPTION  | 0.45         | 0.99        |
| 200    | 66101-82510 | SHAFT PTO          | 1    |        |     | OPITON  | 0.26         | 0.572       |
| 210    | 05012-00820 | PIN STRAIGHT       | 1    |        |     | OPITON  | 0.008        | 0.0176      |
| 220    | 01123-50828 | BOLT               | 4    |        |     | OPTION  | 0.014        | 0.0308      |
| 230    | 66101-82520 | MANUAL ASSEMBLY    | 1    |        |     | OPTION  | 0.01         | 0.022       |




66101-071-10



## TENSION PULLEY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-25120 | ARM TENSION         | 1    |        |     |         | 0.4          | 0.88        |
| 020    | 08511-01815 | BUSH                | 2    |        |     |         | 0.007        | 0.0154      |
| 030    | 67211-42940 | NIPPLE GREASE       | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 66021-25190 | ASSY PULLEY TENSION | 1    | ≤15424 |     |         | 0            | 0           |
| 040    | 52500-11152 | PULLEY TENSION      | 1    | ≥15425 | ←   |         | 0.3          | 0.66        |
| 060    | 04612-00170 | CIRCLIP EXTERNAL    | 2    |        |     |         | 0.001        | 0.0022      |
| 070    | 66591-14220 | COLLAR              | 1    |        |     |         | 0.008        | 0.0176      |
| 080    | 04612-00180 | CIRCLIP EXTERNAL    | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 66101-25130 | SHAFT TENSION ARM   | 1    |        |     |         | 0.24         | 0.528       |
| 100    | 01123-60816 | BOLT                | 2    |        |     |         | 0.01         | 0.022       |
| 110    | 66101-25140 | COVER PULLEY        | 1    |        |     |         | 0.1          | 0.22        |
| 120    | 66021-25160 | BOLT SET            | 1    |        |     |         | 0.034        | 0.0748      |
| 130    | 02116-50100 | NUT                 | 2    |        |     |         | 0.004        | 0.0088      |
| 140    | 66021-25180 | COLLAR              | 2    |        |     |         | 0.002        | 0.0044      |
| 150    | 66021-25170 | STOPPER             | 1    |        |     |         | 0.01         | 0.022       |
| 160    | 04013-50080 | WASHER PLAIN        | 2    |        |     |         | 0            | 0           |
| 170    | 01123-60816 | BOLT                | 2    |        |     |         | 0.01         | 0.022       |
| 180    | 01023-50616 | BOLT                | 2    |        |     |         | 0.005        | 0.011       |




**BELT RETAINER**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-25110 | STAY BELT     | 1    |        |     |         | 0.3          | 0.66        |
| 020    | 01123-50820 | BOLT          | 2    |        |     |         | 0.011        | 0.0242      |
| 030    | 04013-50080 | WASHER PLAIN  | 2    |        |     |         | 0            | 0           |
| 040    | 66101-25210 | RETAINER BELT | 1    |        |     |         | 0.1          | 0.22        |
| 050    | 01123-60816 | BOLT          | 2    | ≤16646 |     |         | 0.01         | 0.022       |
| 050    | 01123-50818 | BOLT          | 2    | ≥16647 | ↔   |         | 0.012        | 0.0264      |
| 060    | 66101-25220 | RETAINER BELT | 1    |        |     |         | 0.1          | 0.22        |
| 070    | 04013-50080 | WASHER PLAIN  | 2    |        |     |         | 0            | 0           |
| 080    | 01123-50820 | BOLT          | 2    |        |     |         | 0.011        | 0.0242      |
| 090    | 01153-50880 | BOLT          | 1    |        |     |         | 0.03         | 0.066       |
| 100    | 02114-50080 | NUT           | 1    |        |     |         | 0.005        | 0.011       |




030 79840-2241-0



66101-823-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|----------------------------------------|--------------|-------------|
| 010    | 79840-22200 | ASSY PTO REAR      | 1    | <=13508 |     | REFER TO L.No. 0D12-R0 FOR COMPONENTS. | 0            | 0           |
| 010    | 79840-22203 | ASSY PTO REAR      | 1    | >=13509 | ←   | REFER TO L.No. 0D12-R0 FOR COMPONENTS. | 17.7         | 38.94       |
| 030    | 79840-22410 | SHAFT DRIVE        | 1    | <=13507 |     |                                        | 0.27         | 0.594       |
| 040    | 66611-14120 | PIN JOINT          | 1    |         |     |                                        | 0            | 0           |
| 050    | 66611-14130 | PIN SET            | 1    |         |     |                                        | 0.001        | 0.0022      |
| 060    | 79840-22420 | BOLT STUD          | 2    |         |     |                                        | 0.067        | 0.1474      |
| 070    | 04512-60100 | WASHER SPRING      | 4    |         |     |                                        | 0.002        | 0.0044      |
| 080    | 02118-50100 | NUT                | 2    |         |     |                                        | 0.005        | 0.011       |
| 090    | 01153-51075 | BOLT               | 2    |         |     |                                        | 0.045        | 0.099       |
| 100    | 79840-22430 | COVER PTO SHAFT    | 1    |         |     |                                        | 1            | 2.2         |
| 110    | 35200-25340 | LABEL PTO WARNING  | 1    |         |     |                                        | 0.002        | 0.0044      |
| 120    | 79840-22440 | LEVER CLUTCH       | 1    | <=13508 |     |                                        | 0.6          | 1.32        |
| 120    | 79840-22443 | LEVER CLUTCH       | 1    | >=13509 | ≠   |                                        | 0.75         | 1.65        |
| 130    | 01123-50820 | BOLT               | 2    |         |     |                                        | 0.011        | 0.0242      |
| 140    | 55611-31460 | GRIP LEVER         | 1    |         |     |                                        | 0.03         | 0.066       |
| 150    | 79840-22450 | WIRE CLUTCH        | 1    | <=13508 |     |                                        | 0.3          | 0.66        |
| 150    | 79840-22453 | WIRE CLUTCH        | 1    | >=13509 | ≠   |                                        | 0.18         | 0.396       |
| 160    | 05122-50818 | PIN JOINT          | 1    |         |     |                                        | 0.008        | 0.0176      |
| 170    | 04012-50080 | WASHER PLAIN       | 1    |         |     |                                        | 0.001        | 0.0022      |
| 180    | 05511-50215 | PIN SPLIT          | 1    |         |     |                                        | 0.001        | 0.0022      |
| 190    | 79840-22460 | SPRING LUTCH       | 1    | <=13508 |     |                                        | 0.055        | 0.121       |
| 190    | 79840-22462 | SPRING LUTCH       | 1    | >=13509 | ≠   |                                        | 0.074        | 0.1628      |
| 200    | 79840-22470 | LABEL REAR PTO     | 1    |         |     |                                        | 0.012        | 0.0264      |
| 210    | 79840-22480 | PLUG               | 1    |         |     |                                        | 0.39         | 0.858       |
| 220    | 04717-02150 | WASHER WITH RUBBER | 1    |         |     |                                        | 0.004        | 0.0088      |
| 230    | 01123-50820 | BOLT               | 2    |         |     |                                        | 0.011        | 0.0242      |
| 240    | 79840-22490 | CARD CAUTION       | 1    | <=13508 |     |                                        | 0.001        | 0.0022      |
| 240    | 79840-22493 | CARD CAUTION       | 1    | >=13509 | ≠   |                                        | 0.001        | 0.0022      |
| 260    | 79840-22610 | ASSY COUPLING      | 1    | >=13509 |     |                                        | 0.84         | 1.848       |
| 270    | 79840-22620 | BOSS DAMPER        | 1    | >=13509 |     |                                        | 0.29         | 0.638       |
| 280    | 79840-22630 | HOUSING            | 1    | >=13509 |     |                                        | 0.46         | 1.012       |
| 290    | 04611-00450 | CIR CLIP INTERNAL  | 1    | >=13509 |     |                                        | 0.01         | 0.022       |
| 300    | 08511-01410 | BUSH               | 1    | >=13509 |     |                                        | 0.005        | 0.011       |
| 310    | 79840-22650 | BUSH               | 1    | >=13509 |     |                                        | 0.07         | 0.154       |
| 320    | 03650-50606 | SCREW SET          | 3    | >=13509 |     |                                        | 0.002        | 0.0044      |
| 330    | 79840-22513 | MANUAL ASSEMBLY    | 1    |         |     | OPTION                                 | 0            | 0           |



080 79840-2215-0



130 79840-2216-0

140 79840-2217-0

150 08101-06010

260 96387-1153-0

280 79840-2223-0



66101-824-10



# REAR PTO [COMPONENT PARTS]


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 79840-22200 | ASSY PTO          | 1    | ≤13508 |     |         | 0            | 0           |
| 010    | 79840-22203 | ASSY PTO          | 1    | ≥13509 | ←   |         | 17.7         | 38.94       |
| 020    | 79840-22110 | CASE REAR PTO     | 1    | ≤13508 |     |         | 4.2          | 9.24        |
| 020    | 79840-22113 | CASE REAR PTO     | 1    | ≥13509 | ≠   |         | 4.89         | 10.758      |
| 030    | 79840-22120 | CASE REAR PTO     | 1    |        |     |         | 4.3          | 9.46        |
| 040    | 79840-22130 | GASKET PTO CASE   | 1    |        |     |         | 0.007        | 0.0154      |
| 050    | 05012-00818 | PIN STRAIGHT      | 2    |        |     |         | 0.008        | 0.0176      |
| 060    | 79840-22140 | SUPPORT WIRE      | 1    | ≤13508 |     |         | 0            | 0           |
| 060    | 79840-22142 | SUPPORT WIRE      | 1    | ≥13509 | ←   |         | 0.1          | 0.22        |
| 070    | 01123-50855 | BOLT              | 10   |        |     |         | 0.02         | 0.044       |
| 080    | 79840-22150 | SHAFT DRIVE       | 1    | ≤13508 |     |         | 0.29         | 0.638       |
| 080    | 79840-22154 | SHAFT DRIVE       | 1    | ≥13509 | ≠   |         | 0.37         | 0.814       |
| 090    | 08101-06204 | BEARING BALL      | 2    |        |     |         | 0.102        | 0.2244      |
| 100    | 04612-00200 | CIRCLIP EXTERNAL  | 1    |        |     |         | 0.001        | 0.0022      |
| 110    | 04611-00470 | CIRCLIP EXTERNAL  | 1    |        |     |         | 0.006        | 0.0132      |
| 120    | 09500-20358 | SEAL OIL          | 1    |        |     |         | 0.01         | 0.022       |
| 130    | 79840-22160 | WHEEL CLUTCH      | 1    | ≤13508 |     |         | 0.64         | 1.408       |
| 130    | 79840-22164 | WHEEL CLUTCH      | 1    | ≥13509 | ≠   |         | 0.86         | 1.892       |
| 140    | 79840-22170 | CLUTCH ONEWAY     | 1    | ≤13508 |     |         | 0.04         | 0.088       |
| 150    | 08101-06010 | BEARING BALL      | 1    | ≤13508 |     |         | 0.262        | 0.5764      |
| 150    | 08101-06210 | BEARING BALL      | 1    | ≥13509 | ≠   |         | 0.45         | 0.99        |
| 160    | 67711-22352 | DISK              | 2    |        |     |         | 0.14         | 0.308       |
| 170    | 96387-11350 | PLATE FRICTION    | 1    |        |     |         | 0.12         | 0.264       |
| 180    | 79840-22190 | SPRING RETURN     | 1    |        |     |         | 0.005        | 0.011       |
| 185    | 79840-22520 | SPRING PLATE      | 2    |        |     |         | 0.001        | 0.0022      |
| 190    | 96387-11330 | PLATE BEARING     | 1    |        |     |         | 0.2          | 0.44        |
| 200    | 96387-11340 | BRG THRUST ROLLER | 1    |        |     |         | 0.08         | 0.176       |
| 210    | 96387-11370 | SPRING            | 4    |        |     |         | 0.001        | 0.0022      |
| 220    | 79840-22210 | BOSS SPLINE       | 1    | ≤11782 |     |         | 0.12         | 0.264       |
| 220    | 79840-22212 | BOSS SPLINE       | 1    | ≥11783 | ≠   |         | 0.12         | 0.264       |
| 230    | 04612-00400 | CIR-CRIP EXTERNAL | 1    | ≤11782 |     |         | 0.005        | 0.011       |
| 230    | 04612-00400 | CIR-CRIP EXTERNAL | 2    | ≥11783 | ≠   |         | 0.005        | 0.011       |
| 240    | 79840-22220 | SHAFT SPROCKET    | 1    | ≤11782 |     |         | 0            | 0           |
| 240    | 79840-22222 | SHAFT SPROCKET    | 1    | ≥11783 | ←   |         | 0.34         | 0.748       |
| 250    | 04612-00250 | CIRCLIP EXTERNAL  | 1    |        |     |         | 0.002        | 0.0044      |
| 260    | 96387-11530 | COLLAR DISTANCE   | 1    | ≤13508 |     |         | 0.01         | 0.022       |
| 260    | 79840-22550 | COLLAR            | 1    | ≥13509 | ≠   |         | 0.01         | 0.022       |
| 270    | 08821-82420 | BEARING NEEDLE    | 1    |        |     |         | 0.02         | 0.044       |
| 280    | 79840-22230 | COLLAR            | 1    | ≤13508 |     |         | 0.025        | 0.055       |
| 280    | 79840-22234 | COLLAR            | 1    | ≥13509 | ←   |         | 0.022        | 0.0484      |
| 290    | 96387-11360 | ACTUATOR          | 1    |        |     |         | 0.75         | 1.65        |
| 300    | 07715-00805 | BALL              | 3    |        |     |         | 0.016        | 0.0352      |
| 310    | 79840-22240 | SUPPORT ACTUATOR  | 1    |        |     |         | 1.1          | 2.42        |
| 320    | 05012-00818 | PIN STRAIGHT      | 2    |        |     |         | 0.008        | 0.0176      |
| 330    | 01123-51030 | BOLT              | 4    |        |     |         | 0.025        | 0.055       |
| 340    | 79840-22540 | COLLAR            | 1    |        |     |         | 0.005        | 0.011       |
| 350    | 79840-22250 | GEAR              | 1    |        |     | 15T     | 0.13         | 0.286       |
| 360    | 67311-14270 | BEARING BALL      | 1    |        |     |         | 0.09         | 0.198       |
| 370    | 79840-22260 | LEVER CAM         | 1    |        |     |         | 0.44         | 0.968       |
| 380    | 04612-00250 | CIRCLIP EXTERNAL  | 1    |        |     |         | 0.002        | 0.0044      |
| 390    | 04811-00210 | O RING            | 1    |        |     |         | 0.001        | 0.0022      |
| 400    | 79840-22270 | SPRING            | 1    | ≤13508 |     |         | 0.015        | 0.033       |
| 400    | 79840-22273 | SPRING            | 1    | ≥13509 | ≠   |         | 0.016        | 0.0352      |
| 410    | 79840-22280 | GEAR              | 1    |        |     | 16T     | 0.12         | 0.264       |
| 420    | 79840-22290 | BEARING NEEDLE    | 1    |        |     |         | 0.02         | 0.044       |
| 430    | 79840-22310 | SHAFT IDLE        | 1    | ≤11782 |     |         | 0            | 0           |
| 430    | 79840-22312 | SHAFT IDLE        | 1    | ≥11783 | ←   |         | 0.08         | 0.176       |
| 440    | 05411-00412 | PIN SPRING        | 1    |        |     |         | 0.001        | 0.0022      |

**REAR PTO [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 450    | 67111-14970 | COLLAR             | 2    |       |     |         | 0.007        | 0.0154      |
| 460    | 79840-22320 | SHAFT REAR PTO     | 1    |       |     |         | 0.52         | 1.144       |
| 470    | 79840-22330 | GEAR               | 1    |       |     |         | 0.26         | 0.572       |
| 480    | 04612-00400 | CIRCLIP EXTERNAL   | 1    |       |     |         | 0.005        | 0.011       |
| 490    | 08101-06008 | BEARING BALL       | 1    |       |     |         | 0.19         | 0.418       |
| 500    | 79840-22340 | BEARING BALL       | 1    |       |     |         | 0.14         | 0.308       |
| 510    | 16241-96260 | PLUG               | 1    |       |     |         | 0            | 0           |
| 520    | 37300-11430 | SEAL OIL           | 1    |       |     |         | 0.05         | 0.11        |
| 530    | 79840-21140 | COLLAR STOP        | 1    |       |     |         | 0.06         | 0.132       |
| 540    | 79840-21150 | STOPPER            | 1    |       |     |         | 0.003        | 0.0066      |
| 550    | 79840-21160 | STOPPER            | 1    |       |     |         | 0.005        | 0.011       |
| 560    | 07715-00803 | BALL               | 3    |       |     |         | 0.004        | 0.0088      |
| 570    | 79840-22350 | FILLER OIL         | 1    |       |     |         | 0.2          | 0.44        |
| 580    | 04714-00400 | GASKET             | 1    |       |     |         | 0.003        | 0.0066      |
| 590    | 06314-50040 | PLUG OIL FILLER    | 1    |       |     |         | 0.016        | 0.0352      |
| 600    | 04713-00400 | GASKET             | 1    |       |     |         | 0.001        | 0.0022      |
| 610    | 06331-35016 | PLUG               | 1    |       |     |         | 0.04         | 0.088       |
| 620    | 04717-01600 | WASHER WITH RUBBER | 1    |       |     |         | 0.003        | 0.0066      |
| 630    | 01053-50610 | BOLT               | 1    |       |     |         | 0.004        | 0.0088      |
| 640    | 04717-00600 | WASHER WITH RUBBER | 1    |       |     |         | 0.001        | 0.0022      |




66101-073-10




## CRUISE CONTROL PLATE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-36110 | PLATE CONTROL PANEL  | 1    |        |     |         | 0.44         | 0.968       |
| 020    | 66101-36120 | PLUG OIL FILLER      | 1    |        |     |         | 0.07         | 0.154       |
| 030    | 66101-36140 | BOLT                 | 1    |        |     |         | 0.04         | 0.088       |
| 040    | 04512-60140 | WASHER SPRING        | 1    |        |     |         | 0.006        | 0.0132      |
| 050    | 66101-36150 | ARM SPEED CHANGE     | 1    | ≤10369 |     |         | 0            | 0           |
| 050    | 66101-36153 | ARM SPEED CHANGE     | 1    | ≥10370 | ←   |         | 0.185        | 0.407       |
| 060    | 05411-00630 | PIN SPRING           | 1    |        |     |         | 0.004        | 0.0088      |
| 070    | 66101-36160 | ARM NEUTRAL          | 1    |        |     |         | 0.2          | 0.44        |
| 080    | 66204-43352 | SHAFT HOLDER         | 1    |        |     |         | 0.072        | 0.1584      |
| 090    | 66204-43572 | BUSH                 | 1    |        |     |         | 0.003        | 0.0066      |
| 100    | 01123-50832 | BOLT                 | 1    |        |     |         | 0.016        | 0.0352      |
| 110    | 04012-50080 | WASHER PLAIN         | 1    |        |     |         | 0.001        | 0.0022      |
| 120    | 08121-06000 | BEARING BALL         | 1    |        |     |         | 0.02         | 0.044       |
| 130    | 04612-00100 | CIRCLIP EXTERNAL     | 1    |        |     |         | 0.001        | 0.0022      |
| 140    | 66101-36170 | PLATE CRUISE CONTROL | 1    |        |     |         | 0.66         | 1.452       |
| 150    | 01123-51020 | BOLT                 | 2    |        |     |         | 0.02         | 0.044       |
| 160    | 01155-60835 | BOLT                 | 1    |        |     |         | 0.015        | 0.033       |
| 170    | 02112-50080 | NUT                  | 1    |        |     |         | 0.003        | 0.0066      |
| 180    | 66101-36183 | SPRING NEUTRAL ARM   | 1    |        |     |         | 0.025        | 0.055       |



030 04013-50120




66101-808-10




## CRUISE CONTROL LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-42312 | SHAFT CRUISE CONTROL | 1    |        |     |         | 0.15         | 0.33        |
| 020    | 05411-00880 | PIN SPRING           | 1    |        |     |         | 0.019        | 0.0418      |
| 030    | 04013-50120 | WASHER PLAIN         | 1    | ≤13506 |     |         | 0            | 0           |
| 030    | 04013-50120 | WASHER PLAIN         | 2    | ≥13507 |     |         | 0            | 0           |
| 040    | 02174-50120 | NUT                  | 2    |        |     |         | 0.01         | 0.022       |
| 050    | 66101-42320 | CAM                  | 1    |        |     |         | 0.01         | 0.022       |
| 060    | 66101-42330 | CAM                  | 1    |        |     |         | 0.1          | 0.22        |
| 070    | 05411-00622 | PIN SPRING           | 1    |        |     |         | 0.003        | 0.0066      |
| 080    | 66101-42340 | WASHER               | 1    |        |     |         | 0.01         | 0.022       |
| 090    | 66101-42350 | DISK FRICTION        | 2    | ≤10683 |     |         | 0            | 0           |
| 090    | 66101-42352 | DISK FRICTION        | 2    | ≥10684 | ←   |         | 0.002        | 0.0044      |
| 100    | 66101-42360 | LEVER CRUISE CONTROL | 1    |        |     |         | 0.34         | 0.748       |
| 110    | 55611-31460 | GRIP LEVER           | 1    |        |     |         | 0.03         | 0.066       |
| 120    | 66101-42370 | SPRING CRUISE CONTRL | 1    |        |     |         | 0.1          | 0.22        |
| 130    | 66101-42380 | PLATE                | 1    |        |     |         | 0.003        | 0.0066      |
| 140    | 01759-50816 | BOLT UBS             | 1    | ≤15343 |     |         | 0.01         | 0.022       |
| 140    | 01125-50820 | BOLT                 | 1    | ≥15344 | ←   |         | 0            | 0           |



090 05411-00630




66101-817-10



## SPEED CONTROL PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-42510 | ROD SPEED CHANGE   | 1    |        |     |         | 0.04         | 0.088       |
| 020    | 05511-50315 | PIN SPLIT          | 1    |        |     |         | 0.002        | 0.0044      |
| 030    | 66591-42410 | TURNBUCKLE         | 1    |        |     |         | 0.046        | 0.1012      |
| 040    | 02114-50080 | NUT                | 1    |        |     |         | 0.005        | 0.011       |
| 050    | 66101-42520 | ROD SPEED CHANGE   | 1    |        |     |         | 0.16         | 0.352       |
| 060    | 05511-50315 | PIN SPLIT          | 1    |        |     |         | 0.002        | 0.0044      |
| 070    | 66101-42530 | SHAFT PEDAL        | 1    |        |     |         | 0.42         | 0.924       |
| 080    | 66101-42540 | ARM SPEED CHANGE   | 1    |        |     |         | 0.1          | 0.22        |
| 090    | 05411-00630 | PIN SPRING         | 1    | ≤10901 |     |         | 0.004        | 0.0088      |
| 090    | 66071-51920 | PIN JOINT          | 1    | ≥10902 | ←   |         | 0.01         | 0.022       |
| 100    | 66101-42550 | PEDAL SPEED CHANGE | 1    |        |     |         | 0.2          | 0.44        |
| 110    | 01123-50820 | BOLT               | 2    |        |     |         | 0.011        | 0.0242      |
| 120    | 04013-50080 | WASHER PLAIN       | 1    |        |     |         | 0            | 0           |
| 130    | 66021-43320 | COVER PEDAL        | 1    |        |     |         | 0.16         | 0.352       |
| 140    | 66021-43440 | NUT                | 1    | ≤13280 |     |         | 0.004        | 0.0088      |
| 140    | 37300-41330 | NUT                | 1    | ≥13281 | ↔   |         | 0.005        | 0.011       |
| 150    | 05511-50212 | PIN SPLIT          | 1    | ≥10902 |     |         | 0.001        | 0.0022      |
| 160    | 04015-50100 | WASHER PLAIN       | 1    | ≥10902 |     |         | 0.016        | 0.0352      |






## REAR DIFFERENTIAL


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66101-81490 | ASSY DIFFERENTIAL    | 1    |       |     |         | 4.5          | 9.9         |
| 020    | 66101-81470 | ASSY GEAR BEVEL      | 1    |       |     |         | 1.9          | 4.18        |
| 030    | 67321-56612 | CASE FRONT DIFF.     | 1    |       |     |         | 0.61         | 1.342       |
| 040    | 67711-14912 | SHAFT DIFF.PINION    | 1    |       |     |         | 0.14         | 0.308       |
| 050    | 66101-14930 | PINION DIFF.         | 2    |       |     |         | 0.12         | 0.264       |
| 060    | 67311-14980 | COLLAR PINION THRUST | 2    |       |     |         | 0.002        | 0.0044      |
| 070    | 66591-14860 | COLLAR THRUST        | 1    |       |     |         | 0.102        | 0.2244      |
| 080    | 66101-14940 | GEAR DIFF.SIDE       | 2    |       |     |         | 0.18         | 0.396       |
| 090    | 67211-15160 | SHIM                 | 2    |       |     | 1.0MM   | 0.01         | 0.022       |
| 090    | 67211-15170 | SHIM                 | 2    |       |     | 0.8MM   | 0.008        | 0.0176      |
| 090    | 67211-15180 | SHIM                 | 2    |       |     | 1.2MM   | 0.01         | 0.022       |
| 100    | 66591-14792 | PIN KNOCK            | 1    |       |     |         | 0.003        | 0.0066      |
| 110    | 67910-14940 | PIN STRAIGHT         | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 67810-56680 | BOLT UBS             | 6    |       |     |         | 0.013        | 0.0286      |
| 130    | 08101-06209 | BEARING BALL         | 2    |       |     |         | 0.42         | 0.924       |
| 140    | 66101-14970 | SHIM DIFFERENTIAL    | 2    |       |     | 0.5MM   | 0.003        | 0.0066      |
| 140    | 66101-14980 | SHIM DIFFERENTIAL    | 2    |       |     | 0.2MM   | 0.002        | 0.0044      |
| 140    | 66101-14990 | SHIM DIFFERENTIAL    | 2    |       |     | 0.2MM   | 0.002        | 0.0044      |




66101-078-10





66101-115-10






66101-144-10



# REAR WHEEL (23 X 10.5-12) [2WS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description    | Q'ty | S.No.   | I/C | REMARKS                          | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------|------|---------|-----|----------------------------------|--------------|-------------|
| 010    | 66120-17100 | ASSY TIRE REAR | 2    | <=13280 |     | [AU]                             | 0            | 0           |
| 010    | 66120-17700 | ASSY TIRE REAR | 2    | >=13281 | ↔   | [AU]                             | 15           | 33          |
| 020    | 66120-17140 | TIRE           | 2    | <=13280 |     | [AU]                             | 9            | 19.8        |
| 020    | 66120-17740 | TIRE           | 2    | >=13281 | ↔   | [AU]                             | 5.2          | 11.44       |
| 020    | 70000-00866 | TIRE           | 2    |         |     | [A] RESERVED PARTS BY KTC        | 0            | 0           |
| 020    | 70000-00870 | TIRE           | 2    |         |     | [A] OPTION RESERVED PARTS BY KTC | 0            | 0           |
| 030    | 66120-17180 | WHEEL          | 2    |         |     | [AU]                             | 4            | 8.8         |
| 030    | 70000-00867 | WHEEL          | 2    |         |     | [A] RESERVED PARTS BY KTC        | 0            | 0           |
| 040    | 66120-17190 | VALVE TIRE     | 2    |         |     | [AU]                             | 0.012        | 0.0264      |
| 045    | 66120-17360 | LABEL TIRE     | 2    |         |     |                                  | 0            | 0           |
| 050    | 66101-17460 | CAP WHEEL      | 2    | <=11689 |     | [A] [CA]                         | 0.33         | 0.726       |
| 050    | 66190-17460 | CAP WHEEL      | 2    | >=11690 | ≠   | [A] [CA]                         | 0.35         | 0.77        |
| 060    | 66071-17480 | LABEL          | 2    | <=11689 |     | [A] [CA]                         | 0.002        | 0.0044      |
| 060    | 66190-17480 | LABEL          | 2    | >=11690 | ≠   | [A] [CA]                         | 0.005        | 0.011       |




66101-085-10

**PTO BRAKE**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-25330 | WIRE PTO CLUTCH   | 1    | ≤10683 |     |         | 0            | 0           |
| 010    | 66101-25333 | WIRE PTO CLUTCH   | 1    | ≥10684 | ≠   |         | 0.25         | 0.55        |
| 020    | 66101-25340 | SPRING PTO CLUTCH | 1    |        |     |         | 0.06         | 0.132       |
| 030    | 66101-25350 | SPRING            | 1    |        |     |         | 0.02         | 0.044       |
| 040    | 66101-25412 | SPRING            | 1    |        |     |         | 0.06         | 0.132       |
| 050    | 66101-25420 | BOLT TENSION      | 1    |        |     |         | 0.02         | 0.044       |
| 060    | 02112-50080 | NUT               | 2    |        |     |         | 0.003        | 0.0066      |
| 070    | 66101-25433 | BRAKE PTO         | 1    |        |     |         | 0.2          | 0.44        |
| 080    | 08511-01012 | BUSH              | 1    |        |     |         | 0.003        | 0.0066      |
| 090    | 04612-00100 | CIRCLIP EXTERNAL  | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 66101-25440 | WASHER            | 1    |        |     |         | 0.003        | 0.0066      |
| 110    | 01153-50825 | BOLT              | 1    |        |     |         | 0.012        | 0.0264      |
| 120    | 02112-50080 | NUT               | 1    |        |     |         | 0.003        | 0.0066      |






## BRAKE SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description       | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-14722 | GEAR              | 1    | ≤20696 |     | 16T     | 0.1          | 0.22        |
| 010    | 66101-14723 | GEAR              | 1    | ≥20697 | ≠   | 16T     | 0.12         | 0.264       |
| 020    | 04612-00150 | CIRCLIP EXTERNAL  | 1    |        |     |         | 0.001        | 0.0022      |
| 030    | 66101-14740 | COLLAR HST SHAFT  | 1    | ≤20696 |     |         | 0.01         | 0.022       |
| 040    | 66101-14773 | GEAR              | 1    |        |     | 53T     | 0.74         | 1.628       |
| 050    | 66101-14780 | COLLAR            | 1    |        |     |         | 0.1          | 0.22        |
| 060    | 67156-14640 | COLLAR STOP       | 2    |        |     |         | 0.005        | 0.011       |
| 070    | 67211-14620 | BEARING BALL      | 1    | ≤20696 |     |         | 0.23         | 0.506       |
| 070    | K4010-14430 | BEARING BALL      | 1    | ≥20697 | ←   |         | 0.24         | 0.528       |
| 080    | 08101-06304 | BEARING BALL      | 1    |        |     |         | 0.146        | 0.3212      |
| 090    | 66101-14790 | SHAFT BRAKE PEDAL | 1    |        |     |         | 0.24         | 0.528       |
| 100    | 08101-06004 | BEARING BALL      | 2    |        |     |         | 0.065        | 0.143       |
| 110    | 09500-20357 | SEAL OIL          | 1    |        |     |         | 0.01         | 0.022       |
| 120    | 66611-14750 | SHIM PTO          | 1    |        |     | 0.5MM   | 0.002        | 0.0044      |
| 120    | 66611-14770 | SHIM PTO          | 1    |        |     | 0.3MM   | 0.001        | 0.0022      |



**BRAKE**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66101-22230 | ASSY BRAKE         | 1    |       |     |         | 0.82         | 1.804       |
| 020    | 66101-22310 | DRUM BRAKE         | 1    |       |     |         | 0.18         | 0.396       |
| 030    | 66021-22320 | COVER BRAKE        | 1    |       |     |         | 0.24         | 0.528       |
| 040    | 66101-22330 | LEVER BRAKE        | 1    |       |     |         | 0.045        | 0.099       |
| 050    | 66021-22340 | SHAFT BRAKE CAM    | 1    |       |     |         | 0.048        | 0.1056      |
| 060    | 66071-22390 | KIT SHOE BRAKE     | 1    |       |     | SET     | 0.03         | 0.066       |
| 070    | 66021-22360 | SPRING SHOE RETURN | 1    |       |     |         | 0.005        | 0.011       |
| 080    | 63611-22140 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 090    | 02014-50100 | NUT                | 1    |       |     |         | 0.011        | 0.0242      |
| 100    | 04512-60100 | WASHER SPRING      | 1    |       |     |         | 0.002        | 0.0044      |
| 110    | 66048-22420 | GASKET             | 1    |       |     |         | 0.005        | 0.011       |
| 120    | 04612-00180 | CIRCLIP EXTERNAL   | 1    |       |     |         | 0.001        | 0.0022      |
| 130    | 01023-50612 | BOLT               | 4    |       |     |         | 0.005        | 0.011       |



**BRAKE ROD**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66101-42712 | SHAFT FULCRUM BRAKE | 1    |       |     |         | 0.05         | 0.11        |
| 020    | 04612-00140 | CIRCLIP EXTERNAL    | 1    |       |     |         | 0.001        | 0.0022      |
| 030    | 05411-00850 | PIN SPRING          | 1    |       |     |         | 0.012        | 0.0264      |
| 040    | 66101-42720 | ROD BRAKE           | 1    |       |     |         | 0.18         | 0.396       |
| 050    | 05511-50315 | PIN SPLIT           | 1    |       |     |         | 0.002        | 0.0044      |
| 060    | 66021-42850 | SPRING              | 1    |       |     |         | 0.03         | 0.066       |
| 070    | 02156-50080 | NUT                 | 2    |       |     |         | 0.004        | 0.0088      |
| 080    | 04012-50080 | WASHER PLAIN        | 2    |       |     |         | 0.001        | 0.0022      |
| 090    | 66704-43250 | SPRING RETURN       | 1    |       |     |         | 0.05         | 0.11        |
| 100    | 66101-42732 | ROD BRAKE           | 1    |       |     |         | 0.09         | 0.198       |
| 110    | 05511-50315 | PIN SPLIT           | 2    |       |     |         | 0.002        | 0.0044      |
| 120    | 04013-50080 | WASHER PLAIN        | 1    |       |     |         | 0            | 0           |



66101-089-10








## FRONT AXLE/KNUCKLE ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description       | Q'ty | S.No. | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|-------------------|------|-------|-----|-----------|--------------|-------------|
| 010    | 66101-56120 | COMP.AXLE FRONT   | 1    |       |     |           | 6            | 13.2        |
| 020    | 66021-56130 | BEARING DRY       | 4    |       |     |           | 0.017        | 0.0374      |
| 030    | 06613-10675 | NIPPLE GREASE     | 2    |       |     |           | 0.003        | 0.0066      |
| 040    | 67111-44250 | NIPPLE GREASE     | 1    |       |     |           | 0.005        | 0.011       |
| 050    | 66021-56320 | SHIM              | 1    |       |     | 1.6MM     | 0.012        | 0.0264      |
| 050    | 66021-56330 | SHIM              | 1    |       |     | 2.0MM     | 0.015        | 0.033       |
| 050    | 66021-56340 | SHIM              | 1    |       |     | 2.9MM     | 0.02         | 0.044       |
| 050    | 66021-56350 | SHIM              | 1    |       |     | 2.3MM     | 0.02         | 0.044       |
| 060    | 01153-50802 | BOLT              | 1    |       |     |           | 0.045        | 0.099       |
| 070    | 02112-50080 | NUT               | 1    |       |     |           | 0.003        | 0.0066      |
| 080    | 02114-50080 | NUT               | 1    |       |     |           | 0.005        | 0.011       |
| 090    | 66101-56180 | KING PIN RH       | 1    |       |     |           | 1.46         | 3.212       |
| 100    | 66101-56160 | KING PIN LH       | 1    |       |     |           | 1.62         | 3.564       |
| 110    | 04612-00250 | CIRCLIP EXTERNAL  | 1    |       |     |           | 0.002        | 0.0044      |
| 120    | 66021-56240 | WASHER            | 2    |       |     |           | 0.01         | 0.022       |
| 130    | 05511-50545 | PIN SPLIT         | 2    |       |     |           | 0.01         | 0.022       |
| 140    | 66101-56190 | ARM KNUCKLE FRONT | 1    |       |     |           | 0.62         | 1.364       |
| 150    | 05712-00730 | KEY FEATHER       | 1    |       |     |           | 0.011        | 0.0242      |
| 160    | 01173-51065 | BOLT              | 1    |       |     |           | 0.04         | 0.088       |
| 170    | 04512-60100 | WASHER SPRING     | 1    |       |     |           | 0.002        | 0.0044      |
| 180    | 02118-50100 | NUT               | 1    |       |     |           | 0.005        | 0.011       |
| 190    | 66021-56310 | CAP FRONT WHEEL   | 2    |       |     | [AU] [NZ] | 0.06         | 0.132       |




66101-117-10



## TIE ROD/DRAW LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66021-56210 | END ROD RH           | 1    |       |     |         | 0.055        | 0.121       |
| 020    | 66021-56220 | END ROD LH           | 1    |       |     |         | 0.11         | 0.242       |
| 030    | 02118-50100 | NUT                  | 2    |       |     |         | 0.005        | 0.011       |
| 040    | 04512-60100 | WASHER SPRING        | 2    |       |     |         | 0.002        | 0.0044      |
| 050    | 66101-56230 | ROD TIE              | 1    |       |     |         | 0.3          | 0.66        |
| 060    | 55311-31550 | NUT                  | 1    |       |     |         | 0.007        | 0.0154      |
| 070    | 02118-50100 | NUT                  | 1    |       |     |         | 0.005        | 0.011       |
| 080    | 66101-56320 | COMP.LINK DRAG FRONT | 1    |       |     |         | 1.07         | 2.354       |
| 090    | 04512-50120 | WASHER SPRING        | 2    |       |     |         | 0            | 0           |
| 100    | 02372-50120 | NUT                  | 2    |       |     |         | 0.008        | 0.0176      |
| 110    | 05511-50325 | PIN SPLIT            | 2    |       |     |         | 0.002        | 0.0044      |
| 120    | 67121-56560 | COVER DUST           | 2    |       |     |         | 0.008        | 0.0176      |
| 130    | 67121-56570 | CLIP                 | 2    |       |     |         | 0.003        | 0.0066      |




66101-145-10




# FRONT WHEEL (16 X 6.50-8)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description     | Q'ty | S.No.  | I/C | REMARKS                   | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|--------|-----|---------------------------|--------------|-------------|
| 010    | 66120-56400 | ASSY TIRE FRONT | 2    | ≤13280 |     | [AU]                      | 0            | 0           |
| 010    | 66120-56600 | ASSY TIRE FRONT | 2    | ≥13281 | ↔   | [AU]                      | 5            | 11          |
| 020    | 66120-56420 | TIRE            | 2    | ≤13280 |     | [AU]                      | 0            | 0           |
| 020    | 66120-56610 | TIRE            | 2    | ≥13281 | ↔   | [AU]                      | 2.6          | 5.72        |
| 020    | 70000-00864 | TIRE            | 2    |        |     | [A] RESERVED PARTS BY KTC | 0            | 0           |
| 030    | 70000-00865 | WHEEL           | 2    |        |     | [A] RESERVED PARTS BY KTC | 0            | 0           |
| 030    | 66120-56430 | WHEEL           | 2    |        |     | [AU]                      | 3            | 6.6         |
| 040    | 66120-17190 | VALVE TIRE      | 2    |        |     | [AU]                      | 0.012        | 0.0264      |
| 050    | 08141-06205 | BEARING BALL    | 4    | ≤10683 |     | [AU]                      | 0.118        | 0.2596      |
| 050    | 66120-56440 | BEARING BALL    | 4    | ≥10684 | ←   | [AU]                      | 0.13         | 0.286       |
| 055    | 66120-57160 | LABEL TIRE      | 2    | ≥13282 |     | [AU]                      | 0            | 0           |
| 060    | 66101-56470 | CAP WHEEL       | 2    | ≤11689 |     | [A] [CA]                  | 0            | 0           |
| 060    | 66190-56470 | CAP WHEEL       | 2    | ≥11690 | ≠   | [A] [CA]                  | 0.2          | 0.44        |
| 070    | 66071-17480 | LABEL           | 2    | ≤11689 |     | [A] [CA]                  | 0.002        | 0.0044      |
| 070    | 66190-17480 | LABEL           | 2    | ≥11690 | ≠   | [A] [CA]                  | 0.005        | 0.011       |



010 66101-5111-6



100 66101-5114-0




66101-844-10



## FRAME


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS   | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|-----------|--------------|-------------|
| 010    | 66101-51116 | ASSY FRAME         | 1    | <=12248 |     |           | 0            | 0           |
| 010    | 66101-51220 | FRAME              | 1    | >=12249 | ←   |           | 23           | 50.6        |
| 010    | 66101-85120 | ASSY FRAME         | 1    | >=12695 | ←   |           | 45           | 99          |
| 010    | 66101-85122 | ASSY FRAME         | 1    | >=16460 | ←   |           | 52           | 114.4       |
| 015    | 67111-44250 | NIPPLE GREASE      | 1    | >=12695 |     |           | 0.005        | 0.011       |
| 020    | 01123-51235 | BOLT               | 8    |         |     |           | 0.041        | 0.0902      |
| 030    | 66101-51120 | SUPPORT ENGINE RH  | 1    |         |     |           | 0.78         | 1.716       |
| 040    | 66101-51130 | SUPPORT ENGINE LH  | 1    |         |     |           | 0.68         | 1.496       |
| 050    | 01133-51022 | BOLT               | 8    |         |     |           | 0.025        | 0.055       |
| 060    | 66021-52310 | CUSHION RUBBER     | 4    |         |     |           | 0.106        | 0.2332      |
| 070    | 02114-50080 | NUT                | 8    |         |     |           | 0.005        | 0.011       |
| 080    | 04512-60080 | WASHER SPRING      | 8    |         |     |           | 0.002        | 0.0044      |
| 090    | 04013-50080 | WASHER PLAIN       | 8    |         |     |           | 0            | 0           |
| 100    | 66101-51143 | SUPPORT SEAT       | 1    | >=11581 |     |           | 0            | 0           |
| 100    | 66101-51146 | SUPPORT SEAT       | 1    | >=11582 | ←   |           | 2.7          | 5.94        |
| 110    | 01135-61025 | BOLT               | 1    |         |     |           | 0.04         | 0.088       |
| 120    | 66021-51210 | HITCH              | 1    |         |     |           | 0.7          | 1.54        |
| 130    | 01123-51025 | BOLT               | 4    |         |     |           | 0.02         | 0.044       |
| 140    | 67211-51120 | PLUG BLIND         | 10   |         |     |           | 0.001        | 0.0022      |
| 150    | 66101-51170 | SUPPORT STEP       | 1    |         |     |           | 0.4          | 0.88        |
| 160    | 01123-50820 | BOLT               | 2    |         |     |           | 0.011        | 0.0242      |
| 170    | 01133-51035 | BOLT               | 2    |         |     |           | 0.03         | 0.066       |
| 180    | 76507-51200 | SUPPORTER          | 2    | >=10804 |     | RC54 RC60 | 0.38         | 0.836       |
| 190    | 01173-51025 | BOLT               | 4    | >=10804 |     | RC54 RC60 | 0.021        | 0.0462      |
| 200    | 02118-50100 | NUT                | 4    | >=10804 |     | RC54 RC60 | 0.005        | 0.011       |
| 210    | 04512-60100 | WASHER SPRING      | 4    | >=10804 |     | RC54 RC60 | 0.002        | 0.0044      |
| 220    | 04013-50100 | WASHER PLAIN       | 1    |         |     |           | 0            | 0           |
| 230    | 66101-59120 | STAY               | 2    | >=12366 |     |           | 0.33         | 0.726       |
| 240    | 01123-60816 | BOLT               | 4    | >=12366 |     |           | 0.01         | 0.022       |
| 240    | 01125-50822 | BOLT               | 4    | >=16460 |     |           | 0.015        | 0.033       |
| 250    | 66101-88710 | MANUAL ASSEMBLY    | 1    |         |     | OPTION    | 0.001        | 0.0022      |
| 260    | 66101-88700 | KIT STAY SPRING    | 1    |         |     | OPTION    | 0.76         | 1.672       |
| 270    | 66101-83650 | ASSY SUPPORT SHAFT | 1    |         |     | OPTION    | 0.27         | 0.594       |
| 280    | 01123-60816 | BOLT               | 2    |         |     | OPTION    | 0.01         | 0.022       |
| 290    | 01023-50614 | BOLT               | 2    |         |     | OPTION    | 0.005        | 0.011       |
| 300    | 67111-44250 | NIPPLE GREASE      | 1    |         |     | OPTION    | 0.005        | 0.011       |




010 66101-4111-0

010



040 66101-4112-0

040





66101-811-10



## STEERING GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-41110 | CASE STEERING GEAR | 2    | ≤13881 |     |         | 0.6          | 1.32        |
| 010    | 66101-41112 | CASE STEERING GEAR | 2    | ≥13882 | ≠   |         | 0.56         | 1.232       |
| 020    | 05012-00612 | PIN STRAIGHT       | 2    |        |     |         | 0.003        | 0.0066      |
| 030    | 01123-51070 | BOLT               | 4    |        |     |         | 0.05         | 0.11        |
| 040    | 66101-41120 | SHAFT PINION       | 1    | ≤13881 |     |         | 0.24         | 0.528       |
| 040    | 66101-41123 | SHAFT PINION       | 1    | ≥13882 | ≠   |         | 0.25         | 0.55        |
| 045    | 09500-17307 | SEAL OIL           | 1    | ≥13882 |     |         | 0.07         | 0.154       |
| 050    | 08141-06003 | BEARING BALL       | 2    |        |     |         | 0.037        | 0.0814      |
| 060    | 66101-41130 | SHAFT SECTOR       | 1    |        |     |         | 0.22         | 0.484       |
| 070    | 08141-06004 | BEARING BALL       | 2    |        |     |         | 0.064        | 0.1408      |
| 080    | 66101-41140 | GEAR SECTOR        | 1    |        |     |         | 0.7          | 1.54        |
| 090    | 66101-41153 | ARM PITMAN         | 1    |        |     |         | 0.35         | 0.77        |
| 100    | 02176-50120 | NUT                | 1    |        |     |         | 0.01         | 0.022       |
| 110    | 04512-50120 | WASHER SPRING      | 1    |        |     |         | 0            | 0           |
| 120    | 04013-60120 | WASHER PLAIN       | 1    |        |     |         | 0.01         | 0.022       |







## STEERING WHEEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-41312 | ASSY SHAFT JOINT    | 1    |        |     |         | 0.8          | 1.76        |
| 020    | 01123-50825 | BOLT                | 2    |        |     |         | 0.013        | 0.0286      |
| 030    | 66101-41320 | SHAFT STEERING      | 1    | ≤15127 |     |         | 0            | 0           |
| 030    | 66101-41323 | SHAFT STEERING      | 1    | ≥15128 | ←   |         | 0.315        | 0.693       |
| 040    | 04612-00160 | CIRCLIP EXTERNAL    | 2    |        |     |         | 0.001        | 0.0022      |
| 050    | 04013-60160 | WASHER PLAIN        | 2    |        |     |         | 0.01         | 0.022       |
| 060    | 66591-41250 | BUSH POST           | 2    |        |     |         | 0.016        | 0.0352      |
| 070    | 66150-41450 | ASSY WHEEL STEERING | 1    | ≥11690 |     |         | 2.7          | 5.94        |
| 075    | 37410-41460 | WHEEL STEERING      | 1    |        |     |         | 2            | 4.4         |
| 080    | 37410-41470 | ASSY PAD            | 1    | ≤11689 |     |         | 0            | 0           |
| 080    | 67148-41470 | ASSY PAD            | 1    | ≥11690 | ≠   |         | 0.06         | 0.132       |
| 090    | 37410-41490 | MARK                | 1    | ≤11689 |     |         | 0.005        | 0.011       |
| 090    | 67148-41490 | MARK                | 1    | ≥11690 | ≠   |         | 0.005        | 0.011       |
| 100    | 02174-50120 | NUT                 | 1    |        |     |         | 0.01         | 0.022       |
| 110    | 04512-50120 | WASHER SPRING       | 1    |        |     |         | 0            | 0           |



050 66101-3631-3



050


66101-812-10



## CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS                                | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|----------------------------------------|--------------|-------------|
| 010    | 66101-36200 | ADAPTER CONTRL VALVE | 1    | ≤13881 |     |                                        | 1.3          | 2.86        |
| 010    | 66101-36203 | ASSY ADAPTOR         | 1    | ≥13882 | ≠   |                                        | 1.45         | 3.19        |
| 020    | 01123-50820 | BOLT                 | 3    |        |     |                                        | 0.011        | 0.0242      |
| 030    | 36330-63080 | NIPPLE               | 2    |        |     |                                        | 0.07         | 0.154       |
| 040    | 04811-00140 | RING                 | 1    |        |     |                                        | 0.001        | 0.0022      |
| 050    | 66101-36313 | ASSY VALVE CONTROL   | 1    | ≤13881 |     | REFER TO L.No. 0E11-L0 FOR COMPONENTS. | 2.76         | 6.072       |
| 050    | 66101-36314 | ASSY VALVE CONTROL   | 1    | ≥13882 | ≠   | REFER TO L.No. 0E11-L0 FOR COMPONENTS. | 2.7          | 5.94        |
| 060    | 04811-00120 | RING                 | 2    | ≤14826 |     |                                        | 0.001        | 0.0022      |
| 060    | 04810-00120 | O RING               | 2    | ≥14827 | ↔   |                                        | 0.001        | 0.0022      |
| 065    | 04811-00090 | O RING               | 1    | ≥13882 |     |                                        | 0.001        | 0.0022      |
| 070    | 01123-50845 | BOLT                 | 1    |        |     |                                        | 0.02         | 0.044       |
| 080    | 01123-50875 | BOLT                 | 2    |        |     |                                        | 0.04         | 0.088       |
| 090    | 55611-31460 | GRIP LEVER           | 1    |        |     |                                        | 0.03         | 0.066       |
| 100    | 07715-01605 | BALL                 | 1    |        |     |                                        | 0.003        | 0.0066      |
| 110    | 66101-36220 | SPRING               | 1    |        |     |                                        | 0.005        | 0.011       |
| 120    | 04717-01200 | WASHER WITH RUBBER   | 1    |        |     |                                        | 0.002        | 0.0044      |
| 130    | 06331-35012 | PLUG                 | 1    |        |     |                                        | 0.022        | 0.0484      |
| 140    | 66101-36230 | SHIM                 | 1    |        |     | 0.5MM                                  | 0.003        | 0.0066      |
| 140    | 66101-36240 | SHIM                 | 1    |        |     | 0.3MM                                  | 0.003        | 0.0066      |






## CONTROL VALVE [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-36313 | ASSY VALVE CONTROL  | 1    | ≤13881 |     |         | 2.76         | 6.072       |
| 010    | 66101-36314 | ASSY VALVE CONTROL  | 1    | ≥13882 | ≠   |         | 2.7          | 5.94        |
| 020    | 05411-00620 | PIN SPRING          | 1    |        |     |         | 0.002        | 0.0044      |
| 030    | 66591-36330 | SEAT VALVE          | 1    |        |     |         | 0.008        | 0.0176      |
| 040    | 04811-15120 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 050    | 66611-36222 | RETAINER SPRING     | 1    |        |     |         | 0.008        | 0.0176      |
| 060    | 07715-03211 | BALL                | 1    |        |     |         | 0.003        | 0.0066      |
| 070    | 66101-36350 | SPRING              | 1    |        |     |         | 0.03         | 0.066       |
| 080    | 66591-36360 | SCREW ADJUSTING     | 1    |        |     |         | 0.012        | 0.0264      |
| 090    | 04012-50060 | WASHER PLAIN        | 1    |        |     |         | 0.001        | 0.0022      |
| 100    | 66591-36370 | COLLAR              | 1    |        |     |         | 0.016        | 0.0352      |
| 110    | 66611-36330 | SHIM ADJUSTING      | 1    |        |     |         | 0.001        | 0.0022      |
| 120    | 66101-36360 | COVER RELIEF        | 1    |        |     |         | 0.06         | 0.132       |
| 130    | 66101-36370 | SPRING SPOOL RETURN | 1    |        |     |         | 0.01         | 0.022       |
| 140    | 66905-36390 | GASKET              | 1    |        |     |         | 0.005        | 0.011       |
| 160    | 01202-50622 | BOLT                | 4    |        |     |         | 0.007        | 0.0154      |
| 170    | 66591-36430 | COVER VALVE         | 1    |        |     |         | 0.18         | 0.396       |
| 180    | 66101-36390 | LEVER CONTROL       | 1    |        |     |         | 0.26         | 0.572       |
| 190    | 04811-00100 | RING                | 1    |        |     |         | 0.001        | 0.0022      |
| 200    | 66591-36450 | ARM VALVE GUIDE     | 1    |        |     |         | 0.05         | 0.11        |
| 210    | 66591-36480 | BOLT                | 1    |        |     |         | 0.004        | 0.0088      |
| 220    | 04111-50060 | WASHER              | 1    |        |     |         | 0.001        | 0.0022      |
| 230    | 07715-00803 | BALL                | 1    |        |     |         | 0.004        | 0.0088      |
| 240    | 62061-18270 | SPRING STOPPER      | 1    |        |     |         | 0.003        | 0.0066      |
| 250    | 66591-36460 | BOLT                | 1    |        |     |         | 0.054        | 0.1188      |
| 260    | 04714-00300 | GASKET              | 1    |        |     |         | 0.002        | 0.0044      |
| 270    | 66905-36470 | GASKET              | 1    |        |     |         | 0.002        | 0.0044      |
| 280    | 01053-50650 | BOLT                | 2    |        |     |         | 0.011        | 0.0242      |
| 290    | 04512-60060 | WASHER SPRING       | 4    |        |     |         | 0.001        | 0.0022      |
| 300    | 01053-50665 | BOLT                | 2    |        |     |         | 0.015        | 0.033       |



130 66101-3666-0

140 04714-00120


150 67810-3788-0



100 66101-3665-0

160 67810-3768-0

170 67810-3769-0




66101-813-10



## HYDRAULIC PIPE 1

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description   | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-36410 | PIPE SUCTION  | 1    |        |     |         | 0.05         | 0.11        |
| 020    | 04811-10300 | RING          | 2    |        |     |         | 0.001        | 0.0022      |
| 030    | 04811-00110 | RING          | 1    |        |     |         | 0.001        | 0.0022      |
| 040    | 66021-36390 | FILTER OIL    | 1    |        |     |         | 0.185        | 0.407       |
| 050    | 66101-36423 | PIPE DELIVERY | 1    |        |     |         | 0.14         | 0.308       |
| 060    | 36330-63080 | NIPPLE        | 1    |        |     |         | 0.07         | 0.154       |
| 070    | 04811-00140 | O RING        | 1    |        |     |         | 0.001        | 0.0022      |
| 080    | 66591-36250 | JOINT         | 1    |        |     |         | 0.08         | 0.176       |
| 090    | 67111-37180 | GASKET        | 2    |        |     |         | 0.003        | 0.0066      |
| 100    | 66101-36650 | PIPE RETURN   | 1    | ≤13881 |     |         | 0.2          | 0.44        |
| 100    | 66101-36653 | PIPE RETURN   | 1    | ≥13882 | ≠   |         | 0.185        | 0.407       |
| 110    | 36330-63080 | NIPPLE        | 1    |        |     |         | 0.07         | 0.154       |
| 120    | 04811-00150 | O RING        | 1    |        |     |         | 0.001        | 0.0022      |
| 130    | 66101-36660 | PIPE RETURN   | 1    | ≤13838 |     |         | 0.06         | 0.132       |
| 140    | 04714-00120 | GASKET        | 2    | ≤13838 |     |         | 0.001        | 0.0022      |
| 150    | 67810-37880 | FILTER OIL    | 1    | ≤13838 |     |         | 0.033        | 0.0726      |
| 160    | 67810-37680 | HOSE          | 1    | ≤13838 |     |         | 0.015        | 0.033       |
| 170    | 67810-37690 | BAND HOSE     | 1    | ≤13838 |     |         | 0.02         | 0.044       |
| 180    | 04811-00140 | O RING        | 1    |        |     |         | 0.001        | 0.0022      |
| 190    | 66711-36140 | CLAMP PIPE    | 2    | ≥13115 |     |         | 0.007        | 0.0154      |
| 200    | 01053-50640 | BOLT          | 1    | ≥13115 |     |         | 0.011        | 0.0242      |
| 210    | 02014-50060 | NUT           | 1    | ≥13115 |     |         | 0.003        | 0.0066      |
| 220    | 04015-60060 | WASHER PLAIN  | 2    | ≥13115 |     |         | 0.005        | 0.011       |
| 230    | 04512-60060 | WASHER SPRING | 1    | ≥13115 |     |         | 0.001        | 0.0022      |







## HYDRAULIC PIPE 2

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-36430 | PIPE HST             | 1    |        |     |         | 0.15         | 0.33        |
| 020    | 04811-10090 | RING                 | 1    |        |     |         | 0.001        | 0.0022      |
| 030    | 66021-36060 | CARTRIDGE OIL FILTER | 1    |        |     |         | 0.34         | 0.748       |
| 040    | 66204-36170 | JOINT FILTER         | 1    |        |     |         | 0.018        | 0.0396      |
| 050    | 66101-36444 | PIPE HST             | 1    |        |     |         | 0.11         | 0.242       |
| 060    | 04811-10090 | RING                 | 1    |        |     |         | 0.001        | 0.0022      |
| 070    | 36330-63080 | NIPPLE               | 1    |        |     |         | 0.07         | 0.154       |
| 080    | 04811-00140 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |
| 090    | 66101-36450 | PIPE DRAIN           | 1    |        |     |         | 0.05         | 0.11        |
| 100    | 04811-10090 | RING                 | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 01123-60814 | BOLT                 | 1    |        |     |         | 0.008        | 0.0176      |
| 120    | 66101-36460 | PLUG DRAIN           | 1    | ≤13759 |     |         | 0            | 0           |
| 120    | 66101-36463 | PLUG DRAIN           | 1    | ≥13760 | ←   |         | 0.046        | 0.1012      |
| 130    | 68011-62220 | O RING               | 1    |        |     |         | 0.001        | 0.0022      |










**HYDRAULIC OUTLET [OLD TYPE] [OPTION]**  
S.No.:G1800<=13881,G1800-S<=14060,G1900<=11802,G1900-S<=13053

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 79840-13200 | ASSY ADAPTER        | 1    |       |     |         | 1.5          | 3.3         |
| 030    | 79840-13210 | ADAPTER CONT.VALVE  | 1    |       |     |         | 1.18         | 2.596       |
| 040    | 07715-01605 | BALL                | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 66101-36220 | SPRING              | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 04717-01200 | WASHER WITH RUBBER  | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 06331-35012 | PLUG                | 1    |       |     |         | 0.022        | 0.0484      |
| 080    | 66101-36230 | SHIM                | 1    |       |     | 0.5MM   | 0.003        | 0.0066      |
| 080    | 66101-36240 | SHIM                | 1    |       |     | 0.3MM   | 0.003        | 0.0066      |
| 090    | 79840-13220 | SPOOL               | 1    |       |     |         | 0.19         | 0.418       |
| 100    | 04811-00120 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 04811-00160 | O RING              | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 04612-00150 | CIRCLIP EXTERNAL    | 2    |       |     |         | 0.001        | 0.0022      |
| 130    | 06312-10020 | PLUG                | 1    |       |     |         | 0.015        | 0.033       |
| 140    | 79840-13230 | LEVER CHANGE        | 1    |       |     |         | 0.1          | 0.22        |
| 150    | 05411-00616 | PIN SPRING          | 1    |       |     |         | 0.002        | 0.0044      |
| 160    | 66071-43480 | BUTTON              | 1    |       |     |         | 0.042        | 0.0924      |
| 170    | 05122-50616 | PIN JOINT           | 1    |       |     |         | 0.004        | 0.0088      |
| 180    | 04013-60060 | WASHER PLAIN        | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | 05511-51612 | PIN SPLIT           | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 79840-13240 | LABEL               | 1    |       |     |         | 0.002        | 0.0044      |
| 210    | 04811-00140 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 220    | 04811-00120 | O RING              | 2    |       |     |         | 0.001        | 0.0022      |
| 230    | 79840-13910 | MANUAL CONSTRUCTION | 1    |       |     |         | 0.001        | 0.0022      |






## HYDRAULIC OUTLET [NEW TYPE] [OPTION]

S.No.:G01800&gt;=13882,G1800-S&gt;=14061,G1900&gt;=11803,G1900-S&gt;=13054

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 79840-13120 | ASSY ADAPTER       | 1    |       |     |         | 1.5          | 3.3         |
| 040    | 07715-01605 | BALL               | 1    |       |     |         | 0.003        | 0.0066      |
| 050    | 66101-36220 | SPRING             | 1    |       |     |         | 0.005        | 0.011       |
| 060    | 04717-01200 | WASHER WITH RUBBER | 1    |       |     |         | 0.002        | 0.0044      |
| 070    | 06331-35012 | PLUG               | 1    |       |     |         | 0.022        | 0.0484      |
| 080    | 66101-36230 | SHIM               | 1    |       |     | 0.5MM   | 0.003        | 0.0066      |
| 080    | 66101-36240 | SHIM               | 1    |       |     | 0.3MM   | 0.003        | 0.0066      |
| 090    | 79840-13220 | SPOOL              | 1    |       |     |         | 0.19         | 0.418       |
| 100    | 04811-00120 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 110    | 04811-00160 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |
| 120    | 04612-00150 | CIRCLIP EXTERNAL   | 2    |       |     |         | 0.001        | 0.0022      |
| 130    | 06312-10020 | PLUG               | 1    |       |     |         | 0.015        | 0.033       |
| 140    | 79840-13230 | LEVER CHANGE       | 1    |       |     |         | 0.1          | 0.22        |
| 150    | 05411-00616 | PIN SPRING         | 1    |       |     |         | 0.002        | 0.0044      |
| 160    | 66071-43480 | BUTTON             | 1    |       |     |         | 0.042        | 0.0924      |
| 170    | 05122-50616 | PIN JOINT          | 1    |       |     |         | 0.004        | 0.0088      |
| 180    | 04013-60060 | WASHER PLAIN       | 1    |       |     |         | 0.001        | 0.0022      |
| 190    | 05511-51612 | PIN SPLIT          | 1    |       |     |         | 0.001        | 0.0022      |
| 200    | 79840-13240 | LABEL              | 1    |       |     |         | 0.002        | 0.0044      |
| 210    | 04811-00140 | O RING             | 2    |       |     |         | 0.001        | 0.0022      |
| 220    | 04811-00120 | O RING             | 2    |       |     |         | 0.001        | 0.0022      |
| 230    | 04811-00090 | O RING             | 1    |       |     |         | 0.001        | 0.0022      |






### 3-POINT LINKAGE [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


| REF.No | Part No.    | Description        | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|-------|-----|---------|--------------|-------------|
| 010    | 79840-13310 | BRACKET            | 1    |       |     |         | 10           | 22          |
| 030    | 06613-10675 | NIPPLE GREASE      | 1    |       |     |         | 0.003        | 0.0066      |
| 040    | 01133-51228 | BOLT               | 4    |       |     |         | 0.04         | 0.088       |
| 050    | 79840-12200 | ASSY LINK TOP      | 1    |       |     |         | 1.2          | 2.64        |
| 060    | 79840-12210 | JOINT TOP LINK RH  | 1    |       |     |         | 0.32         | 0.704       |
| 070    | 79840-12220 | JOINT TOP LINK LH  | 1    |       |     |         | 0.32         | 0.704       |
| 080    | 79840-12232 | TURNBUCKLE         | 1    |       |     |         | 0.44         | 0.968       |
| 090    | 06613-10675 | NIPPLE GREASE      | 1    |       |     |         | 0.003        | 0.0066      |
| 100    | 02152-50180 | NUT                | 1    |       |     |         | 0.024        | 0.0528      |
| 110    | 05122-51650 | PIN JOINT          | 1    |       |     |         | 0.09         | 0.198       |
| 120    | 05122-51660 | PIN JOINT          | 1    |       |     |         | 0.098        | 0.2156      |
| 130    | 66592-35190 | PIN SET            | 2    |       |     |         | 0.014        | 0.0308      |
| 140    | 79840-13320 | COMP.LINK LOWER    | 2    |       |     |         | 2.1          | 4.62        |
| 150    | 70451-56320 | PIN SNAP           | 4    |       |     |         | 0.025        | 0.055       |
| 160    | 66706-65280 | PIN LIFT           | 2    |       |     |         | 0.082        | 0.1804      |
| 170    | 02174-50120 | NUT                | 2    |       |     |         | 0.01         | 0.022       |
| 180    | 04512-50120 | WASHER SPRING      | 2    |       |     |         | 0            | 0           |
| 190    | 66713-34340 | PIN SET            | 2    |       |     |         | 0.013        | 0.0286      |
| 200    | 79840-13330 | COMP.ROD LIFT LH   | 1    |       |     |         | 0.6          | 1.32        |
| 210    | 79840-13400 | ASSY ROD LIFT RH   | 1    |       |     |         | 0.74         | 1.628       |
| 220    | 79840-13340 | ROD LIFT UPPER RH  | 1    |       |     |         | 0.2          | 0.44        |
| 230    | 66706-65253 | NUT                | 1    |       |     |         | 0.003        | 0.0066      |
| 240    | 79840-13350 | ROD LIFT LOWER RH  | 1    |       |     |         | 0.3          | 0.66        |
| 250    | 79840-13360 | SPRING             | 1    |       |     |         | 0.035        | 0.077       |
| 260    | 05122-51235 | PIN JOINT          | 2    |       |     |         | 0.034        | 0.0748      |
| 270    | 04013-60120 | WASHER PLAIN       | 2    |       |     |         | 0.01         | 0.022       |
| 280    | 05511-50425 | PIN SPLIT          | 2    |       |     |         | 0.003        | 0.0066      |
| 290    | 79840-13500 | ASSY CHAIN CHECK   | 2    |       |     |         | 0.3          | 0.66        |
| 300    | 79840-12520 | BOLT TURNBUCKLE RH | 2    |       |     |         | 0.08         | 0.176       |
| 310    | 79840-12530 | BOLT TURNBUCKLE LH | 2    |       |     |         | 0.08         | 0.176       |
| 320    | 96316-05580 | TURNBUCKLE         | 2    |       |     |         | 0.14         | 0.308       |
| 330    | 02112-50120 | NUT                | 2    |       |     |         | 0.007        | 0.0154      |
| 340    | 66706-65380 | PIN SET            | 4    |       |     |         | 0.021        | 0.0462      |
| 350    | 04011-50100 | WASHER PLAIN       | 4    |       |     |         | 0.002        | 0.0044      |
| 360    | 05511-50318 | PIN SPLIT          | 4    |       |     |         | 0.001        | 0.0022      |
| 370    | 79840-13370 | COMP.CYLINDER      | 1    |       |     |         | 3.94         | 8.668       |
| 380    | 79840-13380 | HOLDER CYLINDER    | 1    |       |     |         | 0.7          | 1.54        |
| 390    | 01123-51240 | BOLT               | 2    |       |     |         | 0.048        | 0.1056      |
| 400    | 05122-51445 | PIN JOINT          | 1    |       |     |         | 0.058        | 0.1276      |
| 410    | 04011-50140 | WASHER PLAIN       | 1    |       |     |         | 0.007        | 0.0154      |
| 420    | 05511-50430 | PIN SPLIT          | 1    |       |     |         | 0.004        | 0.0088      |
| 430    | 05515-51600 | PIN SNAP           | 1    |       |     |         | 0.007        | 0.0154      |
| 440    | 79840-13410 | HOSE CYLINDER      | 1    |       |     |         | 0.13         | 0.286       |
| 450    | 56713-28140 | ADAPTER CYLINDER   | 1    |       |     |         | 0.03         | 0.066       |
| 460    | 58745-27250 | ADAPTER            | 1    |       |     |         | 0.1          | 0.22        |
| 470    | 35260-29790 | LABEL DRAWBAR      | 1    |       |     |         | 0.002        | 0.0044      |
| 480    | 04013-60120 | WASHER PLAIN       | 2    |       |     |         | 0.01         | 0.022       |
| 490    | 79840-13450 | MANUAL ASSEMBLY    | 1    |       |     |         | 0.001        | 0.0022      |



76505-034-11




| REF.No | Part No.    | Description     | Q'ty | S.No. | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|-------|-----|---------|--------------|-------------|
| 010    | 66111-88520 | STAY LOWER RH   | 1    |       |     |         | 0.38         | 0.836       |
| 030    | 66111-88510 | STAY UPPER RH   | 1    |       |     |         | 0.27         | 0.594       |
| 040    | 66111-88540 | STAY LOWER LH   | 1    |       |     |         | 0.41         | 0.902       |
| 050    | 66111-88530 | STAY UPPER LH   | 1    |       |     |         | 0.23         | 0.506       |
| 060    | 66111-88620 | HOOK SPRING     | 2    |       |     |         | 0.08         | 0.176       |
| 070    | 66111-88570 | SPRING          | 2    |       |     |         | 0.31         | 0.682       |
| 080    | 66111-88610 | HOOK SPRING     | 2    |       |     |         | 0.08         | 0.176       |
| 090    | 05516-61000 | PIN SNAP        | 4    |       |     |         | 0.003        | 0.0066      |
| 100    | 01123-50820 | BOLT            | 2    |       |     |         | 0.011        | 0.0242      |
| 110    | 04011-50100 | WASHER PLAIN    | 4    |       |     |         | 0.002        | 0.0044      |
| 120    | 04512-60080 | WASHER SPRING   | 4    |       |     |         | 0.002        | 0.0044      |
| 130    | 02114-50080 | NUT             | 4    |       |     |         | 0.005        | 0.011       |
| 140    | 66111-88592 | MANUAL ASSEMBLY | 1    |       |     |         | 0.009        | 0.0198      |





↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

Reference:02G113






## HOOD (BONNET)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description      | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-54120 | COMP.BONNET      | 1    |        |     |         | 10.4         | 22.88       |
| 020    | 66101-54130 | STAY BONNET RH   | 1    |        |     |         | 0.21         | 0.462       |
| 030    | 66101-54140 | STAY BONNET LH   | 1    |        |     |         | 0.24         | 0.528       |
| 040    | 01123-50820 | BOLT             | 4    |        |     |         | 0.011        | 0.0242      |
| 050    | 66101-54150 | HOLDER BONNET RH | 1    |        |     |         | 0.06         | 0.132       |
| 060    | 66101-54160 | HOLDER BONNET LH | 1    |        |     |         | 0.09         | 0.198       |
| 070    | 01123-50820 | BOLT             | 4    |        |     |         | 0.011        | 0.0242      |
| 080    | 04013-50080 | WASHER PLAIN     | 4    |        |     |         | 0            | 0           |
| 090    | 02372-50100 | NUT              | 2    |        |     |         | 0.005        | 0.011       |
| 100    | 44512-46650 | COLLAR           | 2    |        |     |         | 0.005        | 0.011       |
| 110    | 05511-52520 | PIN SPLIT        | 2    |        |     |         | 0.001        | 0.0022      |
| 120    | 34150-18180 | CUSHION          | 2    |        |     |         | 0.003        | 0.0066      |
| 130    | 66101-54170 | HOOK BONNET      | 2    | ≤10072 |     |         | 0            | 0           |
| 130    | 66101-54172 | HOOK BONNET      | 2    | ≥10073 | ←   |         | 0            | 0           |
| 130    | 66101-54174 | HOOK BONNET      | 2    | ≥11612 | ←   |         | 0.055        | 0.121       |
| 140    | 67800-54623 | SPRING           | 2    |        |     |         | 0.005        | 0.011       |
| 150    | 04015-60060 | WASHER PLAIN     | 2    |        |     |         | 0.005        | 0.011       |
| 160    | 05511-50315 | PIN SPLIT        | 2    |        |     |         | 0.002        | 0.0044      |
| 170    | 66101-53150 | TRIM SASH        | 2    | ≤14778 |     |         | 0            | 0           |
| 170    | 67401-54330 | TRIM SASH        | 2    | ≥14779 | ↔   |         | 0.04         | 0.088       |
| 180    | 66101-54310 | COVER FRONT      | 1    |        |     |         | 0.64         | 1.408       |
| 190    | 01123-50820 | BOLT             | 2    |        |     |         | 0.011        | 0.0242      |




020 66101-5311-4

050 66101-5316-0

060 66021-5523-0

070 66021-5526-0


080 66021-5528-0



66101-814-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 54911-32330 | GRIP LEVER         | 1    |         |     |         | 0.055        | 0.121       |
| 020    | 66101-53114 | COMP.PANEL         | 1    | <=11611 |     |         | 6.8          | 14.96       |
| 020    | 66101-53116 | COMP.PANEL         | 1    | >=11612 | ≠   |         | 0            | 0           |
| 020    | 66101-53118 | COMP.PANEL         | 1    | >=16345 | ←   |         | 4.52         | 9.944       |
| 030    | 67111-44250 | NIPPLE GREASE      | 1    |         |     |         | 0.005        | 0.011       |
| 040    | 01125-50818 | BOLT               | 2    | <=16646 |     |         | 0.015        | 0.033       |
| 040    | 01125-50822 | BOLT               | 2    | >=16647 | ↔   |         | 0.015        | 0.033       |
| 050    | 66101-53160 | COVER PANEL REAR   | 1    | <=11611 |     |         | 4            | 8.8         |
| 050    | 66101-53163 | COVER PANEL REAR   | 1    | >=11612 | ≠   |         | 0.85         | 1.87        |
| 060    | 66021-55230 | SCREW PAN-HEAD     | 4    | <=11611 |     |         | 0.005        | 0.011       |
| 060    | 01820-50615 | BOLT KNOB          | 2    | >=11612 | ≠   |         | 0.017        | 0.0374      |
| 070    | 66021-55260 | WASHER PLAIN       | 4    | <=11611 |     |         | 0.001        | 0.0022      |
| 070    | 67156-54480 | RUBBER KNOB        | 2    | >=11612 | ≠   |         | 0.001        | 0.0022      |
| 080    | 66021-55280 | WASHER SPRING      | 4    | <=11611 |     |         | 0.001        | 0.0022      |
| 090    | 66101-53250 | CUSHION            | 1    |         |     |         | 0.001        | 0.0022      |
| 100    | 38240-29570 | PLUG               | 1    |         |     |         | 0.001        | 0.0022      |
| 110    | 66101-53212 | BLOCK DUSTPROOF    | 2    |         |     |         | 0.01         | 0.022       |
| 120    | 66101-53220 | BLOCK DUSTPROOF    | 1    |         |     |         | 0.01         | 0.022       |
| 130    | 02114-50080 | NUT                | 2    |         |     |         | 0.005        | 0.011       |
| 140    | 04512-60080 | WASHER SPRING      | 2    |         |     |         | 0.002        | 0.0044      |
| 150    | 66101-53170 | TRIM REAR COVER RH | 1    |         |     |         | 0.002        | 0.0044      |
| 160    | 66101-53180 | TRIM REAR COVER LH | 1    |         |     |         | 0.01         | 0.022       |
| 170    | 66101-53260 | BLOCK DUSTPROOF    | 1    |         |     |         | 0.005        | 0.011       |
| 180    | 66101-53270 | BLOCK DUSTPROOF    | 1    |         |     |         | 0.01         | 0.022       |
| 190    | 66101-53280 | BLOCK DUSTPROOF    | 1    |         |     |         | 0.01         | 0.022       |
| 200    | 66101-53310 | TAPE               | 1    | >=10902 |     |         | 0.003        | 0.0066      |






## FENDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description     | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|-----------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-52112 | STEP            | 1    |        |     |         | 7.5          | 16.5        |
| 020    | 01125-50818 | BOLT            | 4    |        |     |         | 0.015        | 0.033       |
| 030    | 66101-52120 | SEAT STEP RH    | 1    |        |     |         | 0.52         | 1.144       |
| 040    | 66101-52130 | SEAT STEP LH    | 1    |        |     |         | 0.52         | 1.144       |
| 050    | 66101-52140 | BLOCK DUSTPROOF | 1    |        |     |         | 0.1          | 0.22        |
| 060    | 66101-52210 | FENDER          | 1    | ≤14778 |     |         | 0            | 0           |
| 060    | 66101-52213 | FENDER          | 1    | ≥14779 | ↔   |         | 6            | 13.2        |
| 070    | 01123-60816 | BOLT            | 4    | ≤10002 |     |         | 0.01         | 0.022       |
| 070    | 01125-50818 | BOLT            | 4    | ≥10003 | ←   |         | 0.015        | 0.033       |
| 080    | 66101-52220 | GUIDE S-CHANGE  | 1    |        |     |         | 0.1          | 0.22        |
| 090    | 01222-50610 | BOLT            | 2    |        |     |         | 0.004        | 0.0088      |
| 100    | 04512-60060 | WASHER SPRING   | 2    |        |     |         | 0.001        | 0.0022      |
| 110    | 04013-60060 | WASHER PLAIN    | 2    |        |     |         | 0.001        | 0.0022      |
| 120    | 32150-29180 | CAP RUBBER      | 1    |        |     |         | 0.002        | 0.0044      |
| 130    | 37410-52240 | REFLECTOR       | 2    |        |     |         | 0.065        | 0.143       |
| 140    | 04512-60060 | WASHER SPRING   | 4    |        |     |         | 0.001        | 0.0022      |
| 150    | 02014-50060 | NUT             | 4    |        |     |         | 0.003        | 0.0066      |
| 160    | 38240-29570 | PLUG            | 4    | ≤14778 |     |         | 0.001        | 0.0022      |
| 160    | 38240-29570 | PLUG            | 5    | ≥14779 |     |         | 0.001        | 0.0022      |
| 170    | 66101-52230 | CAP             | 1    |        |     |         | 0.01         | 0.022       |
| 180    | 66101-52240 | CAP             | 1    |        |     |         | 0.01         | 0.022       |






## SEAT [A] [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description        | Q'ty | S.No.   | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|--------------------|------|---------|-----|---------|--------------|-------------|
| 010    | 66103-45930 | SEAT               | 1    | <=10901 |     |         | 0            | 0           |
| 010    | 66103-45935 | SEAT               | 1    | >=10902 | ←   |         | 0            | 0           |
| 010    | K3311-45930 | ASSY SEAT          | 1    | >=21209 | ←   |         | 6.8          | 14.96       |
| 015    | K3311-45940 | ASSY SWITCH SEAT   | 1    | >=21209 |     |         | 0.17         | 0.374       |
| 016    | 01754-50612 | BOLT FRANGE        | 4    | >=21209 |     |         | 0.005        | 0.011       |
| 040    | 66103-45940 | BRACKET SEAT RH    | 1    |         |     |         | 0.088        | 0.1936      |
| 050    | 66103-45950 | BRACKET SEAT LH    | 1    |         |     |         | 0.16         | 0.352       |
| 060    | 01123-50820 | BOLT               | 4    |         |     |         | 0.011        | 0.0242      |
| 070    | 13824-67580 | CLAMP CORD         | 1    |         |     |         | 0.006        | 0.0132      |
| 080    | 01123-60816 | BOLT               | 4    |         |     |         | 0.01         | 0.022       |
| 090    | 66101-45910 | ASSY ADJUSTER SEAT | 1    |         |     |         | 1.5          | 3.3         |
| 100    | 66021-45980 | CUSHION SEAT       | 2    |         |     |         | 0.012        | 0.0264      |
| 110    | 38240-18470 | PIN SEAT           | 1    |         |     |         | 0.085        | 0.187       |
| 120    | 05515-61000 | PIN SNAP           | 1    |         |     |         | 0.003        | 0.0066      |
| 130    | 67061-45970 | SPRING SEAT        | 2    |         |     |         | 0.13         | 0.286       |
| 140    | 01123-50820 | BOLT               | 2    |         |     |         | 0.011        | 0.0242      |
| 150    | 04015-60080 | WASHER PLAIN       | 2    |         |     |         | 0.01         | 0.022       |
| 160    | 66301-52820 | CAP SPRING         | 1    |         |     |         | 0.04         | 0.088       |




65101-11B-10



## SEAT [AU] [NZ]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description          | Q'ty | S.No.  | I/C | REMARKS | Weight (kgf) | Weight (lb) |
|--------|-------------|----------------------|------|--------|-----|---------|--------------|-------------|
| 010    | 66101-45910 | ASSY ADJUSTER SEAT   | 1    |        |     |         | 1.5          | 3.3         |
| 020    | 66101-45920 | ASSY SEAT            | 1    | ≤10683 |     |         | 0            | 0           |
| 020    | 66101-45922 | ASSY SEAT            | 1    | ≥10684 | ←   |         | 6            | 13.2        |
| 030    | 01123-60816 | BOLT                 | 4    | ≤16446 |     |         | 0.01         | 0.022       |
| 030    | 01123-50820 | BOLT                 | 4    | ≥16447 | ↔   |         | 0.011        | 0.0242      |
| 040    | 66021-45980 | CUSHION SEAT         | 2    |        |     |         | 0.012        | 0.0264      |
| 050    | 38240-18470 | PIN SEAT             | 1    |        |     |         | 0.085        | 0.187       |
| 060    | 05515-61000 | PIN SNAP             | 1    |        |     |         | 0.003        | 0.0066      |
| 070    | 67061-45970 | SPRING SEAT          | 2    |        |     |         | 0.13         | 0.286       |
| 080    | 01123-50820 | BOLT                 | 2    |        |     |         | 0.011        | 0.0242      |
| 090    | 04015-60080 | WASHER PLAIN         | 2    |        |     |         | 0.01         | 0.022       |
| 100    | 66301-52820 | CAP SPRING           | 2    |        |     |         | 0.04         | 0.088       |
| 110    | 66071-45940 | ASSY STAY SEATSWITCH | 1    |        |     |         | 0.13         | 0.286       |
| 120    | 66071-45950 | ASSY SWITCH SEAT     | 1    |        |     |         | 0.07         | 0.154       |
| 130    | 66071-45970 | BOLT                 | 4    |        |     |         | 0.01         | 0.022       |
| 140    | 66071-45980 | SPRING               | 4    |        |     |         | 0.002        | 0.0044      |



66101-149-10



## LABEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.  | I/C | REMARKS       | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|--------|-----|---------------|--------------|-------------|
| 010    | 66101-47110 | MARK KUBOTA RH 2    | 1    |        |     |               | 0.001        | 0.0022      |
| 020    | 66101-47120 | MARK KUBOTA LH      | 1    |        |     |               | 0.015        | 0.033       |
| 030    | 66101-47130 | LABEL CAUTION       | 1    | ≤13282 |     | [A] [AU] [NZ] | 0.003        | 0.0066      |
| 030    | 66001-47193 | LABEL CAUTION       | 1    | ≥13283 | ≠   | [A] [AU] [NZ] | 0.013        | 0.0286      |
| 030    | 66120-47130 | LABEL CAUTION       | 1    | ≤10513 |     | [CA]          | 0            | 0           |
| 030    | 66120-47132 | LABEL CAUTION       | 1    | ≥10514 | ←   | [CA]          | 0.005        | 0.011       |
| 040    | 66101-47150 | LABEL WIRE ADJUST.  | 1    |        |     | [A] [AU] [NZ] | 0.001        | 0.0022      |
| 040    | 66120-47150 | LABEL WIRE ADJUST.  | 1    |        |     | [CA]          | 0.001        | 0.0022      |
| 050    | 66101-47170 | LABEL OPERATION     | 1    |        |     | [A] [AU] [NZ] | 0.002        | 0.0044      |
| 050    | 66120-47170 | LABEL OPERATION     | 1    |        |     | [CA]          | 0.005        | 0.011       |
| 060    | 66101-47190 | LABEL MAIN SWITCH   | 1    |        |     |               | 0.002        | 0.0044      |
| 070    | 66101-47210 | LABEL KUBOTA        | 2    | ≤11689 |     |               | 0            | 0           |
| 070    | 66101-47212 | MARK KUBOTA         | 2    | ≥11690 | ≠   |               | 0.02         | 0.044       |
| 090    | 66041-47260 | LABEL INSTRUCTION   | 1    |        |     | [A] [AU] [NZ] | 0.001        | 0.0022      |
| 090    | 66021-47260 | LABEL INSTRUCTION   | 1    |        |     | [CA]          | 0.001        | 0.0022      |
| 100    | 66101-47240 | LABEL FUEL          | 1    |        |     |               | 0.003        | 0.0066      |
| 110    | 66041-47280 | LABEL CAUTION       | 1    |        |     | [A] [AU] [NZ] | 0.001        | 0.0022      |
| 110    | 66706-47340 | LABEL CAUTION       | 1    |        |     | [CA]          | 0.001        | 0.0022      |
| 120    | 35820-98632 | LABEL START CAUTION | 1    | ≤15595 |     | [A] [AU] [NZ] | 0.003        | 0.0066      |
| 120    | 76611-47230 | LABEL START CAUTION | 1    | ≥15596 | ←   | [A] [AU] [NZ] | 0.001        | 0.0022      |
| 120    | 66027-47270 | LABEL START CAUTION | 1    |        |     | [CA]          | 0.002        | 0.0044      |
| 130    | 66101-47290 | LABEL BRAKE         | 1    |        |     | [A] [AU] [NZ] | 0.001        | 0.0022      |
| 130    | 66161-47290 | LABEL BRAKE         | 1    |        |     | [CA]          | 0.002        | 0.0044      |
| 140    | 66101-47310 | LACE FRONT LINE     | 1    | ≤11689 |     |               | 0            | 0           |
| 140    | 66101-47314 | LACE FRONT LINE     | 1    | ≥11690 | ≠   |               | 0.2          | 0.44        |
| 160    | 66103-47320 | LABEL KUBOTA        | 1    | ≤11689 |     | [A] [CA]      | 0            | 0           |
| 160    | 66103-47322 | MARK KUBOTA         | 1    | ≥11690 | ≠   | [A] [CA]      | 0.001        | 0.0022      |
| 160    | 67001-47110 | LABEL KUBOTA        | 1    | ≤11689 |     | [AU] [NZ]     | 0.002        | 0.0044      |
| 160    | 67001-47112 | LABEL KUBOTA        | 1    | ≥11690 | ≠   | [AU] [NZ]     | 0.01         | 0.022       |
| 170    | 66101-47330 | LABEL RADIATOR      | 1    | ≤20696 |     | [A]           | 0            | 0           |
| 170    | 66101-47332 | LABEL RADIATOR      | 1    | ≥20697 | ←   | [A]           | 0.001        | 0.0022      |
| 180    | 66093-47340 | LABEL NOISE         | 1    | ≥11562 |     | [AU] [NZ]     | 0.003        | 0.0066      |
| 190    | 66101-47510 | LABEL               | 1    | ≥10902 |     | [A]           | 0.001        | 0.0022      |
| 200    | 66101-47160 | LABEL ENGINE START  | 1    | ≤17317 |     |               | 0.002        | 0.0044      |
| 200    | K3311-47160 | LABEL ENGINE START  | 1    | ≥17318 | ←   |               | 0.02         | 0.044       |

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

| REF.No | Part No.    | Description         | Q'ty | S.No.   | I/C | REMARKS                       | Weight (kgf) | Weight (lb) |
|--------|-------------|---------------------|------|---------|-----|-------------------------------|--------------|-------------|
| 010    | 66101-86290 | MANUAL INSTRUCTION  | 1    | >=11783 |     | [A] REF.NO.020 030            | 0            | 0           |
| 020    | 66101-62912 | MANUAL INSTRUCTION  | 1    | <=17361 |     | [A]                           | 0.05         | 0.11        |
| 020    | 66101-62917 | MANUAL INSTRUCTION  | 1    | >=20001 | ←   | [A]                           | 0            | 0           |
| 030    | 66101-62920 | MANUAL INSTRUCTION  | 1    |         |     |                               | 0            | 0           |
| 040    | 66160-86290 | MANUAL INSTRUCTION  | 1    |         |     | [CA] [AU] [NZ] REF.NO.030 050 | 0            | 0           |
| 050    | 66160-62910 | MANUAL INSTRUCTION  | 1    | <=11726 |     | [CA] [AU] [NZ]                | 0            | 0           |
| 050    | 66160-62912 | MANUAL INSTRUCTION  | 1    | >=11727 | ←   | [CA] [AU] [NZ]                | 0            | 0           |
| 050    | 66160-62914 | MANUAL INSTRUCTION  | 1    | >=11795 | ≠   | [CA] [AU] [NZ]                | 0            | 0           |
| 050    | 66160-62915 | MANUAL INSTRUCTION  | 1    | >=13283 | ≠   | [CA] [AU] [NZ]                | 0            | 0           |
| 060    | 66161-86290 | MANUAL INSTRUCTION  | 1    |         |     | [CA] REF.NO.030 070           | 0            | 0           |
| 070    | 66161-62912 | MANUAL INSTRUCTION  | 1    | <=11689 |     | [CA]                          | 0            | 0           |
| 070    | 66161-62914 | MANUAL INSTRUCTION  | 1    | >=11690 | ←   | [CA]                          | 0            | 0           |
| 070    | 66161-62916 | MANUAL INSTRUCTION  | 1    | >=15132 | ≠   | [CA]                          | 0            | 0           |
| 080    | 37410-55150 | KEY STARTER         | 1    |         |     |                               | 0.025        | 0.055       |
| 090    | 05511-50545 | PIN SPLIT           | 2    |         |     |                               | 0.01         | 0.022       |
| 100    | 66021-56240 | WASHER              | 2    |         |     |                               | 0.01         | 0.022       |
| 110    | 66021-17120 | NUT TAPER           | 10   |         |     |                               | 0.017        | 0.0374      |
| 120    | 66101-55510 | ASSY BAG SPARE FUSE | 1    |         |     |                               | 0.01         | 0.022       |
| 130    | 52200-41620 | FUSE AUTO           | 1    |         |     |                               | 0.003        | 0.0066      |
| 140    | 36919-56650 | FUSE AUTO           | 1    |         |     |                               | 0.002        | 0.0044      |
| 160    | 66704-55420 | MANUAL BATTERY      | 1    | >=13030 |     | [A] [CA]                      | 0.002        | 0.0044      |
| 160    | 66704-55420 | MANUAL BATTERY      | 1    | <=13282 |     | [A] [CA]                      | 0.002        | 0.0044      |
| 170    | 67111-55190 | RING FUSIBLE        | 1    | <=14778 |     |                               | 0.005        | 0.011       |
| 170    | 55611-41620 | RING FUSE           | 1    | >=14779 | ←   |                               | 0.007        | 0.0154      |