

Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

REF.No → The number referring to the part on the picture page of the parts book.

Part No. → The number assigned to this part at the time of printing the parts book.

Description → Discription of part.

Q'ty → Quantity of part used on that page.

S.No. → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

I/C → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

The part shown is not interchangeable with the other serial number.

← new for old

→ old for new


Remarks → Notes about this particulart part. Sometimes this may say except [FR] or [CA]

Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

Symbol	Country
A	United States of America
CA	Canada
FR	France
GR	Greece
PO	Portugal
AU	Australia

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.




LABELS
ACCESSORIES

Item	Part No.	Description	Book
ENGINE	01G001	CRANKCASE	100K0171
	01G002	OIL PAN	100K0171
	01G003	PISTON/CRANKSHAFT	100K0171
	01G004	MAIN BEARING CASE [OLD TYPE]	100K0171
	01G00402	MAIN BEARING CASE [NEW TYPE]	100K0171
	01G005	FLYWHEEL	100K0171
	01G006	CYLINDER HEAD	100K0171
	01G007	VALVE AND ROCKER ARM	100K0171
	01G008	NOZZLE HOLDER	100K0171
	01G00901	NOZZLE HOLDER [COMPONENT PARTS]	100K0171
	01G00902	NOZZLE HOLDER [COMPONENT PARTS]	100K0171
	01G010	CYLINDER HEAD COVER	100K0171
	01G011	INLET MANIFOLD	100K0171
	01G014	CAMSHAFT	100K0171
	01G015	GEAR CASE	100K0171
	01G016	WATER PUMP	100K0171
	01G017	WATER FLANGE	100K0171
	01G018	FUEL CAMSHAFT	100K0171
	01G019	INJECTION PUMP	100K0171
	01G02001	INJECTION PUMP [COMPONENT PARTS]	100K0171
	01G02002	INJECTION PUMP [COMPONENT PARTS]	100K0171
	01G021	ENGINE STOP SOLENOID	100K0171
	01G02201	SPEED CONTROL PLATE	100K0171
	01G02202	SPEED CONTROL PLATE	100K0171
	01G023	GOVERNOR	100K0171
	01G024	UPPER GASKET KIT	100K0171
	01G025	LOWER GASKET KIT	100K0171
COOLING WATER SYSTEM	01G030	FAN	100K0171
ELECTRICAL SYSTEM	01G032	ALTERNATOR	100K0171
	01G033	ALTERNATOR [COMPONENT PARTS]	100K0171
HYDRAULIC SYSTEM	01G075	HYDRAULIC PUMP	100K0171
	01G076	HYDRAULIC PUMP [COMPONENT PARTS]	100K0171
ENGINE	02G012	AIR CLEANER	100K0171
	02G013	MUFFLER	100K0171
	02G026	ACCELERATOR LEVER	100K0171
FUEL SYSTEM	02G027	FUEL TANK	100K0171
	02G028	FUEL PIPE	100K0171
	02G029	FUEL FILTER [COMPONENT PARTS]	100K0171
COOLING WATER SYSTEM	02G031	RADIATOR	100K0171
ELECTRICAL SYSTEM	02G034	STARTER	100K0171
	02G035	STARTER [COMPONENT PARTS]	100K0171
	02G036	BATTERY	100K0171
	02G037	WIRE HARNESS/HEAD LIGHT	100K0171
	02G038	METER/SWITCH	100K0171
CLUTCH	02G039	CLUTCH DISK	100K0171
	02G040	CLUTCH CAM	100K0171
	02G041	CLUTCH ROD	100K0171
TRANSMISSION	02G042	TRANSMISSION CASE	100K0171
	02G043	HST	100K0171
	02G044	HST [COMPONENT PARTS]	100K0171
	02G045	FIRST SHAFT/SECOND SHAFT	100K0171
	02G046	AUTO ASSIST DIFFERENTIAL	100K0171
	02G047	THIRD SHAFT LH	100K0171
	02G048	THIRD SHAFT RH	100K0171
SPEED CHANGE LEVER	02G049	NEUTRAL ARM	100K0171
	02G050	RANGE GEAR SHIFT LEVER	100K0171
	02G051	PTO CLUTCH	100K0171
	02G052	PTO TENSION ARM	100K0171
	02G053	ENGINE PULLEY	100K0171
	02G054	PTO LEVER	100K0171

Item	Part No.	Description	Book
FRONT AXLE/REAR AXLE	02G055	FRONT DIFFERENTIAL	100K0171
	02G056	FRONT AXLE	100K0171
	02G057	FRONT WHEEL (23X10.5-12) [AU] [NZ]	100K0171
	02G058	REAR AXLE	100K0171
	02G059	REAR DIFFERENTIAL [COMPONENT PARTS]	100K0171
	02G060	REAR WHEEL (20X8.00-10) [AU] [NZ]	100K0171
	02G061	REAR AXLE CASE (INSIDE, OUTSIDE)	100K0171
	02G062	REAR AXLE CASE (INPUT)	100K0171
	02G063	REAR AXLE DRIVE SHAFT	100K0171
	02G064	BRAKE	100K0171
BRAKE/PEDALS	02G065	BRAKE PEDAL	100K0171
	02G066	PEDALS	100K0171
STEERING	02G067	STEERING LOCK LEVER	100K0171
	02G068	POWER STEERING CYLINDER	100K0171
	02G069	POWER STEERING CYLINDER [COMPONENT PARTS]	100K0171
	02G070	STEERING WHEEL	100K0171
HYDRAULIC SYSTEM	02G071	HANDLE POST	100K0171
	02G072	POWER STEERING	100K0171
	02G073	POWER STEERING [COMPONENT PARTS]	100K0171
	02G074	OIL COOLER	100K0171
	02G077	SUCTION PIPE	100K0171
	02G078	HYDRAULIC PIPE (HST)	100K0171
	02G079	CONTROL VALVE	100K0171
	02G080	CONTROL VALVE [COMPONENT PARTS]	100K0171
	02G081	CONTROL VALVE KIT (OPTION)	100K0171
	02G082	CONTROL VALVE (OPTION) [COMPONENT PARTS]	100K0171
	02G083	LIFT CYLINDER	100K0171
	02G084	LIFT CYLINDER [COMPONENT PARTS]	100K0171
	02G085	MOWER LIFT ARM	100K0171
	02G086	BONNET (HOOD)	100K0171
LINK	02G087	FENDER	100K0171
	02G08801	COVER	100K0171
	02G089	ENGINE BRACKET	100K0171
	02G090	FRAME	100K0171
HOOD (BONNET)/CHASSIS	02G091	FRONT FRAME/STEP	100K0171
	02G092	SEAT	100K0171
	02G093	SEAT [COMPONENT PARTS]	100K0171
	02G094	ROPS	100K0171
LABELS	02G095	LABEL	100K0171
	02G106	ACCESSORIES AND SERVICE PARTS	100K0171
ACCESSORIES			

CRANKCASE




16201-001-10



CRANKCASE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16221-01012	COMP.CRANKCASE	1	<=384779			0	0
010	16221-01013	COMP.CRANKCASE	1	>=384780	←		0	0
010	16221-01014	COMP.CRANKCASE	1	>=431831	←		0	0
010	16228-01010	COMP.CRANKCASE	1	>=559356	←		0	0
010	16228-01012	COMP.CRANKCASE	1	>=139736	←		0	0
020	15451-96270	CAP SEALING	4				0.012	0.0264
030	15221-03490	CAP SEALING	1				0.02	0.044
040	15261-96010	PLUG	3				0.002	0.0044
050	16271-96020	PLUG	1	<=559355			0	0
050	16683-96020	PLUG	1	>=559356	←		0.47	1.034
060	16241-96010	PLUG	3				0.007	0.0154
070	15521-96020	PLUG	2				0.003	0.0066
080	06311-75018	PLUG	3	<=308554			0.004	0.0088
080	17391-96160	PLUG	3	>=308555	←		0.003	0.0066
090	16271-96160	PLUG	1				0.025	0.055
100	05012-00508	PIN STRAIGHT	2				0.001	0.0022
100	16225-94510	PIN STRAIGHT	2		↔		0.001	0.0022
110	05012-00814	PIN STRAIGHT	2				0.006	0.0132
110	16221-94530	PIN STRAIGHT	2		↔		0.006	0.0132
120	05012-00610	PIN STRAIGHT	2				0.003	0.0066
120	16221-94520	PIN STRAIGHT	2		↔		0.005	0.011
130	15231-33960	PIN PIPE	2				0.001	0.0022
140	16241-33650	PIN PIPE	1				0.002	0.0044
150	16241-96260	PLUG	1				0	0
160	16261-56280	PIN START SPRING	1				0.004	0.0088
170	16241-24260	SHAFT IDLE GEAR	1				0.2	0.44
180	15521-93610	SCREW SET	1				0.002	0.0044
190	16271-55350	BUSH GOVERNOR GEAR	1				0.06	0.132
200	15221-33610	PLUG	1				0.009	0.0198
210	15021-33660	GASKET	1				0.001	0.0022
220	15221-33700	O RING	1				0.001	0.0022
230	15321-73340	PIPE WATER RETURN	1				0.016	0.0352
240	15372-87230	LABEL CAUTION	1				0.001	0.0022
250	15531-39010	SWITCH OIL	1				0.032	0.0704




16223-001-10

100 16282-3642-0



100 16282-3650-0

110 04814-00090




16233-801-10




OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16204-01610	OIL PAN	1				3.6	7.92
020	16261-01630	GASKET OIL PAN	1				0.001	0.0022
030	01023-50618	BOLT	22				0.006	0.0132
040	15221-33750	PLUG	1				0.032	0.0704
050	15109-33660	GASKET	1				0.001	0.0022
060	16261-32110	FILTER OIL	1	≤25928			0	0
060	16261-32113	FILTER OIL	1	≥25929	←		0	0
060	16261-32114	FILTER OIL	1	≥XJ0001	←		0.21	0.462
070	01123-60816	BOLT	1				0.01	0.022
080	04811-00160	O RING	1	≤WH4333			0.001	0.0022
080	04814-00160	RING	1	≥WJ0001	≠		0.001	0.0022
090	16223-36410	GAUGE OIL	1	≤482630			0	0
090	16261-36410	GAUGE OIL	1	≥482631	≠		0.036	0.0792
100	16282-36420	GUIDE OIL GAUGE	1	≤425160			0.11	0.242
100	16282-36500	ASSY GUIDE OIL GAUGE	1	≥425161	←		0.11	0.242
100	16282-36500	ASSY GUIDE OIL GAUGE	1	≤482630			0.11	0.242
110	04814-00090	O RING	1	≥425161			0.001	0.0022
110	04814-00090	O RING	1	≤482630			0.001	0.0022




100 05012-00508



16264-800-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16221-21110	PISTON	3	≤489915		STD	0	0
010	16224-21110	PISTON	3	≥489916	←	STD	0.35	0.77
010	16221-21910	PISTON	3	≤489915		+0.50MM	0	0
010	16224-21910	PISTON	3	≥489916	←	+0.50MM	0.36	0.792
020	15901-21050	ASSY PISTON RING	3			STD	0.03	0.066
020	15901-21090	ASSY PISTON RING	3			+0.50MM	0.033	0.0726
030	16241-21310	PIN PISTON	3				0.135	0.297
040	16241-21330	CIRCLIP PISTON PIN	6				0.002	0.0044
050	16241-22012	ASSY CONNECTING ROD	3				0.545	1.199
060	16241-21980	BUSH PISTON PIN	3				0.03	0.066
070	16241-22140	BOLT CONNECTING ROD	6				0.024	0.0528
080	16241-22310	METAL CRANKPIN	3			STD	0.038	0.0836
080	16241-22970	METAL CRANKPIN	3			-0.20MM	0.08	0.176
080	16241-22980	METAL CRANKPIN	3			-0.40MM	0.1	0.22
090	16231-23010	COMP.CRANKSHAFT	1	≤459953			0	0
090	16231-23012	COMP.CRANKSHAFT	1	≥459954	←		0	0
090	16231-23013	COMP.CRANKSHAFT	1	≥482631	→		9.35	20.57
100	05012-00508	PIN STRAIGHT	1	≤459953			0.001	0.0022
110	07715-00401	BALL	3				0.001	0.0022
120	16241-24110	GEAR CRANK	1				0.15	0.33
130	16271-95230	KEY	1				0.005	0.011
140	16241-35630	GEAR OIL PUMP DRIVE	1				0.102	0.2244
150	16271-23250	COLLAR CRANKSHAFT	1				0.055	0.121
160	04811-10280	O RING	1	≤WH4333			0.001	0.0022
160	04814-10280	RING	2	≥WJ0001	≠		0.001	0.0022
170	16241-23470	METAL CRANKSHAFT	1			STD	0.06	0.132
170	16241-23910	METAL CRANKSHAFT	1			-0.20MM	0.03	0.066
170	16241-23920	METAL CRANKSHAFT	1			-0.40MM	0.068	0.1496
180	16241-23480	METAL CRANKSHAFT	2			STD SET	0.05	0.11
180	16241-23930	METAL CRANKSHAFT	2			-0.20MM SET	0.1	0.22
180	16241-23940	METAL CRANKSHAFT	2			-0.40MM SET	0.05	0.11
190	16241-23490	METAL CRANKSHAFT	1			STD SET	0	0
190	16241-23860	METAL CRANKSHAFT	1			-0.20MM SET	0.1	0.22
190	16292-23860	METAL CRANKSHAFT	1		↔	-0.20MM SET	0.05	0.11
190	16241-23870	METAL CRANKSHAFT	1			-0.40MM SET	0.068	0.1496
190	16292-23870	METAL CRANKSHAFT	1		↔	-0.40MM SET	0.05	0.11
200	15521-23530	METAL SIDE	2			STD	0.01	0.022
200	15521-23950	METAL SIDE	2			+0.20MM	0.01	0.022
200	15521-23960	METAL SIDE	2			+0.40MM	0.01	0.022
210	19202-23540	METAL SIDE	2			STD	0.01	0.022
210	19202-23970	METAL SIDE	2			+0.20MM	0.01	0.022
210	19202-23980	METAL SIDE	2			+0.40MM	0.01	0.022
220	07916-26800	KIT PISTON-RING	3			STD	0.55	1.21
220	07916-26810	KIT PISTON-RING	3			+0.50MM	0.57	1.254
230	07916-28240	KIT METAL ENGINE	1			STD	0.1	0.22
230	07916-28760	KIT METAL ENGINE	1			-0.20MM	0.34	0.748
230	07916-28770	KIT METAL ENGINE	1			-0.40MM	0.36	0.792




16224-004-10



MAIN BEARING CASE [OLD TYPE]
S.No.;<=681218

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16241-04092	ASSY CASE MAIN BRG.	1				1.13	2.486
020	16241-04540	BOLT BEARING CASE	6				0.02	0.044
030	16264-04360	GASKET BRG.CASE	1				0.002	0.0044
040	16241-04810	COVER BEARING CASE	1	<=475253			0	0
040	16241-04813	COVER BEARING CASE	1	>=475254	←		0.22	0.484
050	16271-04460	SEAL OIL	1				0.04	0.088
060	16264-04820	GASKET BRG.CASE COV.	1				0.008	0.0176
070	01023-50625	BOLT	8				0.007	0.0154
080	01023-50620	BOLT	9				0.006	0.0132
090	16271-04040	ASSY CASE MAIN BRG.	1				1	2.2
100	16241-04560	BOLT BEARING CASE	2				0.03	0.066
110	16271-04050	ASSY CASE MAIN BRG.	1				1	2.2




17424-005-21



REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16241-04092	ASSY CASE MAIN BRG.	1				1.13	2.486
020	16241-04540	BOLT BEARING CASE	2				0.02	0.044
030	16264-04360	GASKET BRG.CASE	1				0.002	0.0044
040	16241-04813	COVER BEARING CASE	1				0.22	0.484
050	16241-04460	SEAL OIL	1				0.02	0.044
060	16264-04820	GASKET	1				0.008	0.0176
070	01023-50625	BOLT	8				0.007	0.0154
080	01023-50620	BOLT	9				0.006	0.0132
090	16271-04040	ASSY CASE MAIN BRG.	1				1	2.2
100	16241-04540	BOLT BEARING CASE	2				0.02	0.044
110	16241-04560	BOLT BEARING CASE	2				0.03	0.066
120	16271-04050	ASSY CASE MAIN BRG.	1				1	2.2
130	16241-04540	BOLT BEARING CASE	2				0.02	0.044






16223-003-10



CYLINDER HEAD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15221-01750	HOOK ENGINE	1				0.04	0.088
020	01123-60814	BOLT	1				0.008	0.0176
030	16221-03040	COMP.CYLINDER HEAD	1	≤489915			10.4	22.88
030	16022-03040	COMP.CYLINDER HEAD	1	≥489916	≠		10.1	22.22
040	15321-96260	CAP SEALING	1				0.014	0.0308
050	15261-96010	PLUG	2				0.002	0.0044
060	16241-13540	GUIDE INLET VALVE	3				0.02	0.044
070	16241-13560	GUIDE EXHAUST VALVE	3				0.01	0.022
080	15261-03370	CAP SEALING	2				0.005	0.011
090	16241-03450	BOLT CYLINDER HEAD	14				0.07	0.154
100	16221-03310	GASKET CYLINDER HEAD	1				0.075	0.165
110	31351-32830	SENSOR THERMO	1				0.02	0.044
120	01123-50818	BOLT	1	≤482630			0.012	0.0264
120	01123-60814	BOLT	1	≥482631	≠		0.008	0.0176




16224-007-12

080 16261-1405-0

090 03410-50606



110 15261-1442-0



150 04612-00120




16225-808-10



VALVE AND ROCKER ARM


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16241-13110	VALVE INLET	3				0.05	0.11
020	16241-13120	VALVE EXHAUST	3				0.045	0.099
030	16271-13240	SPRING VALVE	6				0.015	0.033
040	16241-13330	RETAINER VALVE SP.	6				0.012	0.0264
050	15261-13360	COLLET VALVE SPRING	6			SET	0.004	0.0088
060	16241-13150	SEAL VALVE STEM	6				0.002	0.0044
070	15261-13280	CAP VALVE	6	≤338135			0	0
070	16241-13280	CAP VALVE	6	≥338136	↔		0.005	0.011
080	16261-14050	ASSY SHAFT R-ARM	1	≤WD2666			0.17	0.374
080	16261-14264	SHAFT ROCKER ARM	1	≥WE0001	≠		0.16	0.352
090	03410-50606	SCREW SET	2	≤WD2666			0.001	0.0022
090	01023-50610	BOLT	1	≥WE0001	≠		0.005	0.011
100	16241-14350	BRACKET ROCKER ARM	3				0.04	0.088
110	15261-14420	SCREW SET.ROCKER ARM	1	≤WD2666			0.002	0.0044
110	05411-00428	PIN SPRING	1	≥WE0001	←		0.002	0.0044
120	16241-14430	WASHER R-ARM.SHAFT	2				0.002	0.0044
130	16241-14440	WASHER R-ARM.SHAFT	2	≤WD2666			0.002	0.0044
130	15841-94022	WASHER PLAIN	2	≥WE0001	≠		0.005	0.011
140	16241-14310	SPRING ROCKER ARM	2				0.004	0.0088
150	04612-00120	CIRCLIP EXTERNAL	2	≤WD2666			0.001	0.0022
160	16241-14030	ASSY ROCKER ARM	6	≤89029			0.06	0.132
160	16241-14032	ASSY ROCKER ARM	6	≥89030	→		0.052	0.1144
170	16241-14230	SCREW ADJUSTING	6				0.008	0.0176
180	16241-14240	NUT	6				0.004	0.0088
190	16241-14410	STUD	3				0.022	0.0484
200	15261-92010	NUT	3				0.005	0.011
210	15261-94010	WASHER PLAIN	3				0.002	0.0044



160 16261-4203-0

170 16241-4232-0




16223-801-10



NOZZLE HOLDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-42500	ASSY PIPE OVER FLOW	1	<=497380			0	0
010	16261-42502	ASSY PIPE OVER FLOW	1	>=497381	←		0.04	0.088
020	15841-51360	SCREW AIR BREEDER	1				0.008	0.0176
030	15601-96650	GASKET	1				0.001	0.0022
040	16271-42020	ASSY PIPE OVER FLOW	1	<=370693			0	0
040	15841-42500	ASSY PIPE OVER FLOW	1	>=370694	↔		0.015	0.033
050	16241-42320	BAND PIPE	2	<=370693			0.005	0.011
050	14971-42750	CLIP PIPE	2	>=370694	↔		0.001	0.0022
060	16261-53000	ASSY HOLDER NOZZLE	3	<=489915		REFER TO L.No.B06-L FOR COMPONENTS.	0.14	0.308
060	16032-53000	ASSY HOLDER NOZZLE	3	>=489916	←	REFER TO L.No.B07-L FOR COMPONENTS.	0.14	0.308
070	15841-53620	GASKET	3				0	0
075	19077-53650	SEAL HEAT	3	>=489916			0.005	0.011
080	16271-53710	PIPE INJECTION	1	<=489915			0	0
080	16271-53712	PIPE INJECTION	1	>=489916	←		0.12	0.264
090	16271-53720	PIPE INJECTION	1	<=489915			0	0
090	16271-53722	PIPE INJECTION	1	>=489916	←		0.12	0.264
100	16271-53730	PIPE INJECTION	1	<=489915			0	0
100	16271-53732	PIPE INJECTION	1	>=489916	←		0.118	0.2596
110	15841-53850	CLAMP PIPE	2				0.01	0.022
120	15841-53860	CLAMP PIPE	2				0.009	0.0198
130	03024-50520	SCREW WITH WASHER	2				0.004	0.0088
140	16261-65510	PLUG GLOW	3	<=489915			0.025	0.055
140	16851-65510	PLUG GLOW	3	>=489916	≠		0.02	0.044
150	16261-65560	CORD GLOW PLUG	1				0.01	0.022
160	16261-42030	ASSY PIPE OVER FLOW	1				0.005	0.011
160	16264-42030	ASSY PIPE OVER FLOW	1		↔		0.005	0.011
165	09661-40080	TUBE FUEL	1				0.01	0.022
170	16241-42320	BAND PIPE	2				0.005	0.011
170	14971-42750	CLIP PIPE	2		↔		0.001	0.0022
180	15101-42570	JOINT PIPE	1				0.006	0.0132
180	K3511-58390	JOINT T-PIPE	1		↔		0.001	0.0022




**NOZZLE HOLDER [COMPONENT PARTS]**

S.No.;<=489915

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-53000	ASSY HOLDER NOZZLE	3				0.14	0.308
020	15841-92030	NUT	3				0.005	0.011
030	15841-53230	WASHER ADJUSTING	3				0.001	0.0022
040	15841-53170	SPRING NOZZLE	3				0.004	0.0088
050	15841-53350	PIECE DISTANCE	3				0.004	0.0088
060	15841-53160	PUSH ROD	3				0.001	0.0022
070	15841-53280	NUT NOZZLE	3				0.03	0.066
080	15841-94040	WASHER	3				0.001	0.0022
090	16261-53610	PIECE NOZZLE	3				0.03	0.066
100	15841-98100	ASSY WASHER ADJUST	3			OPTION	0.043	0.0946
110	15841-53230	WASHER ADJUSTING	3			0.900MM	0.001	0.0022
110	15841-98510	WASHER ADJUSTING	3			0.925MM	0.001	0.0022
110	15841-98520	WASHER ADJUSTING	3			0.950MM	0.001	0.0022
110	15841-98530	WASHER ADJUSTING	3			0.975MM	0.001	0.0022
110	15841-98540	WASHER ADJUSTING	3			1.000MM	0.001	0.0022
110	15841-98550	WASHER ADJUSTING	3			1.025MM	0.001	0.0022
110	15841-98560	WASHER ADJUSTING	3			1.050MM	0.001	0.0022
110	15841-98570	WASHER ADJUSTING	3			1.075MM	0.001	0.0022
110	15841-98580	WASHER ADJUSTING	3			1.100MM	0.001	0.0022
110	15841-98590	WASHER ADJUSTING	3			1.125MM	0.001	0.0022
110	15841-98600	WASHER ADJUSTING	3			1.150MM	0.001	0.0022
110	15841-98610	WASHER ADJUSTING	3			1.175MM	0.001	0.0022
110	15841-98620	WASHER ADJUSTING	3			1.200MM	0.001	0.0022
110	15841-98630	WASHER ADJUSTING	3			1.225MM	0.001	0.0022
110	15841-98640	WASHER ADJUSTING	3			1.250MM	0.001	0.0022
110	15841-98650	WASHER ADJUSTING	3			1.275MM	0.001	0.0022
110	15841-98660	WASHER ADJUSTING	3			1.300MM	0.001	0.0022
110	15841-98670	WASHER ADJUSTING	3			1.325MM	0.001	0.0022
110	15841-98680	WASHER ADJUSTING	3			1.350MM	0.001	0.0022
110	15841-98690	WASHER ADJUSTING	3			1.375MM	0.001	0.0022
110	15841-98700	WASHER ADJUSTING	3			1.400MM	0.001	0.0022
110	15841-98710	WASHER ADJUSTING	3			1.425MM	0.001	0.0022
110	15841-98720	WASHER ADJUSTING	3			1.450MM	0.001	0.0022
110	15841-98730	WASHER ADJUSTING	3			1.475MM	0.001	0.0022
110	15841-98740	WASHER ADJUSTING	3			1.500MM	0.001	0.0022
110	15841-98750	WASHER ADJUSTING	3			1.525MM	0.001	0.0022
110	15841-98760	WASHER ADJUSTING	3			1.550MM	0.001	0.0022
110	15841-98770	WASHER ADJUSTING	3			1.575MM	0.001	0.0022
110	15841-98780	WASHER ADJUSTING	3			1.600MM	0.002	0.0044
110	15841-98790	WASHER ADJUSTING	3			1.625MM	0.001	0.0022
110	15841-98800	WASHER ADJUSTING	3			1.650MM	0.001	0.0022
110	15841-98810	WASHER ADJUSTING	3			1.675MM	0.004	0.0088
110	15841-98820	WASHER ADJUSTING	3			1.700MM	0.001	0.0022
110	15841-98830	WASHER ADJUSTING	3			1.725MM	0.001	0.0022
110	15841-98840	WASHER ADJUSTING	3			1.750MM	0.001	0.0022
110	15841-98850	WASHER ADJUSTING	3			1.775MM	0.001	0.0022
110	15841-98860	WASHER ADJUSTING	3			1.800MM	0.001	0.0022
110	15841-98870	WASHER ADJUSTING	3			1.825MM	0.001	0.0022
110	15841-98880	WASHER ADJUSTING	3			1.850MM	0.001	0.0022
110	15841-98890	WASHER ADJUSTING	3			1.875MM	0.001	0.0022
110	15841-98900	WASHER ADJUSTING	3			1.900MM	0.001	0.0022
110	15841-98910	WASHER ADJUSTING	3			1.925MM	0.001	0.0022
110	15841-98920	WASHER ADJUSTING	3			1.950MM	0.001	0.0022



16224-009-11




NOZZLE HOLDER [COMPONENT PARTS]

S.No.;>=489916


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16032-53000	ASSY HOLDER NOZZLE	3				0.14	0.308
020	16032-92030	NUT	3				0.007	0.0154
030	16032-53230	WASHER ADJUSTING	3				0.001	0.0022
040	16032-53170	SPRING NOZZLE	3				0.007	0.0154
050	16032-53350	SPACER DISTANCE	3				0.02	0.044
060	16032-53160	PUSH ROD	3				0.001	0.0022
070	16032-53280	NUT NOZZLE	3				0.037	0.0814
080	16032-94040	WASHER PLAIN	3				0.002	0.0044
090	16032-53610	PIECE NOZZLE	3				0.021	0.0462
100	16032-98100	ASSY WASHER ADJUST	3			OPTION	0.016	0.0352
110	16032-98500	WASHER ADJUSTING	3			0.10MM	0.001	0.0022
110	16032-98510	WASHER ADJUSTING	3			0.20MM	0.001	0.0022
110	16032-98520	WASHER ADJUSTING	3			0.30MM	0.001	0.0022
110	16032-98530	WASHER ADJUSTING	3			0.40MM	0.001	0.0022
110	16032-98540	WASHER ADJUSTING	3			0.50MM	0.001	0.0022
110	16032-98550	WASHER ADJUSTING	3			0.52MM	0.001	0.0022
110	16032-98560	WASHER ADJUSTING	3			0.54MM	0.001	0.0022
110	16032-98570	WASHER ADJUSTING	3			0.56MM	0.001	0.0022
110	16032-98580	WASHER ADJUSTING	3			0.58MM	0.001	0.0022
110	16032-98590	WASHER ADJUSTING	3			0.80MM	0.001	0.0022



16216-006-20

150 15232-8821-0




16223-800-10




CYLINDER HEAD COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-14503	ASSY COVER CYL.HEAD	1				0.78	1.716
020	16261-14520	GASKET HEAD COVER	1				0.01	0.022
030	16241-05550	JOINT BREATHER PIPE	1				0.02	0.044
040	16241-05140	PLATE B/THER ELEMENT	1				0.005	0.011
050	16241-05150	PLATE B/THER ELEMENT	1				0.01	0.022
060	16241-05670	ELEMENT BREATHER	1				0.01	0.022
070	16241-05370	OIL SHIELD BREATHER	1				0.01	0.022
080	03024-50510	SCREW WITH WASHER	2				0.002	0.0044
090	15952-92330	NUT CAP	3				0.01	0.022
100	15951-96660	GASKET	3				0.001	0.0022
110	15221-33140	PLUG OIL FILLER	1	≤325640			0.038	0.0836
110	15852-33140	PLUG OIL FILLER	1	≥325641	↔		0.038	0.0836
120	04811-50300	O RING	1	≤WH4333			0.001	0.0022
120	04814-50300	RING	1	≥WJ0001	≠		0.001	0.0022
130	16271-05510	PIPE BREATHER	1				0.06	0.132
140	16241-33510	BAND PIPE	1				0.005	0.011
150	15232-88210	LABEL GLOW PLUG	1	≤291358			0.001	0.0022






**CAMSHAFT**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-15550	TAPPET	6				0.035	0.077
020	16241-15110	PUSH ROD	6				0.03	0.066
030	16261-16010	ASSY CAMSHAFT	1				1.7	3.74
040	15521-93610	SCREW SET	1				0.002	0.0044
050	16241-16510	GEAR CAM	1				0.45	0.99
060	05712-00518	KEY FEATHER	1				0.003	0.0066
070	16241-16270	STOPPER CAMSHAFT	1				0.04	0.088
080	01023-50614	BOLT	2				0.005	0.011
090	16271-24010	COMP GEAR IDLE	1				0.6	1.32
100	16271-24980	BUSH IDLE GEAR	1				0.02	0.044
110	16271-24020	COMP GEAR IDLE	1				0.4	0.88
120	16271-24980	BUSH IDLE GEAR	1				0.02	0.044
130	16241-24360	COLLAR IDLE GEAR	2				0.01	0.022
140	16241-24370	COLLAR IDLE GEAR	2				0.012	0.0264
150	16241-24320	CIR CLIP IDLE GEAR	2				0.003	0.0066
160	16241-24250	SHAFT IDLE GEAR	1				0.255	0.561
170	01023-50616	BOLT	3				0.005	0.011






GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16271-04020	COMP.CASE GEAR	1				2.5	5.5
020	16241-96020	PLUG	2				0.015	0.033
030	04011-50180	WASHER PLAIN	1				0.012	0.0264
040	15241-32290	JOINT PIPE	1				0.053	0.1166
050	16241-36950	SPRING	1				0.015	0.033
060	16241-36930	SEAT VALVE	1				0.012	0.0264
070	07715-00201	BALL	1				0.008	0.0176
080	16241-35070	ASSY ROTOR OIL PUMP	1				0.27	0.594
090	16241-35130	COVER OIL PUMP	1				0.066	0.1452
100	16241-93120	SCREW CSK-HD	5				0.005	0.011
110	16264-04130	GASKET GEAR CASE	1				0.01	0.022
120	01023-50645	BOLT	3				0.01	0.022
130	01023-60650	BOLT	6				0.015	0.033
140	01023-50655	BOLT	2				0.012	0.0264
150	15841-91040	BOLT	1				0.01	0.022
160	16241-91040	BOLT	1				0.015	0.033
170	01513-50645	STUD	1				0.011	0.0242
170	16245-91530	STUD	1		↔		0.01	0.022
180	02056-50060	NUT	1				0.002	0.0044
190	04512-60060	WASHER SPRING	1				0.001	0.0022
200	16241-04212	SEAL OIL	1				0.012	0.0264
210	04811-06100	O RING	2	≤WH4333			0.001	0.0022
210	04814-06100	RING	2	≥WJ0001	≠		0.003	0.0066
220	04811-00150	O RING	2	≤WH4333			0.001	0.0022
220	04814-00150	RING	2	≥WJ0001	≠		0.001	0.0022
230	01513-50616	STUD	2				0.004	0.0088
240	16271-32092	ASSY CARTRIDGE OIL	1				0.4	0.88
250	58417-25950	ASSY GEAR CASE H/M	1				0.29	0.638
260	16264-88130	GASKET H/M.GEAR CASE	1				0.002	0.0044
270	01023-50618	BOLT	2				0.006	0.0132
280	16261-87210	LABEL CAUTION	1	≤702846			0	0
280	15372-87213	LABEL OIL FILTER	1	≥702847	←		0.001	0.0022



**WATER PUMP**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16241-73030	ASSY PUMP WATER	1	<=586327			0	0
010	16241-73032	ASSY PUMP WATER	1	>=586328	←		0.85	1.87
020	16241-73550	BEARING	1				0.202	0.4444
030	16241-73050	ASSY SEAL MECHANICAL	1	<=586327			0	0
030	16241-73052	ASSY SEAL MECHANICAL	1	>=586328	←		0.016	0.0352
040	16241-73510	IMPELLER WATER PUMP	1				0.097	0.2134
050	16241-73340	PIPE WATER RETURN	1				0.006	0.0132
060	16261-73430	GASKET WATER PUMP	1				0.001	0.0022
070	01023-50630	BOLT	4				0.008	0.0176
080	01023-50680	BOLT	2				0.017	0.0374
090	16241-73520	FLANGE WATER PUMP	1				0.135	0.297



WATER FLANGE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-72700	COMP.FLANGE WATER	1	≤363589			0.25	0.55
010	16261-72704	COMP.FLANGE WATER	1	≥363590	≠		0	0
010	16261-72705	COMP.FLANGE WATER	1	≥377434	←		0.26	0.572
010	16180-72700	COMP FLANGE WATER	1	≥110327	≠		0.265	0.583
020	16241-73340	PIPE WATER RETURN	1	≤302306			0.006	0.0132
020	16241-73370	PIPE WATER RETURN	1	≥302307	≠		0.007	0.0154
030	16264-72920	GASKET WATER FLANGE	1				0.001	0.0022
040	01023-50616	BOLT	3				0.005	0.011
050	01023-50660	BOLT	1				0.01	0.022
060	16241-73350	PIPE WATER RETURN	1				0.015	0.033
070	16241-73360	BAND PIPE	2				0.003	0.0066
080	15531-73010	ASSY THERMOSTAT	1	≤110326			0.07	0.154
080	15321-73010	ASSY THERMOSTAT	1	≥110327	≠		0	0
090	16271-73260	COVER THERMOSTAT	1	≤110326			0.06	0.132
090	16219-73260	COVER THERMOSTAT	1	≥110327	≠		0.094	0.2068
100	15531-73270	GASKET	1	≤308554			0	0
100	15676-73270	GASKET THERMOSTAT	1	≥308555	↔		0.005	0.011
100	15676-73270	GASKET	1	≤741870			0.005	0.011
100	15676-73270	GASKET	1	≥10001			0.005	0.011
100	15676-73270	GASKET	1	≤110326			0.005	0.011
100	15313-73270	GASKET THERMOSTAT	1	≥110327	≠		0.001	0.0022
100	16221-73270	GASKET THERMOSTAT	1	≥WY0001	↔		0.003	0.0066
110	01023-50630	BOLT	2	≤377433			0.008	0.0176
110	01023-50632	BOLT	2	≥377434	↔		0.01	0.022
110	01123-50835	BOLT	2	≥110327	≠		0.02	0.044
120	16261-96030	PLUG	1	≤363589			0.2	0.44
120	06311-25030	PLUG	1	≥363590	↔		0.051	0.1122
130	16261-96710	GASKET	1				0.002	0.0044
140	76650-58320	BASE OIL COOLER	1	≤WV2598			0	0
140	76650-58322	BASE OIL COOLER	1	≥WW0001	←		0.5	1.1
150	16261-72860	PIPE WATER	1	≤363589			0.255	0.561
150	16261-72862	PIPE WATER	1	≥363590	≠		0.25	0.55
160	16261-96030	PLUG	1	≤363589			0.2	0.44
160	06311-25030	PLUG	1	≥363590	↔		0.051	0.1122
170	16261-96710	GASKET	1				0.002	0.0044
180	16241-72870	PIPE WATER	1				0.06	0.132
190	36200-82720	CLAMP	2				0.025	0.055






FUEL CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-16170	CAMSHAFT FUEL	1	<=489915			0.32	0.704
010	16020-16170	CAMSHAFT FUEL	1	>=489916	≠		0.38	0.836
020	08103-06202	BEARING BALL	1				0.05	0.11
030	08103-06204	BEARING BALL	1				0.105	0.231
040	16241-51110	CAM FUEL	1	<=468068			0.24	0.528
040	16241-51113	CAM FUEL	1	>=468069	≠		0.196	0.4312
045	16241-51190	WASHER	1	>=468069			0.029	0.0638
050	01023-50618	BOLT	3				0.006	0.0132
060	16241-92330	NUT CAP	1				0.035	0.077
070	16272-51150	GEAR INJECTION PUMP	1				0.49	1.078
080	16241-95230	KEY WOODRUFF	1				0.001	0.0022
090	16241-16320	STOPPER FUEL.C/SHAFT	1				0.04	0.088
100	01023-50612	BOLT	2				0.005	0.011
110	16261-55012	ASSY SHAFT GOVERNOR	1	<=281598			0	0
110	16261-55013	ASSY SHAFT GOVERNOR	1	>=281599	←		1.1	2.42
120	16241-55390	HOLDER GOVERNOR GEAR	1	<=550292			0.365	0.803
120	16241-55392	HOLDER GOVERNOR GEAR	1	>=550293	←		0.34	0.748
130	16271-55320	GEAR GOVERNOR	1				0.145	0.319
140	16241-55270	HOLDER GOV.WEIGHT	1				0.085	0.187
150	16271-55060	COMP.WEIGHT GOVERNOR	2				0.067	0.1474
160	16241-55260	SHAFT GOV. WEIGHT	2				0.013	0.0286
170	19484-55440	ROLLER	2				0.005	0.011
180	16241-55450	SLEEVE GOVERNOR	1				0.04	0.088
190	16241-55462	WASHER THRUST	1	<=550292			0.01	0.022
190	16241-55463	WASHER THRUST	1	>=550293	←		0.005	0.011
200	08101-06304	BEARING BALL	1				0.146	0.3212
210	16271-55410	CIR CLIP GOV.SHAFT	1				0.005	0.011
220	16241-55554	SCREW SET	1				0.007	0.0154




16201-009-12

040 16261-5101-0


070 01023-50620

090 02056-50060

100 04512-50060




110 16271-5203-0



16261-801-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16271-95690	JOINT EYE	1				0.046	0.1012
020	16261-42010	ASSY PIPE FUEL	1	≤489915			0.015	0.033
020	16032-42010	ASSY PIPE FUEL	1	≥489916	≠		0.012	0.0264
025	16261-42110	PIPE FUEL	1	≤489915			0	0
025	09661-80075	TUBE FUEL	1	≥489916	≠		0.01	0.022
030	16241-42750	BAND PIPE	2				0	0
030	14911-42750	CLIP PIPE	2		↔		0.002	0.0044
040	16261-51010	ASSY PUMP INJECTION	1	≤489915		REFER TO L.No.B12-R FOR COMPONENTS.	0.93	2.046
040	16032-51010	ASSY PUMP INJECTION	1	≥489916	≠	REFER TO L.No.B13-L FOR COMPONENTS.	1	2.2
050	16006-52092	SHIM INJECTION	1	≥489916		0.20MM	0.004	0.0088
060	15861-52110	SHIM INJECTION PUMP	2	≤489915		0.15MM	0	0
060	16006-52112	SHIM INJECTION	1	≥489916	←	0.25MM	0.004	0.0088
065	15861-52120	SHIM INJECTION PUMP	2	≤489915		0.30MM	0	0
065	16006-52122	SHIM INJECTION	1	≥489916	←	0.30MM	0.006	0.0132
070	01311-10620	BOLT HEX-SOC-HD	2	≤314269			0.012	0.0264
070	01023-50620	BOLT	2	≥314270	←		0.006	0.0132
070	01311-10620	BOLT HEX-SOC-HD	2	≥489916	←		0.012	0.0264
080	15841-91500	STUD	2				0.04	0.088
090	15841-92320	NUT CAP	2	≤314269			0.01	0.022
090	02056-50060	NUT	2	≥314270	←		0.002	0.0044
090	15841-92320	NUT CAP	2	≥489916	←		0.01	0.022
100	04512-50060	WASHER SPRING	4	≤314269			0	0
100	04512-50060	WASHER SPRING	2	≥314270			0	0
100	04512-50060	WASHER SPRING	4	≥489916			0	0
110	16271-52030	ASSY PUMP FUEL	1	≤410915			0	0
110	16271-52032	ASSY PUMP FUEL	1	≥410916	←		0.13	0.286
120	16264-52140	GASKET FUEL PUMP	1				0.001	0.0022
130	02056-50060	NUT	2				0.002	0.0044
140	04512-60060	WASHER SPRING	2				0.001	0.0022






INJECTION PUMP [COMPONENT PARTS]
S.No.;<=489915

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-51010	ASSY PUMP INJECTION	1				0.93	2.046
020	16261-51220	HOLDER DELIV.VALVE	3				0.065	0.143
030	16261-51230	SPRING DELIV.VALVE	3				0.025	0.055
040	15221-51240	GASKET DELIV.VALVE	3				0.001	0.0022
050	16261-51030	VALVE DELIVERY	3				0.02	0.044
060	16261-51050	PLUNGER PUMP	3				0.03	0.066
070	16241-51380	SLEEVE CONTROL	3				0.003	0.0066
080	16241-51270	SEAT SPRING UPPER	3				0.005	0.011
090	16261-51280	SPRING PLUNGER	3				0	0
100	16241-51290	SEAT SPRING LOWER	3				0.004	0.0088
110	16241-51070	ASSY TAPPET	3				0.02	0.044
120	16261-51060	RACK CONTROL	1				0.02	0.044
130	16261-51320	SCREW FOLLOW	1				0.002	0.0044
140	15121-42670	GASKET	2				0.001	0.0022
150	16241-51250	PIN TAPPET GUIDE	3				0.002	0.0044
160	16241-51300	SET PLATE	3				0.005	0.011
170	16261-51540	PLATE	1				0.025	0.055
180	16241-93110	SCREW CSK-HD	2				0.003	0.0066
190	16241-91430	SCREW	3				0.003	0.0066
200	16241-96760	O RING	3				0.001	0.0022
210	16241-51490	SHIM	3				0.003	0.0066




**INJECTION PUMP [COMPONENT PARTS]**

S.No.;>=489916

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16032-51010	ASSY PUMP INJECTION	1				1	2.2
020	16030-51052	PLUNGER PUMP	3				0.024	0.0528
030	15841-51030	VALVE DELIVERY	3				0.015	0.033
040	15841-51230	SPRING DELIV.VALVE	3				0.004	0.0088
050	15841-51240	GASKET DELIV.VALVE	3				0.001	0.0022
060	16271-51220	HOLDER DELIV.VALVE	3				0.045	0.099
070	15841-96760	O RING	3				0.001	0.0022
080	15841-51560	FLANGE SLEEVE	3				0.06	0.132
090	15841-94570	PIN JOINT	3				0.001	0.0022
100	15841-51200	O RING	6				0.001	0.0022
110	15862-91430	SCREW	6				0.01	0.022
120	15841-51070	ASSY TAPPET	3				0.03	0.066
130	15841-51250	PIN TAPPET GUIDE	3				0.001	0.0022
140	15861-51430	PIN CLAMP	1				0.002	0.0044
150	15841-51280	SPRING PLUNGER	3				0.015	0.033
160	15841-51270	SEAT SPRING UPPER	3				0.005	0.011
170	15841-51290	SEAT SPRING LOWER	3				0.005	0.011
180	15841-51490	SHIM	3				0.005	0.011
190	16030-51060	RACK CONTROL	1				0.027	0.0594
200	16030-51540	PLATE	1				0.035	0.077
210	15841-93110	SCREW CSK-HD	4				0.001	0.0022
220	15841-51380	SLEEVE CONTROL	3				0.006	0.0132
230	16271-51320	SCREW FOLLOW	1				0.031	0.0682
240	15841-96650	GASKET	2				0.001	0.0022
250	16030-96010	PLUG	1				0.008	0.0176
260	15861-96650	GASKET	1				0.001	0.0022



140 01202-50612



140


16223-802-10



ENGINE STOP SOLENOID

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16271-54090	APPARATUS FUEL LIMIT	1				0.029	0.0638
020	16241-54100	ASSY BOLT ADJUSTING	1	<=425160			0	0
020	16241-54102	ASSY BOLT ADJUSTING	1	>=425161	←		0.008	0.0176
030	15841-92020	NUT	1				0.004	0.0088
040	15841-92330	NUT CAP	1				0.006	0.0132
050	15601-96650	GASKET	2				0.001	0.0022
060	16241-54420	CAP	1				0.004	0.0088
070	16241-54120	BOLT ADJUSTING	1				0.005	0.011
080	15841-92020	NUT	1				0.004	0.0088
090	15841-92330	NUT CAP	1				0.006	0.0132
100	15601-96650	GASKET	2				0.001	0.0022
110	16241-54420	CAP	1				0.004	0.0088
120	16271-60010	ASSY SOLENOID	1	<=276901			0	0
120	16271-60012	ASSY SOLENOID	1	>=276902	←		0.35	0.77
130	16299-60150	GASKET SOLENOID COV.	1				0.003	0.0066
140	01202-50612	BOLT	2	<=89029			0.005	0.011
140	01311-10614	BOLT HEX-SOC-HD	2	>=89030	←		0.005	0.011
150	04512-60060	WASHER SPRING	2	>=89030			0.001	0.0022




**SPEED CONTROL PLATE**

S.No.;<=468068

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16271-57015	ASSY PLATE CONTROL	1	<=431830			0	0
010	16271-57017	ASSY PLATE CONTROL	1	>=431831	←		0	0
020	16271-57150	LEVER SPEED CONTROL	1				0.05	0.11
030	16241-57160	LEVER SPEED CONTROL	2				0.02	0.044
040	04811-00100	O RING	1				0.001	0.0022
050	05411-00420	PIN SPRING	2				0.001	0.0022
060	16241-94020	WASHER PLAIN	2				0.002	0.0044
070	16241-92020	NUT	2				0.002	0.0044
080	16271-56023	COMP.LEVER GOVERNOR	1				0.05	0.11
090	16271-57720	LEVER ENGINE STOP	1				0.03	0.066
100	15471-57980	SEAL OIL	1				0.001	0.0022
110	16222-57510	SPRING RETURN	1				0.01	0.022
120	16271-57740	SHAFT STOP LEVER	1				0.039	0.0858
130	16264-57210	GASKET	1				0.002	0.0044
140	01023-50616	BOLT	2				0.005	0.011
150	01513-50616	STUD	2				0.004	0.0088
160	02056-50060	NUT	2				0.002	0.0044
170	04512-60060	WASHER SPRING	2				0.001	0.0022




**SPEED CONTROL PLATE**

S.No.;>=468069

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16205-57010	ASSY PLATE CONTROL	1				0.34	0.748
020	16205-57150	LEVER SPEED CONTROL	1				0.033	0.0726
030	16205-57160	LEVER SPEED CONTROL	2				0.03	0.066
040	04814-00100	O RING	1				0.001	0.0022
050	05411-00420	PIN SPRING	2				0.001	0.0022
060	05411-02520	PIN SPRING	2				0.001	0.0022
070	01023-50612	BOLT	2				0.005	0.011
080	16205-56020	COMP.LEVER GOVERNOR	1				0.02	0.044
090	16205-57720	LEVER ENGINE STOP	1				0.02	0.044
100	19202-96750	O RING	1	<=WH4333 >=WJ0001	≠		0.001	0.0022
100	04814-10070	O RING	1				0.001	0.0022
110	16205-57510	SPRING RETURN	1				0.002	0.0044
120	16205-57740	COMP.LEVER STOP	1				0.046	0.1012
130	16264-57210	GASKET	1				0.002	0.0044
140	01023-50616	BOLT	2				0.005	0.011
150	01513-50616	STUD	2				0.004	0.0088
150	16245-91540	STUD	2		↔		0.005	0.011
160	02056-50060	NUT	2				0.002	0.0044
170	04512-60060	WASHER SPRING	2				0.001	0.0022

060 16261-5621-0




16223-803-10



GOVERNOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-56480	SPRING START	1				0.002	0.0044
020	16271-56410	SPRING GOVERNOR	1	≤351090			0.015	0.033
020	16271-56412	SPRING GOVERNOR	1	≥351091	←		0	0
020	16271-56413	SPRING GOVERNOR	1	≥WL0001	←		0.02	0.044
020	16271-56414	SPRING GOVERNOR	1	≥XG0001	←		0.022	0.0484
030	16271-56420	SPRING GOVERNOR	1				0.005	0.011
040	16283-56052	ASSY LEVER FORK	1	≤489915			0	0
040	16033-56050	ASSY LEVER FORK	1	≥489916	↔		0.26	0.572
040	16033-56054	ASSY LEVER FORK	1	≥WY0001	←		0	0
060	16261-56210	LEVER THRUST	1	≤702846			0.005	0.011
070	19484-55440	ROLLER	2				0.005	0.011
080	16271-56132	LEVER FORK	1				0	0
080	16222-56130	LEVER FORK	1		↔		0.06	0.132
090	16241-56153	SHAFT FORK LEVER	1				0.04	0.088
100	16241-94010	WASHER PLAIN	1				0.002	0.0044
110	16241-56330	BEARING MINIATURIZE	1				0.007	0.0154
130	04612-00090	CIRCLIP EXTERNAL	1				0.001	0.0022
140	16241-56250	COVER FORK LEV.SHAFT	1				0.013	0.0286
150	16299-56260	GASKET	1				0.002	0.0044
160	01023-50614	BOLT	2				0.005	0.011
170	16241-56210	COLLAR	1				0.008	0.0176
180	16241-56340	BEARING MINIATURIZE	1				0.007	0.0154




16216-007-20



UPPER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	07916-27880	KIT GASKET UPPER	1				0	0
020	04811-50300	O RING	2				0.001	0.0022
020	04814-50300	RING	2		≠		0.001	0.0022
030	15221-33700	O RING	1				0.001	0.0022
040	15601-96650	GASKET	1				0.001	0.0022
050	15676-73270	GASKET THERMOSTAT	1				0.005	0.011
050	15313-73270	GASKET THERMOSTAT	1		≠		0.001	0.0022
050	16221-73270	GASKET THERMOSTAT	1		↔		0.003	0.0066
060	15841-53620	GASKET	3				0	0
070	15951-96660	GASKET	3				0.001	0.0022
080	16241-13150	SEAL VALVE STEM	6				0.002	0.0044
090	16221-03310	GASKET CYLINDER HEAD	1				0.075	0.165
100	16261-11822	GASKET IN-MANIFOLD	1				0.01	0.022
110	16261-12350	GASKET EX-MANIFOLD	1				0.019	0.0418
120	16261-14520	GASKET HEAD COVER	1				0.01	0.022
130	15263-12370	GASKET MUFFLER NA	1				0.015	0.033
140	16264-72920	GASKET WATER FLANGE	1				0.001	0.0022







LOWER GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	07916-29120	KIT GASKET LOWER	1				0	0
020	04814-00100	O RING	1				0.001	0.0022
030	04811-00150	O RING	2				0.001	0.0022
030	04814-00150	RING	2		≠		0.001	0.0022
040	04811-00160	O RING	1				0.001	0.0022
040	04814-00160	RING	1		≠		0.001	0.0022
050	04811-06100	O RING	2				0.001	0.0022
050	04814-06100	RING	2		≠		0.003	0.0066
060	04811-10280	O RING	1				0.001	0.0022
060	04814-10280	RING	1		≠		0.001	0.0022
070	04811-10460	O RING	1				0.002	0.0044
080	15021-33660	GASKET	1				0.001	0.0022
090	15109-33660	GASKET	1				0.001	0.0022
100	15121-42670	GASKET	2				0.001	0.0022
110	15471-57980	SEAL OIL	1				0.001	0.0022
120	15601-96650	GASKET	4				0.001	0.0022
130	16264-52140	GASKET FUEL PUMP	1				0.001	0.0022
140	16264-04130	GASKET GEAR CASE	1				0.01	0.022
150	16264-04212	SEAL OIL	1				0	0
160	16264-04360	GASKET BRG.CASE	1				0.002	0.0044
170	16264-04820	GASKET BRG.CASE COV.	1				0.008	0.0176
180	16299-56260	GASKET	1				0.002	0.0044
190	16264-57210	GASKET	1				0.002	0.0044
200	16264-88130	GASKET H/M.GEAR CASE	1				0.002	0.0044
210	16261-01630	GASKET OIL PAN	1				0.001	0.0022
220	16261-73430	GASKET WATER PUMP	1				0.001	0.0022
230	16299-60150	GASKET SOLENOID COV.	1				0.003	0.0066






16223-006-10



ALTERNATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16241-64010	ASSY ALTERNATOR	1			REFER TO L.No.0C04-L0 FOR COMPONENTS.	0	0
020	16241-64420	STAY DYNAMO	1				0.095	0.209
030	01123-50825	BOLT	1				0.013	0.0286
040	01173-51085	BOLT	1				0.051	0.1122
050	02176-50100	NUT	1				0.005	0.011
060	04011-50100	WASHER PLAIN	1				0.002	0.0044
070	04512-60100	WASHER SPRING	1				0.002	0.0044
080	04015-60080	WASHER PLAIN	1				0.01	0.022
090	01023-50620	BOLT	1				0.006	0.0132
100	15272-67590	CLAMP CORD	1				0.004	0.0088







ALTERNATOR [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16241-64010	ASSY ALTERNATOR	1				0	0
020	15881-64110	PULLEY DYNAMO	1				0.16	0.352
030	15881-92010	NUT	1				0.02	0.044
040	15881-64150	COLLAR	1				0.004	0.0088
050	15881-64040	ROTOR	1				1.2	2.64
060	15881-64800	COVER BEARING	1				0.001	0.0022
070	15881-64770	BEARING BALL	1				0.04	0.088
080	15881-64810	WASHER THRUST	1				0.002	0.0044
090	15881-64020	FRAME DRIVE END	1				1.2	2.64
100	15881-64710	PLATE RETAINER	1				0.01	0.022
110	15881-93010	SCREW ROUND HEAD	4				0.003	0.0066
120	15881-64260	BOLT THROUGH	2				0.01	0.022
130	15881-64780	BEARING BALL	1				0.05	0.11
140	16241-64060	FRAME END	1				0.2	0.44
150	16241-64230	COVER END	1				0.035	0.077
160	16241-64850	ASSY RECTIFIER	1				0.16	0.352
170	16241-64900	BUSH INSULATION	1				0.007	0.0154
180	15881-64310	HOLDER BRUSH	1				0.025	0.055
190	15881-64090	BRUSH	2				0.002	0.0044
200	15881-64330	SPRING BRUSH	2				0.002	0.0044
210	15881-93020	SCREW ROUND HEAD	2				0.005	0.011
220	15881-93030	SCREW ROUND HEAD	6				0.003	0.0066
230	15881-93040	SCREW ROUND HEAD	1				0.003	0.0066
240	15881-91040	BOLT	3				0.005	0.011
250	15881-92020	NUT	2				0.02	0.044
260	15881-91050	BOLT	2				0.01	0.022
270	14182-92030	NUT	1				0.003	0.0066
280	15881-64600	ASSY REGULATOR	1				0.1	0.22




16201-015-10



080 67211-7624-0

090 04512-50080




16261-805-10



HYDRAULIC PUMP [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76630-76100	ASSY PUMP HYDRAULIC	1				1.15	2.53
020	67211-76120	COVER HYD.PUMP	1				0.18	0.396
030	04810-00220	O RING	4				0.001	0.0022
040	04810-00050	O RING	1				0.001	0.0022
050	04810-50500	O RING	1				0.005	0.011
060	31381-76190	SEAL OIL	1				0.007	0.0154
070	04611-00280	CIR CLIP INTERNAL	1				0.002	0.0044
080	67211-76240	BOLT	6	≤351090			0.014	0.0308
080	01123-50825	BOLT	6	≥351091	←		0.013	0.0286
090	04512-50080	WASHER SPRING	6	≤351090			0	0






AIR CLEANER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-51100	ASSY CLEANER AIR	1				1.24	2.728
020	15852-11080	ASSY ELEMENT CLEANER	1				0.45	0.99
030	15227-87480	LABEL ELEMENT A/C	1				0.004	0.0088
040	15221-94430	WASHER WITH RUBBER	1				0.004	0.0088
050	15221-92620	BOLT WING	1				0.04	0.088
060	15372-87452	LABEL AIR CLEANER	1				0.001	0.0022
070	15852-11470	VALVE	1				0.03	0.066
080	76650-51210	STAY AIR CLEANER	1				0.22	0.484
090	01125-60816	BOLT	2				0.01	0.022
100	76650-51220	RETAINER RADIATOR	1				0.1	0.22
110	01125-60816	BOLT	2				0.01	0.022
120	37150-18180	CUSHION	1				0.015	0.033
130	03054-50512	SCREW	2				0.003	0.0066
140	67401-54280	CUSHION	1				0.01	0.022
150	67401-54290	BAND AIR CLEANER	1				0.06	0.132
160	76650-51310	HOSE INLET	1				0.385	0.847
170	15221-11720	BAND PIPE	2	≤10758			0.03	0.066
170	67955-58260	BAND AIR CLEANER	2	≥10759	↔		0.028	0.0616
180	76650-51110	BODY AIR CLEANER	1				0.8	1.76






MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76630-58510	ASSY MUFFLER	1	≤10758			3.62	7.964
010	67950-58510	ASSY MUFFLER	1	≥10759	↔		3.55	7.81
020	76630-58110	COVER MUFFLER	1				0.3	0.66
030	01754-50610	BOLT FLANGE	3				0.006	0.0132
040	16271-92010	NUT	6				0.005	0.011
050	16261-12350	GASKET EX-MANIFOLD	1				0.019	0.0418
060	76650-51510	PIPE EXHAUST	1				1	2.2
070	76630-58550	BAND PIPE	1	≤10762			0	0
070	67980-54640	BAND	1	≥10763	↔		0.03	0.066
080	01153-50860	BOLT	1				0.024	0.0528
090	02751-50080	NUT FLANGE	1				0.006	0.0132
100	01125-60816	BOLT	2				0.01	0.022
110	76650-51610	PLATE SHUTTER	1				1.3	2.86
120	76650-44330	TRIM BONNET MID.	1				0.09	0.198
130	76650-51630	TRIM LOWER	1				0.075	0.165
140	67061-54650	CUSHION	2				0.01	0.022
150	01754-50814	BOLT FLANGE	1				0.005	0.011
160	01123-50830	BOLT	2				0.015	0.033
170	01754-50814	BOLT FLANGE	2				0.005	0.011
180	76650-51670	SUPPORT ENGINE	1				0.6	1.32
190	01125-60816	BOLT	2				0.01	0.022
200	01135-61020	BOLT	2				0.015	0.033

ACCELERATOR LEVER






ACCELERATOR LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-32610	LEVER ACCEL	1				0.25	0.55
020	35320-17170	GRIP ACCEL	1				0.018	0.0396
030	76650-32620	SHAFT ACCEL.	1				0.13	0.286
040	05411-00520	PIN SPRING	1				0.002	0.0044
050	31351-17440	SPRING	2				0.004	0.0088
060	02174-50140	NUT	1				0.014	0.0308
070	02172-50140	NUT	1				0.01	0.022
080	76650-32630	ROD ACCEL.	1				0.06	0.132
090	67211-43220	STAY LH	1				0.02	0.044
100	02012-60060	NUT	2				0.005	0.011
110	04012-50060	WASHER PLAIN	2				0.001	0.0022
120	05511-51612	PIN SPLIT	2				0.001	0.0022
130	76650-57220	LEVER STOP	1				0.03	0.066
140	76650-57240	STAY STOPPER LEVER	1				0.03	0.066
150	04013-60050	WASHER PLAIN	1				0.001	0.0022
160	05511-51210	PIN SPLIT	1				0.001	0.0022



090 12901-4103-0

110 54821-2163-0

120 12901-4134-0




090 76650-5260-0

100 76650-5261-0

110 76650-5262-0

120 76650-5263-0




76650-800-10




FUEL TANK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-52110	TANK FUEL	1				3.5	7.7
020	76650-52120	BRACKET TANK RH	1				0.6	1.32
030	76650-52130	BRACKET TANK LH	1				0.6	1.32
040	01123-50820	BOLT	4				0.011	0.0242
045	01125-50820	BOLT	2				0	0
050	76650-52140	BAND TANK	2				0.32	0.704
060	76650-52150	CUSHION	2				0.04	0.088
070	01155-50840	BOLT	2				0.02	0.044
080	04512-60080	WASHER SPRING	2				0.002	0.0044
090	12901-41030	ASSY CAP FUEL TANK	1	≤10736			0.03	0.066
090	76650-52600	ASSY CAP FUEL TANK	1	≥10737	≠		0	0
090	76650-90800	KIT CAP FUEL TANK	1	≥10771	←		0.18	0.396
095	76650-52740	CAP FUEL TANK	1	≥10771			0.046	0.1012
100	76650-52610	GUIDE VALVE	1	≥10737			0.004	0.0088
100	76650-52730	RUBBER PROTECTOR	1	≥10771	≠		0.097	0.2134
110	54821-21630	SPONGE	1	≤10736			0.002	0.0044
110	76650-52620	BULB	1	≥10737	≠		0.007	0.0154
110	76650-52710	JOINT FUEL TANK	1	≥10771	≠		0.026	0.0572
120	12901-41340	GASKET	1	≤10736			0.008	0.0176
120	76650-52630	GASKET	1	≥10737	≠		0.002	0.0044
120	76650-52720	GASKET	1	≥10771	≠		0.001	0.0022
125	76650-90810	MANUAL ASSEMBLY	1	≥10771			0.005	0.011
130	76650-52170	UNIT FUEL	1				0.05	0.11
140	36330-75310	GASKET	1				0.005	0.011
150	02054-50050	NUT	5				0.002	0.0044
160	04512-50050	WASHER SPRING	5				0	0
170	76650-44520	TRIM	1				0.004	0.0088




120 16241-4232-0



76650-812-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-52200	ASSY TUBE FUEL	1				0.045	0.099
020	14971-42750	CLIP PIPE	2				0.001	0.0022
030	76650-52230	ASSY TUBE FUEL	1				0.05	0.11
040	14971-42750	CLIP PIPE	2				0.001	0.0022
050	76650-52250	ASSY TUBE FUEL	1				0.085	0.187
060	76630-53370	SPRING PIPE PROTECT.	1				0.017	0.0374
070	09318-88130	CLAMP HOSE	2	≤10579			0.002	0.0044
070	09318-88130	CLAMP HOSE	1	≥10580			0.002	0.0044
075	14911-42750	CLIP PIPE	1	≥10580			0.002	0.0044
080	76630-53380	ASSY PIPE FUEL	1				0.02	0.044
090	14301-42750	CLIP PIPE	2				0.005	0.011
100	13824-67580	CLAMP CORD	1				0.006	0.0132
110	16261-42040	ASSY PIPE OVER FLOW	1				0.015	0.033
115	09661-40260	PIPE FUEL	1				0.015	0.033
120	16241-42320	BAND PIPE	2				0.005	0.011
120	14971-42750	CLIP PIPE	2		↔		0.001	0.0022
130	67061-54650	CUSHION	1				0.01	0.022
140	63611-52330	CUSHION	1				0.01	0.022
150	16261-43010	ASSY FILTER FUEL	1			REFER TO L.No.C02-L FOR COMPONENTS.	0.35	0.77
160	01754-50865	BOLT FLANGE	1				0.027	0.0594
170	13824-67580	CLAMP CORD	1				0.006	0.0132
180	76630-54630	STAY FUEL FILTER	1				0.22	0.484
190	01123-50820	BOLT	2				0.011	0.0242
200	76650-52400	ASSY TUBE FUEL	1				0.08	0.176
210	09318-88130	CLAMP HOSE	2				0.002	0.0044
220	36919-11130	THREE WAY	1				0.005	0.011
230	76650-52500	ASSY TUBE FUEL	1				0.05	0.11
240	09318-88130	CLAMP HOSE	2				0.002	0.0044
250	02114-50080	NUT	2				0.005	0.011
260	01125-50825	BOLT	2				0.018	0.0396




**FUEL FILTER [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16261-43010	ASSY FILTER FUEL	1				0.35	0.77
020	16271-43110	COMP.BODY COCK	1				0.22	0.484
030	14301-43820	SPRING VALVE	1				0.001	0.0022
040	14301-43830	SCREW SET	1				0.001	0.0022
050	14301-43840	O RING LEVER	1				0.001	0.0022
060	16271-43580	CUP FILTER	1				0.045	0.099
070	16271-43590	RING RETAINING	1				0.075	0.165
080	16271-43570	O RING FILTER CUP	1				0.001	0.0022
090	16271-43560	ASSY ELEMENT	1				0.044	0.0968
100	16271-43930	SPRING	1				0.025	0.055
110	66706-58310	LABEL FUEL FILTER	1				0.001	0.0022

RADIATOR







RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-58100	ASSY RADIATOR	1				6.8	14.96
020	76650-58110	PROTECTOR FRONT	1				0.24	0.528
030	76650-58120	SHROUD FAN	1				0.78	1.716
040	76650-58130	HOSE	1				0.065	0.143
050	16271-72020	ASSY CAP RADIATOR	1				0.045	0.099
060	76650-58150	TAPE RADIATOR	1				0.005	0.011
070	15241-67580	CLAMP CORD	2				0.004	0.0088
080	76630-58610	PIPE WATER	1				0.067	0.1474
090	36200-82720	CLAMP	2				0.025	0.055
100	76650-58210	HOSE (WATER 4)	1	≤10328			0	0
100	76650-58212	HOSE WATER	1	≥10329	←		0.26	0.572
110	36200-82720	CLAMP	2				0.025	0.055
120	76630-58630	PIPE DRAIN	1				0.115	0.253
130	76650-58240	HOSE DRAIN	1				0.03	0.066
140	76630-58653	SEAT DRAIN COCK	1				0.14	0.308
150	01754-50812	BOLT FLANGE	2				0.01	0.022
160	76630-58660	COCK DRAIN	1				0.01	0.022
170	76630-58670	GASKET	1				0.01	0.022
180	15109-73360	BAND PIPE	4				0.01	0.022
190	67111-58710	BOLT RADIATOR	2				0.027	0.0594
200	04013-50100	WASHER PLAIN	2				0	0
210	15111-72180	CUSHION	2				0.015	0.033
220	15111-72200	WASHER	4				0.013	0.0286
230	05515-61000	PIN SNAP	2				0.003	0.0066
240	76650-42230	CUSHION	2				0.04	0.088






67950-010-10



STARTER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15741-63010	ASSY STARTER	1				4.15	9.13
020	15501-63080	YOKE	1				0.675	1.485
030	15501-63370	BRUSH	2				0.01	0.022
040	15501-63070	ARMATURE	1				0.78	1.716
050	15504-63530	BEARING BALL	1				0.04	0.088
060	15504-63500	BEARING BALL	1				0.02	0.044
070	15504-63040	CLUTCH	1				0.725	1.595
080	15504-63030	HOUSING	1				0.385	0.847
090	15504-63020	SWITCH MAGNETIC	1				0	0
100	15501-63380	HOLDER BRUSH	1				0.075	0.165
110	15401-63390	SPRING BRUSH	4				0.003	0.0066
120	15501-63200	FRAME END	1				0.08	0.176
130	11233-63280	GEAR	1				0.1	0.22
140	19212-63100	ROLLER	5				0.002	0.0044
150	19212-63110	RETAINER	1				0.002	0.0044
160	19212-97130	BALL	1				0.003	0.0066
170	19212-63120	SPRING	1				0.004	0.0088
180	15501-96670	WASHER FELT	1				0.005	0.011
190	15501-93310	SCREW	2				0.01	0.022
200	15501-63320	BOLT THROUGH	2				0.03	0.066
210	15501-91020	BOLT	2				0.01	0.022
220	13963-92010	NUT HEXAGON	1				0.005	0.011
230	15504-63120	COVER CORD	1				0.06	0.132



**BATTERY**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76611-51410	SUPPORT BATTERY	1	≤10770			0	0
010	76611-51413	SUPPORT BATTERY	1	≥10771	←		0	0
010	76611-51414	SUPPORT BATTERY	1	≥10771	←		1.95	4.29
020	76611-51420	RETAINER BATTERY	1				0.77	1.694
030	66591-54490	BOLT BATTERY SET	2				0.048	0.1056
040	02751-50060	NUT FLANGE	2				0.005	0.011
050	01774-51016	BOLT FLANGE	4				0.02	0.044
060	76611-55410	BATTERY	1	≤10770			0	0
060	76630-55410	BATTERY	1	≥10771	↔		0	0
070	66591-54510	RUBBER BATTERY	2				0.02	0.044
080	76650-54400	ASSY CORD BATTERY(+)	1				0.465	1.023
090	76650-54500	ASSY CORD BATTERY(-)	1				0.205	0.451
100	09980-00050	CAP PROTECTOR	2				0.005	0.011






WIRE HARNESS/HEAD LIGHT


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-54100	ASSY WIRE HARNESS	1	≤10762			0	0
010	76650-54102	ASSY WIRE HARNESS	1	≥10763	←		0.75	1.65
020	59460-41710	RING FUSIBLE	1	≤10762			0.006	0.0132
020	52200-41170	FUSE SLOW BLOW	1	≥10763	≠	60A	0.01	0.022
030	53581-64150	BAND CORD	7				0.002	0.0044
040	66416-55810	ASSY SWITCH SAFETY	2				0.11	0.242
050	76611-55170	ASSY LIGHT HEAD	1				0.319	0.7018
060	76611-55190	BULB HEAD LIGHT	1				0.01	0.022
070	01754-50612	BOLT FLANGE	2				0.005	0.011
080	66101-55220	BOX COMBINATION	1				0	0
090	01025-50620	BOLT	2				0.02	0.044
100	01754-50616	BOLT FLANGE	2				0.006	0.0132
110	76611-55150	ASSY BOX FUSE	1				0.1	0.22
120	31351-33630	FUSE AUTO	2			10A	0.002	0.0044
130	31351-33640	FUSE AUTO	1			15A	0.002	0.0044



76650-010-10

030 58417-4114-0




76611-802-10



METER/SWITCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	67111-55450	ASSY OK MONITOR	1				0.2	0.44
020	67111-55460	BULB OK MONITOR	2				0.005	0.011
030	58417-41140	SWITCH STARTER	1	≤10758			0.26	0.572
030	76650-54600	ASSY SWITCH STARTER	1	≥10759	←		0.26	0.572
035	76611-55620	COLLAR	1	≥10759			0.004	0.0088
040	76611-55130	SWITCH LIGHT	1				0.08	0.176
050	76650-54210	TACHOMETER	1				0.2	0.44
060	02054-50050	NUT	2				0.002	0.0044
070	04512-50050	WASHER SPRING	2				0	0
080	76650-54230	CABLE HOUR METER	1				0.22	0.484
090	31355-84300	METER COMBINATION	1				0.34	0.748
100	02054-50050	NUT	2				0.002	0.0044
110	04512-50050	WASHER SPRING	2				0	0
120	35340-29380	CLAMP CORD	1				0.01	0.022
130	55364-41180	KEY STARTER	1				0.03	0.066






CLUTCH DISK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-13440	GEAR CLUTCH	1			37T	2.2	4.84
020	08101-06305	BEARING BALL	1				0.23	0.506
030	04611-00620	CIR CLIP INTERNAL	2				0.011	0.0242
040	67156-76550	DISK CLUTCH	12				0.042	0.0924
050	67156-76560	PLATE FRICTION	12				0.054	0.1188
060	76650-13450	BOSS CLUTCH	1				0.775	1.705
070	04612-00300	CIRCLIP EXTERNAL	1				0.003	0.0066
080	76650-13460	SPRING CLUTCH	1				0.025	0.055
090	76650-13470	COLLAR SHAFT	1				0.03	0.066
100	76650-13480	GEAR-SHAFT	1				1.32	2.904
110	36340-41290	BEARING	1				0.235	0.517
120	55611-16130	COLLAR	1				0.05	0.11
130	08101-06305	BEARING BALL	1				0.23	0.506
140	67401-14970	SLEEVE	1				0.015	0.033
150	67401-14960	SEAL OIL	1				0.015	0.033
160	76650-13510	BOSS CLUTCH FORK	1				0.555	1.221
170	08401-51108	BEARING THRUST BALL	1				0.112	0.2464
180	04612-00400	CIRCLIP EXTERNAL	1				0.005	0.011
190	76650-13530	FORK SHIFT	1				0.5	1.1
200	05411-00540	PIN SPRING	1				0.004	0.0088



**CLUTCH CAM**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-13610	ROD FORK	1				0.56	1.232
020	08511-01615	BUSH	2				0.01	0.022
030	76650-13620	SEAL OIL	2				0.015	0.033
040	76650-13630	CAM CLUTCH	1				0.2	0.44
050	01123-60816	BOLT	2				0.01	0.022
060	06613-10675	NIPPLE GREASE	1				0.003	0.0066
070	76650-13640	CAM CLUTCH	1				0.2	0.44
080	08511-01615	BUSH	1				0.01	0.022
090	04015-60120	WASHER PLAIN	1				0.022	0.0484
100	02372-50120	NUT	1				0.008	0.0176
110	05511-50325	PIN SPLIT	1				0.002	0.0044
120	76650-13650	SPRING	1				0.23	0.506
130	76650-13660	WASHER PLAIN	1				0.045	0.099
140	04015-60120	WASHER PLAIN	1				0.022	0.0484
150	02172-50120	NUT	1				0.01	0.022
160	02174-50120	NUT	1				0.01	0.022




76650-013-10



CLUTCH ROD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-33400	ASSY ROD TURN CLUTCH	1				0.49	1.078
020	76650-33410	ROD TURN CLUTCH	1				0.1	0.22
030	76650-33420	ROD TURN CLUTCH	1				0.32	0.704
040	76650-33430	TURNBUCKLE	1				0.065	0.143
050	02172-50120	NUT	1				0.01	0.022
060	05122-50825	PIN JOINT	2				0.011	0.0242
070	04012-50080	WASHER PLAIN	2				0.001	0.0022
080	05511-50215	PIN SPLIT	2				0.001	0.0022
090	76650-33500	ASSY WIRE CLUTCH	1				0.615	1.353
100	05122-50820	PIN JOINT	2				0.009	0.0198
110	04012-50080	WASHER PLAIN	2				0.001	0.0022
120	05511-50215	PIN SPLIT	2				0.001	0.0022
130	38740-49250	CLAMP	1				0.035	0.077



050 76611-1243-2

060 36200-2161-0

070 35820-2162-0




76650-801-10




TRANSMISSION CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-11110	CASE TRANSMISSION	1				23.6	51.92
020	05012-00818	PIN STRAIGHT	6	≤10328			0.008	0.0176
020	05012-00816	PIN STRAIGHT	6	≥10329	↔		0.007	0.0154
030	66591-11460	CAP	1				0.016	0.0352
040	04713-00400	GASKET	1				0.001	0.0022
050	76611-12432	PIPE BREATHER	1	≤10770			0.3	0.66
050	76611-90120	KIT BREATHER	1	≥10771	←		0.1	0.22
055	63313-32270	CAP	1	≥10771			0.03	0.066
060	36200-21610	BREATHER	1	≤10770			0.008	0.0176
070	35820-21620	BREATHER	1	≤10770			0.007	0.0154
080	76650-12640	GAUGE OIL	1				0.017	0.0374
090	04717-01200	WASHER WITH RUBBER	1				0.002	0.0044
100	06331-35012	PLUG	1				0.022	0.0484
110	76650-11120	CASE AXLE RH	1				9	19.8
120	01123-51035	BOLT	9				0.025	0.055
130	76650-11130	CASE AXLE LH	1				14.5	31.9
140	01123-51035	BOLT	11				0.025	0.055
150	76650-11140	CASE HI-LO SHIFT	1				1.2	2.64
160	01123-50825	BOLT	6				0.013	0.0286



76650-015-10




76650-016-10



HST [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-25220	ASSY HST	1				11.1	24.42
020	66101-36710	SEAL OIL	1				0.02	0.044
030	66101-36720	SEAL OIL	1				0.007	0.0154
040	66101-36780	SEAL OIL	1				0.01	0.022
050	66101-36820	GASKET	1				0.005	0.011
060	66101-36840	KIT CYL-BLOCK MOTOR	1				0.2	0.44
070	66101-36910	O RING	1				0.003	0.0066
080	66101-36880	ASSY GEROTOR	1				0.065	0.143
090	66101-36860	SPRING CHECK	1				0.005	0.011
100	66101-36940	SPRING RELIEF	1				0.003	0.0066
110	66101-36930	CONE RELIEF VALVE	1				0.007	0.0154
120	66101-36950	SHIM	1				0.002	0.0044
130	66101-36750	O RING	1				0.002	0.0044
140	66101-36870	PLUG	1				0.02	0.044
150	66101-36850	ORIFICE CHECK	1				0.01	0.022
160	66101-36830	KIT CYL-BLOCK PUMP	1				0.94	2.068
170	66101-36890	O RING	1				0.003	0.0066
180	66101-36920	PLATE SPACER	1				0.135	0.297
190	66101-36730	PLUG SOCKET HEAD	6				0.025	0.055
200	66101-36740	O RING	7				0.002	0.0044
210	66101-36960	PLUG	1				0.015	0.033
220	66101-36790	O RING	1				0.002	0.0044
230	76650-26310	PLUG	1				0.05	0.11
240	76650-26320	SPRING CHECK VALVE	1				0.001	0.0022
250	76650-26330	VALVE RELIEF	1				0.045	0.099
260	76650-26340	SHAFT PUMP	1				0.329	0.7238
270	66101-37020	CLIP	4				0.001	0.0022
280	66101-37320	BEARING CRADLE	2				0.02	0.044
290	66101-37340	BEARING JOURNAL	1				0.02	0.044
300	66101-37330	ARM TRUNNION	1				0.075	0.165
310	66071-36250	GUIDE THROTTLE	1				0.005	0.011
320	66101-37080	BEARING NEEDLE	2				0.015	0.033
330	66101-37220	BEARING THRUST BALL	1				0.25	0.55
340	66101-37060	WASHER PLAIN	2				0.001	0.0022
350	66101-37070	SPRING	2				0.005	0.011
360	66101-37210	SHAFT MOTOR	1				0.3	0.66
370	66101-37240	BEARING NEEDLE	1				0.017	0.0374
380	66101-37050	COLLAR THRUST	1				0.08	0.176
390	66101-37310	ASSY SWASHPLATE	1				0.75	1.65
400	66101-37040	BRG THRUST ROLLER	1				0.07	0.154
410	66101-37030	COLLAR THRUST	1				0.035	0.077
420	66101-37130	PIN	1				0.002	0.0044
430	66101-37230	PLATE	1				0.003	0.0066






FIRST SHAFT/SECOND SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-12110	SHAFT FIRST	1				0.61	1.342
020	76650-12120	JOINT	1				0.17	0.374
030	08101-06004	BEARING BALL	1				0.065	0.143
040	76650-12130	GEAR	1			14T	0.1	0.22
050	76650-12140	GEAR	1			20T	0.205	0.451
060	04612-00200	CIRCLIP EXTERNAL	2				0.001	0.0022
070	08101-06203	BEARING BALL	1				0.063	0.1386
080	76650-12150	SHAFT SECOND	1				0.1	0.22
090	76650-12160	GEAR	1			25-31T	0.91	2.002
100	76650-12170	SHIM	2			0.10MM	0.005	0.011
110	67311-14820	BEARING BALL	1				0.07	0.154
120	08101-06302	BEARING BALL	1				0.084	0.1848
130	53582-53560	WASHER CHAIN SHAFT	1				0.01	0.022
140	76650-12220	NUT LOCK	1				0.011	0.0242
150	76650-12230	ROD FORK	1				0.11	0.242
160	76650-12240	ARM RANGE SHIFT	1				0.125	0.275
170	04811-00160	O RING	1				0.001	0.0022
180	76650-12250	PLATE ARM	1				0.015	0.033
190	01123-60814	BOLT	1				0.008	0.0176
200	76650-12260	FORK SHIFT	1				0.16	0.352
210	07715-01605	BALL	1				0.003	0.0066
220	62061-18260	SPRING STOPPER	1				0.002	0.0044






AUTO ASSIST DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-13110	ASSY GEAR BEVEL	1			20-42T	1.67	3.674
020	76650-12310	ASSY DIFFERENTIAL	1				3.5	7.7
030	76650-12410	CASE DIFF.A	1				0.87	1.914
040	76650-12420	CASE DIFF.B	1				1.725	3.795
050	76650-12430	SCREW OV-CSK-HD	4				0.001	0.0022
060	76650-12440	PIN CENTER	1				0.1	0.22
070	76650-12450	PIN SPRING	1				0.005	0.011
080	76650-12460	CAM CLUTCH	2				0.11	0.242
090	76650-12470	CAM CLUTCH	2				0.125	0.275
100	76650-12480	COLLAR THRUST	2				0.01	0.022
110	76650-12490	SPRING	1				0.001	0.0022
120	76650-12510	COLLAR	1				0.06	0.132
130	67810-56680	BOLT UBS	6				0.013	0.0286
140	05012-00814	PIN STRAIGHT	2				0.006	0.0132
150	08101-06007	BEARING BALL	2				0.16	0.352
160	76650-13150	SHIM	2			0.50MM	0.005	0.011
160	76650-13160	SHIM	1			0.30MM	0.005	0.011
160	76650-13170	SHIM	2			0.10MM	0.005	0.011
170	76650-13180	COLLAR THRUST	1				0.01	0.022
180	04611-00620	CIR CLIP INTERNAL	1				0.011	0.0242






THIRD SHAFT LH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-13210	GEAR BEVEL	1	≤10073		20T	0	0
010	76650-13212	GEAR BEVEL	1	≥10074	←	20T	0.3	0.66
020	76650-13220	SHAFT THIRD LH	1	≤10328			0.37	0.814
020	76650-13224	SHAFT THIRD LH	1	≥10329	→		0.364	0.8008
030	08101-06007	BEARING BALL	1				0.16	0.352
040	08101-06201	BEARING BALL	1				0.036	0.0792
050	04612-00140	CIRCLIP EXTERNAL	1				0.001	0.0022
060	04612-00250	CIRCLIP EXTERNAL	1				0.002	0.0044
070	76650-13230	SHIFTER SHAFT	1				0.09	0.198
080	76650-13310	GEAR BEVEL	1			15T	0.485	1.067
090	08101-06305	BEARING BALL	2				0.23	0.506
100	04612-00250	CIRCLIP EXTERNAL	1				0.002	0.0044
110	09502-56210	SEAL OIL	1				0.034	0.0748
120	76650-13150	SHIM	1			0.50MM	0.005	0.011
120	76650-13160	SHIM	1			0.30MM	0.005	0.011
120	76650-13170	SHIM	2			0.10MM	0.005	0.011
130	76650-13180	COLLAR THRUST	1				0.01	0.022
140	04611-00620	CIR CLIP INTERNAL	2				0.011	0.0242




76650-020-10



THIRD SHAFT RH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-13240	FORK SHAFT	1				0.14	0.308
020	67156-76920	COTTER SHIFTER	2				0.007	0.0154
030	76650-13250	SHAFT SHIFT	1				0.135	0.297
040	05411-00510	PIN SPRING	1				0.001	0.0022
050	04811-00140	O RING	1				0.001	0.0022
060	76650-13280	PLATE	1				0.05	0.11
070	01202-50612	BOLT	2				0.005	0.011
080	76650-13260	LEVER SPEED	1				0.5	1.1
090	05411-00612	PIN SPRING	2				0.002	0.0044
100	07715-01605	BALL	1				0.003	0.0066
110	62061-18260	SPRING STOPPER	1				0.002	0.0044
120	54201-23270	GRIP	1				0.02	0.044
130	76650-13270	PLATE	1				0.12	0.264
140	01202-50612	BOLT	4				0.005	0.011
150	76650-13410	SHAFT THIRD RH	1				0.34	0.748
160	76650-13420	GEAR	1			22T	0.47	1.034
170	76650-13430	COLLAR SHAFT	1				0.02	0.044
180	04612-00260	CIRCLIP EXTERNAL	1				0.002	0.0044
190	08101-06204	BEARING BALL	1				0.102	0.2244
200	04612-00200	CIRCLIP EXTERNAL	1				0.001	0.0022
210	04611-00470	CIR CLIP INTERNAL	2				0.006	0.0132
220	55314-22430	CAP ROLLER	1				0.039	0.0858




76650-021-10



NEUTRAL ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-33710	ARM NEUTRAL	1				0.24	0.528
020	76611-13320	SPRING CLUTCH ROD	1				0.01	0.022
030	03054-50512	SCREW	2				0.003	0.0066
040	04512-50050	WASHER SPRING	2				0	0
050	02054-50050	NUT	2				0.002	0.0044
060	66204-43572	BUSH	1				0.003	0.0066
070	66204-43352	SHAFT HOLDER	1				0.072	0.1584
080	01123-50825	BOLT	1				0.013	0.0286
090	08121-06000	BEARING BALL	1				0.02	0.044
100	04612-00100	CIRCLIP EXTERNAL	1				0.001	0.0022
110	66101-36183	SPRING NEUTRAL ARM	1				0.025	0.055
120	76650-33720	ARM SHIFT	1				0.14	0.308
130	05411-00630	PIN SPRING	1				0.004	0.0088
140	76650-33730	PLATE HST	1				0.3	0.66
150	66101-36120	PLUG OIL FILLER	1				0.07	0.154
160	04512-60140	WASHER SPRING	1				0.006	0.0132
170	66101-36140	BOLT	1				0.04	0.088




76650-022-10

120 31351-2421-0

200 76611-4262-2



150 31351-2422-0




76650-802-10



RANGE GEAR SHIFT LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-32110	LAVER RANGE SHIFT	1				0.4	0.88
020	31351-24970	GRIP LEVER	1				0.05	0.11
030	04612-00200	CIRCLIP EXTERNAL	1				0.001	0.0022
040	67211-42940	NIPPLE GREASE	1				0.001	0.0022
050	76650-32210	ARM ROD	1				0.17	0.374
060	05411-00620	PIN SPRING	2				0.002	0.0044
070	76650-32220	ROD RANGE SHIFT	1				0.21	0.462
080	04011-50100	WASHER PLAIN	2				0.002	0.0044
090	05511-50320	PIN SPLIT	2				0.002	0.0044
110	76650-32310	ROD SHIFT	1				0.19	0.418
120	31351-24210	SCREW ROD-END LH	1	≤10758			0.04	0.088
120	66021-43360	SCREW ROD END	1	≥10759	≠		0.11	0.242
130	31351-24260	NUT	1				0.005	0.011
140	02112-50080	NUT	1				0.003	0.0066
150	31351-24220	SCREW ROD-END RH	1	≤10758			0.04	0.088
150	66021-43370	SCREW ROD END	1	≥10759	≠		0.065	0.143
160	02121-50080	NUT	2				0.01	0.022
170	76650-32330	ROD SHIFT	1				0.08	0.176
180	04012-50080	WASHER PLAIN	2				0.001	0.0022
190	05511-50215	PIN SPLIT	2				0.001	0.0022
200	76611-42622	SHAFT FULCRUM	1	≤10758			0.18	0.396
200	76650-32360	ARM FURCLUM	1	≥10759	≠		0.12	0.264
210	76650-32350	ARM SHIFT	1				0.05	0.11
220	05411-00625	PIN SPRING	1				0.004	0.0088






PTO CLUTCH

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-21110	SHAFT PTO	1	≤10766			1.5	3.3
010	76660-21110	SHAFT PTO	1	≥10767	≠		1.4	3.08
020	08101-06205	BEARING BALL	2				0.14	0.308
030	09502-55210	SEAL OIL	2				0.025	0.055
040	04611-00520	CIR CLIP INTERNAL	2				0.009	0.0198
050	76650-21120	ASSY CLUTCH PTO	1	≤10766			4.65	10.23
050	76650-90730	KIT CLUTCH PTO	1	≥10767	≠		3.95	8.69
060	76650-90750	KIT BRACKET CLUTCH	1				0.36	0.792
070	67061-14380	COLLAR	1	≥10771			0.01	0.022
080	76650-21420	PLATE CLUTCH	1	≤10766			0.35	0.77
080	76660-21420	PLATE CLUTCH	1	≥10767	≠		0.35	0.77
090	76650-21440	FACING CLUTCH	3				0	0
100	44512-13140	PLATE PRESSURE	1				0.16	0.352
110	64421-13290	PLATE FRICTION	2				0.01	0.022
120	44512-13230	CASE SPRING	6				0.01	0.022
130	44512-13250	NUT	3				0.007	0.0154
140	63763-13590	SPRING A	6				0.006	0.0132
150	63763-13610	SPRING B	6				0.002	0.0044
160	63313-13330	PIN SPLIT	3				0.001	0.0022
170	76650-21430	LEVER CLUTCH	1				0.275	0.605
180	76650-21450	CAM CLUTCH	1				0.265	0.583
190	61811-13340	PULLEY CLUTCH	1				2.2	4.84
200	61811-13350	COLLAR	1				0.04	0.088
210	08141-06003	BEARING BALL	2				0.037	0.0814
220	76650-21460	BEARING BALL	1				0.1	0.22
230	76650-21470	COVER DUSTPROOF	1				0.01	0.022
240	01123-60816	BOLT	4				0.01	0.022
250	76660-21310	COLLAR	1	≥10767			0.01	0.022
260	76660-90750	KIT BRACKET CLUTCH	1	≥10771			0.2	0.44



76650-024-10

170 76650-2121-0


180 01133-51045

200 76650-2122-0

210 08143-06204

220 04611-00470

230 01135-51025




76650-803-10



PTO TENSION ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-21130	V BELT PTO	2				0.165	0.363
020	76650-21230	ASSY PULLEY TENSION	1				0.3	0.66
030	08141-06203	BEARING BALL	2				0.064	0.1408
040	04612-00170	CIRCLIP EXTERNAL	2				0.001	0.0022
050	76650-21140	ARM TENSION	1				0.45	0.99
070	06613-10675	NIPPLE GREASE	1				0.003	0.0066
080	76650-21150	PIN PTO FULCRUM	1				0.1	0.22
090	76650-21160	WASHER PLAIN	1				0.01	0.022
100	05511-50425	PIN SPLIT	1				0.003	0.0066
110	05411-00625	PIN SPRING	1				0.004	0.0088
140	70722-32673	SPRING LUTCH	1				0.01	0.022
150	76650-21170	HOOK SPRING	1				0.045	0.099
160	02116-50100	NUT	2				0.004	0.0088
170	76650-21210	COLLAR	1	≤10766			0.05	0.11
180	01133-51045	BOLT	1	≤10766			0.034	0.0748
180	01133-51025	BOLT	1	≥10767	≠		0.023	0.0506
190	62411-33130	WASHER BLADE SHAFT	1	≥10767			0.016	0.0352
200	76650-21220	HOLDER BEARING	1	≤10766			0.4	0.88
210	08143-06204	BEARING BALL	1	≤10766			0.1	0.22
220	04611-00470	CIR CLIP INTERNAL	2	≤10766			0.006	0.0132
230	01135-51025	BOLT	2	≤10766			0	0



76650-025-10




ENGINE PULLEY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-22110	BOSS PULLEY	1				0.22	0.484
020	76650-22120	PULLEY	1				1.25	2.75
030	01123-60816	BOLT	4				0.01	0.022
040	66301-43430	WASHER PLAIN	1				0.016	0.0352
050	01123-50818	BOLT	1				0.012	0.0264
060	76650-22130	PULLEY ENGINE	1				5.6	12.32
070	01123-50820	BOLT	6				0.011	0.0242
080	76650-22140	V BELT HST	2				0.15	0.33
090	76650-22150	PULLEY	1				0.6	1.32
100	08141-06203	BEARING BALL	2				0.064	0.1408
110	04611-00400	CIR CLIP INTERNAL	1				0.005	0.011
120	04612-00170	CIRCLIP EXTERNAL	2				0.001	0.0022
130	76650-22160	ARM TENSION	1				0.4	0.88
140	08511-01715	BUSH	2				0.008	0.0176
150	06613-10675	NIPPLE GREASE	1				0.003	0.0066
160	76650-22170	STAY TENSION ARM	1				0.7	1.54
170	01123-51020	BOLT	2				0.02	0.044
180	76650-21160	WASHER PLAIN	1				0.01	0.022
190	04612-00170	CIRCLIP EXTERNAL	1				0.001	0.0022
200	70722-32673	SPRING LUTCH	1				0.01	0.022
210	76650-22210	RETAINER	1				0.03	0.066
220	76650-22220	RETAINER	1				0.065	0.143
230	02116-50100	NUT	1				0.004	0.0088
240	04013-50080	WASHER PLAIN	1				0	0
250	05511-50215	PIN SPLIT	1				0.001	0.0022
260	76650-22230	LEVER HST	1				0.2	0.44
270	04011-50140	WASHER PLAIN	1				0.007	0.0154
280	05511-50425	PIN SPLIT	1				0.003	0.0066

PTO LEVER






PTO LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-32412	LEVER PTO	1				0.435	0.957
020	06914-00140	GRIP LEVER	1				0.014	0.0308
030	76650-32420	SPRING	1				0.005	0.011
040	76650-32430	ARM PTO LEVER	1	≤10736			0	0
040	76650-32432	ARM PTO LEVER	1	≥10737	←		0.3	0.66
050	06613-10675	NIPPLE GREASE	1	≤10462			0.003	0.0066
050	67211-42940	NIPPLE GREASE	1	≥10463	↔		0.001	0.0022
060	76611-13320	SPRING CLUTCH ROD	1				0.01	0.022
070	03054-50512	SCREW	2				0.003	0.0066
080	04512-50050	WASHER SPRING	2				0	0
090	02054-50050	NUT	2				0.002	0.0044
100	76650-32440	ARM PTO FULCRUM	1				0.17	0.374
110	06613-10675	NIPPLE GREASE	1	≤10462			0.003	0.0066
110	67211-42940	NIPPLE GREASE	1	≥10463	↔		0.001	0.0022
120	76650-32450	COLLAR	1				0.015	0.033
130	04612-00150	CIRCLIP EXTERNAL	2				0.001	0.0022
140	04612-00160	CIRCLIP EXTERNAL	2				0.001	0.0022
150	05122-50850	PIN JOINT	1				0.02	0.044
160	04012-50080	WASHER PLAIN	1				0.001	0.0022
170	05511-50215	PIN SPLIT	1				0.001	0.0022
180	76650-32510	ASSY ROD PTO	1				0.16	0.352
190	76611-42740	ROD SPEED LOCK FRONT	1				0.061	0.1342
200	66591-42410	TURNBUCKLE	1				0.046	0.1012
210	76650-32520	ROD PTO	1				0.25	0.55
220	02112-50080	NUT	1				0.003	0.0066
230	05122-50820	PIN JOINT	1				0.009	0.0198
240	04012-50080	WASHER PLAIN	1				0.001	0.0022
250	05511-50215	PIN SPLIT	1				0.001	0.0022
260	05122-50614	PIN JOINT	1				0.004	0.0088
270	04012-50060	WASHER PLAIN	1				0.001	0.0022
280	05511-51612	PIN SPLIT	1				0.001	0.0022
290	67401-51432	SPRING	1				0.03	0.066



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-13810	ASSY DIFFERENTIAL	1			9-44T	5.3	11.66
020	76650-13820	GEAR	1			44T	2.2	4.84
030	67521-56620	CASE FRONT DIFF.	1				0.825	1.815
040	66021-14920	SHAFT DIFF.PINION	1	≤10505			0.16	0.352
040	66021-14922	SHAFT DIFF.PINION	1	≥10506	≠		0.163	0.3586
050	66021-14930	PINION DIFF.	2				0.17	0.374
060	67111-16670	COLLAR PINION THRUST	2				0.008	0.0176
070	67111-16720	GEAR DIFF.SIDE	1				0.225	0.495
080	67111-16740	SHIM	1			1.20MM	0.014	0.0308
080	67111-16750	SHIM	1			1.00MM	0.011	0.0242
080	67111-16760	SHIM	1			0.80MM	0.01	0.022
090	66021-14940	GEAR DIFF.SIDE	1				0.28	0.616
100	76650-12610	SHIM	1			1.20MM	0.01	0.022
100	76650-12620	SHIM	1			1.00MM	0.01	0.022
100	76650-12630	SHIM	1			0.80MM	0.007	0.0154
110	67111-16782	PIN STRAIGHT	2	≤10505			0.01	0.022
110	67111-16782	PIN STRAIGHT	1	≥10506			0.01	0.022
115	05012-00816	PIN STRAIGHT	1	≥10506			0.007	0.0154
120	67810-56680	BOLT UBS	6				0.013	0.0286
130	08101-06010	BEARING BALL	2				0.262	0.5764



**FRONT WHEEL (23X10.5-12) [AU] [NZ]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76613-61110	ASSY REAR WHEEL	1				16.5	36.3
020	76613-61120	ASSY REAR WHEEL RH	1				18	39.6
030	76613-61130	TIRE (23X10.5-12)	1				9.1	20.02
040	66022-17150	WHEEL	1				7.5	16.5
050	34159-11850	VALVE TIRE	1				0.013	0.0286
060	76611-47320	LABEL TIRE RH	1				0.002	0.0044
070	76613-61150	ASSY REAR WHEEL	1				16.7	36.74
080	76613-61130	TIRE (23X10.5-12)	1				9.1	20.02
090	66022-17150	WHEEL	1				7.5	16.5
100	34159-11850	VALVE TIRE	1				0.013	0.0286
110	76611-47310	LABEL TIRE LH	1				0.002	0.0044






REAR AXLE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-55340	CASE REAR AXLE	1				7	15.4
020	76650-55360	GEAR BEVEL	1			37T	1.575	3.465
030	76650-12310	ASSY DIFFERENTIAL	1			REFER TO L.No.0D02-L0 FOR COMPONENTS.	3.5	7.7
040	05012-00814	PIN STRAIGHT	2				0.006	0.0132
050	67810-56680	BOLT UBS	6				0.013	0.0286
060	08101-06207	BEARING BALL	2				0.282	0.6204
070	76650-55380	SHIM	2			0.20MM	0.07	0.154
070	76650-55390	SHIM	2			0.30MM	0.003	0.0066
080	06331-35012	PLUG	1				0.022	0.0484
090	04717-01200	WASHER WITH RUBBER	1				0.002	0.0044
100	76650-55410	FLANGE R.AXLE CASE	1				3	6.6
110	01173-51030	BOLT	8				0.023	0.0506
120	04512-60100	WASHER SPRING	8				0.002	0.0044
130	05012-01018	PIN STRAIGHT	1				0.012	0.0264
140	63733-17150	SEAL OIL	2				0.04	0.088
150	08101-06206	BEARING BALL	2				0.196	0.4312
160	04612-00300	CIRCLIP EXTERNAL	2				0.003	0.0066
170	04611-00620	CIR CLIP INTERNAL	2				0.011	0.0242
180	76650-55420	AXLE REAR	2				2.3	5.06
190	76650-55440	COLLAR	2				0.04	0.088
200	08101-06206	BEARING BALL	2				0.196	0.4312
210	66591-56564	BOLT STUD	12				0.028	0.0616
220	04013-60120	WASHER PLAIN	12				0.01	0.022
230	04512-50120	WASHER SPRING	12				0	0
240	02174-50120	NUT	12				0.01	0.022
250	06331-35016	PLUG	1				0.04	0.088
260	04717-01600	WASHER WITH RUBBER	1				0.003	0.0066






REAR DIFFERENTIAL [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-12310	ASSY DIFFERENTIAL	1				3.5	7.7
020	76650-12410	CASE DIFF.A	1				0.87	1.914
030	76650-12420	CASE DIFF.B	1				1.725	3.795
040	76650-12430	SCREW OV-CSK-HD	4				0.001	0.0022
050	76650-12440	PIN CENTER	1				0.1	0.22
060	76650-12450	PIN SPRING	1				0.005	0.011
070	76650-12460	CAM CLUTCH	2				0.11	0.242
080	76650-12470	CAM CLUTCH	2				0.125	0.275
090	76650-12480	COLLAR THRUST	2				0.01	0.022
100	76650-12490	SPRING	1				0.001	0.0022
110	76650-12510	COLLAR	1				0.06	0.132



**REAR WHEEL (20X8.00-10) [AU] [NZ]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76640-24110	ASSY TIRE	1				21.2	46.64
020	76640-24120	ASSY TIRE RH	1				10	22
030	34159-11810	TIRE	1				5.6	12.32
040	76640-24140	WHEEL	1				4.5	9.9
050	34159-11850	VALVE TIRE	1				0.013	0.0286
060	76640-24130	LABEL TIRE RH	1				0	0
070	76640-24150	ASSY TIRE LH	1				10	22
080	34159-11810	TIRE	1				5.6	12.32
090	76640-24140	WHEEL	1				4.5	9.9
100	34159-11850	VALVE TIRE	1				0.013	0.0286
110	76640-24160	LABEL TIRE LH	1				0	0






REAR AXLE CASE (INSIDE, OUTSIDE)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-55160	CASE REAR AXLE	1				2.55	5.61
020	76650-55170	SHIM	2			0.20MM	0.004	0.0088
020	76650-55180	SHIM	2			0.30MM	0.005	0.011
030	01133-51030	BOLT	6				0.025	0.055
040	76650-55190	BUSH	1				0.275	0.605
050	76650-55220	SEAL OIL	1				0.07	0.154
060	04811-50800	O RING	1				0.003	0.0066
070	76650-55230	GEAR BEVEL	1			6T	1.15	2.53
080	08101-06207	BEARING BALL	1				0.282	0.6204
090	76650-55240	GEAR BEVEL	1			25T	0.45	0.99
100	76650-55250	BEARING THRUST	1				0.085	0.187
110	08101-06907	BEARING BALL	1				0.073	0.1606
120	04612-00350	CIRCLIP EXTERNAL	1				0.01	0.022
130	76650-55260	CASE REAR AXLE	1				3.9	8.58
140	76650-55280	GEAR	1	≤10505		19T	0	0
140	76650-55283	GEAR	1	≥10506	←	19T	2	4.4
150	01133-51025	BOLT	4				0.023	0.0506
160	76650-55310	SHIM	2			0.20MM	0.005	0.011
160	76650-55320	SHIM	2			0.30MM	0.005	0.011
170	01133-51030	BOLT	6				0.025	0.055
180	04811-50650	O RING	1				0.002	0.0044
190	08101-06305	BEARING BALL	2				0.23	0.506
200	76650-55330	NUT	1				0.035	0.077





REAR AXLE CASE (INPUT)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-55110	CASE REAR AXLE	1				8.5	18.7
020	06331-35016	PLUG	2				0.04	0.088
030	04717-01600	WASHER WITH RUBBER	2				0.003	0.0066
040	76650-55120	GEAR BEVEL	1			16T	0.62	1.364
050	04612-00200	CIRCLIP EXTERNAL	1				0.001	0.0022
060	76650-55130	HOLDER BEARING	1				0.6	1.32
070	76650-55140	SHIM	2			0.20MM	0.005	0.011
070	76650-55150	SHIM	2			0.30MM	0.001	0.0022
080	01123-50825	BOLT	4				0.013	0.0286
090	08101-06304	BEARING BALL	1				0.146	0.3212
100	08101-06305	BEARING BALL	1				0.23	0.506
110	04611-00520	CIR CLIP INTERNAL	1				0.009	0.0198
120	04811-50600	O RING	1				0.002	0.0044
130	09500-20408	SEAL OIL	1				0.012	0.0264
140	01173-51025	BOLT	6				0.021	0.0462
150	04512-60100	WASHER SPRING	6				0.002	0.0044
160	01133-51030	BOLT	2				0.025	0.055
170	76650-55460	SEAL OIL	1				0.028	0.0616



REAR AXLE DRIVE SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-56110	SHAFT R.WHEEL DRIVE	1				1.775	3.905
020	48100-15130	COUPLING	1	≤10752			0.2	0.44
020	76650-56180	ASSY BOSS SHAFT	1	≥10753	←		0.15	0.33
025	67211-42940	NIPPLE GREASE	1	≥10753			0.001	0.0022
030	76650-56120	HOLDER PILLOW	1				0.25	0.55
040	01774-61020	BOLT FLANGE	2				0.022	0.0484
050	76650-56130	BEARING BALL(RADIAL)	1				0.225	0.495
060	01611-50820	BOLT CUP-SQ-NK	2				0.01	0.022
070	04512-60080	WASHER SPRING	2				0.002	0.0044
080	02156-50080	NUT	2				0.004	0.0088
090	76650-90610	KIT JOINT	1				1	2.2
100	76539-31180	ASSY JOINT CROSS	2				0.21	0.462
110	76539-32120	RING SNAP	8				0.003	0.0066
120	76539-31210	NIPPLE GREASE	2				0.01	0.022
130	76650-56160	COMP.YOKE	1				1.14	2.508
140	05411-00540	PIN SPRING	2				0.004	0.0088
150	01123-50828	BOLT	2	≥10763			0.014	0.0308






BRAKE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-13710	ASSY BRAKE	1				1.95	4.29
020	76650-13720	COVER BRAKE	1				0.46	1.012
030	76650-13730	CAM BRAKE	1				0.25	0.55
040	66466-22340	SHOE BRAKE	2	≤10462			0.18	0.396
040	66905-22390	KIT SHOE BRAKE	1	≥10463	↔		0.35	0.77
050	66709-22360	DRUM BRAKE	1				0.95	2.09
060	66591-22350	SPRING RETURN	2				0.003	0.0066
070	04811-05170	O RING	2				0.001	0.0022
080	04612-00200	CIRCLIP EXTERNAL	1				0.001	0.0022
090	63753-42350	U JOINT	1				0.038	0.0836
100	05122-50820	PIN JOINT	1				0.009	0.0198
110	04012-50080	WASHER PLAIN	1				0.001	0.0022
120	05511-50215	PIN SPLIT	1				0.001	0.0022
130	66905-22410	GASKET BRAKE	1				0.01	0.022
140	04612-00220	CIRCLIP EXTERNAL	1				0.001	0.0022
150	01123-50822	BOLT	4				0.012	0.0264

BRAKE PEDAL






BRAKE PEDAL


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-33300	ASSY ROD BRAKE	1	≤10736			0	0
010	76650-33303	ASSY ROD BRAKE	1	≥10737	←		0.2	0.44
020	76650-33310	ROD BRAKE	1	≤10736			0	0
020	76650-33312	ROD BRAKE	1	≥10737	←		0.05	0.11
030	76611-22312	ROD BRAKE REAR	1				0.08	0.176
040	66591-42410	TURNBUCKLE	1				0.046	0.1012
050	02112-50080	NUT	1				0.003	0.0066
055	02112-50080	NUT	1				0.003	0.0066
060	04012-50080	WASHER PLAIN	1				0.001	0.0022
070	05511-50215	PIN SPLIT	1	≤10736			0.001	0.0022
070	05511-50315	PIN SPLIT	1	≥10737	←		0.002	0.0044
080	66591-43190	SPRING BRAKE RETURN	1				0.044	0.0968
090	76650-90710	KIT BRAKE	1				2.05	4.51
100	76611-42124	LEVER BRAKE LOCK	1	≤10770			0.128	0.2816
100	76611-42240	LEVER BRAKE LOCK	1	≥10771	≠		0.122	0.2684
110	76611-42160	SPRING BRAKE LOCK	1	≤10770			0.01	0.022
110	76611-42190	SPRING	1	≥10771	≠		0.005	0.011
120	02172-50120	NUT	2				0.01	0.022
130	76611-42170	RUBBER SKIDPROOF	1				0.006	0.0132
140	76630-42280	COVER BRAKE PEDAL	1				0.05	0.11
150	04612-00250	CIRCLIP EXTERNAL	1				0.002	0.0044
160	67211-42940	NIPPLE GREASE	1				0.001	0.0022
170	76630-42610	SPRING BRAKE PEDAL	1				0.012	0.0264



76650-036-10

080 76650-3315-0




76650-805-10



PEDALS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-33110	PEDAL CLUTCH	1				0.9	1.98
020	76650-33120	RUBBER CLUTCH	1				0.015	0.033
050	04612-00250	CIRCLIP EXTERNAL	1				0.002	0.0044
060	67211-42940	NIPPLE GREASE	1				0.001	0.0022
080	76650-33150	PEDAL FORWARD	1	≤10758			0.6	1.32
080	76650-33154	PEDAL FORWARD	1	≥10759	≠		0.7	1.54
090	04011-50180	WASHER PLAIN	1				0.012	0.0264
100	04612-00180	CIRCLIP EXTERNAL	1				0.001	0.0022
110	01155-50840	BOLT	2				0.02	0.044
120	02112-50080	NUT	2				0.003	0.0066
130	76650-33160	PEDAL	2				0.08	0.176
140	02172-50140	NUT	2				0.01	0.022
150	76611-43770	COVER PEDAL	2				0.022	0.0484
160	76650-33210	PEDAL REVERSE	1				0.4	0.88
170	05112-51060	PIN JOINT	1				0.04	0.088
180	08511-01012	BUSH	2				0.003	0.0066
190	04011-50100	WASHER PLAIN	2				0.002	0.0044
200	05511-50320	PIN SPLIT	1				0.002	0.0044
210	76650-33240	SPRING	1				0.03	0.066
220	67211-42940	NIPPLE GREASE	1				0.001	0.0022
230	76650-33180	LEVER PEDAL LOCK	1				0.195	0.429
240	01153-60830	BOLT	1				0.025	0.055
250	67401-52790	SPRING PLATE	1				0.002	0.0044
260	04015-60080	WASHER PLAIN	1				0.01	0.022
270	02114-50080	NUT	1				0.005	0.011
280	02121-50080	NUT	1				0.01	0.022
290	04013-50080	WASHER PLAIN	1	≥10551			0	0






STEERING LOCK LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-33540	HOLDER STRG.LOCK	1				1.26	2.772
020	76650-33550	GUIDE LOCK HOLDER	1				1.7	3.74
030	01133-51025	BOLT	4				0.023	0.0506
040	06613-10675	NIPPLE GREASE	1				0.003	0.0066
050	08511-03530	BUSH	1				0.053	0.1166
060	76650-33570	BUSH	1				0.065	0.143
070	76650-33580	LEVER STRG.LOCK	1				0.4	0.88
080	08511-02012	BUSH	2				0.009	0.0198
090	76650-33610	COLLAR	1				0.01	0.022
100	04612-00200	CIRCLIP EXTERNAL	1				0.001	0.0022
110	06613-10675	NIPPLE GREASE	1				0.003	0.0066
120	76650-33620	ROD	1				0.045	0.099
130	02172-50120	NUT	1				0.01	0.022
140	04015-60120	WASHER PLAIN	1				0.022	0.0484
150	05122-50825	PIN JOINT	1				0.011	0.0242
160	04012-50080	WASHER PLAIN	2				0.001	0.0022
170	05511-50215	PIN SPLIT	1				0.001	0.0022
180	31351-47750	SPRING	1	≤10007			0.05	0.11
180	37150-15840	SPRING	1	≥10008	←		0.06	0.132







POWER STEERING CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-56210	HOLDER	1				5.85	12.87
020	01173-51030	BOLT	10				0.023	0.0506
030	04512-60100	WASHER SPRING	10				0.002	0.0044
040	04013-50100	WASHER PLAIN	10				0	0
050	76650-56220	GEAR POWER STRG.	1			20T	3.86	8.492
060	06613-10675	NIPPLE GREASE	1				0.003	0.0066
070	08141-06006	BEARING BALL	2				0.12	0.264
080	04611-00550	CIR CLIP INTERNAL	2				0.01	0.022
090	04612-00300	CIRCLIP EXTERNAL	1				0.003	0.0066
100	76650-56240	CYLINDER POWER STRG.	1			REFER TO L.No.0D07-L0 FOR COMPONENTS.	3.3	7.26
110	76650-56250	ROD STRG.CYLINDER	1				0.36	0.792
120	08141-06006	BEARING BALL	2				0.12	0.264
130	04611-00550	CIR CLIP INTERNAL	1				0.01	0.022
140	04612-00300	CIRCLIP EXTERNAL	1				0.003	0.0066
150	02172-50160	NUT	1				0.017	0.0374
160	76650-56260	PIN STRG.CYLINDER	1				0.14	0.308
170	08511-01715	BUSH	2				0.008	0.0176
180	01133-51016	BOLT	1				0.015	0.033
190	76650-56280	HOLDER	1				0.8	1.76
200	02074-50120	NUT	2				0.015	0.033



76650-039-10







STEERING WHEEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76630-41110	SHAFT STEERING	1				0.95	2.09
020	76630-41210	SHAFT STEERING	1				0.38	0.836
030	76630-41310	JOINT STEERING	1				0.29	0.638
040	01123-50825	BOLT	1				0.013	0.0286
050	37410-41320	COLLAR	1				0.005	0.011
060	76630-41120	COMP.POST STEERING	1				3.62	7.964
070	76630-41220	LEVER TILT	1				0.04	0.088
080	33251-80170	GRIP	1				0.008	0.0176
090	76630-41230	HOLDER TILT PIN	1				0.2	0.44
100	32530-16460	PIN TILT	1				0.06	0.132
110	36330-62210	SPRING	1				0.005	0.011
120	01123-50818	BOLT	2				0.012	0.0264
130	05122-50518	PIN JOINT	1				0.002	0.0044
140	04013-60050	WASHER PLAIN	1				0.001	0.0022
150	05511-51210	PIN SPLIT	1				0.001	0.0022
160	08141-06003	BEARING BALL	1				0.037	0.0814
170	04612-00170	CIRCLIP EXTERNAL	1				0.001	0.0022
180	04611-00350	CIR CLIP INTERNAL	2				0.003	0.0066
190	37410-41340	BUSH POST	1				0.015	0.033
200	01311-10612	BOLT HEX-SOC-HD	1				0.01	0.022
210	66021-41002	ASSY WHEEL STEERING	1				2	4.4
220	66021-41022	MARK	1				0.035	0.077
230	04512-50120	WASHER SPRING	1				0	0
240	02174-50120	NUT	1				0.01	0.022
250	02771-60100	NUT FLANGE	4				0.01	0.022






76650-042-10

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-25130	PIPE DELIVERY	1				0.14	0.308
020	67111-37180	GASKET	2				0.003	0.0066
030	66591-36250	JOINT	1				0.08	0.176
040	36530-27632	UNION	1				0.075	0.165
050	76650-25140	PIPE DELIVERY	1				0.2	0.44
060	76650-25150	ASSY STEERING POWER	1			REFER TO L.No.0D09-L0 FOR COMPONENTS.	5	11
070	33740-63080	NIPPLE	1				0.07	0.154
080	76650-25160	JOINT	1	≤10758			0	0
080	76650-25290	ADAPTER	1	≥10759	←		0.058	0.1276
085	04811-00140	O RING	1	≥10759			0.001	0.0022
090	68051-63620	ADAPTER	2				0.06	0.132
100	04811-00140	O RING	4	≤10758			0.001	0.0022
100	04811-00140	O RING	3	≥10759			0.001	0.0022
110	01555-51025	STUD	4				0.02	0.044
120	76650-25170	HOSE OIL COOLER	1				0.32	0.704
130	76650-25180	HOSE OIL COOLER	1				0.44	0.968
140	67810-37690	BAND HOSE	4	≤10550			0.02	0.044
140	67810-37690	BAND HOSE	3	≥10551	↔		0.02	0.044
145	66204-36280	BAND PIPE	1	≥10551			0.02	0.044
150	48200-37150	PIPE RETURN	2	≤10758			0.08	0.176
160	66591-36250	JOINT	2	≤10758			0.08	0.176
170	67111-37180	GASKET	4	≤10758			0.003	0.0066
180	76650-25630	CLAMP PIPE	1				0.006	0.0132
190	55311-41260	BAND CORD	1				0.007	0.0154



**POWER STEERING [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-25150	ASSY STEERING POWER	1				5	11
020	76611-37110	SCREW	6				0.01	0.022
030	76650-26210	ASSY SCREW RETAINER	1				0.015	0.033
040	76650-26220	BALL	1				0.005	0.011
050	76611-37120	CAP END	1				0.5	1.1
060	76611-37130	ROTOR	1				0.2	0.44
070	76611-37140	PLATE SPACER	1				0.135	0.297
080	76611-37150	DRIVE	1				0.123	0.2706
100	76611-37240	RACE BEARING	2				0.015	0.033
110	76611-37250	NEEDLE THRUST	1				0.006	0.0132
120	76611-37260	O RING	1				0.01	0.022
130	76611-37270	SEAL OIL	1				0.005	0.011
140	76611-37280	SEAL DUST	1				0.005	0.011
150	76611-37290	RING RETAINING	1				0.01	0.022
160	76611-37300	BUSH	1				0.103	0.2266
170	76650-26240	O RING	3				0.005	0.011
180	76650-26250	KIT SEAL	1			OPTION	0.01	0.022




76650 - 044-10

010 76650-5831-0


020 01125-50816



76650-807-10



76650-045-10






HYDRAULIC PIPE (HST)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-25210	PIPE SUCTION	1				0.2	0.44
020	66591-36250	JOINT	1				0.08	0.176
030	67111-37180	GASKET	2				0.003	0.0066
040	04811-00110	O RING	1				0.001	0.0022
050	76650-25240	PIPE HYDRAULIC	1				0.1	0.22
060	68011-62220	O RING	1				0.001	0.0022
070	66101-36460	PLUG DRAIN	1	≤10758			0	0
070	66101-36463	PLUG DRAIN	1	≥10759	←		0.046	0.1012
080	76650-25250	JOINT	1				0.07	0.154
090	04811-00110	O RING	1				0.001	0.0022
100	04811-10090	O RING	1				0.001	0.0022
110	36330-63080	NIPPLE	2				0.07	0.154
120	04811-00140	O RING	2				0.001	0.0022
130	76650-25260	PIPE DELIVERY	1				0.175	0.385
140	76650-25283	PIPE RETURN	1				0.08	0.176






CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-25310	VALVE CONTROL	1			REFER TO L.No.0D12-R0 FOR COMPONENTS.	5.7	12.54
020	01774-51025	BOLT FLANGE	3				0.02	0.044
030	76650-26130	LEVER LIFT	1				0.205	0.451
040	05122-50518	PIN JOINT	2				0.002	0.0044
050	04013-60050	WASHER PLAIN	2				0.001	0.0022
060	05511-51208	PIN SPLIT	2				0.001	0.0022
070	55411-33420	GRIP LEVER	1	≤10758			0.035	0.077
070	55611-31460	GRIP LEVER	1	≥10759	↔		0.03	0.066
080	71600-32290	JOINT	2				0.1	0.22
090	04811-00180	O RING	2				0.001	0.0022
100	76611-36440	ADAPTER	1				0.1	0.22
110	04811-00140	O RING	1				0.001	0.0022
120	76650-25410	FILTER	1				0.49	1.078
130	76650-25430	CARTRIDGE FILTER	1				0.35	0.77
140	01754-50812	BOLT FLANGE	2				0.01	0.022
150	36602-23600	NIPPLE	2				0.069	0.1518
160	76650-25270	PIPE RETURN	1				0.12	0.264
170	68171-76100	ASSY VALVE CHECK	1				0.2	0.44
180	68171-76110	POPPET	1				0.015	0.033
190	68011-62720	LINK LOCK	1				0.001	0.0022
200	68011-62740	SPRING	1				0.001	0.0022
210	68011-62750	RETAINER SPRING	1				0.003	0.0066
220	68111-63610	ADAPTER	1				0.065	0.143






CONTROL VALVE [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-25310	VALVE CONTROL	1				5.7	12.54
020	76611-38110	PLATE CONNECTION	1				1.55	3.41
030	76611-38120	PLATE END	1				1.102	2.4244
040	76611-38130	VALVE CHECK	1				0.008	0.0176
050	76611-38140	SPRING	1				0.005	0.011
060	76611-38150	WASHER PLAIN	1				0.003	0.0066
070	76611-38160	O RING	2				0.003	0.0066
080	76611-38190	BOLT	1				0.03	0.066
090	76611-38180	NUT	2				0.01	0.022
100	76611-38170	BOLT	2				0.08	0.176
110	76611-38200	NUT	4				0.005	0.011
120	76611-38210	SEAL OIL	2				0.01	0.022
130	76611-38220	PLATE	2				0.05	0.11
140	76611-38230	SEAT SPRING	1				0.01	0.022
150	76611-38240	SPRING	1				0.013	0.0286
160	76611-38250	BOLT	1				0.03	0.066
170	76611-38260	BALL	2				0.005	0.011
180	76611-38270	SPRING	1				0.001	0.0022
190	76611-38280	WASHER PLAIN	1				0.01	0.022
200	76611-38290	BUSH	1				0.02	0.044
210	76611-38300	SPACER	1				0.02	0.044
220	76611-38310	NUT	1				0.042	0.0924
230	76611-38320	BOLT	2				0.02	0.044
240	76611-38330	BOLT	2				0.005	0.011
250	76611-38340	VALVE RELIEF	1				0.235	0.517
260	76611-38420	PLUG	1				0.02	0.044
270	76611-38460	BRACKET	1				0.01	0.022





CONTROL VALVE KIT (OPTION)


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76611-36770	VALVE CONTROL	1			REFER TO L.No.0D13-R0 FOR COMPONENTS.	2.35	5.17
020	76611-36780	BOLT	1				0.1	0.22
030	76611-36790	BOLT	2				0.05	0.11
040	76611-36750	ADAPTER	1				0.155	0.341
050	76611-36760	ADAPTER	1				0.1	0.22
060	76611-36730	ASSY JOINT MALE	2				0.065	0.143
065	76611-36320	CAP DUST	2				0.003	0.0066
070	76611-36740	ASSY JOINT FEMALE	2				0.03	0.066
075	76611-36330	PLUG DUST	2				0.004	0.0088
080	76650-25620	LEVER HYDRAULIC	1				0.2	0.44
090	55411-33420	GRIP LEVER	1	≤10758			0.035	0.077
090	55611-31460	GRIP LEVER	1	≥10759	↔		0.03	0.066
100	05122-50518	PIN JOINT	2				0.002	0.0044
110	04013-60050	WASHER PLAIN	2				0.001	0.0022
120	05511-51208	PIN SPLIT	2				0.001	0.0022

**CONTROL VALVE (OPTION) [COMPONENT PARTS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76611-36770	VALVE CONTROL	1				2.35	5.17
020	76611-38510	VALVE	1				0.11	0.242
030	04810-00100	O RING	1				0.001	0.0022
040	76611-38520	O RING	1				0.002	0.0044
050	76611-38530	RING BACK UP	1				0.001	0.0022
060	04810-00220	O RING	1				0.001	0.0022
070	76611-38160	O RING	1				0.003	0.0066
080	76611-38130	VALVE CHECK	1				0.008	0.0176
090	76611-38140	SPRING	1				0.005	0.011
100	76611-38150	WASHER PLAIN	1				0.003	0.0066
110	76611-38210	SEAL OIL	2				0.01	0.022
120	76611-38220	PLATE	1				0.05	0.11
130	76611-38230	SEAT SPRING	2				0.01	0.022
140	76611-38240	SPRING	1				0.013	0.0286
150	76611-38540	BOLT	1				0.01	0.022
160	76611-38310	NUT	1				0.042	0.0924
170	76611-38320	BOLT	2				0.02	0.044
180	76611-38330	BOLT	2				0.005	0.011
190	76611-38550	PLUG	1				0.05	0.11
200	04810-00220	O RING	1				0.001	0.0022
210	76611-38560	RING BACK UP	1				0.001	0.0022
220	76611-38570	O RING	1				0.002	0.0044
230	76611-38460	BRACKET	1				0.01	0.022
240	76611-38420	PLUG	2				0.02	0.044
250	04810-00100	O RING	2				0.001	0.0022
260	76611-38580	SHIM	1				0.002	0.0044






LIFT CYLINDER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-25330	HOSE LIFT CYLINDER	1				0.23	0.506
020	36830-63030	JOINT CYLINDER	1				0.054	0.1188
030	76650-25610	HOSE LIFT CYLINDER	1				0.12	0.264
040	68221-68770	ADAPTER	1				0	0
050	76650-25480	JOINT	1				0.07	0.154
060	04811-00140	O RING	1				0.001	0.0022
070	76650-25460	HOSE HST DRAIN	1				0.03	0.066
080	09318-88155	CLAMP HOSE	2				0.005	0.011
090	76650-25470	HOLDER HST DRAIN	1				0.12	0.264
100	89910-13022	PLUG	1				0.013	0.0286
110	76650-25510	HOSE POWER STRG.	1				0.29	0.638
120	76650-25520	HOSE POWER STRG.	1				0.3	0.66
130	36830-63030	JOINT CYLINDER	2				0.054	0.1188
140	76650-26810	ASSY CYLINDER LIFT	1			REFER TO L.No.0D14-R0 FOR COMPONENTS.	5.7	12.54
150	55311-41260	BAND CORD	2				0.007	0.0154



050 76650-2686-0

060 76650-2687-0




76650-808-10



LIFT CYLINDER [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-26810	ASSY CYLINDER LIFT	1				5.7	12.54
020	76650-26830	COMP.TUBE CYLINDER	1				1.8	3.96
030	76650-26840	COMP ROD CYLINDER	1				1.4	3.08
040	76650-26850	END	1	≤10770			0.03	0.066
040	76650-26852	END	1	≥10771	≠		0.97	2.134
050	76650-26860	SCRAPER	1	≤10770			0.015	0.033
050	68701-72170	SCRAPER	1	≥10771	≠		0.006	0.0132
060	76650-26870	SP-RING	1	≤10770			0.015	0.033
070	04810-50650	O RING	1				0.002	0.0044
080	76650-26880	PISTON LIFT CYLINDER	1				0.8	1.76
090	76650-26890	SEAL	1				0.01	0.022
100	76650-26930	WEARING	1				0.005	0.011
110	76650-26940	NUT LOCK	1				0.055	0.121
120	08511-01820	BUSH	2				0.001	0.0022
130	76650-26950	GASKET	1				0.005	0.011






MOWER LIFT ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-62110	BRACKET LH	1	<=10758			0	0
010	76664-62110	BRACKET LH	1	>=10759	←		1.35	2.97
020	76650-62130	BRACKET RH	1	<=10758			2.3	5.06
020	76650-62140	BRACKET RH	1	>=10759	←		3.4	7.48
030	01574-51225	STUD	8	<=10601			0.034	0.0748
030	01574-51220	STUD	8	>=10602	↔		0.03	0.066
040	76611-65310	NUT LOCK	8				0.01	0.022
050	01133-51225	BOLT	4				0.038	0.0836
070	76650-62210	PIN MOWER LINK	2				0.51	1.122
080	01514-51018	STUD	2				0.017	0.0374
090	02131-50100	NUT	2	<=10736			0.01	0.022
090	76650-12220	NUT LOCK	2	>=10737	←		0.011	0.0242
100	76650-62230	PIN LIFT CYLINDER.	1				0.235	0.517
110	01133-51016	BOLT	1				0.015	0.033
120	05122-51860	PIN JOINT	1				0.124	0.2728
130	04011-50180	WASHER PLAIN	1				0.012	0.0264
140	66713-34340	PIN SET	1				0.013	0.0286
150	76650-62310	ARM MOWER LIFT LH	1				1.15	2.53
160	76650-62330	ARM MOWER LIFT RH	1				4.4	9.68
170	04612-00300	CIRCLIP EXTERNAL	1				0.003	0.0066
180	76650-64110	WEIGHT	1				40	88
190	01517-51035	STUD	2				0.028	0.0616
200	01133-51025	BOLT	2				0.023	0.0506
210	02118-50100	NUT	2				0.005	0.011
220	04512-60100	WASHER SPRING	2				0.002	0.0044






BONNET (HOOD)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-44100	BONNET	1	<=10462			0	0
010	76650-44103	BONNET	1	>=10463	←		10	22
020	76650-44310	TRIM BONNET FRONT	1				0.095	0.209
030	76650-44320	TRIM BONNET REAR	1				0.095	0.209
040	76650-44330	TRIM BONNET MID.	1				0.09	0.198
050	66101-54174	HOOK BONNET	2				0.055	0.121
060	67800-54623	SPRING	2				0.005	0.011
070	04015-60060	WASHER PLAIN	2				0.005	0.011
080	05511-50315	PIN SPLIT	2				0.002	0.0044
090	66711-54150	BOLT	2				0.026	0.0572
100	04015-50100	WASHER PLAIN	2				0.016	0.0352
110	34150-18180	CUSHION	2				0.003	0.0066
120	05515-61000	PIN SNAP	2				0.003	0.0066
130	76611-54340	BAND BONNET	1				0.04	0.088
140	01123-60816	BOLT	1				0.01	0.022
150	02156-50080	NUT	1				0.004	0.0088
160	04013-50080	WASHER PLAIN	2				0	0
170	01125-50820	BOLT	1				0	0
180	76650-44350	PLATE	1				1.6	3.52
190	01754-50812	BOLT FLANGE	3				0.01	0.022
200	76650-44370	TRIM PLATE	1	<=10736			0.145	0.319
200	76650-44372	TRIM PLATE	1	>=10737	≠		0.13	0.286
210	67950-52770	CUSHION	1	<=10758			0.01	0.022
210	76630-53170	GUARD	1	>=10759	↔		0.001	0.0022
220	76630-47810	REFLECTOR	2				0.001	0.0022
230	76650-44410	TAPE RADIATOR	1				0.025	0.055
240	76650-44420	TAPE RADIATOR RH	1				0.015	0.033
250	76650-44430	TAPE RADIATOR LH	1				0.235	0.517
260	76650-44510	TRIM	1				0.006	0.0132
270	67950-51320	CUSHION	1				0.01	0.022





060 76650-4332-0

080 01125-60816

100 32260-2918-0

110 04013-60140




76650-809-10



FENDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-43100	FENDER LH	1				5.1	11.22
020	76650-43200	FENDER RH	1				4.75	10.45
030	76650-43310	PANEL FENDER	1				0.24	0.528
040	55611-44190	NUT	12				0.004	0.0088
050	55611-44210	PLATE WASHER	12				0.007	0.0154
060	76650-43320	PLATE FENDER	2	≤10736			0.5	1.1
060	76650-43320	PLATE FENDER	1	≥10737			0.5	1.1
065	76650-43340	PLATE	1	≥10737			0.032	0.0704
070	01135-51016	BOLT	6				0.02	0.044
080	01125-60816	BOLT	8	≤10736			0.01	0.022
080	01125-60816	BOLT	6	≥10737			0.01	0.022
090	34670-29440	HANDRAIL	1				0.1	0.22
100	32260-29180	CUSHION	4	≤10601			0.005	0.011
110	04013-60140	WASHER PLAIN	2	≤10601			0.01	0.022
110	04512-60140	WASHER SPRING	2	≥10602	≠		0.006	0.0132
120	02174-50140	NUT	2				0.014	0.0308
130	76650-43330	STAY FENDER JOINT	1				0.71	1.562
140	01125-60816	BOLT	2				0.01	0.022
150	76650-35240	CUSHION	2	≥10759			0.01	0.022
160	76650-43370	CUSHION	1	≥10759			0.005	0.011
170	76650-43360	CUSHION	1	≥10759			0.005	0.011






COVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-42110	COVER LH UPPER	1	<=10462			0	0
010	76650-42114	COVER LH UPPER	1	>=10463	←		2.2	4.84
020	01125-60816	BOLT	4				0.01	0.022
040	67061-54650	CUSHION	1				0.01	0.022
050	76650-42120	CUSHION	2				0.01	0.022
060	67156-54470	CUSHION	4				0.003	0.0066
070	76650-42150	COVER SIDE	2	<=10736			0	0
070	76650-42152	COVER SIDE	2	>=10737	←		0.9	1.98
080	01820-50815	BOLT KNOB	4				0.026	0.0572
090	76650-42210	COVER LH REAR	1				0.45	0.99
100	76650-42220	COVER RH REAR	1				0.45	0.99
110	01754-50814	BOLT FLANGE	6				0.005	0.011
120	76650-42240	PROTECTOR RADIATOR	1				0.35	0.77
130	01125-60816	BOLT	4				0.01	0.022






ENGINE BRACKET


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-42310	BRACKET ENGINE	1				4.6	10.12
020	01133-51020	BOLT	18				0.02	0.044
030	67800-51994	SUPPORT RADIATOR	2				0.127	0.2794
040	01125-60816	BOLT	4				0.01	0.022
050	76650-42410	COVER LH LOWER	1				0.7	1.54
060	76650-42420	CUSHION	1				0.015	0.033
070	76650-42430	CUSHION	1				0.008	0.0176
080	76630-56780	PLUG	1				0.014	0.0308
090	76650-42440	COVER RH LOWER	1				0.68	1.496
100	76650-42430	CUSHION	1				0.008	0.0176
110	32150-29180	CAP RUBBER	1				0.002	0.0044
120	01754-50812	BOLT FLANGE	4				0.01	0.022
130	04512-60080	WASHER SPRING	1				0.002	0.0044
140	01125-60816	BOLT	2				0.01	0.022
150	76650-42510	COVER RADIATOR	1				0.6	1.32
160	01125-60816	BOLT	3				0.01	0.022
170	01125-50820	BOLT	1				0	0
180	76650-42520	TRIM DUSTPROOF	1				0.03	0.066
190	55411-21792	WHISTLE STEAM	1				0.01	0.022




030 01123-51022

040 04013-50100



150 76650-4419-0




76650-810-10



FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-41110	FRAME	1	≤10736			0	0
010	76650-41117	FRAME	1	≥10737	←		0	0
010	76664-41110	FRAME	1	≥10759	←		16	35.2
020	01135-61025	BOLT	6				0.04	0.088
025	76650-90210	KIT WASHER	1				0.3	0.66
030	01123-51022	BOLT	6	≤10758			0.02	0.044
030	01123-51022	BOLT	2	≥10759			0.02	0.044
035	01554-51025	STUD	4	≥10759			0.02	0.044
040	04013-50100	WASHER PLAIN	6	≤10758			0	0
040	76650-12220	NUT LOCK	4	≥10759	≠		0.011	0.0242
050	41330-76120	WASHER	5	≥10759			0.025	0.055
060	76650-41810	WASHER	1	≥10759			0.012	0.0264
070	76650-41200	FRAME	1				36	79.2
080	67211-42940	NIPPLE GREASE	1	≥10329			0.001	0.0022
090	01123-51022	BOLT	8				0.02	0.044
100	01133-51230	BOLT	2				0.04	0.088
110	76650-41520	BRACKET VALVE	1				0.8	1.76
120	01133-51022	BOLT	2				0.025	0.055
130	66204-51160	PLUG	2				0.007	0.0154
140	76650-41510	SUPPORT	1				2.1	4.62
150	76650-44190	CUSHION	2	≤10736			0.003	0.0066






FRONT FRAME/STEP


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-41600	FRAME FRONT	1				12.5	27.5
020	01133-51225	BOLT	6	≤10758			0.038	0.0836
020	01133-51225	BOLT	4	≥10759			0.038	0.0836
030	01133-51260	BOLT	2	≥10759			0.06	0.132
040	67211-42940	NIPPLE GREASE	1				0.001	0.0022
050	04012-50060	WASHER PLAIN	1				0.001	0.0022
060	76611-51520	FRAME STEP	1				3.08	6.776
070	01774-51045	BOLT FLANGE	4				0.035	0.077
080	02771-60100	NUT FLANGE	4				0.01	0.022
090	01125-60816	BOLT	4				0.01	0.022
100	76650-41710	STEP	1				6.5	14.3
110	01125-60816	BOLT	12				0.01	0.022
120	02121-50080	NUT	1				0.01	0.022
130	76650-41720	MAT STEP	1				2.3	5.06
140	38240-29870	CUSHION	2				0.004	0.0088



↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-35100	ASSY SEAT	1	<=10762		REFER TO L.No.0E04-L0 FOR COMPONENTS.	0	0
010	76650-35102	ASSY SEAT	1	>=10763	↔	REFER TO L.No.0E04-L0 FOR COMPONENTS.	24.26	53.372
020	01133-51020	BOLT	4				0.02	0.044
030	76650-42620	CUSHION	1				0.038	0.0836
040	76650-42630	CUSHION	2				0.015	0.033
050	76650-35210	BRACKET SEAT	1				6.68	14.696
060	05122-51045	PIN JOINT	2				0	0
070	05515-61000	PIN SNAP	2				0.003	0.0066
080	66021-55510	CLIP WIRE	3	<=10328			0.005	0.011
080	66021-55510	CLIP WIRE	4	>=10329			0.005	0.011
090	76650-35220	STAY SEAT	1	<=10736			0	0
		BRACKET						
090	76650-35222	STAY SEAT	1	>=10737	←		1.8	3.96
		BRACKET						
100	01123-50820	BOLT	8				0.011	0.0242
110	76611-45230	SPRING FLOOR SEAT	1				0.007	0.0154
120	76611-45140	CUSHION	2				0.02	0.044
130	76611-45153	HOLDER FLOOR SEAT	1				0.13	0.286
140	05411-00212	PIN SPRING	1				0.001	0.0022
150	04012-50080	WASHER PLAIN	1				0.001	0.0022
160	05511-50215	PIN SPLIT	1				0.001	0.0022
170	33251-83900	SPRING BONNET HOLDER	1				0.008	0.0176
180	03054-50508	SCREW	2				0.002	0.0044
190	04411-50050	WASHER TOOTHED	2				0.001	0.0022
200	76650-42610	COVER SEAT LEVER	1				0.005	0.011






SEAT [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-35100	ASSY SEAT	1	<=10762			0	0
010	76650-35102	ASSY SEAT	1	>=10763	↔		24.26	53.372
020	76650-35120	COMP.CASE OUTER	1				3	6.6
030	36530-85290	COMP.NUT HANGER	1				0.09	0.198
040	05411-00414	PIN SPRING	1				0.001	0.0022
050	35820-85460	COMP.ROLLER	2				0.014	0.0308
060	35820-85300	SHAFT	2				0.04	0.088
070	04613-00050	CIRCLIP EXTERNAL	4				0	0
080	76611-45430	COMP.CASE INNER	1	<=10762			0	0
080	76611-45432	COMP.CASE INNER	1	>=10763	↔		2.6	5.72
090	36530-85260	SPRING COIL	2				0.4	0.88
100	76650-35130	DAMPER	1				0.4	0.88
110	36530-85340	PIN DAMPER	1				0.01	0.022
120	04613-00030	CIRCLIP EXTERNAL	1				0	0
130	04612-00100	CIRCLIP EXTERNAL	1				0.001	0.0022
140	36530-85470	ROLLER	2				0.022	0.0484
150	76650-35160	ASSY SEAT BACK	1				3.56	7.832
160	76650-35170	ASSY CUSHION SEAT	1				4.5	9.9
170	35820-85190	COMP.ARM SWING	1				1.65	3.63
175	76650-35150	BUSH	4				0.004	0.0088
180	36530-85210	COMP.PLATE BASE	1				1.93	4.246
190	36530-85220	ADJUSTER SEAT LH	1				1.25	2.75
200	36530-85200	SPRING	1				0.38	0.836
210	36530-85230	ADJUSTER SEAT RH	1				1.06	2.332
220	36530-85180	COMP.GASSET	1				2	4.4
230	36530-85580	LABEL	1				0.001	0.0022
240	36530-85590	MARK TRIANGLE	2				0.001	0.0022
250	36530-85550	BOLT FLANGE	4				0.014	0.0308
260	36530-85380	WASHER PLAIN	4				0.025	0.055
270	35820-85422	BOLT	2				0.03	0.066
290	76650-35180	NUT LOCK	2				0.007	0.0154
300	02751-50080	NUT FLANGE	6				0.006	0.0132
310	35820-85622	BOLT	2				0.025	0.055
320	76650-35140	NUT	2				0.014	0.0308
340	36530-85280	SHAFT	1				0.2	0.44
350	04613-00100	CIRCLIP EXTERNAL	4				0.001	0.0022
360	35820-85280	SHAFT	1				0.2	0.44
370	35820-85482	WASHER PLAIN	2				0.01	0.022
380	36530-85240	RUBBER STOPPER	1				0.025	0.055
390	35820-85432	NUT FLANGE	2				0.01	0.022
400	36530-85450	RUBBER PROTECTOR	2				0.003	0.0066
410	36530-85310	HANDLE ADJUSTING	1				0.09	0.198
420	76650-35200	ASSY SWITCH LIMIT	1				0.145	0.319
430	76611-45440	RUBBER PROTECTOR	1				0.003	0.0066






ROPS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-90420	KIT ROPS	1				0	0
020	01173-51270	BOLT	2				0.067	0.1474
030	04015-60120	WASHER PLAIN	2				0.022	0.0484
035	04512-50120	WASHER SPRING	2				0	0
040	01173-51435	BOLT	2				0.056	0.1232
050	04013-60140	WASHER PLAIN	2				0.01	0.022
060	04512-60140	WASHER SPRING	2				0.006	0.0132
070	01173-51265	BOLT	2				0.063	0.1386
080	04015-60120	WASHER PLAIN	2				0.022	0.0484
090	04512-50120	WASHER SPRING	2				0	0
100	35080-18550	ASSY BELT SEAT	1				0.75	1.65
110	76630-72530	BRACKET SEAT BELT	2				0	0
120	01133-51025	BOLT	2				0.023	0.0506
130	04013-50100	WASHER PLAIN	6				0	0
140	02118-50100	NUT	4				0.005	0.011
150	76650-90430	MANUAL ASSEMBLY	1				0	0





LABEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66041-47134	LABEL CAUTION	1				0.009	0.0198
010	76613-47130	LABEL CAUTION	1			[CA] FRENCH	0.001	0.0022
020	35260-29782	LABEL ROPS WARNING	1	≤10762			0.001	0.0022
020	TA040-49320	LABEL ROPS WARNING	1	≥10763	↔		0.001	0.0022
020	35871-98640	LABEL ROPS WARNING	1	≤10752		[CA] FRENCH	0.002	0.0044
020	76651-36520	LABEL ROPS	1	≥10753	←	[CA] FRENCH	0	0
020	K3352-47310	LABEL ROPS WARNING	1	≥10763	↔	[CA] FRENCH	0	0
020	TA040-49150	LABEL ROPS WARNING	1	≥10771	↔	[CA] FRENCH	0.003	0.0066
030	76611-47530	LABEL RANGE SHIFT	1				0.003	0.0066
040	76650-36110	LABEL CONTROL LEVER	1				0.005	0.011
050	76650-36410	LABEL PTO	1				0.001	0.0022
060	76630-47560	LABEL PARKING BRAKE	1				0.002	0.0044
070	35820-98632	LABEL START CAUTION	1				0.003	0.0066
090	76650-36140	MARK FENDER RH	1				0.01	0.022
100	76650-36150	MARK FENDER LH	1				0.01	0.022
110	76650-36160	MARK BONNET RH	1				0.015	0.033
120	76650-36170	MARK BONNET LH	1				0.015	0.033
130	76611-47694	LABEL KUBOTA	2				0.01	0.022
140	76650-36210	LABEL ZERO TURN	1				0.001	0.0022
140	76651-36210	LABEL ZERO TURN	1			[CA] FRENCH	0.001	0.0022
150	66041-47290	LABEL BRAKE	1				0.001	0.0022
150	66027-47290	LABEL BRAKE	1			[CA] FRENCH	0.001	0.0022
160	76650-36230	LABEL CAUTION	1	≤10505			0	0
160	76650-36232	LABEL TURN CAUTION	1	≥10506	≠		0	0
160	76650-36233	LABEL TURN CAUTION	1	≥10771	←		0.004	0.0088
160	76651-36232	LABEL TURN CAUTION	1			[CA] FRENCH	0.005	0.011
170	76650-36250	LABEL ASSIST	1				0.005	0.011
170	76651-36250	LABEL AUTO ASSIST	1			[CA] FRENCH	0.001	0.0022
180	76650-36310	LABEL MOWER TILT	1				0.005	0.011
180	76651-36310	LABEL MOWER TILT	1			[CA] FRENCH	0.001	0.0022
190	76650-36320	LABEL GREASE	1				0.001	0.0022
200	76650-36440	MARK	1				0.004	0.0088
210	76650-36452	LABEL TURN CAUTION	1	≤10770			0.003	0.0066
210	76650-36452	LABEL TURN CAUTION	1	≥10771	←		0.003	0.0066
210	76651-36450	LABEL TURN CAUTION	1			[CA] FRENCH	0.002	0.0044
220	66021-47260	LABEL INSTRUCTION	1				0.001	0.0022
230	18620-88060	LABEL HI-TEMP	1	≥10690			0.005	0.011
240	76650-36510	LABEL WHEEL WEIGHT	1			[A]	0.001	0.0022
240	76651-36510	LABEL WHEEL WEIGHT	1			[CA]	0.001	0.0022
250	16667-87240	LABEL CAUTION	1	≥10771			0.001	0.0022



ACCESSORIES AND SERVICE PARTS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	76650-61110	MANUAL INSTRUCTION	1			[A]	0	0
010	76651-61110	MANUAL INSTRUCTION	1	<=10762		[CA] ENGLISH	0	0
010	76651-61114	MANUAL INSTRUCTION	1	>=10763	←	[CA] ENGLISH	0	0
010	76651-61120	MANUAL INSTRUCTION	1			[CA] FRENCH	0	0
020	55364-41180	KEY STARTER	2	<=10762			0.03	0.066
020	55364-41180	KEY STARTER	1	>=10763			0.03	0.066
030	15241-86612	WRENCH FILTER	1				0.115	0.253
040	59460-41710	RING FUSIBLE	1	<=10762			0.006	0.0132
040	52200-41170	FUSE SLOW BLOW	1	>=10763	≠	60A	0.01	0.022