

Instructions for Parts Books

The heading at the top of the page will be the same for the picture of the parts at it is for the page with the part numbers.

Definition of column headings on part number pages:

REF.No → The number referring to the part on the picture page of the parts book.

Part No. → The number assigned to this part at the time of printing the parts book.

Description → Discription of part.

Q'ty → Quantity of part used on that page.

S.No. → Serial number range of the equipment that this part will fit.

>= Your serial number should be greater than or equal to the number shown.

<= Your serial number should be lesser than or equal to the serial number shown.

I/C → Interchangeability of part shown.

↔ The part shown will work for the older and later serial number.

The part shown is not interchangeable with the other serial number.

← new for old

→ old for new

Remarks → Notes about this particulart part. Sometimes this may say except [FR] or [CA]


Note about Country Codes:

The parts books we use in the United States of America may also contain information about a part that would be different in another country. It is important that you are aware of the country codes in some instances.

Symbol	Country
A	United States of America
CA	Canada
FR	France
GR	Greece
PO	Portugal
AU	Australia

If the remarks column says for example EXCEPT [FR] this part works in all countries except France. That means it will work here in the USA.

ALL PRODUCT INDEX
G2000




LABELS
ACCESSORIES

Item	Part No.	Description	Book
ENGINE	01G027	CRANKCASE	100K0176
	01G028	OIL PAN	100K0176
	01G029	PISTON/CRANKSHAFT	100K0176
	01G030	MAIN BEARING CASE	100K0176
	01G031	FLYWHEEL	100K0176
	01G032	CYLINDER HEAD	100K0176
	01G033	VALVE/ROCKER ARM	100K0176
	01G034	HEAD COVER	100K0176
	01G035	INLET MANIFOLD	100K0176
	01G037	EXHAUST MANIFOLD	100K0176
	01G039	CAMSHAFT	100K0176
	01G040	GEAR CASE	100K0176
	01G041	WATER PUMP	100K0176
	01G042	WATER FLANGE/THERMOSTAT	100K0176
	01G043	DISTRIBUTOR SHAFT	100K0176
	01G044	CARBURETTOR	100K0176
	01G045	CARBURETTOR [COMPONENT PARTS]	100K0176
	01G046	FORK LEVER	100K0176
	01G047	GOVERNOR	100K0176
	01G048	SPEED CONTROL LEVER	100K0176
	01G049	SPARK PLUG	100K0176
	01G050	GASKET KIT	100K0176
	02G036	AIR CLEANER	100K0176
	02G038	MUFFLER	100K0176
	02G051	ACCELERATOR LEVER	100K0176
FUEL SYSTEM	02G052	FUEL TANK	100K0176
	02G054	FUEL PIPE	100K0176
COOLING WATER SYSTEM	02G055	RADIATOR	100K0176
	02G056	FAN	100K0176
ELECTRICAL SYSTEM	02G057	DYNAMO	100K0176
	02G058	DYNAMO [COMPONENT PARTS]	100K0176
	02G061	STARTER [COMPONENT PARTS]	100K0176
	02G063	BATTERY	100K0176
	02G064	LIGHT	100K0176
	02G065	DASHBOARD	100K0176
	02G066	DASHBOARD	100K0176
	02G067	IGNITION COIL	100K0176
	02G069	WIRE HARNESS	100K0176
TRANSMISSION	02G070	TRANSMISSION CASE	100K0176
	02G071	HST	100K0176
	02G072	HST [COMPONENT PARTS]	100K0176
	02G073	UNIVERSAL JOINT/HST FAN	100K0176
	02G074	UNIVERSAL JOINT/HST FAN	100K0176
	02G075	PTO SHAFT	100K0176
	02G076	TENSION PULLEY	100K0176
	02G077	BELT RETAINER	100K0176
	02G078	REAR PTO	100K0176
	02G079	REAR PTO [COMPONENT PARTS]	100K0176
SPEED CHANGE	02G080	CRUISE CONTROL PLATE	100K0176
	02G081	CRUISE CONTROL LEVER	100K0176
	02G082	SPEED CONTROL PEDAL	100K0176
REAR AXLE	02G083	REAR DIFFERENTIAL	100K0176
	02G084	REAR AXLE CASE	100K0176
	02G085	REAR AXLE [2WS]	100K0176
	02G086	REAR WHEEL (23 X 10.5-12) [2WS]	100K0176
BRAKE	02G093	PTO BRAKE	100K0176
	02G094	BRAKE SHAFT	100K0176

Item	Part No.	Description	Book
BRAKE	02G095	BRAKE	100K0176
	02G096	BRAKE ROD	100K0176
	02G097	BRAKE PEDAL	100K0176
FRONT AXLE	02G098	FRONT AXLE/KNUCKLE ARM	100K0176
	02G099	TIE ROD/DRAW LINK	100K0176
	02G100	FRONT WHEEL (16 X 6.50-8)	100K0176
	02G101	FRAME	100K0176
STEERING	02G102	STEERING GEAR CASE	100K0176
	02G103	STEERING WHEEL	100K0176
HYDRAULIC SYSTEM	02G104	CONTROL VALVE	100K0176
	02G105	CONTROL VALVE [COMPONENT PARTS]	100K0176
	02G106	HYDRAULIC PIPE 1	100K0176
	02G107	HYDRAULIC PIPE 2	100K0176
	02G108	LIFT CYLINDER	100K0176
	02G109	HYDRAULIC OUTLET [OLD TYPE] [OPTION]	100K0176
	02G110	HYDRAULIC OUTLET [NEW TYPE] [OPTION]	100K0176
	02G111	3-POINT LINKAGE [OPTION]	100K0176
	02G112	MOWER ASSIST SPRING [OPTION]	100K0176
	02G114	HOOD (BONNET)	100K0176
BONNET/HOOD/CHASSIS	02G115	PANEL	100K0176
	02G116	FENDER	100K0176
	02G117	SEAT [A] [CA]	100K0176
LABELS	02G119	LABEL	100K0176
ACCESSORIES	02G145	ACCESSORIES AND SERVICE PARTS	100K0176

CRANKCASE







CRANKCASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12691-01010	ASSY CRANKCASE	1	<=173620			0	0
010	12691-01013	ASSY CRANKCASE	1	>=173621	←		18	39.6
020	16851-96260	CAP SEALING	3				0.005	0.011
030	16851-96270	CAP SEALING	5				0.005	0.011
040	15451-96270	CAP SEALING	2				0.012	0.0264
050	15261-96010	PLUG	5				0.002	0.0044
060	15521-96020	PLUG	3				0.003	0.0066
070	15521-96030	PLUG	1				0.007	0.0154
080	15261-96160	PLUG	1				0.02	0.044
090	05012-00814	PIN STRAIGHT	2				0.006	0.0132
100	15221-33650	PIN PIPE	1				0.004	0.0088
110	15231-33960	PIN PIPE	2				0.001	0.0022
120	15841-73020	ASSY COCK DRAIN	1				0.03	0.066
130	16851-35010	ASSY PUMP OIL	1				0.24	0.528
140	15862-35152	GASKET OIL PUMP	1	<=752018			0	0
140	16851-35152	GASKET OIL PUMP	1	>=752019	←		0.001	0.0022
150	15841-91050	BOLT	3				0.01	0.022
160	15841-35660	GEAR OIL PUMP DRIVE	1				0.113	0.2486
170	05712-00408	KEY FEATHER	1				0.001	0.0022
180	02783-50100	NUT FLANGE	1				0.01	0.022
190	15531-39010	SWITCH OIL	1				0.032	0.0704
200	17331-59190	PIN PIPE	2				0.02	0.044



020 15861-0162-0
030 01023-50612




12692-801-10



OIL PAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15862-01500	COMP.OIL PAN	1				1.11	2.442
020	15861-01620	GASKET OIL PAN	1	≤173620			0	0
030	01023-50612	BOLT	18	≤173620			0.005	0.011
030	01754-50610	BOLT FLANGE	18	≥173621	≠		0.006	0.0132
040	15221-33750	PLUG	1				0.032	0.0704
050	15109-33660	GASKET	1	≤WL5000			0.001	0.0022
050	6C090-58960	GASKET	1	≥WN0001	←		0.002	0.0044
060	16851-32110	FILTER OIL	1				0.11	0.242
070	04811-00160	RING	1	≤WG4000			0.001	0.0022
070	04814-00160	RING	1	≥WJ0001	←		0.001	0.0022
080	01123-60814	BOLT	1				0.008	0.0176
090	16851-36410	GAUGE OIL	1				0.03	0.066



12599-039-10




PISTON/CRANKSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12691-21110	PISTON	3			STD	0.28	0.616
010	12691-21910	PISTON	3			+0.5MM	0.2	0.44
020	12691-21052	ASSY PISTON RING	3	≤681218		STD	0	0
020	12691-21053	ASSY PISTON RING	3	≥681219	←	STD	0.03	0.066
020	12691-21092	ASSY PISTON RING	3	≤681218		+0.5MM	0	0
020	12691-21093	ASSY PISTON RING	3	≥681219	←	+0.5MM	0.03	0.066
030	12581-21310	PIN PISTON	3				0.05	0.11
040	14601-21330	CIRCLIP PISTON PIN	6				0.002	0.0044
050	15841-22010	ASSY CONNECTING ROD	3	≤165340			0	0
050	15861-22010	ASSY CONNECTING ROD	3	≥165341	←		0.35	0.77
060	15841-21980	BUSH PISTON PIN	1				0.01	0.022
070	16851-22140	BOLT CONNECTING ROD	6				0.012	0.0264
080	15841-22310	METAL CRANKPIN	3	≤165340		STD	0	0
080	15861-22310	METAL CRANKPIN	3	≥165341	←	STD	0.02	0.044
080	15861-22970	METAL CRANKPIN	3			-0.2MM	0.03	0.066
080	15861-22980	METAL CRANKPIN	3			-0.4MM	0.03	0.066
090	16861-23010	COMP.CRANKSHAFT	1				5.56	12.232
100	07715-03207	BALL	3				0.001	0.0022
110	15841-24110	GEAR CRANK	1				0.14	0.308
120	05712-00515	KEY FEATHER	1				0.003	0.0066
130	15861-23470	METAL CRANKSHAFT	1			STD	0.03	0.066
130	15861-23910	METAL CRANKSHAFT	1			-0.2MM	0.04	0.088
130	15861-23920	METAL CRANKSHAFT	1			-0.4MM	0.04	0.088
140	15861-23480	METAL CRANKSHAFT	2			SET STD	0.01	0.022
140	15861-23860	METAL CRANKSHAFT	2			SET -0.2MM	0.03	0.066
140	15861-23870	METAL CRANKSHAFT	2			SET -0.4MM	0.03	0.066
150	15694-23480	METAL CRANKSHAFT	1			SET STD	0.04	0.088
150	15694-23930	METAL CRANKSHAFT	1			SET -0.2MM	0.05	0.11
150	15694-23940	METAL CRANKSHAFT	1			SET -0.4MM	0.046	0.1012
160	15261-23530	METAL SIDE	2			STD	0.006	0.0132
160	15261-23950	METAL SIDE	2			+0.2MM	0.006	0.0132
160	15261-23960	METAL SIDE	2			+0.4MM	0.007	0.0154
170	15261-23540	METAL SIDE	2			STD	0.007	0.0154
170	15261-23970	METAL SIDE	2			+0.2MM	0.006	0.0132
170	15261-23980	METAL SIDE	2			+0.4MM	0.007	0.0154
180	15841-23250	COLLAR CRANKSHAFT	1				0.05	0.11
190	15881-23310	SLINGER OIL	1				0.004	0.0088
200	04811-16220	RING	1	≤WG4000			0.001	0.0022
200	04814-16220	O RING	1	≥WJ0001	←		0.001	0.0022

MAIN BEARING CASE






MAIN BEARING CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-04090	ASSY CASE MAIN BRG.	1				0.71	1.562
020	15841-04540	BOLT BEARING CASE	2				0.012	0.0264
030	15852-04360	GASKET BRG.CASE	1				0.005	0.011
040	15841-04810	COVER BEARING CASE	1				0.16	0.352
050	12581-04460	SEAL OIL	1	≤766820			0	0
050	EG283-04460	SEAL OIL	1	≥766821	↔		0.03	0.066
060	15862-04820	GASKET BRG.CASE COV.	1				0	0
070	01023-50620	BOLT	8				0.006	0.0132
080	01023-50622	BOLT	8				0.005	0.011
090	16851-04040	ASSY CASE MAIN BRG.	1				0.58	1.276
100	15841-04540	BOLT BEARING CASE	2				0.012	0.0264
110	16861-04050	ASSY CASE MAIN BRG.	1				0.58	1.276
120	15841-04540	BOLT BEARING CASE	2				0.012	0.0264
130	15841-04562	BOLT BEARING CASE	2				0.02	0.044

FLYWHEEL






FLYWHEEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12691-25010	COMP.FLYWHEEL	1	≤248676			0	0
010	16861-25010	COMP.FLYWHEEL	1	≥248677	↔		0	0
020	15841-63820	GEAR RING	1	≤258038			0	0
020	16851-63820	GEAR RING	1	≥258039	←		0	0
030	15852-25160	BOLT FLYWHEEL	5				0.025	0.055
040	66103-58020	PLATE REAR END	1				2.3	5.06
050	01123-60816	BOLT	10				0.01	0.022
060	12581-68850	SUPPORT COVER	1				0.08	0.176
070	01023-50610	BOLT	2				0.005	0.011

CYLINDER HEAD






CYLINDER HEAD


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-01750	HOOK ENGINE	2				0	0
020	01123-60814	BOLT	2				0.008	0.0176
030	12692-03040	COMP.CYLINDER HEAD	1				7.3	16.06
040	15321-96260	CAP SEALING	1				0.014	0.0308
050	15261-96010	PLUG	1				0.002	0.0044
060	15841-13540	GUIDE INLET VALVE	3				0.014	0.0308
070	15841-13560	GUIDE EXHAUST VALVE	3				0.014	0.0308
080	66021-55330	SENSOR THERMO	1				0.01	0.022
090	15261-03370	CAP SEALING	2				0.005	0.011
100	14601-03450	BOLT CYLINDER HEAD	14				0.035	0.077
110	12691-03310	GASKET CYLINDER HEAD	1				0.04	0.088

VALVE/ROCKER ARM



010 19005-7270-0
120 19203-7301-0
130 16271-7326-0
140 16264-7327-0
150 01023-50632
160 16259-9150-0
170 02056-50060
180 04512-60060



16292-802-10




VALVE/ROCKER ARM


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	14601-13110	VALVE INLET	3				0.03	0.066
020	12581-13120	VALVE EXHAUST	3				0.025	0.055
030	14601-13240	SPRING VALVE	6				0.015	0.033
040	14601-13330	RETAINER SPRING	6				0.01	0.022
050	14601-13360	COLLET VALVE SPRING	6			SET	0.001	0.0022
060	16851-13280	CAP VALVE	6				0.005	0.011
070	15841-13150	SEAL VALVE STEM	6				0.015	0.033
080	15861-14260	SHAFT ROCKER ARM	6				0.1	0.22
090	15841-14320	SPRING THRUST	2	≤445506			0	0
090	16871-14430	WASHER	6	≥445507	↔		0.002	0.0044
100	15841-94020	WASHER PLAIN	2				0.003	0.0066
110	01023-50610	BOLT	2				0.005	0.011
120	15841-14350	BRACKET ROCKER ARM	3				0.026	0.0572
130	14601-14410	STUD	3				0.015	0.033
140	02056-50060	NUT	3				0.002	0.0044
150	04012-50060	WASHER PLAIN	3				0.001	0.0022
160	04512-60060	WASHER SPRING	3				0.001	0.0022
170	14601-14420	SCREW SET.ROCKER ARM	1				0.006	0.0132
180	14601-14430	WASHER R-ARM.SHAFT	2	≤445506			0.004	0.0088
190	14601-14310	SPRING ROCKER ARM	2				0.005	0.011
200	15841-14030	ASSY ROCKER ARM	6				0.04	0.088
210	15841-14230	SCREW ADJUSTING	6				0.003	0.0066
220	14601-14240	NUT	6				0.007	0.0154

HEAD COVER



130 14601-1462-0



12692-803-10




HEAD COVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15841-05550	JOINT BREATHER PIPE	1				0.025	0.055
020	15841-05140	PLATE B/THER ELEMENT	1				0.005	0.011
030	15841-05150	PLATE B/THER ELEMENT	1				0.005	0.011
040	15841-05670	ELEMENT BREATHER	1				0.01	0.022
050	15841-05370	OIL SHIELD BREATHER	1				0.003	0.0066
060	03024-50510	SCREW WITH WASHER	2				0.002	0.0044
070	12692-05510	PIPE BREATHER	1				0.03	0.066
080	15841-05590	CLAMP PIPE	1				0.005	0.011
090	02114-50080	NUT	1				0.005	0.011
100	04013-50080	WASHER PLAIN	2				0	0
110	16861-14500	ASSY COVER CYL.HEAD	1				0.405	0.891
120	16861-14520	GASKET HEAD COVER	1	<=825650			0	0
120	16861-14522	GASKET HEAD COVER	1	>=825651	←		0.02	0.044
130	14601-14620	NUT CAP	3	<=173620			0	0
130	15841-14620	NUT CAP	3	>=173621	↔		0.01	0.022
140	15601-96650	GASKET	3				0.001	0.0022
150	32240-21410	PLUG	1				0.005	0.011
160	04811-50300	RING	2	<=WG4000			0.001	0.0022
160	04814-50300	RING	2	>=WJ0001	←		0.001	0.0022
170	15951-33110	FLANGE OIL FILTER	1				0.13	0.286


INLET MANIFOLD



EXHAUST MANIFOLD



12599-050-10






CAMSHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16851-15550	TAPPET	6				0.025	0.055
020	16851-15110	PUSH ROD	6				0.02	0.044
030	15861-16010	ASSY CAMSHAFT	1				0.9	1.98
040	03410-50608	SCREW SET	1	≤203090			0.001	0.0022
040	15521-93610	SCREW SET	1	≥203091	≠		0.002	0.0044
050	15841-16510	GEAR CAM	1				0.27	0.594
060	05712-00518	KEY FEATHER	1				0.003	0.0066
070	15841-16270	STOPPER CAMSHAFT	1				0.027	0.0594
080	01023-50612	BOLT	2				0.005	0.011
090	15875-24013	COMP GEAR IDLE	1				0.38	0.836
100	15875-24282	BUSH IDLE GEAR	1				0.01	0.022
110	15875-24370	COLLAR IDLE GEAR	1				0.006	0.0132
120	15875-24320	RING SNAP	1				0.003	0.0066
130	15875-24250	SHAFT IDLE GEAR	1				0.13	0.286
140	01023-50614	BOLT	3				0.005	0.011

GEAR CASE






GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12691-04020	COMP.CASE GEAR	1				1.7	3.74
020	16851-96010	PLUG	2				0.015	0.033
030	04811-06130	RING	3	<=WG4000			0.001	0.0022
030	04814-06130	O RING	3	>=WJ0001	←		0.01	0.022
040	15862-04170	GASKET GEAR CASE	1	<=752018			0	0
040	15862-04132	GASKET GEAR CASE NA	1	>=752019	↔		0.007	0.0154
050	01023-50618	BOLT	1				0.006	0.0132
060	01023-60650	BOLT	8				0.015	0.033
070	15841-91010	BOLT	5				0.014	0.0308
080	01023-60670	BOLT	1				0.015	0.033
090	01023-50675	BOLT	1				0.01	0.022
100	15241-32290	JOINT PIPE	1				0.053	0.1166
110	15841-94010	WASHER PLAIN	1				0.003	0.0066
120	15877-04140	SEAL OIL	1				0.011	0.0242
130	15841-32430	CARTRIDGE OIL FILTER	1	<=338135			0.31	0.682
130	15853-99170	CARTRIDGE OIL FILTER	1	>=338136	↔		0	0
140	16851-36950	SPRING	1				0.02	0.044
150	15841-36930	SEAT VALVE	1				0.01	0.022
160	07715-03211	BALL	1				0.003	0.0066

WATER PUMP







WATER PUMP

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	19883-73030	ASSY PUMP WATER	1				0.65	1.43
020	15852-73520	FLANGE WATER PUMP	1				0.13	0.286
030	15852-73550	BEARING	1				0.18	0.396
040	15481-73050	ASSY SEAL MECHANICAL	1				0.02	0.044
050	19883-73510	IMPELLER WATER PUMP	1				0.05	0.11
060	15852-73340	PIPE WATER RETURN	1				0.02	0.044
070	19883-73430	GASKET WATER PUMP	1	<=746723			0	0
070	15881-73432	GASKET WATER PUMP	1	>=746724	←		0.002	0.0044
080	01023-50622	BOLT	4				0.005	0.011
090	01023-50638	BOLT	1				0.01	0.022




090 15841-7326-0



150 02056-50060

160 04512-60060

170 04012-50060



16871-802-11




WATER FLANGE/THERMOSTAT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16851-72700	COMP.FLANGE WATER	1				0	0
020	16241-73340	PIPE WATER RETURN	1	≤302306			0.006	0.0132
020	16241-73370	PIPE WATER RETURN	1	≥302307	≠		0.007	0.0154
030	15862-72920	GASKET WATER FLANGE	1	≤771520			0	0
030	15841-72922	GASKET WATER FLANGE	1	≥771521	←		0.001	0.0022
040	01023-50616	BOLT	2				0.005	0.011
050	15881-91020	BOLT	1				0.01	0.022
060	16851-73350	PIPE WATER RETURN	1				0.15	0.33
070	16241-73360	BAND PIPE	2				0.003	0.0066
080	19203-73010	ASSY THERMOSTAT	1	≤761958			0.07	0.154
080	15531-73010	ASSY THERMOSTAT	1	≥761959	↔		0.07	0.154
090	15841-73260	COVER THERMOSTAT	1	≤208209			0.04	0.088
090	16851-73260	COVER THERMOSTAT	1	≥208210	≠		0.06	0.132
100	15676-73270	GASKET THERMOSTAT	1				0.005	0.011
100	16851-73270	GASKET	1		↔		0.003	0.0066
110	01023-50622	BOLT	2				0.005	0.011
120	15841-72860	PIPE WATER	1				0.09	0.198
130	15881-72870	PIPE WATER	1				0.03	0.066
140	15841-91510	STUD	1				0.007	0.0154
150	02056-50060	NUT	1	≤771520			0.002	0.0044
150	02751-50060	NUT FLANGE	1	≥771521	≠		0.005	0.011
160	04512-60060	WASHER SPRING	1	≤771520			0.001	0.0022
170	04012-50060	WASHER PLAIN	1	≤771520			0.001	0.0022
180	15841-72960	BAND PIPE	2				0.025	0.055

DISTRIBUTOR SHAFT






DISTRIBUTOR SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12581-51650	COVER	1				0.185	0.407
020	EG281-51660	GASKET	1				0.002	0.0044
030	01053-50612	BOLT	1				0.004	0.0088
040	15601-96650	GASKET	1				0.001	0.0022
050	01023-50614	BOLT	3				0.005	0.011
060	12581-16030	ASSY SHAFT DISTRIBUT	1				0.75	1.65
070	12581-16180	SHAFT DISTRIBUTOR	1				0.12	0.264
080	08153-06203	BEARING BALL	1				0.08	0.176
090	15841-51150	GEAR INJECTION PUMP	1				0.315	0.693
100	05712-00515	KEY FEATHER	1				0.003	0.0066
110	15841-55450	SLEEVE GOVERNOR	1				0.05	0.11
120	15841-55690	CASE GOVERNOR BALL	1				0.02	0.044
130	07715-00801	BALL	32				0.001	0.0022
140	15261-55470	CIR-CLIP GOV.SLEEVE	1				0.002	0.0044
150	07715-03217	BALL	8				0.01	0.022
160	08103-06203	BEARING BALL	1				0.065	0.143
170	15841-16320	STOPPER FUEL.C/SHAFT	1				0.015	0.033
180	01023-50612	BOLT	2				0.005	0.011
190	15852-52850	COVER	1				0.06	0.132
200	16264-52140	GASKET FUEL PUMP	1				0.001	0.0022
210	01023-50616	BOLT	2				0.005	0.011




**CARBURETTOR**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12691-44010	ASSY CARBURETTOR	1			REFER TO L.NO. 0C09-L0 FOR COMPONENTS.	0.37	0.814
020	12596-46150	FLANGE CARBURETTOR	1				0.022	0.0484
030	12035-46110	GASKET CARBURETTOR	1				0.002	0.0044
040	01513-50885	STUD	2				0.035	0.077
050	02114-50080	NUT	2				0.005	0.011
060	04512-60080	WASHER SPRING	2				0.002	0.0044
070	12692-11610	FLANGE AIR CLEANER	1				0.1	0.22
080	12035-11510	GASKET AIR CLEANER	1				0.002	0.0044

CARBURETTOR [COMPONENT PARTS]







CARBURETTOR [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12691-44010	ASSY CARBURETTOR	1				0.37	0.814
020	12691-44330	ASSY SHAFT THROTTLE	1				0.02	0.044
030	12752-44320	VALVE THROTTLE	1				0.002	0.0044
040	12451-44340	SCREW CROSS	2				0.002	0.0044
050	12451-44570	GASKET FELT	1				0.001	0.0022
060	12581-44540	ASSY SHAFT CHOKE	1				0.025	0.055
065	12581-44510	COMP SHAFT CHOKE	1				0.02	0.044
070	12581-44530	VALVE CHOKE	1				0.003	0.0066
080	12451-44550	SCREW CROSS	2				0.002	0.0044
090	12752-44560	SPRING RETURN	1				0.003	0.0066
100	13301-44230	SCREW F-FIL-HD	1				0.002	0.0044
110	13626-44210	SPRING	1				0.001	0.0022
120	13626-44220	SCREW ADJUSTING	1				0.002	0.0044
130	13301-44240	SPRING	1				0.001	0.0022
140	12691-44120	NOZZLE MAIN	1				0.001	0.0022
150	12581-44110	MAIN JET	1				0.002	0.0044
160	12453-44200	MAIN JET	1				0.002	0.0044
170	13961-44840	ASSY VALVE FLOAT	1				0.001	0.0022
180	13961-44860	CLIP	1				0.001	0.0022
190	13901-44710	FLOAT	1				0.015	0.033
200	13901-44780	PIN ARM	1				0.004	0.0088
210	13961-44272	SCREW SET	1				0.001	0.0022
220	13963-44730	CHAMBER FLOAT	1				0.025	0.055
230	13901-44830	SCREW DRAIN	1				0.001	0.0022
240	13901-45950	O RING	1				0.001	0.0022
250	13901-44740	GASKET	1				0.006	0.0132
260	12581-44260	SCREW	1				0.014	0.0308
270	13626-44280	GASKET	1				0.001	0.0022
280	12581-45410	PIPE DRAIN	1				0.01	0.022
290	12581-45310	PLATE	1				0.015	0.033
300	12581-45340	CLIP	1				0.003	0.0066
310	12581-45300	ASSY VALVE SOLENOID	1				0.1	0.22
320	12581-45320	O RING	1				0.001	0.0022
330	03024-50510	SCREW WITH WASHER	1				0.002	0.0044
340	12581-45330	CORD EARTH	1				0.003	0.0066
350	04012-50050	WASHER PLAIN	1				0.001	0.0022

FORK LEVER








GOVERNOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12581-56100	COMP.LEVER GOVERNOR	1				0.055	0.121
020	12581-55870	SPRING GOVERNOR LEV.	1				0.004	0.0088
030	12581-55810	BEARING	1	≤798015			0	0
030	EG283-55810	BEARING	1	≥798016	↔		0.002	0.0044
040	12581-55820	BEARING	1	≤798015			0	0
040	EG283-55820	BEARING	1	≥798016	↔		0.003	0.0066
050	12581-55830	CIR-CLIP	2				0.001	0.0022
060	12581-55850	SEAL OIL	1				0.002	0.0044
070	12581-56310	SUPPORT GOV.L.SHAFT	1				0.07	0.154
080	12692-55910	STOPPER	1				0.03	0.066
090	01055-50645	BOLT	1				0.01	0.022
100	02014-50060	NUT	1				0.003	0.0066
110	15862-57210	GASKET	1	≤752018			0	0
110	15841-57212	GASKET	1	≥752019	←		0.001	0.0022
120	01023-50622	BOLT	2				0.005	0.011
130	12581-56330	COVER	1				0.028	0.0616
140	EG281-56340	GASKET	1				0.001	0.0022
150	01053-50622	BOLT	2				0.007	0.0154
160	01053-50612	BOLT	2				0.004	0.0088
170	15601-96650	GASKET	4				0.001	0.0022
180	12581-56110	LEVER GOVERNOR	1	≤XL8099			0	0
180	12581-56112	LEVER GOVERNOR	1	≥XN0001	←		0.11	0.242
190	02114-50080	NUT	1				0.005	0.011
200	04013-50080	WASHER PLAIN	1				0	0
210	04512-60080	WASHER SPRING	1				0.002	0.0044
220	12581-56350	ROD GOVERNOR JOINT	1				0.01	0.022
230	12581-56390	SPRING	1				0.004	0.0088

SPEED CONTROL LEVER



02692-006-10




SPEED CONTROL LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12691-56400	ASSY SPRING GOVERNOR	1				0.015	0.033
020	12691-56410	SPRING GOVERNOR	1				0.01	0.022
030	12691-56430	CUSHION	1				0.005	0.011
040	12692-57010	ASSY PLATE CONTROL	1				0.08	0.176
050	03014-50630	SCREW	1	≤397989			0.006	0.0132
050	12182-93310	SCREW	1	≥397990	↔		0.002	0.0044
060	02014-50060	NUT	1				0.003	0.0066
070	12581-57040	COMP LEVER SP-CONT	1				0.09	0.198
080	12581-57240	COLLAR	1				0.004	0.0088
090	04015-60080	WASHER PLAIN	1				0.01	0.022
100	01518-50820	STUD	1				0.012	0.0264
110	02114-50080	NUT	1				0.005	0.011
120	04512-60080	WASHER SPRING	1				0.002	0.0044
130	01023-50614	BOLT	1				0.005	0.011
140	12581-46810	STAY WIRE CHOKE	1	≤248675			0	0
140	12599-46810	STAY WIRE CHOKE	1	≥248676	↔		0.024	0.0528

SPARK PLUG



12599-044-10




SPARK PLUG

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12691-67710	SPARK PLUG	3	<=721859			0.05	0.11
010	12599-67710	SPARK PLUG	3	>=721860	←		0.1	0.22
020	12581-67720	CAP SPARK PLUG	3				0	0
030	12692-67510	ASSY CORD CENTER	1				0.05	0.11
040	12691-67520	CORD PLUG	1				0.05	0.11
050	12691-67530	CORD PLUG	1				0.05	0.11
060	12691-67540	CORD PLUG	1				0.05	0.11
070	15272-67590	CLAMP CORD	1				0.004	0.0088
080	12692-68800	ASSY DISTRIBUTOR AIR	1				0	0
090	01123-50825	BOLT	1				0.013	0.0286
100	04013-50080	WASHER PLAIN	1				0	0
110	12581-68820	PIPE	1				0.01	0.022
120	12586-68830	PIPE	1	<=766820			0	0
120	EG283-68830	PIPE	1	>=766821	↔		0.007	0.0154
130	12692-68840	COVER	1	<=173620			0.22	0.484
130	12692-68843	COVER	1	>=173621	≠		0.1	0.22
140	03024-50510	SCREW WITH WASHER	4				0.002	0.0044
150	04013-60050	WASHER PLAIN	4				0.001	0.0022

GASKET KIT






GASKET KIT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	07916-27970	KIT GASKET	1				0.27	0.594
020	EG281-51660	GASKET	1				0.002	0.0044
030	EG281-56340	GASKET	1				0.001	0.0022
040	04811-00160	O RING	1	<=WG4000			0.001	0.0022
040	04814-00160	RING	1	>=WJ0001	←		0.001	0.0022
050	04811-06130	O RING	3	<=WG4000			0.001	0.0022
050	04814-06130	O RING	3	>=WJ0001	←		0.01	0.022
060	04811-16220	O RING	1	<=WG4000			0.001	0.0022
060	04814-16220	O RING	1	>=WJ0001	←		0.001	0.0022
070	04811-50300	O RING	2	<=WG4000			0.001	0.0022
070	04814-50300	RING	2	>=WJ0001	←		0.001	0.0022
080	12035-11510	GASKET AIR CLEANER	1				0.002	0.0044
090	12035-46110	GASKET CARBURETTOR	2				0.002	0.0044
100	12581-04460	SEAL OIL	1				0	0
110	12581-11820	GASKET IN-MANIFOLD	1				0.002	0.0044
120	12581-55850	SEAL OIL	1				0.002	0.0044
130	12581-68630	GASKET	1				0.004	0.0088
140	12599-12230	GASKET MUFFLER NA	1				0.016	0.0352
150	12691-03310	GASKET CYLINDER HEAD	1				0.04	0.088
160	13901-44740	GASKET	1				0.006	0.0132
170	15676-73270	GASKET THERMOSTAT	1	<=681218			0.005	0.011
170	16851-73270	GASKET	1	>=681219	↔		0.003	0.0066
180	15841-13150	SEAL VALVE STEM	6				0.015	0.033
190	15852-04360	GASKET BRG.CASE	1				0.005	0.011
200	15862-04170	GASKET GEAR CASE	1	<=752018			0	0
200	15862-04132	GASKET GEAR CASE	1	>=752019	↔		0.007	0.0154
210	15862-04820	GASKET BRG.CASE COV.	1				0	0
220	15862-12350	GASKET EX-MANIFOLD	1				0.01	0.022
230	15862-35152	GASKET OIL PUMP	1	<=752018			0	0
230	16851-35152	GASKET OIL PUMP	1	>=752019	←		0.001	0.0022
240	15862-57210	GASKET	1	<=752018			0	0
240	15841-57212	GASKET	1	>=752019	←		0.001	0.0022
250	15862-72920	GASKET WATER FLANGE	1	<=771520			0	0
250	15841-72922	GASKET WATER FLANGE	1	>=771521	←		0.001	0.0022
260	15877-04140	SEAL OIL	1				0.011	0.0242
270	16264-52140	GASKET FUEL PUMP	1				0.001	0.0022
280	16861-14520	GASKET HEAD COVER	1	<=525650			0	0
280	16861-14522	GASKET HEAD COVER	1	>=525651	←		0.02	0.044
290	19883-73430	GASKET WATER PUMP	1	<=746723			0	0
290	15881-73432	GASKET WATER PUMP	1	>=746724	←		0.002	0.0044

AIR CLEANER






AIR CLEANER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16861-11010	ASSY CLEANER AIR	1				1.1	2.42
020	16861-11150	BODY AIR CLEANER	1				0.76	1.672
030	15852-11080	ASSY ELEMENT CLEANER	1				0.45	0.99
040	15227-87480	LABEL ELEMENT A/C	1				0.004	0.0088
050	15221-94430	WASHER WITH RUBBER	1				0.004	0.0088
060	15221-92620	BOLT WING	1				0.04	0.088
070	15372-87452	LABEL AIR CLEANER	1				0.001	0.0022
080	15852-11470	VALVE	1				0.03	0.066
090	66101-58222	STAY AIR CLEANER	1				0.37	0.814
100	67401-54280	CUSHION	1				0.01	0.022
110	67401-54290	BAND AIR CLEANER	1				0.06	0.132
120	01123-50820	BOLT	2	<=10684			0.011	0.0242
120	01754-50816	BOLT FLANGE	2	>=10685	↔		0.011	0.0242
130	66103-58250	PIPE INLET	1				0.16	0.352
140	15221-11720	BAND PIPE	2				0.03	0.066
150	66103-58260	PIPE INLET	1				0.73	1.606
160	15221-11720	BAND PIPE	1				0.03	0.066
170	66103-58030	STAY AIR CLEANER	1				0.2	0.44
180	01123-50822	BOLT	2				0.012	0.0264
190	66103-58270	COVER	1				0.06	0.132
200	66103-58310	BAND	1				0.02	0.044
210	66103-58290	CLOTH HEAT-PROOF	1				0.023	0.0506
220	55311-41260	BAND CORD	1	>=10585			0.007	0.0154

MUFFLER






MUFFLER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12692-12112	MUFFLER	1				1.9	4.18
020	12599-12230	GASKET MUFFLER NA	1				0.016	0.0352
030	01123-50822	BOLT	1				0.012	0.0264
040	66103-58130	MARK	1	>=10426			0.645	1.419
050	01202-50610	BOLT	4				0.004	0.0088
060	04013-60060	WASHER PLAIN	4				0.001	0.0022
070	12692-12410	PIPE MUFFLER REAR	1				0.9	1.98
080	01123-50820	BOLT	2				0.011	0.0242
090	04015-60080	WASHER PLAIN	2				0.01	0.022
100	12692-11710	HOLDER INTAKE PIPE	1				0.1	0.22
110	66103-58100	ASSY MUFFLER	1	>=10426			2.8	6.16

ACCELERATOR LEVER






ACCELERATOR LEVER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-43210	LEVER ACCEL	1				0.14	0.308
020	66101-43220	PIN SNAP	1				0.015	0.033
030	67111-54920	BUSH	1				0.01	0.022
040	66103-43230	ARM ACCELERATOR	1				0.09	0.198
050	32210-17190	SPRING	1				0.005	0.011
060	04015-50100	WASHER PLAIN	1				0.016	0.0352
070	02118-50100	NUT	2				0.005	0.011
080	66103-43240	WIRE ACCELERATOR	1				0.16	0.352
090	05122-50618	PIN JOINT	1				0	0
100	04012-50060	WASHER PLAIN	1				0.001	0.0022
110	05511-51612	PIN SPLIT	1				0.001	0.0022
120	67156-43320	GRIP	1				0.026	0.0572
130	01222-50612	BOLT	1				0.004	0.0088

FUEL TANK






FUEL TANK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-17210	STAY FUEL TANK	1				0.3	0.66
020	01123-50820	BOLT	2				0.011	0.0242
030	66101-51150	PLATE FUEL TANK	2				0.015	0.033
040	66101-57810	TANK FUEL	1				2.6	5.72
050	66071-54860	ASSY CAP FUEL TANK	1				0.051	0.1122
060	54821-21620	CAP	1				0.045	0.099
070	54821-21630	SPONGE	1				0.002	0.0044
080	54821-21640	COVER RUBBER	1				0.004	0.0088
090	66101-57830	UNIT FUEL	1				0.1	0.22
100	02054-50050	NUT	5				0.002	0.0044
110	04013-60050	WASHER PLAIN	5				0.001	0.0022

FUEL PIPE



130 66103-5835-0

140 10244-4232-0



66101-845-10




FUEL PIPE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-58310	ASSY PIPE FUEL	1				0.015	0.033
020	14911-42750	CLIP PIPE	2				0.002	0.0044
030	17365-42020	ASSY PIPE FUEL	1	≤10308			0.045	0.099
030	66101-58520	ASSY PIPE FUEL	1	≥10309	↔		0.06	0.132
040	66021-58340	SPRING PIPE PROTECT.	1				0.025	0.055
050	14301-42750	CLIP PIPE	2				0.005	0.011
060	14612-42010	ASSY PIPE FUEL	1	≤10308			0.021	0.0462
060	66101-58530	ASSY PIPE FUEL	1	≥10309	↔		0.023	0.0506
070	14301-42750	CLIP PIPE	2				0.005	0.011
080	66103-58382	ASSY PIPE FUEL	1				0.045	0.099
090	09318-88125	CLAMP HOSE	2	≤10080			0.001	0.0022
090	14301-42750	BAND HOSE	2	≥10081	←		0.005	0.011
100	66103-58590	SPRING PIPE PROTECT.	1				0.015	0.033
110	66101-58340	PIPE FUEL	1				0.15	0.33
120	01202-50616	BOLT	2	≤10684			0.006	0.0132
120	01754-50616	BOLT FLANGE	2	≥10685	↔		0.006	0.0132
130	66103-58350	PLUG TANK	1	≤10684			0	0
130	66103-58640	PLUG TANK	1	≥10685	←		0.004	0.0088
140	10244-42320	CLIP PIPE	1	≤10684			0.001	0.0022
140	09318-88095	CLAMP HOSE	1	≥10685	←		0.002	0.0044
150	12691-43010	ASSY FILTER FUEL	1				0.05	0.11
160	66103-58330	BAND FILTER	1	≤10684			0.01	0.022
160	66021-58330	BAND FILTER	1	≥10685	↔		0.037	0.0814
170	01202-50618	BOLT	1				0.006	0.0132
180	12692-52030	ASSY PUMP FUEL	1				0.5	1.1
190	01202-50616	BOLT	1				0.006	0.0132
200	01123-60816	BOLT	1				0.01	0.022

RADIATOR



270 66091-5827-0

280 04013-50060




66101-822-10



RADIATOR

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	16861-72060	ASSY RADIATOR	1				5.5	12.1
020	16861-72330	SHROUD FAN	1				0.65	1.43
030	16861-72020	ASSY CAP	1				0.08	0.176
040	16851-73110	COCK DRAIN	1				0.01	0.022
050	16851-72712	PIPE WATER OVERFLOW	1				0.05	0.11
060	16851-72470	CLAMP PIPE	2				0.003	0.0066
070	16851-96690	GASKET	1				0.002	0.0044
080	16851-72400	ASSY TANK RESERVE	1				0.22	0.484
090	16851-72420	CAP	1				0.05	0.11
100	16851-72440	PIPE OVER FLOW	1				0.04	0.088
110	01205-50614	BOLT	3				0.006	0.0132
120	16851-72180	CUSHION UPPER	2				0.025	0.055
130	15111-72180	CUSHION	2				0.015	0.033
140	15111-72200	WASHER	4				0.013	0.0286
150	66021-52430	BOLT RADIATOR	2	<=10665			0.027	0.0594
150	67111-58710	BOLT RADIATOR	2	>=10666	↔		0.027	0.0594
155	04013-50100	WASHER PLAIN	2	>=10666			0	0
160	05515-61000	PIN SNAP	2				0.003	0.0066
170	16861-72850	PIPE WATER	1				0.06	0.132
180	16861-72940	PIPE WATER	1	<=10582			0.1	0.22
180	16871-72940	PIPE WATER	1	>=10583	≠		0.075	0.165
190	09318-89030	CLAMP HOSE	2	<=10001			0.02	0.044
190	15841-72960	BAND PIPE	2	>=10002	≠		0.025	0.055
190	67980-58640	CLAMP HOSE	2	>=10685	↔		0.02	0.044
200	09318-89036	CLAMP HOSE	1				0.025	0.055
210	66101-58413	NET DUSTPROOF	1				0.5	1.1
220	66101-51160	SUPPORT RADIATOR	2				0.2	0.44
230	66101-53230	COVER	1				0.005	0.011
240	01123-50820	BOLT	4				0.011	0.0242
250	66101-53240	TRIM SASH	1	<=10386			0	0
250	66101-53242	TRIM SASH	1	>=10387	≠		0.08	0.176
260	02054-50050	NUT	4				0.002	0.0044
270	66091-58270	SUPPORT PIPE	1	<=10004			0.01	0.022
280	04013-50060	WASHER PLAIN	1	<=10004			0	0






FAN

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15872-74110	FAN	1				0.25	0.55
020	15841-74250	PULLEY FAN	1				0.19	0.418
030	01754-50612	BOLT FLANGE	4				0.005	0.011
040	16861-74280	PULLEY FAN DRIVE	1				1.1	2.42
050	15881-91030	BOLT	1				0.06	0.132
060	15881-97010	V BELT	1				0.08	0.176
070	66101-58010	SHAFT	1				0.44	0.968
080	01123-50822	BOLT	3				0.012	0.0264



**DYNAMO**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15531-64010	ASSY DYNAMO	1			REFER TO L.NO. 0D01-L0 FOR COMPONENTS.	0	0
020	15872-64420	STAY DYNAMO	1				0	0
030	01123-50825	BOLT	1				0.013	0.0286
040	01153-50855	BOLT	1				0.023	0.0506
050	04013-50080	WASHER PLAIN	2				0	0
060	02114-50080	NUT	1				0.005	0.011
070	04512-60080	WASHER SPRING	1				0.002	0.0044
080	04015-60080	WASHER PLAIN	1				0.01	0.022
090	01023-50618	BOLT	2				0.006	0.0132






DYNAMO [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15531-64010	ASSY DYNAMO	1				0	0
020	15531-64122	COMP.STATOR	1	≤10684			0.76	1.672
020	15381-64120	COMP.STATOR	1	≥10685	≠		0.67	1.474
030	15531-64110	PULLEY	1				0.15	0.33
040	15531-64040	ROTOR	1	≤10684			0.5	1.1
040	15381-64040	ROTOR	1	≥10685	≠		0.48	1.056
050	6C040-82860	COLLAR	1				0.014	0.0308
060	15531-74180	BEARING BALL	2	≤10684			0.04	0.088
060	15531-74180	BEARING BALL	1	≥10685			0.04	0.088
070	15531-74140	SHAFT FAN	1	≤10684			0.075	0.165
070	15381-74140	SHAFT FAN	1	≥10685	≠		0.07	0.154
080	15531-64363	COMP.STATOR	1	≤10684			0.555	1.221
080	15381-64360	COMP.STATOR	1	≥10685	≠		0.59	1.298
090	15261-93010	SCREW ROUND HEAD	2				0.003	0.0066
100	15531-64292	STATOR	1	≤10684			0.29	0.638
100	15381-64290	STATOR	1	≥10685	≠		0.24	0.528
110	15531-64072	PLATE	1	≤10684			0.3	0.66
110	15381-64070	PLATE	1	≥10685	≠		0.26	0.572
120	15531-74180	BEARING BALL	1				0.04	0.088
130	15531-93010	SCREW ROUND HEAD	1				0.002	0.0044
140	15531-64190	CLAMP CORD	1	≤10684			0.005	0.011
140	15381-64190	CLAMP CORD	1	≥10685	≠		0.001	0.0022
150	15261-64150	COLLAR	1	≤10684			0.02	0.044
150	15381-64150	COLLAR	1	≥10685	≠		0.025	0.055
160	15261-92030	NUT	1				0.01	0.022
170	15261-94070	WASHER SPRING	1				0.003	0.0066
180	15261-94020	WASHER PLAIN	1				0.007	0.0154

Reference:02G061




**STARTER [COMPONENT PARTS]**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	15852-63010	ASSY STARTER	1				3.4	7.48
020	15852-63050	LEVER DRIVE	1				0.015	0.033
030	15852-63020	SWITCH MAGNETIC	1				0.65	1.43
040	15852-63030	FRAME DRIVE END	1				0.274	0.6028
050	15852-63240	BUSH	1				0.006	0.0132
060	19837-63150	STOPPER	1				0.007	0.0154
070	15852-63040	CLUTCH OVER RUNNING	1				0.25	0.55
080	15852-63320	BOLT	1				0.016	0.0352
090	15852-63070	ARMATURE	1				0.99	2.178
100	15852-63410	WASHER ADJUSTING	1				0.006	0.0132
110	15852-63080	YOKE	1				0.97	2.134
120	15852-63360	BRUSH	1				0.005	0.011
130	15852-63380	HOLDER BRUSH	1				0.052	0.1144
140	15852-63390	SPRING BRUSH	1				0.002	0.0044
150	15852-63370	BRUSH	1				0.006	0.0132
160	15852-63200	FRAME END	1				0.2	0.44
170	15852-63250	BUSH	1				0.006	0.0132
180	15852-93310	SCREW	1				0.02	0.044
190	01123-50828	BOLT	1				0.014	0.0308
200	01123-50835	BOLT	1				0.02	0.044

BATTERY




010 66704-5541-2



020 66101-5542-2


040 02014-50060

050 04512-50060



080 01123-50820


100 04013-50080



130 66021-5543-0



130 66621-5543-0




66101-841-11



BATTERY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66704-55412	ASSY BATTERY	1	<=10684			7	15.4
010	66103-55520	ASSY BATTERY	1	>=10685	↔		0	0
020	66101-55422	RETAINER BATTERY	1	<=10503			0.16	0.352
020	66101-55410	RETAINER BATTERY	1	>=10504	↔		0.15	0.33
030	66101-55440	BOLT BATTERY	2				0.02	0.044
040	02014-50060	NUT	2	<=10587			0.003	0.0066
040	02751-50060	NUT FLANGE	2	>=10588	←		0.005	0.011
050	04512-60060	WASHER SPRING	2	<=10587			0.001	0.0022
060	66103-55450	ASSY CORD BATTERY(+)	1				0.26	0.572
070	66101-55470	CORD BATTERY(-)	1				0.03	0.066
080	01123-50820	BOLT	1	<=10684			0.011	0.0242
080	01125-50822	BOLT	1	>=10685	←		0.015	0.033
090	66103-55430	SUPPORT BATTERY	1				0.02	0.044
100	04013-50080	WASHER PLAIN	1	<=10684			0	0
110	01123-50822	BOLT	2				0.012	0.0264
120	66103-55190	CAP TERMINAL	1				0.02	0.044
130	66021-55430	COVER BATTERY	2	>=10387			0.01	0.022
130	66021-55430	COVER BATTERY	2	<=10503			0.01	0.022
130	66621-55430	COVER BATTERY	1	>=10504	←		0.059	0.1298
130	66621-55430	COVER BATTERY	1	<=10684			0.059	0.1298
140	55311-41260	BAND CORD	1	>=10426			0.007	0.0154
150	66101-85900	KIT CORD(-)	1	>=10685			0.058	0.1276
160	01123-50820	BOLT	1	>=10685			0.011	0.0242
170	04013-50080	WASHER PLAIN	1	>=10685			0	0
180	04512-50080	WASHER SPRING	1	>=10685			0	0
190	02114-50080	NUT	1	>=10685			0.005	0.011




66101-063-10



LIGHT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66071-55300	ASSY LIGHT HEAD	1				0.56	1.232
020	66071-55310	COMP.LENS	1				0.5	1.1
030	66071-55320	ASSY SOCKET BULB	2				0.04	0.088
040	66071-55340	SOCKET	2				0.026	0.0572
050	66071-55350	BULB	2				0.008	0.0176
060	66071-55360	WIRE LEAD(+)	2				0.006	0.0132
070	66071-55330	SCREW TAPPING	4				0.002	0.0044
080	02014-50060	NUT	4				0.003	0.0066
090	04512-60060	WASHER SPRING	4				0.001	0.0022
100	04013-60060	WASHER PLAIN	4				0.001	0.0022
110	34150-34480	CLAMP CORD	2				0.002	0.0044



040 66021-5523-0

050 66021-5526-0

170 66021-5528-0




66101-804-10




DASHBOARD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66416-55810	ASSY SWITCH SAFETY	1				0.11	0.242
020	66101-42770	SWITCH SAFETY	1	<=10684			0	0
020	66101-42772	SWITCH SAFETY	1	>=10685	←		0.095	0.209
030	66103-55120	ASSY DASHBOARD	1	>=10666		REFER TO L. No. 0D05-L0 FOR COMPONENTS.	0	0
030	66103-55122	ASSY DASHBOARD	1	>=10666	↔	REFER TO L. No. 0D05-L0 FOR COMPONENTS.	1.5	3.3
040	66021-55230	SCREW PAN-HEAD	4	<=10587			0.005	0.011
040	66071-55130	SCREW	4	>=10588	≠		0.01	0.022
050	66021-55260	WASHER PLAIN	4	<=10587			0.001	0.0022
060	66101-55200	ASSY SWITCH STARTER	1				0.3	0.66
070	37410-55150	KEY STARTER	1				0.025	0.055
090	01023-50622	BOLT	2				0.005	0.011
100	04013-60060	WASHER PLAIN	2				0.001	0.0022
110	19267-64600	COMP.REGULATOR	1	<=10582			0	0
110	19267-64602	ASSY REGULATOR	1	>=10583	←		0.188	0.4136
110	RP201-53710	ASSY REGULATOR	1	>=10685	↔		0.185	0.407
120	01023-50632	BOLT	2				0.01	0.022
130	55311-41120	SWITCH LIGHT	1				0.05	0.11
140	67401-99120	ASSY KNOB LIGHT SW.	1				0.005	0.011
150	66101-55530	BRACKET	1				0.2	0.44
160	01123-60816	BOLT	2				0.01	0.022
170	66021-55280	WASHER SPRING	4	<=10587			0.001	0.0022
180	16851-83040	SENSOR THERMO-SWITCH	1	>=10583			0.03	0.066
190	36530-55630	RELAY	1	>=10583			0.06	0.132
200	01025-50616	BOLT	1	>=10583			0.005	0.011
210	54711-41550	HORN	1	>=10583			0.18	0.396
220	01023-50612	BOLT	2	>=10583			0.005	0.011



080 66101-5578-0



66101-842-10




DASHBOARD

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-55710	ASSY METER HOUR	1				0.05	0.11
020	66101-55720	VISOR	1				0.255	0.561
030	66101-55730	GLASS	1				0.12	0.264
040	66101-55740	ASSY FRAME INSIDE	1				0.04	0.088
050	66103-55750	ASSY CASE	1				0.22	0.484
060	66103-55760	WIRE HARNESS	1				0.075	0.165
070	66101-55770	LIGHT	5				0.001	0.0022
080	66101-55780	STOPPER	1	≤10684			0.001	0.0022
090	66101-55790	SCREW	6				0.002	0.0044
100	66101-55810	SCREW	6				0.001	0.0022
110	66101-55820	SCREW	2				0.003	0.0066
120	66103-55120	ASSY DASHBOARD	1	≤10684			0	0
120	66103-55122	ASSY DASHBOARD	1	≥10685	←		1.5	3.3

IGNITION COIL






IGNITION COIL


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	12581-68900	COIL IGNITION	1				0.84	1.848
020	01123-60816	BOLT	2				0.01	0.022
030	04013-50080	WASHER PLAIN	2				0	0
040	66103-55530	BRACKET	1				0.21	0.462
050	01123-60816	BOLT	2				0.01	0.022
060	66103-55550	BOX RELAY	1	<=10230			0	0
060	66103-55552	BOX RELAY	1	>=10231	←		0.1	0.22
070	66103-55560	ASSY WIRE CHOKE	1	<=10002			0	0
070	66103-55562	ASSY WIRE CHOKE	1	>=10003	←		0.14	0.308
080	66103-55570	COLLAR	1				0.05	0.11
090	02118-50080	NUT	1				0.006	0.0132
100	04512-60080	WASHER SPRING	1				0.002	0.0044
110	04012-50080	WASHER PLAIN	1				0.001	0.0022
120	01023-50622	BOLT	2				0.005	0.011
130	04013-60060	WASHER PLAIN	2				0.001	0.0022
140	03054-50410	SCREW	1				0.001	0.0022
150	66103-55580	CLAMP	1				0.003	0.0066

WIRE HARNESS



050 66103-5529-0



66101-846-10





WIRE HARNESS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66103-55230	ASSY WIRE HARNESS	1	≤10582			0.85	1.87
010	66103-56530	ASSY WIRE HARNESS	1	≥10583	≠		0.9	1.98
020	66103-55260	WIRE HARNESS	1				0.1	0.22
030	66103-55270	WIRE HARNESS	1	≤10582			0.39	0.858
030	66103-56570	WIRE HARNESS	1	≥10583	≠		0.4	0.88
040	66101-55282	WIRE HARNESS	1				0.13	0.286
050	66103-55290	WIRE HARNESS	1	≤10582			0.1	0.22
050	66103-56590	WIRE HARNESS	1	≥10583	≠		0.13	0.286
060	53581-64150	BAND CORD	6	≤10684			0.002	0.0044
060	53581-64150	BAND CORD	7	≥10685			0.002	0.0044
070	66101-55250	CLAMP CORD	3				0.01	0.022
080	67111-55190	RING FUSIBLE	1	≤10684			0.005	0.011
080	55611-41620	RING FUSE	1	≥10685	←		0.007	0.0154
090	52200-41620	FUSE AUTO	1			15A	0.003	0.0066
100	36919-56650	FUSE AUTO	1			20A	0.002	0.0044
110	53581-64150	BAND CORD	3	≤10002			0.002	0.0044
110	53581-64150	BAND CORD	2	≥10003			0.002	0.0044
120	44366-68770	BAND CORD	1	≤10684			0.002	0.0044
120	53581-64150	BAND CORD	1	≥10685	↔		0.002	0.0044
130	15272-67590	CLAMP CORD	1	≥10003			0.004	0.0088
140	55311-41260	BAND CORD	1	≥10685			0.007	0.0154

TRANSMISSION CASE








HST

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-36010	ASSY HST	1	<=10684		REFER TO L.NO. 0D08-L0 FOR COMPONENTS.	0	0
010	66101-36015	ASSY HST	1	>=10685	←	REFER TO L.NO. 0D08-L0 FOR COMPONENTS.	12	26.4
020	66101-36020	COLLAR	1				0.06	0.132
030	04811-06470	RING	1				0.001	0.0022
040	66101-11220	BOLT	2				0.01	0.022
050	04512-60080	WASHER	2				0.002	0.0044
		SPRING						
060	04013-50080	WASHER	2				0	0
		PLAIN						
070	66101-11230	BOLT	2				0.02	0.044
080	66101-36030	COVER PTO	1				0.005	0.011




66101-013-11



HST [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-36010	ASSY HST	1	<=10684			0	0
010	66101-36015	ASSY HST	1	>=10685	←		12	26.4
020	66101-36710	SEAL OIL	1				0.02	0.044
030	66101-36720	SEAL OIL	1				0.007	0.0154
040	66101-36730	PLUG SOCKET HEAD	6				0.025	0.055
050	66101-36740	O RING	6				0.002	0.0044
060	66101-36750	O RING	2				0.002	0.0044
070	66071-83750	O RING	1				0.001	0.0022
080	66101-36770	O RING	1	<=10684			0.002	0.0044
080	66071-83760	O RING	1	>=10685	↔		0.001	0.0022
090	66101-36780	SEAL OIL	1				0.01	0.022
100	66101-36790	O RING	1				0.002	0.0044
110	66101-36810	SEAL OIL	2				0.008	0.0176
120	66101-36820	GASKET	1				0.005	0.011
130	66101-36830	KIT CYL-BLOCK PUMP	1				0.94	2.068
140	66101-36840	KIT CYL-BLOCK MOTOR	1				0.2	0.44
150	66101-36850	ORIFICE CHECK	2				0.01	0.022
160	66101-36860	SPRING CHECK	2				0.005	0.011
170	66101-36870	PLUG	2				0.02	0.044
180	66101-36880	ASSY GEROTOR	1				0.065	0.143
190	66101-36890	O RING	1				0.003	0.0066
200	66101-36910	O RING	1				0.003	0.0066
210	66101-36920	PLATE SPACER	1				0.135	0.297
220	66101-36930	CONE RELIEF VALVE	1				0.007	0.0154
230	66101-36940	SPRING RELIEF	1	<=10684			0.003	0.0066
230	66101-37450	SPRING RELIEF	1	>=10685	←		0.001	0.0022
240	66101-36950	SHIM	1				0.002	0.0044
250	66101-36960	PLUG	1				0.015	0.033
260	66101-37010	SHAFT PUMP	1				0.47	1.034
270	66101-37020	CLIP	4				0.001	0.0022
280	66101-37030	COLLAR THRUST	1				0.035	0.077
290	66101-37040	BRG THRUST ROLLER	1				0.07	0.154
300	66101-37050	COLLAR THRUST	1				0.08	0.176
310	66101-37060	WASHER PLAIN	2				0.001	0.0022
320	66101-37070	SPRING	2				0.005	0.011
330	66101-37080	BEARING NEEDLE	2				0.015	0.033
340	66101-37110	CIR CLIP INTERNAL	1				0.002	0.0044
350	66101-37120	BEARING NEEDLE	1				0.015	0.033
360	66101-37130	PIN	1				0.002	0.0044
370	66101-37210	SHAFT MOTOR	1				0.3	0.66
380	66101-37220	BEARING THRUST BALL	1				0.25	0.55
390	66101-37230	PLATE	1				0.003	0.0066
400	66101-37240	BEARING NEEDLE	1				0.017	0.0374
410	66101-37310	ASSY SWASHPLATE	1				0.75	1.65
420	66101-37320	BEARING CRADLE	2				0.02	0.044
430	66101-37330	ARM TRUNNION	1				0.075	0.165
440	66101-37340	BEARING JOURNAL	1				0.02	0.044
450	66071-36250	GUIDE THROTTLE	1				0.005	0.011
460	66101-37410	SPOOL	1				0.02	0.044
470	08101-06303	BEARING BALL	1				0.112	0.2464
480	66101-36970	HOUSING	1				0.94	2.068
490	66101-37430	PLUG	1	<=10684			0.001	0.0022
490	66101-37430	PLUG	2	>=10685			0.001	0.0022
500	66101-37510	CIR-CLIP	1				0.006	0.0132
510	66101-37520	SPACER	1				0.005	0.011



REF.NO.140 KIT JOINT, UNIVERSAL (NEW TYPE)... SEE FIG.NO.G042-2 REF.NO.150


090 66101-1355-0

100 66101-1356-0

110 66101-1357-0

120 66101-1358-0

130 66101-1366-0




66101-843-11



UNIVERSAL JOINT/HST FAN
S.No.;<=10684

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-13510	KIT JOINT UNIVERSAL	1				1.8	3.96
020	66101-13530	PIN JOINT	1				0.015	0.033
030	66101-13520	FLANGE	1				0.08	0.176
040	03650-50608	SCREW SET	1				0.001	0.0022
050	66021-13550	FAN HST	1				0.015	0.033
060	01123-50820	BOLT	2				0.011	0.0242
070	04013-50080	WASHER PLAIN	2				0	0
080	66611-14130	PIN SET	1				0.001	0.0022
090	66101-13550	ROD	1	<=10587			0.94	2.068
090	66101-81550	ROD	1	>=10588	≠		0.96	2.112
100	66101-13560	YOKE CLAMP	1	<=10587			0.28	0.616
100	66101-81530	YOKE CLAMP	1	>=10588	≠		0.26	0.572
110	66101-13570	YOKE CLAMP	1	<=10587			0.3	0.66
110	66101-81540	YOKE SLEEVE	1	>=10588	≠		0.3	0.66
120	66101-13580	ASSY JOINT CROSS	2	<=10587			0	0
120	37410-13722	KIT JOINT	2	>=10588	≠		0.18	0.396
130	66101-13660	RING SNAP	8	<=10587			0	0
130	37410-13760	CIRCLIP EXTERNAL	8	>=10588	≠		0.002	0.0044



66101-069-10




UNIVERSAL JOINT/HST FAN
S.No.;>=10685

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-13600	ASSY JOINT UNIVERSAL	1				1.98	4.356
020	01123-50830	BOLT	1				0.015	0.033
030	99999-99999	BLANK	0				0	0
040	99999-99999	BLANK	0				0	0
050	66101-13540	FAN HST	1				0.07	0.154
060	01125-50818	BOLT	2				0.015	0.033
070	99999-99999	BLANK	0				0	0
080	99999-99999	BLANK	0				0	0
090	66101-81550	ROD	1				0.96	2.112
100	66101-81630	YOKE CLAMP	1				0.385	0.847
110	66101-81640	YOKE SLEEVE	1				0.285	0.627
120	37410-13722	KIT JOINT	2				0.18	0.396
130	37410-13760	CIRCLIP EXTERNAL	8				0.002	0.0044
140	67211-42940	NIPPLE GREASE	1				0.001	0.0022
150	66101-81810	KIT JOINT UNIVERSAL	1			S.No. >=10001	2.1	4.62

PTO SHAFT






PTO SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-25010	SHAFT PTO	1				0.84	1.848
020	04612-00250	CIRCLIP EXTERNAL	1				0.002	0.0044
030	08131-06205	BEARING BALL	1				0.13	0.286
040	08812-53220	BEARING NEEDLE	1				0.03	0.066
050	66101-25030	SEAL OIL	1				0.01	0.022
060	66021-25042	SUPPORT F-AXLE	1				0.85	1.87
070	01133-51020	BOLT	4				0.02	0.044
080	04611-00520	CIR CLIP INTERNAL	1				0.009	0.0198
090	66101-25050	PULLEY	1				1.6	3.52
100	01123-60816	BOLT	4				0.01	0.022
110	66101-25000	ASSY BELT V(W)	1				0.3	0.66
120	66101-25080	BELT V(W)	2				0.15	0.33
130	66101-58060	PULLEY DRIVE	1				2.34	5.148
140	01123-50822	BOLT	5				0.012	0.0264
150	66021-25070	COVER FLYWHEEL	1	≤10684			0	0
150	66021-25076	COVER FLYWHEEL	1	≥10685	←		0.2	0.44
160	01123-50820	BOLT	1	≤10684			0.011	0.0242
160	01754-50816	BOLT FLANGE	1	≥10685	↔		0.011	0.0242
170	04512-60080	WASHER SPRING	1				0.002	0.0044
180	02114-50080	NUT	1				0.005	0.011
190	66101-82500	KIT PTO FRONT	1			OPTION	0.45	0.99
200	66101-82510	SHAFT PTO	1			OPITON	0.26	0.572
210	05012-00820	PIN STRAIGHT	1			OPITON	0.008	0.0176
220	01123-50828	BOLT	4			OPTION	0.014	0.0308
230	66101-82520	MANUAL ASSEMBLY	1			OPTION	0.01	0.022

TENSION PULLEY






TENSION PULLEY

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-25120	ARM TENSION	1				0.4	0.88
020	08511-01815	BUSH	2				0.007	0.0154
030	67211-42940	NIPPLE GREASE	1				0.001	0.0022
040	66021-25190	ASSY PULLEY TENSION	1	<=10684			0	0
040	52500-11152	PULLEY TENSION	1	>=10685	←		0.3	0.66
050	99999-99999	BLANK	0			NON SALE.	0	0
060	04612-00170	CIRCLIP EXTERNAL	2				0.001	0.0022
070	66591-14220	COLLAR	1				0.008	0.0176
080	04612-00180	CIRCLIP EXTERNAL	1				0.001	0.0022
090	66101-25130	SHAFT TENSION ARM	1				0.24	0.528
100	01123-60816	BOLT	2				0.01	0.022
110	66101-25140	COVER PULLEY	1				0.1	0.22
120	66021-25160	BOLT SET	1				0.034	0.0748
130	02116-50100	NUT	2				0.004	0.0088
140	66021-25180	COLLAR	2				0.002	0.0044
150	66021-25170	STOPPER	1				0.01	0.022
160	04013-50080	WASHER PLAIN	2				0	0
170	01123-60816	BOLT	2				0.01	0.022
180	01023-50616	BOLT	2				0.005	0.011

BELT RETAINER




**BELT RETAINER**


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-25110	STAY BELT	1				0.3	0.66
020	01123-50820	BOLT	2				0.011	0.0242
030	04013-50080	WASHER PLAIN	2				0	0
040	66101-25210	RETAINER BELT	1				0.1	0.22
050	01123-60816	BOLT	2	≤10684			0.01	0.022
050	01123-50818	BOLT	2	≥10685	↔		0.012	0.0264
060	66101-25220	RETAINER BELT	1				0.1	0.22
070	04013-50080	WASHER PLAIN	2				0	0
080	01123-50820	BOLT	2				0.011	0.0242
090	01153-50880	BOLT	1				0.03	0.066
100	02114-50080	NUT	1				0.005	0.011

REAR PTO



030 79840-2241-0




66101-823-10



REAR PTO

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	79840-22200	ASSY PTO REAR	1	<=10684		REFER TO L.No. 0D12-R0 FOR COMPONENTS. REFER TO L.No. 0D12-R0 FOR COMPONENTS.	0	0
010	79840-22203	ASSY PTO REAR	1	>=10685	←		17.7	38.94
020	99999-99999	BLANK	0				0	0
030	79840-22410	SHAFT DRIVE	1	<=10685			0.27	0.594
040	66611-14120	PIN JOINT	1				0	0
050	66611-14130	PIN SET	1				0.001	0.0022
060	79840-22420	BOLT STUD	2				0.067	0.1474
070	04512-60100	WASHER SPRING	4				0.002	0.0044
080	02118-50100	NUT	2				0.005	0.011
090	01153-51075	BOLT	2				0.045	0.099
100	79840-22430	COVER PTO SHAFT	1				1	2.2
110	35200-25340	LABEL PTO WARNING	1				0.002	0.0044
120	79840-22440	LEVER CLUTCH	1	<=10684			0.6	1.32
120	79840-22443	LEVER CLUTCH	1	>=10685	≠		0.75	1.65
130	01123-50820	BOLT	2				0.011	0.0242
140	55611-31460	GRIP LEVER	1				0.03	0.066
150	79840-22450	WIRE CLUTCH	1	<=10684			0.3	0.66
150	79840-22453	WIRE CLUTCH	1	>=10685	≠		0.18	0.396
160	05122-50818	PIN JOINT	1				0.008	0.0176
170	04012-50080	WASHER PLAIN	1				0.001	0.0022
180	05511-50215	PIN SPLIT	1				0.001	0.0022
190	79840-22460	SPRING LUTCH	1	<=10684			0.055	0.121
190	79840-22462	SPRING LUTCH	1	>=10685	≠		0.074	0.1628
200	79840-22470	LABEL REAR PTO	1				0.012	0.0264
210	79840-22480	PLUG	1				0.39	0.858
220	04717-02150	WASHER WITH RUBBER	1				0.004	0.0088
230	01123-50820	BOLT	2				0.011	0.0242
240	79840-22490	CARD CAUTION	1	<=10684			0.001	0.0022
240	79840-22493	CARD CAUTION	1	>=10685	≠		0.001	0.0022
250	99999-99999	BLANK	0				0	0
260	79840-22610	ASSY COUPLING	1	>=10666			0.84	1.848
270	79840-22620	BOSS DAMPER	1	>=10666			0.29	0.638
280	79840-22630	HOUSING	1	>=10666			0.46	1.012
290	04611-00450	CIR CLIP INTERNAL	1	>=10666			0.01	0.022
300	08511-01410	BUSH	1	>=10666			0.005	0.011
310	79840-22650	BUSH	1	>=10666			0.07	0.154
320	03650-50606	SCREW SET	3	>=10666			0.002	0.0044
330	79840-22513	MANUAL ASSEMBLY	1			OPTION	0	0



080 79840-2215-0



130 79840-2216-0

140 79840-2217-0

150 08101-06010

260 96387-1153-0

280 79840-2223-0



66101-824-10



REAR PTO [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	79840-22200	ASSY PTO	1	≤10665			0	0
010	79840-22203	ASSY PTO	1	≥10666	←		17.7	38.94
020	79840-22110	CASE REAR PTO	1	≤10665			4.2	9.24
020	79840-22113	CASE REAR PTO	1	≥10666	≠		4.89	10.758
030	79840-22120	CASE REAR PTO	1				4.3	9.46
040	79840-22130	GASKET PTO CASE	1				0.007	0.0154
050	05012-00818	PIN STRAIGHT	2				0.008	0.0176
060	79840-22140	SUPPORT WIRE	1	≤10665			0	0
060	79840-22142	SUPPORT WIRE	1	≥10666	←		0.1	0.22
070	01123-50855	BOLT	10				0.02	0.044
080	79840-22150	SHAFT DRIVE	1	≤10665			0.29	0.638
080	79840-22154	SHAFT DRIVE	1	≥10666	≠		0.37	0.814
090	08101-06204	BEARING BALL	2				0.102	0.2244
100	04612-00200	CIRCLIP EXTERNAL	1				0.001	0.0022
110	04611-00470	CIRCLIP EXTERNAL	1				0.006	0.0132
120	09500-20358	SEAL OIL	1				0.01	0.022
130	79840-22160	WHEEL CLUTCH	1	≤10665			0.64	1.408
130	79840-22164	WHEEL CLUTCH	1	≥10666	≠		0.86	1.892
140	79840-22170	CLUTCH ONEWAY	1	≤10665			0.04	0.088
150	08101-06010	BEARING BALL	1	≤10665			0.262	0.5764
150	08101-06210	BEARING BALL	1	≥10666	≠		0.45	0.99
160	67711-22352	DISK	2				0.14	0.308
170	96387-11350	PLATE FRICTION	1				0.12	0.264
180	79840-22190	SPRING RETURN	1				0.005	0.011
185	79840-22520	SPRING PLATE	2				0.001	0.0022
190	96387-11330	PLATE BEARING	1				0.2	0.44
200	96387-11340	BRG THRUST ROLLER	1				0.08	0.176
210	96387-11370	SPRING	4				0.001	0.0022
220	79840-22210	BOSS SPLINE	1	≤10587			0.12	0.264
220	79840-22212	BOSS SPLINE	1	≥10588	≠		0.12	0.264
230	04612-00400	CIR-CRIP EXTERNAL	1	≤10587			0.005	0.011
230	04612-00400	CIR-CRIP EXTERNAL	2	≥10588	≠		0.005	0.011
240	79840-22220	SHAFT SPROCKET	1	≤10587			0	0
240	79840-22222	SHAFT SPROCKET	1	≥10588	←		0.34	0.748
250	04612-00250	CIRCLIP EXTERNAL	1				0.002	0.0044
260	96387-11530	COLLAR DISTANCE	1	≤10665			0.01	0.022
260	79840-22550	COLLAR	1	≥10666	≠		0.01	0.022
270	08821-82420	BEARING NEEDLE	1				0.02	0.044
280	79840-22230	COLLAR	1	≤10665			0.025	0.055
280	79840-22234	COLLAR	1	≥10666	←		0.022	0.0484
290	96387-11360	ACTUATOR	1				0.75	1.65
300	07715-00805	BALL	3				0.016	0.0352
310	79840-22240	SUPPORT ACTUATOR	1				1.1	2.42
320	05012-00818	PIN STRAIGHT	2				0.008	0.0176
330	01123-51030	BOLT	4				0.025	0.055
340	79840-22540	COLLAR	1				0.005	0.011
350	79840-22250	GEAR	1			15T	0.13	0.286
360	67311-14270	BEARING BALL	1				0.09	0.198
370	79840-22260	LEVER CAM	1				0.44	0.968
380	04612-00250	CIRCLIP EXTERNAL	1				0.002	0.0044
390	04811-00210	O RING	1				0.001	0.0022
400	79840-22270	SPRING	1	≤10665			0.015	0.033
400	79840-22273	SPRING	1	≥10666	≠		0.016	0.0352
410	79840-22280	GEAR	1			16T	0.12	0.264
420	79840-22290	BEARING NEEDLE	1				0.02	0.044




REAR PTO [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
430	79840-22310	SHAFT IDLE	1	<=10587			0	0
430	79840-22312	SHAFT IDLE	1	>=10588	←		0.08	0.176
440	05411-00412	PIN SPRING	1				0.001	0.0022
450	67111-14970	COLLAR	2				0.007	0.0154
460	79840-22320	SHAFT REAR PTO	1				0.52	1.144
470	79840-22330	GEAR	1				0.26	0.572
480	04612-00400	CIRCLIP EXTERNAL	1				0.005	0.011
490	08101-06008	BEARING BALL	1				0.19	0.418
500	79840-22340	BEARING BALL	1				0.14	0.308
510	16241-96260	PLUG	1				0	0
520	37300-11430	SEAL OIL	1				0.05	0.11
530	79840-21140	COLLAR STOP	1				0.06	0.132
540	79840-21150	STOPPER	1				0.003	0.0066
550	79840-21160	STOPPER	1				0.005	0.011
560	07715-00803	BALL	3				0.004	0.0088
570	79840-22350	FILLER OIL	1				0.2	0.44
580	04714-00400	GASKET	1				0.003	0.0066
590	06314-50040	PLUG OIL FILLER	1				0.016	0.0352
600	04713-00400	GASKET	1				0.001	0.0022
610	06331-35016	PLUG	1				0.04	0.088
620	04717-01600	WASHER WITH RUBBER	1				0.003	0.0066
630	01053-50610	BOLT	1				0.004	0.0088
640	04717-00600	WASHER WITH RUBBER	1				0.001	0.0022

CRUISE CONTROL PLATE



66101-073-10




CRUISE CONTROL PLATE


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-36110	PLATE CONTROL PANEL	1				0.44	0.968
020	66101-36120	PLUG OIL FILLER	1				0.07	0.154
030	66101-36140	BOLT	1				0.04	0.088
040	04512-60140	WASHER SPRING	1				0.006	0.0132
050	66101-36150	ARM SPEED CHANGE	1	≤10080			0	0
050	66101-36153	ARM SPEED CHANGE	1	≥10081	←		0.185	0.407
060	05411-00630	PIN SPRING	1				0.004	0.0088
070	66101-36160	ARM NEUTRAL	1				0.2	0.44
080	66204-43352	SHAFT HOLDER	1				0.072	0.1584
090	66204-43572	BUSH	1				0.003	0.0066
100	01123-50832	BOLT	1				0.016	0.0352
110	04012-50080	WASHER PLAIN	1				0.001	0.0022
120	08121-06000	BEARING BALL	1				0.02	0.044
130	04612-00100	CIRCLIP EXTERNAL	1				0.001	0.0022
140	66101-36170	PLATE CRUISE CONTROL	1				0.66	1.452
150	01123-51020	BOLT	2				0.02	0.044
160	01155-60835	BOLT	1				0.015	0.033
170	02112-50080	NUT	1				0.003	0.0066
180	66101-36183	SPRING NEUTRAL ARM	1				0.025	0.055

CRUISE CONTROL LEVER



030 04013-50120



66101-808-10




CRUISE CONTROL LEVER


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-42312	SHAFT CRUISE CONTROL	1				0.15	0.33
020	05411-00880	PIN SPRING	1				0.019	0.0418
030	04013-50120	WASHER PLAIN	1	≤10665			0	0
030	04013-50120	WASHER PLAIN	2	≥10666			0	0
040	02174-50120	NUT	2				0.01	0.022
050	66101-42320	CAM	1				0.01	0.022
060	66101-42330	CAM	1				0.1	0.22
070	05411-00622	PIN SPRING	1				0.003	0.0066
080	66101-42340	WASHER	1				0.01	0.022
090	66101-42350	DISK FRICTION	2	≤10308			0	0
090	66101-42352	DISK FRICTION	2	≥10309	←		0.002	0.0044
100	66101-42360	LEVER CRUISE CONTROL	1				0.34	0.748
110	55611-31460	GRIP LEVER	1				0.03	0.066
120	66101-42370	SPRING CRUISE CONTRL	1				0.1	0.22
130	66101-42380	PLATE	1				0.003	0.0066
140	01759-50816	BOLT UBS	1	≤10665			0.01	0.022
140	01125-50820	BOLT	1	≥10666	←		0	0

SPEED CONTROL PEDAL



090 05411-00630



66101-817-10




SPEED CONTROL PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-42510	ROD SPEED CHANGE	1				0.04	0.088
020	05511-50315	PIN SPLIT	1				0.002	0.0044
030	66591-42410	TURNBUCKLE	1				0.046	0.1012
040	02114-50080	NUT	1				0.005	0.011
050	66101-42520	ROD SPEED CHANGE	1				0.16	0.352
060	05511-50315	PIN SPLIT	1				0.002	0.0044
070	66101-42530	SHAFT PEDAL	1				0.42	0.924
080	66101-42540	ARM SPEED CHANGE	1				0.1	0.22
090	05411-00630	PIN SPRING	1	≤10425			0.004	0.0088
090	66071-51920	PIN JOINT	1	≥10426	←		0.01	0.022
100	66101-42550	PEDAL SPEED CHANGE	1				0.2	0.44
110	01123-50820	BOLT	2				0.011	0.0242
120	04013-50080	WASHER PLAIN	1				0	0
130	66021-43320	COVER PEDAL	1				0.16	0.352
140	66021-43440	NUT	1	≤10665			0.004	0.0088
140	37300-41330	NUT	1	≥10666	↔		0.005	0.011
150	05511-50212	PIN SPLIT	1	≥10426			0.001	0.0022
160	04015-50100	WASHER PLAIN	1	≥10426			0.016	0.0352

REAR DIFFERENTIAL






REAR DIFFERENTIAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-81490	ASSY DIFFERENTIAL	1				4.5	9.9
020	66101-81470	ASSY GEAR BEVEL	1				1.9	4.18
030	67321-56612	CASE FRONT DIFF.	1				0.61	1.342
040	67711-14912	SHAFT DIFF.PINION	1				0.14	0.308
050	66101-14930	PINION DIFF.	2				0.12	0.264
060	67311-14980	COLLAR PINION THRUST	2				0.002	0.0044
070	66591-14860	COLLAR THRUST	1				0.102	0.2244
080	66101-14940	GEAR DIFF.SIDE	2				0.18	0.396
090	67211-15160	SHIM	2			1.0MM	0.01	0.022
090	67211-15170	SHIM	2			0.8MM	0.008	0.0176
090	67211-15180	SHIM	2			1.2MM	0.01	0.022
100	66591-14792	PIN KNOCK	1				0.003	0.0066
110	67910-14940	PIN STRAIGHT	1				0.005	0.011
120	67810-56680	BOLT UBS	6				0.013	0.0286
130	08101-06209	BEARING BALL	2				0.42	0.924
140	66101-14970	SHIM DIFFERENTIAL	2			0.5MM	0.003	0.0066
140	66101-14980	SHIM DIFFERENTIAL	2			0.2MM	0.002	0.0044
140	66101-14990	SHIM DIFFERENTIAL	2			0.2MM	0.002	0.0044

REAR AXLE CASE







REAR AXLE CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-11313	CASE AXLE RH	1	≤10665			0	0
010	66101-11314	CASE AXLE RH	1	≥10666	←		3.1	6.82
020	66101-11320	CASE AXLE LH	1	≤10665			0	0
020	66101-11323	CASE AXLE LH	1	≥10666	←		3.1	6.82
030	01123-51055	BOLT	10				0.038	0.0836
040	01123-51065	BOLT	6				0.04	0.088
050	06314-50040	PLUG OIL FILLER	1				0.016	0.0352
060	04713-00400	GASKET	1				0.001	0.0022
070	67711-12420	GAUGE OIL	1				0.014	0.0308






**REAR WHEEL (23 X 10.5-12) [2WS]**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
020	70000-00866	TIRE	2			[A] RESERVED PARTS BY KTC	0	0
020	70000-00870	TIRE	2			[A] OPTION RESERVED PARTS BY KTC	0	0
030	70000-00867	WHEEL	2			[A] RESERVED PARTS BY KTC	0	0
050	66101-17460	CAP WHEEL	2	≤10587		[A] [CA]	0.33	0.726
050	66190-17460	CAP WHEEL	2	≥10588	≠	[A] [CA]	0.35	0.77
060	66071-17480	LABEL	2	≤10587		[A] [CA]	0.002	0.0044
060	66190-17480	LABEL	2	≥10588	≠	[A] [CA]	0.005	0.011






PTO BRAKE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-25330	WIRE PTO CLUTCH	1	<=10308			0	0
010	66101-25333	WIRE PTO CLUTCH	1	>=10309	≠		0.25	0.55
020	66101-25340	SPRING PTO CLUTCH	1				0.06	0.132
030	66101-25350	SPRING	1				0.02	0.044
040	66101-25412	SPRING	1				0.06	0.132
050	66101-25420	BOLT TENSION	1				0.02	0.044
060	02112-50080	NUT	2				0.003	0.0066
070	66101-25433	BRAKE PTO	1				0.2	0.44
080	08511-01012	BUSH	1				0.003	0.0066
090	04612-00100	CIRCLIP EXTERNAL	1				0.001	0.0022
100	66101-25440	WASHER	1				0.003	0.0066
110	01153-50825	BOLT	1				0.012	0.0264
120	02112-50080	NUT	1				0.003	0.0066

BRAKE SHAFT






BRAKE SHAFT

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-14722	GEAR	1	<=10684		16T	0.1	0.22
010	66101-14723	GEAR	1	>=10685	≠	16T	0.12	0.264
020	04612-00150	CIRCLIP EXTERNAL	1				0.001	0.0022
030	66101-14740	COLLAR HST SHAFT	1	<=10684			0.01	0.022
040	66101-14773	GEAR	1			53T	0.74	1.628
050	66101-14780	COLLAR	1				0.1	0.22
060	67156-14640	COLLAR STOP	2				0.005	0.011
070	67211-14620	BEARING BALL	1	<=10684			0.23	0.506
070	K4010-14430	BEARING BALL	1	>=10685	←		0.24	0.528
080	08101-06304	BEARING BALL	1				0.146	0.3212
090	66101-14790	SHAFT BRAKE PEDAL	1				0.24	0.528
100	08101-06004	BEARING BALL	2				0.065	0.143
110	09500-20357	SEAL OIL	1				0.01	0.022
120	66611-14750	SHIM PTO	1			0.5MM	0.002	0.0044
120	66611-14770	SHIM PTO	1			0.3MM	0.001	0.0022






BRAKE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-22230	ASSY BRAKE	1				0.82	1.804
020	66101-22310	DRUM BRAKE	1				0.18	0.396
030	66021-22320	COVER BRAKE	1				0.24	0.528
040	66101-22330	LEVER BRAKE	1				0.045	0.099
050	66021-22340	SHAFT BRAKE CAM	1				0.048	0.1056
060	66071-22390	KIT SHOE BRAKE	1			SET	0.03	0.066
070	66021-22360	SPRING SHOE RETURN	1				0.005	0.011
080	63611-22140	O RING	1				0.001	0.0022
090	02014-50100	NUT	1				0.011	0.0242
100	04512-60100	WASHER SPRING	1				0.002	0.0044
110	66048-22420	GASKET	1				0.005	0.011
120	04612-00180	CIRCLIP EXTERNAL	1				0.001	0.0022
130	01023-50612	BOLT	4				0.005	0.011

BRAKE ROD




**BRAKE ROD**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-42712	SHAFT FULCRUM BRAKE	1				0.05	0.11
020	04612-00140	CIRCLIP EXTERNAL	1				0.001	0.0022
030	05411-00850	PIN SPRING	1				0.012	0.0264
040	66101-42720	ROD BRAKE	1				0.18	0.396
050	05511-50315	PIN SPLIT	1				0.002	0.0044
060	66021-42850	SPRING	1				0.03	0.066
070	02156-50080	NUT	2				0.004	0.0088
080	04012-50080	WASHER PLAIN	2				0.001	0.0022
090	66704-43250	SPRING RETURN	1				0.05	0.11
100	66101-42732	ROD BRAKE	1				0.09	0.198
110	05511-50315	PIN SPLIT	2				0.002	0.0044
120	04013-50080	WASHER PLAIN	1				0	0

BRAKE PEDAL






BRAKE PEDAL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-42740	PEDAL BRAKE	1				1.35	2.97
020	67111-44250	NIPPLE GREASE	1				0.005	0.011
030	66021-42820	WASHER	1				0.003	0.0066
040	04612-00200	CIRCLIP EXTERNAL	1				0.001	0.0022
050	66021-42830	COVER PEDAL	1				0.025	0.055
060	66101-42752	LOCK BRAKE	1				0.2	0.44
070	66101-42760	SPRING BRAKE LOCK	1				0.03	0.066
080	04612-00120	CIRCLIP EXTERNAL	1				0.001	0.0022
090	31391-18560	GRIP LEVER	1				0.01	0.022

FRONT AXLE/KNUCKLE ARM






FRONT AXLE/KNUCKLE ARM

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-56120	COMP.AXLE FRONT	1				6	13.2
020	66021-56130	BEARING DRY	4				0.017	0.0374
030	06613-10675	NIPPLE GREASE	2				0.003	0.0066
040	67111-44250	NIPPLE GREASE	1				0.005	0.011
050	66021-56320	SHIM	1			1.6MM	0.012	0.0264
050	66021-56330	SHIM	1			2.0MM	0.015	0.033
050	66021-56340	SHIM	1			2.9MM	0.02	0.044
050	66021-56350	SHIM	1			2.3MM	0.02	0.044
060	01153-50802	BOLT	1				0.045	0.099
070	02112-50080	NUT	1				0.003	0.0066
080	02114-50080	NUT	1				0.005	0.011
090	66101-56180	KING PIN RH	1				1.46	3.212
100	66101-56160	KING PIN LH	1				1.62	3.564
110	04612-00250	CIRCLIP EXTERNAL	1				0.002	0.0044
120	66021-56240	WASHER	2				0.01	0.022
130	05511-50545	PIN SPLIT	2				0.01	0.022
140	66101-56190	ARM KNUCKLE FRONT	1				0.62	1.364
150	05712-00730	KEY FEATHER	1				0.011	0.0242
160	01173-51065	BOLT	1				0.04	0.088
170	04512-60100	WASHER SPRING	1				0.002	0.0044
180	02118-50100	NUT	1				0.005	0.011

TIE ROD/DRAW LINK



66101-117-10




TIE ROD/DRAW LINK

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66021-56210	END ROD RH	1				0.055	0.121
020	66021-56220	END ROD LH	1				0.11	0.242
030	02118-50100	NUT	2				0.005	0.011
040	04512-60100	WASHER SPRING	2				0.002	0.0044
050	66101-56230	ROD TIE	1				0.3	0.66
060	55311-31550	NUT	1				0.007	0.0154
070	02118-50100	NUT	1				0.005	0.011
080	66101-56320	COMP.LINK DRAG FRONT	1				1.07	2.354
090	04512-50120	WASHER SPRING	2				0	0
100	02372-50120	NUT	2				0.008	0.0176
110	05511-50325	PIN SPLIT	2				0.002	0.0044
120	67121-56560	COVER DUST	2				0.008	0.0176
130	67121-56570	CLIP	2				0.003	0.0066


FRONT WHEEL (16 X 6.50-8)




**FRONT WHEEL (16 X 6.50-8)**

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
020	70000-00864	TIRE	2			[A] RESERVED PARTS BY KTC	0	0
030	70000-00865	WHEEL	2			[A] RESERVED PARTS BY KTC	0	0
060	66101-56470	CAP WHEEL	2	<=10587		[A] [CA]	0	0
060	66190-56470	CAP WHEEL	2	>=10588	≠	[A] [CA]	0.2	0.44
070	66071-17480	LABEL	2	<=10587		[A] [CA]	0.002	0.0044
070	66190-17480	LABEL	2	>=10588	≠	[A] [CA]	0.005	0.011



010 66101-5111-6



100 66101-5114-0



66101-844-10




FRAME

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new


REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-51116	ASSY FRAME	1	<=10665			0	0
010	66101-51220	FRAME	1	>=10666	←		23	50.6
010	66101-85120	ASSY FRAME	1	>=10666	←		45	99
010	66101-85122	ASSY FRAME	1	>=10686	←		52	114.4
015	67111-44250	NIPPLE GREASE	1	>=10666			0.005	0.011
020	01123-51235	BOLT	8				0.041	0.0902
030	66101-51120	SUPPORT ENGINE RH	1				0.78	1.716
040	66101-51130	SUPPORT ENGINE LH	1				0.68	1.496
050	01133-51022	BOLT	8				0.025	0.055
060	66021-52310	CUSHION RUBBER	4				0.106	0.2332
070	02114-50080	NUT	8				0.005	0.011
080	04512-60080	WASHER SPRING	8				0.002	0.0044
090	04013-50080	WASHER PLAIN	8				0	0
100	66101-51143	SUPPORT SEAT	1	>=10582			0	0
100	66101-51146	SUPPORT SEAT	1	>=10583	←		2.7	5.94
110	01135-61025	BOLT	1				0.04	0.088
120	66021-51210	HITCH	1				0.7	1.54
130	01123-51025	BOLT	4				0.02	0.044
140	67211-51120	PLUG BLIND	10				0.001	0.0022
150	66101-51170	SUPPORT STEP	1				0.4	0.88
160	01123-50820	BOLT	2				0.011	0.0242
170	01133-51035	BOLT	2				0.03	0.066
180	76507-51200	SUPPORTER	2	>=10387		RC54 RC60	0.38	0.836
190	01173-51025	BOLT	4	>=10387		RC54 RC60	0.021	0.0462
200	02118-50100	NUT	4	>=10387		RC54 RC60	0.005	0.011
210	04512-60100	WASHER SPRING	4	>=10387		RC54 RC60	0.002	0.0044
220	04013-50100	WASHER PLAIN	1				0	0
230	66101-59120	STAY	2	>=10666			0.33	0.726
240	01123-60816	BOLT	4	>=10666			0.01	0.022
240	01125-50822	BOLT	4	>=10685			0.015	0.033
250	66101-88710	MANUAL ASSEMBLY	1			OPTION	0.001	0.0022
260	66101-88700	KIT STAY SPRING	1			OPTION NOT SHOWN IN FIG.	0.76	1.672
270	66101-83650	ASSY SUPPORT SHAFT	1			OPTION	0.27	0.594
280	01123-60816	BOLT	2			OPTION	0.01	0.022
290	01023-50614	BOLT	2			OPTION	0.005	0.011
300	67111-44250	NIPPLE GREASE	1			OPTION	0.005	0.011

STEERING GEAR CASE




010 66101-4111-0

010



040 66101-4112-0

040



66101-811-10





STEERING GEAR CASE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-41110	CASE STEERING GEAR	2	≤10665			0.6	1.32
010	66101-41112	CASE STEERING GEAR	2	≥10666	≠		0.56	1.232
020	05012-00612	PIN STRAIGHT	2				0.003	0.0066
030	01123-51070	BOLT	4				0.05	0.11
040	66101-41120	SHAFT PINION	1	≤10665			0.24	0.528
040	66101-41123	SHAFT PINION	1	≥10666	≠		0.25	0.55
045	09500-17307	SEAL OIL	1	≥10666			0.07	0.154
050	08141-06003	BEARING BALL	2				0.037	0.0814
060	66101-41130	SHAFT SECTOR	1				0.22	0.484
070	08141-06004	BEARING BALL	2				0.064	0.1408
080	66101-41140	GEAR SECTOR	1				0.7	1.54
090	66101-41153	ARM PITMAN	1				0.35	0.77
100	02176-50120	NUT	1				0.01	0.022
110	04512-50120	WASHER SPRING	1				0	0
120	04013-60120	WASHER PLAIN	1				0.01	0.022

STEERING WHEEL






STEERING WHEEL


↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-41312	ASSY SHAFT JOINT	1				0.8	1.76
020	01123-50825	BOLT	2				0.013	0.0286
030	66101-41320	SHAFT STEERING	1	≤10665			0	0
030	66101-41323	SHAFT STEERING	1	≥10666	←		0.315	0.693
040	04612-00160	CIRCLIP EXTERNAL	2				0.001	0.0022
050	04013-60160	WASHER PLAIN	2				0.01	0.022
060	66591-41250	BUSH POST	2				0.016	0.0352
070	66150-41450	ASSY WHEEL STEERING	1	≥10588			2.7	5.94
075	37410-41460	WHEEL STEERING	1				2	4.4
080	37410-41470	ASSY PAD	1	≤10587			0	0
080	67148-41470	ASSY PAD	1	≥10588	≠		0.06	0.132
090	37410-41490	MARK	1	≤10587			0.005	0.011
090	67148-41490	MARK	1	≥10588	≠		0.005	0.011
100	02174-50120	NUT	1				0.01	0.022
110	04512-50120	WASHER SPRING	1				0	0

CONTROL VALVE



050 66101-3631-3



050

66101-812-10




CONTROL VALVE

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-36200	ADAPTER CONTRL VALVE	1	≤10665			1.3	2.86
010	66101-36203	ASSY ADAPTOR	1	≥10666	≠		1.45	3.19
020	01123-50820	BOLT	3				0.011	0.0242
030	36330-63080	NIPPLE	2				0.07	0.154
040	04811-00140	RING	1				0.001	0.0022
050	66101-36313	ASSY VALVE CONTROL	1	≤10665		REFER TO L.No. 0E11-L0 FOR COMPONENTS.	2.76	6.072
050	66101-36314	ASSY VALVE CONTROL	1	≥10666	≠	REFER TO L.No. 0E11-L0 FOR COMPONENTS.	0	0
060	04811-00120	RING	2	≤10665			0.001	0.0022
060	04810-00120	O RING	2	≥10666	↔		0.001	0.0022
065	04811-00090	O RING	1	≥10666			0.001	0.0022
070	01123-50845	BOLT	1				0.02	0.044
080	01123-50875	BOLT	2				0.04	0.088
090	55611-31460	GRIP LEVER	1				0.03	0.066
100	07715-01605	BALL	1				0.003	0.0066
110	66101-36220	SPRING	1				0.005	0.011
120	04717-01200	WASHER WITH RUBBER	1				0.002	0.0044
130	06331-35012	PLUG	1				0.022	0.0484
140	66101-36230	SHIM	1			0.5MM	0.003	0.0066
140	66101-36240	SHIM	1			0.3MM	0.003	0.0066

CONTROL VALVE [COMPONENT PARTS]






CONTROL VALVE [COMPONENT PARTS]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-36313	ASSY VALVE CONTROL	1	<=10665			2.76	6.072
010	66101-36314	ASSY VALVE CONTROL	1	>=10666	≠		0	0
020	05411-00620	PIN SPRING	1				0.002	0.0044
030	66591-36330	SEAT VALVE	1				0.008	0.0176
040	04811-15120	RING	1				0.001	0.0022
050	66611-36222	RETAINER SPRING	1				0.008	0.0176
060	07715-03211	BALL	1				0.003	0.0066
070	66101-36350	SPRING	1				0.03	0.066
080	66591-36360	SCREW ADJUSTING	1				0.012	0.0264
090	04012-50060	WASHER PLAIN	1				0.001	0.0022
100	66591-36370	COLLAR	1				0.016	0.0352
110	66611-36330	SHIM ADJUSTING	1				0.001	0.0022
120	66101-36360	COVER RELIEF	1				0.06	0.132
130	66101-36370	SPRING SPOOL RETURN	1				0.01	0.022
140	66905-36390	GASKET	1				0.005	0.011
150	99999-99999	BLANK	0				0	0
160	01202-50622	BOLT	4				0.007	0.0154
170	66591-36430	COVER VALVE	1				0.18	0.396
180	66101-36390	LEVER CONTROL	1				0.26	0.572
190	04811-00100	RING	1				0.001	0.0022
200	66591-36450	ARM VALVE GUIDE	1				0.05	0.11
210	66591-36480	BOLT	1				0.004	0.0088
220	04111-50060	WASHER	1				0.001	0.0022
230	07715-00803	BALL	1				0.004	0.0088
240	62061-18270	SPRING STOPPER	1				0.003	0.0066
250	66591-36460	BOLT	1				0.054	0.1188
260	04714-00300	GASKET	1				0.002	0.0044
270	66905-36470	GASKET	1				0.002	0.0044
280	01053-50650	BOLT	2				0.011	0.0242
290	04512-60060	WASHER SPRING	4				0.001	0.0022
300	01053-50665	BOLT	2				0.015	0.033


HYDRAULIC PIPE 1



130 66101-3666-0

140 04714-00120


150 67810-3788-0



100 66101-3665-0

160 67810-3768-0

170 67810-3769-0




66101-813-10



HYDRAULIC PIPE 1

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-36410	PIPE SUCTION	1				0.05	0.11
020	04811-10300	RING	2				0.001	0.0022
030	04811-00110	RING	1				0.001	0.0022
040	66021-36390	FILTER OIL	1				0.185	0.407
050	66101-36423	PIPE DELIVERY	1				0.14	0.308
060	36330-63080	NIPPLE	1				0.07	0.154
070	04811-00140	O RING	1				0.001	0.0022
080	66591-36250	JOINT	1				0.08	0.176
090	67111-37180	GASKET	2				0.003	0.0066
100	66101-36650	PIPE RETURN	1	≤10665			0.2	0.44
100	66101-36653	PIPE RETURN	1	≥10666	≠		0.185	0.407
110	36330-63080	NIPPLE	1				0.07	0.154
120	04811-00150	O RING	1				0.001	0.0022
130	66101-36660	PIPE RETURN	1	≤10665			0.06	0.132
140	04714-00120	GASKET	2	≤10665			0.001	0.0022
150	67810-37880	FILTER OIL	1	≤10665			0.033	0.0726
160	67810-37680	HOSE	1	≤10665			0.015	0.033
170	67810-37690	BAND HOSE	1	≤10665			0.02	0.044
180	04811-00140	O RING	1				0.001	0.0022
190	66711-36140	CLAMP PIPE	2	≥10666			0.007	0.0154
200	01053-50640	BOLT	1	≥10666			0.011	0.0242
210	02014-50060	NUT	1	≥10666			0.003	0.0066
220	04015-60060	WASHER PLAIN	2	≥10666			0.005	0.011
230	04512-60060	WASHER SPRING	1	≥10666			0.001	0.0022






HYDRAULIC PIPE 2

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-36430	PIPE HST	1				0.15	0.33
020	04811-10090	RING	1				0.001	0.0022
030	66021-36060	CARTRIDGE OIL FILTER	1				0.34	0.748
040	66204-36170	JOINT FILTER	1				0.018	0.0396
050	66101-36444	PIPE HST	1				0.11	0.242
060	04811-10090	RING	1				0.001	0.0022
070	36330-63080	NIPPLE	1				0.07	0.154
080	04811-00140	O RING	1				0.001	0.0022
090	66101-36450	PIPE DRAIN	1				0.05	0.11
100	04811-10090	RING	2				0.001	0.0022
110	01123-60814	BOLT	1				0.008	0.0176
120	66101-36460	PLUG DRAIN	1	<=10665			0	0
120	66101-36463	PLUG DRAIN	1	>=10666	←		0.046	0.1012
130	68011-62220	O RING	1				0.001	0.0022

LIFT CYLINDER






LIFT CYLINDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-36512	ASSY CYLINDER	1				2.84	6.248
020	05122-51465	PIN JOINT	2				0.08	0.176
030	05511-50425	PIN SPLIT	2				0.003	0.0066
040	66101-36520	HOSE CYLINDER	1				0.15	0.33
050	56811-27380	ADAPTER	1				0.04	0.088
060	66101-36530	SHAFT LIFT	1				1.6	3.52
070	66101-36542	ARM LIFT	1				0.76	1.672
080	05122-61245	PIN JOINT	1				0.04	0.088
090	05511-50425	PIN SPLIT	1				0.003	0.0066
100	76505-51170	ROD LIFT	2				0.14	0.308
110	05122-51230	PIN JOINT	2				0.029	0.0638
120	04013-60120	WASHER PLAIN	4				0.01	0.022
130	05511-50425	PIN SPLIT	2				0.003	0.0066
140	04011-50140	WASHER PLAIN	1				0.007	0.0154

HYDRAULIC OUTLET [OLD TYPE] [OPTION]






HYDRAULIC OUTLET [OLD TYPE] [OPTION]

S.No.:G2000<=10665,G2000-S<=11093

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	79840-13200	ASSY ADAPTER	1				1.5	3.3
020	99999-99999	BLANK	0				0	0
030	79840-13210	ADAPTER CONT.VALVE	1				1.18	2.596
040	07715-01605	BALL	1				0.003	0.0066
050	66101-36220	SPRING	1				0.005	0.011
060	04717-01200	WASHER WITH RUBBER	1				0.002	0.0044
070	06331-35012	PLUG	1				0.022	0.0484
080	66101-36230	SHIM	1			0.5MM	0.003	0.0066
080	66101-36240	SHIM	1			0.3MM	0.003	0.0066
090	79840-13220	SPOOL	1				0.19	0.418
100	04811-00120	O RING	1				0.001	0.0022
110	04811-00160	O RING	1				0.001	0.0022
120	04612-00150	CIRCLIP EXTERNAL	2				0.001	0.0022
130	06312-10020	PLUG	1				0.015	0.033
140	79840-13230	LEVER CHANGE	1				0.1	0.22
150	05411-00616	PIN SPRING	1				0.002	0.0044
160	66071-43480	BUTTON	1				0.042	0.0924
170	05122-50616	PIN JOINT	1				0.004	0.0088
180	04013-60060	WASHER PLAIN	1				0.001	0.0022
190	05511-51612	PIN SPLIT	1				0.001	0.0022
200	79840-13240	LABEL	1				0.002	0.0044
210	04811-00140	O RING	2				0.001	0.0022
220	04811-00120	O RING	2				0.001	0.0022
230	79840-13910	MANUAL CONSTRUCTION	1				0.001	0.0022

HYDRAULIC OUTLET [NEW TYPE] [OPTION]






HYDRAULIC OUTLET [NEW TYPE] [OPTION]

S.No.:G2000>=10666,G2000-S>=11094

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	79840-13120	ASSY ADAPTER	1				1.5	3.3
020	99999-99999	BLANK	0				0	0
030	99999-99999	BLANK	0				0	0
040	07715-01605	BALL	1				0.003	0.0066
050	66101-36220	SPRING	1				0.005	0.011
060	04717-01200	WASHER WITH RUBBER	1				0.002	0.0044
070	06331-35012	PLUG	1				0.022	0.0484
080	66101-36230	SHIM	1			0.5MM	0.003	0.0066
080	66101-36240	SHIM	1			0.3MM	0.003	0.0066
090	79840-13220	SPOOL	1				0.19	0.418
100	04811-00120	O RING	1				0.001	0.0022
110	04811-00160	O RING	1				0.001	0.0022
120	04612-00150	CIRCLIP EXTERNAL	2				0.001	0.0022
130	06312-10020	PLUG	1				0.015	0.033
140	79840-13230	LEVER CHANGE	1				0.1	0.22
150	05411-00616	PIN SPRING	1				0.002	0.0044
160	66071-43480	BUTTON	1				0.042	0.0924
170	05122-50616	PIN JOINT	1				0.004	0.0088
180	04013-60060	WASHER PLAIN	1				0.001	0.0022
190	05511-51612	PIN SPLIT	1				0.001	0.0022
200	79840-13240	LABEL	1				0.002	0.0044
210	04811-00140	O RING	2				0.001	0.0022
220	04811-00120	O RING	2				0.001	0.0022
230	04811-00090	O RING	1				0.001	0.0022

3-POINT LINKAGE [OPTION]






3-POINT LINKAGE [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	79840-13310	BRACKET	1				10	22
020	99999-99999	BLANK	0				0	0
030	06613-10675	NIPPLE GREASE	1				0.003	0.0066
040	01133-51228	BOLT	4				0.04	0.088
050	79840-12200	ASSY LINK TOP	1				1.2	2.64
060	79840-12210	JOINT TOP LINK RH	1				0.32	0.704
070	79840-12220	JOINT TOP LINK LH	1				0.32	0.704
080	79840-12232	TURNBUCKLE	1				0.44	0.968
090	06613-10675	NIPPLE GREASE	1				0.003	0.0066
100	02152-50180	NUT	1				0.024	0.0528
110	05122-51650	PIN JOINT	1				0.09	0.198
120	05122-51660	PIN JOINT	1				0.098	0.2156
130	66592-35190	PIN SET	2				0.014	0.0308
140	79840-13320	COMP.LINK LOWER	2				2.1	4.62
150	70451-56320	PIN SNAP	4				0.025	0.055
160	66706-65280	PIN LIFT	2				0.082	0.1804
170	02174-50120	NUT	2				0.01	0.022
180	04512-50120	WASHER SPRING	2				0	0
190	66713-34340	PIN SET	2				0.013	0.0286
200	79840-13330	COMP.ROD LIFT LH	1				0.6	1.32
210	79840-13400	ASSY ROD LIFT RH	1				0.74	1.628
220	79840-13340	ROD LIFT UPPER RH	1				0.2	0.44
230	66706-65253	NUT	1				0.003	0.0066
240	79840-13350	ROD LIFT LOWER RH	1				0.3	0.66
250	79840-13360	SPRING	1				0.035	0.077
260	05122-51235	PIN JOINT	2				0.034	0.0748
270	04013-60120	WASHER PLAIN	2				0.01	0.022
280	05511-50425	PIN SPLIT	2				0.003	0.0066
290	79840-13500	ASSY CHAIN CHECK	2				0.3	0.66
300	79840-12520	BOLT TURNBUCKLE RH	2				0.08	0.176
310	79840-12530	BOLT TURNBUCKLE LH	2				0.08	0.176
320	96316-05580	TURNBUCKLE	2				0.14	0.308
330	02112-50120	NUT	2				0.007	0.0154
340	66706-65380	PIN SET	4				0.021	0.0462
350	04011-50100	WASHER PLAIN	4				0.002	0.0044
360	05511-50318	PIN SPLIT	4				0.001	0.0022
370	79840-13370	COMP.CYLINDER	1				3.94	8.668
380	79840-13380	HOLDER CYLINDER	1				0.7	1.54
390	01123-51240	BOLT	2				0.048	0.1056
400	05122-51445	PIN JOINT	1				0.058	0.1276
410	04011-50140	WASHER PLAIN	1				0.007	0.0154
420	05511-50430	PIN SPLIT	1				0.004	0.0088
430	05515-51600	PIN SNAP	1				0.007	0.0154
440	79840-13410	HOSE CYLINDER	1				0.13	0.286
450	56713-28140	ADAPTER CYLINDER	1				0.03	0.066
460	58745-27250	ADAPTER	1				0.1	0.22
470	35260-29790	LABEL DRAWBAR	1				0.002	0.0044
480	04013-60120	WASHER PLAIN	2				0.01	0.022
490	79840-13450	MANUAL ASSEMBLY	1				0.001	0.0022



76505-034-11




MOWER ASSIST SPRING [OPTION]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66111-88520	STAY LOWER RH	1				0.38	0.836
020	99999-99999	BLANK	0				0	0
030	66111-88510	STAY UPPER RH	1				0.27	0.594
040	66111-88540	STAY LOWER LH	1				0.41	0.902
050	66111-88530	STAY UPPER LH	1				0.23	0.506
060	66111-88620	HOOK SPRING	2				0.08	0.176
070	66111-88570	SPRING	2				0.31	0.682
080	66111-88610	HOOK SPRING	2				0.08	0.176
090	05516-61000	PIN SNAP	4				0.003	0.0066
100	01123-50820	BOLT	2				0.011	0.0242
110	04011-50100	WASHER PLAIN	4				0.002	0.0044
120	04512-60080	WASHER SPRING	4				0.002	0.0044
130	02114-50080	NUT	4				0.005	0.011
140	66111-88592	MANUAL ASSEMBLY	1				0.009	0.0198

HOOD (BONNET)






HOOD (BONNET)

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-54120	COMP.BONNET	1				10.4	22.88
020	66101-54130	STAY BONNET RH	1				0.21	0.462
030	66101-54140	STAY BONNET LH	1				0.24	0.528
040	01123-50820	BOLT	4				0.011	0.0242
050	66101-54150	HOLDER BONNET RH	1				0.06	0.132
060	66101-54160	HOLDER BONNET LH	1				0.09	0.198
070	01123-50820	BOLT	4				0.011	0.0242
080	04013-50080	WASHER PLAIN	4				0	0
090	02372-50100	NUT	2				0.005	0.011
100	44512-46650	COLLAR	2				0.005	0.011
110	05511-52520	PIN SPLIT	2				0.001	0.0022
120	34150-18180	CUSHION	2				0.003	0.0066
130	66101-54170	HOOK BONNET	2	<=10001			0	0
130	66101-54172	HOOK BONNET	2	>=10002	←		0	0
130	66101-54174	HOOK BONNET	2	>=10585	←		0.055	0.121
140	67800-54623	SPRING	2				0.005	0.011
150	04015-60060	WASHER PLAIN	2				0.005	0.011
160	05511-50315	PIN SPLIT	2				0.002	0.0044
170	66101-53150	TRIM SASH	2	<=10665			0	0
170	67401-54330	TRIM SASH	2	>=10666	↔		0.04	0.088
180	66101-54310	COVER FRONT	1				0.64	1.408
190	01123-50820	BOLT	2				0.011	0.0242
200	66103-58150	CLOTH HEAT-PROOF	1				0.4	0.88
210	66103-58160	CLOTH HEAT-PROOF	1				0.18	0.396
220	66103-58170	CLOTH HEAT-PROOF	1				0.02	0.044
230	66103-58180	CLOTH HEAT-PROOF	1				0.08	0.176




020 66101-5311-4

050 66101-5316-0

060 66021-5523-0

070 66021-5526-0

080 66021-5528-0




66101-814-10



PANEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	54911-32330	GRIP LEVER	1				0.055	0.121
020	66101-53114	COMP.PANEL	1	<=10584			6.8	14.96
020	66101-53116	COMP.PANEL	1	>=10585	≠		0	0
020	66101-53118	COMP.PANEL	1	>=10685	←		4.52	9.944
030	67111-44250	NIPPLE GREASE	1				0.005	0.011
040	01125-50818	BOLT	2	<=10684			0.015	0.033
040	01125-50822	BOLT	2	>=10685	↔		0.015	0.033
050	66101-53160	COVER PANEL REAR	1	<=10584			4	8.8
050	66101-53163	COVER PANEL REAR	1	>=10585	≠		0.85	1.87
060	66021-55230	SCREW PAN-HEAD	4	<=10584			0.005	0.011
060	01820-50615	BOLT KNOB	2	>=10585	≠		0.017	0.0374
070	66021-55260	WASHER PLAIN	4	<=10584			0.001	0.0022
070	67156-54480	RUBBER KNOB	2	>=10585	≠		0.001	0.0022
080	66021-55280	WASHER SPRING	4	<=10584			0.001	0.0022
090	66101-53250	CUSHION	1				0.001	0.0022
100	38240-29570	PLUG	1				0.001	0.0022
110	66101-53212	BLOCK DUSTPROOF	2				0.01	0.022
120	66101-53220	BLOCK DUSTPROOF	1				0.01	0.022
130	02114-50080	NUT	2				0.005	0.011
140	04512-60080	WASHER SPRING	2				0.002	0.0044
150	66101-53170	TRIM REAR COVER RH	1				0.002	0.0044
160	66101-53180	TRIM REAR COVER LH	1				0.01	0.022
170	66101-53260	BLOCK DUSTPROOF	1				0.005	0.011
180	66101-53270	BLOCK DUSTPROOF	1				0.01	0.022
190	66101-53280	BLOCK DUSTPROOF	1				0.01	0.022
200	66101-53310	TAPE	1	>=10426			0.003	0.0066






FENDER

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-52112	STEP	1				7.5	16.5
020	01125-50818	BOLT	4				0.015	0.033
030	66101-52120	SEAT STEP RH	1				0.52	1.144
040	66101-52130	SEAT STEP LH	1				0.52	1.144
050	66101-52140	BLOCK DUSTPROOF	1				0.1	0.22
060	66101-52210	FENDER	1	≤10665			0	0
060	66101-52213	FENDER	1	≥10666	↔		6	13.2
070	01123-60816	BOLT	4	≤10001			0.01	0.022
070	01125-50818	BOLT	4	≥10002	←		0.015	0.033
080	66101-52220	GUIDE S-CHANGE	1				0.1	0.22
090	01222-50610	BOLT	2				0.004	0.0088
100	04512-60060	WASHER SPRING	2				0.001	0.0022
110	04013-60060	WASHER PLAIN	2				0.001	0.0022
120	32150-29180	CAP RUBBER	1				0.002	0.0044
130	37410-52240	REFLECTOR	2				0.065	0.143
140	04512-60060	WASHER SPRING	4				0.001	0.0022
150	02014-50060	NUT	4				0.003	0.0066
160	38240-29570	PLUG	4	≤10665			0.001	0.0022
160	38240-29570	PLUG	5	≥10666			0.001	0.0022
170	66101-52230	CAP	1				0.01	0.022
180	66101-52240	CAP	1				0.01	0.022






SEAT [A] [CA]

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66103-45930	SEAT	1	<=10425			0	0
010	66103-45935	SEAT	1	>=10426	←		0	0
010	K3311-45930	ASSY SEAT	1	>=10685	←		6.8	14.96
015	K3311-45940	ASSY SWITCH	1	>=10685			0.17	0.374
016	01754-50612	BOLT FLANGE	4	>=10685			0.005	0.011
020	99999-99999	BLANK	0				0	0
030	99999-99999	BLANK	0				0	0
040	66103-45940	BRACKET SEAT RH	1				0.088	0.1936
050	66103-45950	BRACKET SEAT LH	1				0.16	0.352
060	01123-50820	BOLT	4				0.011	0.0242
070	13824-67580	CLAMP CORD	1				0.006	0.0132
080	01123-60816	BOLT	4				0.01	0.022
090	66101-45910	ASSY ADJUSTER SEAT	1				1.5	3.3
100	66021-45980	CUSHION SEAT	2				0.012	0.0264
110	38240-18470	PIN SEAT	1				0.085	0.187
120	05515-61000	PIN SNAP	1				0.003	0.0066
130	67061-45970	SPRING SEAT	2				0.13	0.286
140	01123-50820	BOLT	2				0.011	0.0242
150	04015-60080	WASHER PLAIN	2				0.01	0.022
160	66301-52820	CAP SPRING	1				0.04	0.088



66101-149-10



LABEL

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66103-47110	MARK KUBOTA RH 2	1				0.003	0.0066
020	66103-47120	MARK KUBOTA LH	1				0.003	0.0066
030	66101-47130	LABEL CAUTION	1	≤10665		[A] [AU] [NZ]	0.003	0.0066
030	66001-47193	LABEL CAUTION	1	≥10666	≠	[A] [AU] [NZ]	0	0
030	66120-47130	LABEL CAUTION	1	≤10230		[CA]	0	0
030	66120-47132	LABEL CAUTION	1	≥10231	←	[CA]	0.005	0.011
040	66101-47150	LABEL WIRE ADJUST.	1			[A] [AU] [NZ]	0.001	0.0022
040	66120-47150	LABEL WIRE ADJUST.	1			[CA]	0.001	0.0022
050	66101-47170	LABEL OPERATION	1			[A] [AU] [NZ]	0.002	0.0044
050	66120-47170	LABEL OPERATION	1			[CA]	0.005	0.011
060	66101-47190	LABEL MAIN SWITCH	1				0.002	0.0044
070	66101-47210	LABEL KUBOTA	2	≤10587			0	0
070	66101-47212	MARK KUBOTA	2	≥10588	≠		0.02	0.044
080	99999-99999	NAME PLATE HAUF.	1			NON SALE	0	0
090	66103-47260	LABEL INSTRUCTION	1			[A] [AU] [NZ]	0.002	0.0044
090	66163-47260	LABEL INSTRUCTION	1			[CA]	0.001	0.0022
100	62425-47490	LABEL FUEL	1				0.003	0.0066
110	66041-47280	LABEL CAUTION	1			[A] [AU] [NZ]	0.001	0.0022
110	66706-47340	LABEL CAUTION	1			[CA]	0.001	0.0022
120	35820-98632	LABEL START CAUTION	1	≤10665		[A] [AU] [NZ]	0.003	0.0066
120	76611-47230	LABEL START CAUTION	1	≥10666	←	[A] [AU] [NZ]	0.001	0.0022
120	66027-47270	LABEL START CAUTION	1			[CA]	0.002	0.0044
130	66101-47290	LABEL BRAKE	1			[A] [AU] [NZ]	0.001	0.0022
130	66161-47290	LABEL BRAKE	1			[CA]	0.002	0.0044
140	66101-47310	LACE FRONT LINE	1	≤10587			0	0
140	66101-47314	LACE FRONT LINE	1	≥10588	≠		0.2	0.44
160	66103-47320	LABEL KUBOTA	1	≤10587		[A] [CA]	0	0
160	66103-47322	MARK KUBOTA	1	≥10588	≠	[A] [CA]	0.001	0.0022
170	66101-47330	LABEL RADIATOR	1	≤10684		[A]	0	0
170	66101-47332	LABEL RADIATOR	1	≥10685	←	[A]	0.001	0.0022
190	66101-47510	LABEL	1	≥10426		[A]	0.001	0.0022
200	66101-47160	LABEL ENGINE START	1	≤10684			0.002	0.0044
200	K3311-47160	LABEL ENGINE START	1	≥10685	←		0.02	0.044



ACCESSORIES AND SERVICE PARTS

↔ Interchangeable; ≠ not interchangeable; ← new for old; → old for new

REF.No	Part No.	Description	Q'ty	S.No.	I/C	REMARKS	Weight (kgf)	Weight (lb)
010	66101-86290	MANUAL INSTRUCTION	1	>=10588		[A] REF.NO.020 030	0	0
020	66101-62912	MANUAL INSTRUCTION	1	<=10684		[A]	0.05	0.11
020	66101-62917	MANUAL INSTRUCTION	1	>=10685	←	[A]	0	0
030	66101-62920	MANUAL INSTRUCTION	1				0	0
040	66160-86290	MANUAL INSTRUCTION	1			[CA] [AU] [NZ] REF.NO.030 050	0	0
050	66160-62910	MANUAL INSTRUCTION	1	<=10587		[CA] [AU] [NZ]	0	0
050	66160-62912	MANUAL INSTRUCTION	1	>=10588	←	[CA] [AU] [NZ]	0	0
050	66160-62914	MANUAL INSTRUCTION	1	>=10588	≠	[CA] [AU] [NZ]	0	0
050	66160-62915	MANUAL INSTRUCTION	1	>=10666	≠	[CA] [AU] [NZ]	0	0
060	66161-86290	MANUAL INSTRUCTION	1			[CA] REF.NO.030 070	0	0
070	66161-62912	MANUAL INSTRUCTION	1	<=10587		[CA]	0	0
070	66161-62914	MANUAL INSTRUCTION	1	>=10588	←	[CA]	0	0
070	66161-62916	MANUAL INSTRUCTION	1	>=10666	≠	[CA]	0	0
080	37410-55150	KEY STARTER	1				0.025	0.055
090	05511-50545	PIN SPLIT	2				0.01	0.022
100	66021-56240	WASHER	2				0.01	0.022
110	66021-17120	NUT TAPER	10				0.017	0.0374
120	66101-55510	ASSY BAG SPARE FUSE	1				0.01	0.022
130	52200-41620	FUSE AUTO	1				0.003	0.0066
140	36919-56650	FUSE AUTO	1				0.002	0.0044
150	12581-86200	WRENCH SPARK PLUG	1				0.13	0.286
170	67111-55190	RING FUSIBLE	1	<=10665			0.005	0.011
170	55611-41620	RING FUSE	1	>=10666	←		0.007	0.0154